

200 x 400 CONCRETE BLOCK WALL. CONTRACTOR TO TIE-IN TO EXISTING MASONRY WALL.


EXTERIOR FOOTING. SEE DETAIL 1. CONTRACTOR TO TIE-IN TO EXISTING FOOTING

EXTERIOR FOOTING. SEE DETAIL 1. CONTRACTOR TO TIE-IN TO EXISTING FOOTING

CONCRETE SLAB. MIN. 100mm THICK WITH WELDED WIRE MESH REINFORCEMENT.

200 x 400 CONCRETE BLOCK WALL. CONTRACTOR TO TIE-IN TO EXISTING MASONRY WALLS.

PLAN
SCALE 1:50



*NOTE:
CONTRACTOR TO VERIFY THE DIMENSIONS OF THE EXISTING FOOTINGS IN PLACE AND DISCUSS WITH THE DEPARTMENTAL REPRESENTATIVE BEFORE CONSTRUCTION.

FOOTING DETAIL 1
SCALE 1:10

- CONTRACTOR TO SAW CUT, REMOVE AND DISPOSE ASPHALT AND CONCRETE FOR FOOTINGS
- CONCRETE COMPRESSIVE STRENGTH = 25 MPa @ 28 DAYS
- MASONRY BLOCK HEIGHT: 20 COURSES HIGH

TENDERFOOT CREEK HATCHERY
FOOTING, SLAB, AND MASONRY WALL
FINAL PHASE

SCALE	SEE DRAWING
START DATE	.
DRAWING NUMBER	1

DWG. NO.	DRAWING REFERENCES	NOTES	NO.	DATE	REVISIONS

DESIGNED	D. LOGLUSCI
DRAWN	D. LOGLUSCI
CHECKED	
RECOMMENDED	
APPROVED	