



DETAIL - TRUSS 4.5,6,7, AND 9  
SCALE : 1:10  
S1.0/S1.1



RAFTER REINFORCING				
LOCATION (SEE S1.0 AND S1.1)	EXISTING	LENGTH	REPAIR	EXISTING LEDGER AT UPPER END (Y/N)
A	38x140 @ 400 C/C	2000	1-38x184	YES
B	38x184 @ 600 C/C	2300	1-38x184	YES
C	38x184 @ 600 C/C	3000	1-38x286	YES
D	38x184 @ 400 C/C	3000	1-38x184	YES
E	38x286 @ 600 C/C	5700	1-38x286	YES
F	38x286 @ 300 C/C	3500	1-38x286	YES
G	38x286 @ 300 C/C	4000	1-38x286	YES




DETAIL TRUSS 20  
SCALE : 1:10  
S1.0/S1.1



DETAIL FULL TRUSS  
SCALE: 1:30  
S1.0/S1.1



DETAIL TRUSS 21  
SCALE : 1:10  
S1.0/S1.1



NOTE:  
1. LVL - WHERE INDICATED MEMBER IS TO BE A 1.9E MICROLAM LVL.



0	ISSUED FOR TENDER	JAN 20 2015
revisions		date
project	CAMPUS ROOF REPLACEMENT CANADIAN COAST GUARD COLLEGE SYDNEY, NS	
drawing	STRUCTURAL	
	REPAIR DETAILS SHEET 1 OF 2	
designed KDM	congr	
date	OCTOBER 2014	
drawn	STAFF	dessiné
date	OCTOBER 2014	
approved BK	approuvé	
date	JANUARY 20 2015	
Tender	Soumission	
PWSC Project Manager	Administrateur de projets IPSC	JAN. 20/15
project number	no. du projet	
	R.065476.500	
drawing no.	no. du dessin	
	S1.3	