

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Réception des soumissions - TPSGC / Bid Receiving
- PWGSC
1550, Avenue d'Estimauville
1550, D'Estimauville Avenue
Québec
Québec
G1J 0C7

SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
TPSGC/PWGSC
601-1550, Avenue d'Estimauville
Québec
Québec
G1J 0C7

Title - Sujet P-Rad - Spring Maintenance2015		
Solicitation No. - N° de l'invitation F3019-14N740/A		Amendment No. - N° modif. 002
Client Reference No. - N° de référence du client F3019-14N740		Date 2015-03-11
GETS Reference No. - N° de référence de SEAG PW-\$QCL-037-16357		
File No. - N° de dossier QCL-4-37332 (037)		CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2015-03-27		Time Zone Fuseau horaire Heure Avancée de l'Est HAE
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>		
Address Enquiries to: - Adresser toutes questions à: Woods, Michael		Buyer Id - Id de l'acheteur qcl037
Telephone No. - N° de téléphone (418) 649-2715 ()		FAX No. - N° de FAX (418) 648-2209
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:		

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation

F3019-14N740/A

Client Ref. No. - N° de réf. du client

F3019-14N740

Amd. No. - N° de la modif.

002

File No. - N° du dossier

QCL-4-37332

Buyer ID - Id de l'acheteur

qc1037

CCC No./N° CCC - FMS No/ N° VME

See next page.

Solicitation No – N° de l'invitation
F3019-14N740/A
Client Ref No. – N° de réf. du client
F3019-14N740

Amd. No. – N° de la modif.
001
File No. – N° du dossier
QCL-4-37332

Buyer ID – id de l'acheteur
qcl 037

Please amend the above mentioned bidding solicitation with the changes below:

At Annex A – 'CCGS Pierre Radisson Refit'

Remove:

Annex A – 'CCGS Pierre Radisson Refit'

Replace with the following:

Annex A – 'CCGS Pierre Radisson Refit revision #1'.

Add the following to the invitation to tender:

Bidder's Conference Minutes of Meeting (MOM) from 04th March 2015.

Please amend the above mentioned bidding solicitation with the changes below in relation to the questions and comments in suspense.

Questions and Answers:

Question 1: Annex A pages 20-21

8.0 Refrigeration and Air Conditioning Systems. We would like to have some supplementary information about the oil filters ext and about the condenser's safety release valves and the tank. We would like to have the brand and model for each unit, as well as the serial numbers.

Answer 1:

All available information has been added in the revised Specs.

Question 2 : Annex A page 22 of 40

9.3 f) Seal all leaks... Question: Can you define all leaks?

Answer 2:

Presently, there are no leaks identified. An inspection is required to identify any leaks. If leaks are found, they will be negotiated via a 1379 form as an extra.

Question 3: Annex A page 22 of 40

9.3 i) At Item b. Replace the diaphragm, lifeboat launch system specifications are required.

Answer 3:

See electronic annex 9.3 i) - crochet lhr12m2-lhr9m2-lhr6m2-lhr3.5m2.

Solicitation No – N° de l'invitation
F3019-14N740/A
Client Ref No. – N° de réf. du client
F3019-14N740

Amd. No. – N° de la modif.
001
File No. – N° du dossier
QCL-4-37332

Buyer ID – id de l'acheteur
qcl 037

Question 4: Annex A page 29 of 40

18.1 Is it possible to get the weight and total dimensions of the work barge?

Answer 4:

See electronic annex 18.1 - Péniche TRACY Données opérationnelles.

Question 5 : Annex A page 31 of 40

18.4 Can you indicate the required paint thickness?

Answer 5:

The thickness required is the one required by the paint manufacturer.

At Annex I - Financial Bid Presentation Sheet

Remove:

Annex I - Financial Bid Presentation Sheet

Replace with the following:

Annex I - Financial Bid Presentation Sheet, included in this document.

Solicitation No – N° de l'invitation
F3019-14N740/A
Client Ref No. – N° de réf. du client
F3019-14N740

Amd. No. – N° de la modif.
001
File No. – N° du dossier
QCL-4-37332

Buyer ID – id de l'acheteur
qcl 037

ANNEX I

Financial Bid Presentation Sheet

I1 Price for Evaluation

A)	Known Work For work as stated in Part 1 Clause 2a, Specified in Annex "A" and detailed in the attached Pricing Data Sheets Appendix 1 of Annex "I", for a FIRM PRICE of:	<div></div> \$
B)	Unscheduled Work Contractor <i>Labour Cost</i> : Estimated labour hours at a firm <i>hourly Charge-out Labour Rate</i> , including overhead and profit for evaluation purpose only: 300 person hours X \$_____ per hour for a PRICE of: See Note I2.1 and I2.2 below.	<div></div> \$
C)	EVALUATION PRICE GST Excluded, [A + B + C]: <div>For an EVALUATION PRICE of :</div>	<div></div> \$

I2 Unscheduled Work

The Contractor will be paid for unscheduled work arising, as authorized by the Minister, calculated in the following manner:

"Number of hours (to be negotiated) X \$_____ your firm hourly *Charge-out Labour Rate* which includes *Overhead* and profit, plus net laid-down cost of materials to which shall be added a 10% mark-up, plus Goods and Services Tax or Harmonized Sales Tax as applicable, of the total cost of material and labour. The firm hourly *Charge-out Labour Rate* and the material mark-up will remain firm for the duration of the Contract and any subsequent amendments thereto."

- I2.1:** Notwithstanding definitions or usage elsewhere in this document, or in the Bidder's Cost Management System, when negotiating *Hours* for unscheduled work, PWGSC will consider only those hours of labour directly involved in the production of the subject work package.

Elements of Related Labour Costs identified in I2.2 below, will not be negotiated, but will be compensated for in accordance with paragraph I2.2. It is therefore incumbent upon the Bidder to enter values in the above table which will result in fair compensation, regardless of the structure of their Cost Management System.

- I2.2:** Allowance for *Related Labour Costs* such as: Management, Direct Supervision, Purchasing and Material Handling, Quality Assurance and Reporting, First Aid, Gas Free Inspecting and Reporting, and Estimating will be included as *Overhead* for the purposes of determining the *Charge-out Labour Rate* entered in line I2 above.

- I2.3:** The 10% mark-up rate for materials will also apply to subcontracted costs. The mark-up rate includes any allowance for material and subcontract management not allowed for in

Solicitation No – N° de l'invitation
F3019-14N740/A
Client Ref No. – N° de réf. du client
F3019-14N740

Amd. No. – N° de la modif.
001
File No. – N° du dossier
QCL-4-37332

Buyer ID – id de l'acheteur
qcl 037

the Chargeout Labour Rate. The Contractor will not be entitled to a separate labour component for the purchase and handling of materials or subcontract administration.

Solicitation No – N° de l'invitation
F3019-14N740/A
Client Ref No. – N° de réf. du client
F3019-14N740

Amd. No. – N° de la modif.
001
File No. – N° du dossier
QCL-4-37332

Buyer ID – id de l'acheteur
qcl 037

Appendix 1 of Annex I

PRICING DATA SHEETS		
Item	Description	Fixed Price
1	General remarks - Bidders can enter \$0.00 or indicate 'included' if the fees for this item are distributed in each of the items below. In case the fees are not distributed an amount must be indicated in the prix box.	\$
2	Services	
	2.1) Lift (for duration of contract)	
	- Unit price per week: _____ \$ (info)	
	- Unit price per month: _____ \$ (info)	\$
	2.2) Portable Toilets	\$
	2.3.1 Price for Tug boat services and Pilot entering the Port of Montreal.	\$
	2.3.2 Price for Tug boat services leaving the Port of Montreal.	\$
5	Production Diagram	\$
6	Perform annual inspection and maintenance of firefighting systems and equipment. - Fixed CO2 fire extinguishing system: _____ \$ - Portable fire extinguishers: _____ \$ - Fixed PYRO-CHEM PCL 300 fire extinguishing system in the galley: _____ \$ - Flight deck fire extinguishing system: _____ \$	\$
7	Perform annual maintenance and inspection of elevator and service hoist for recertification.	\$
8	Perform maintenance and annual inspection of refrigeration and air conditioning systems. - Cargo and domestic refrigeration: _____ \$ - Air conditioning systems 2, 3, 4 and 5: _____ \$	\$
9	Perform annual maintenance of the lifeboat	\$
10	Perform inspection and certification of fuel hoses.	\$
11	Perform annual maintenance of the washer and dryer.	\$
12	Insulate the ceiling and install ceiling tiles in the smoking area, room 635. Area: 5.85 m²	\$
13	Repair the galley exhaust ventilation duct.	\$
14	Connect the oven exhaust to the main galley range hood with an exhaust duct.	\$
15	Refurbish the floor in the vessel's cabins. Flooring refurbishing Price per square foot: \$_____/sq ft (info) 15.2 d) Repair 20% of the areas where the subcoat Neotex is damaged: _____ \$ Provide a price for the repair of 1 ft³ of A-60 cement layer (Decklite): _____ \$ Main deck: i. Cabin #606 (currently tiles) : _____ \$ ii. Cabin #614 (currently tiles) : _____ \$	

Solicitation No – N° de l'invitation
F3019-14N740/A
Client Ref No. – N° de réf. du client
F3019-14N740

Amd. No. – N° de la modif.
001
File No. – N° du dossier
QCL-4-37332

Buyer ID – id de l'acheteur
qcl 037

PRICING DATA SHEETS		
Item	Description	Fixed Price
	Decks above the main deck: i. Cabin #501: _____ \$ ii. Cabin #503: _____ \$ iii. Cabin #508: _____ \$ iv. Cabin #509: _____ \$ v. Cabin #512 (currently tiles) : _____ \$ vi. Cabin #518: _____ \$	\$
16	Fabricate a stainless steel counter for dispensary #547	\$
17	Repair the wheelhouse sun visor	\$
18	Painting the aluminum barge of the CCGS Pierre Radisson Price for sandblasting 10% of the surface Hull Topside: _____ \$ Price for sandblasting 10% of the surface Keel Underside: _____ \$	\$
19	Plug the holes next to the supports of the maple leaf on either side of the chimney.	\$
20	Repair two problems on the aft starboard crane: i. The hook continues to rise when it reaches its upper limit. ii. The spit opens on its own. iii. Hourly rate for a senior hydraulic technician: _____ \$/hr (80 hours to be included in bid: _____ \$/hrs x 80 hrs = _____ \$)	\$
21	Inspect and test four safety valves installed on the SUNROD-type steam boilers.	\$
22	Carry out a five-year inspection of the Miranda davit.	\$
23	Perform the four-year inspection of the port accommodation ladder	\$
24	Service the engine room supply fan.	\$
25	Replace the hydraulic hoses of the Framo pump hydraulic unit with rigid piping.	\$
26	Redo a section of piping and replace a leaking hose on the hydraulic unit of the windlass.	\$
27	Redo the base of two sea water pressurization pumps. The existing base is corroded and cracked.	\$
A) SCHEDULED WORK - TOTAL FIRM PRICING		\$

All other clauses and conditions from the bidding solicitation remain the same.