

**RETURN BIDS TO:**  
**RETOURNER LES SOUMISSIONS À:**  
**Bid Receiving - PWGSC / Réception des soumissions**  
**- TPSGC**  
**11 Laurier St./ 11 rue, Laurier**  
**Place du Portage, Phase III**  
**Core 0B2 / Noyau 0B2**  
**Gatineau, Québec K1A 0S5**  
**Bid Fax: (819) 997-9776**

## **SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

### **Comments - Commentaires**

**Vendor/Firm Name and Address**  
**Raison sociale et adresse du**  
**fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**  
Scientific, Medical and Photographic Division /  
Division de l'équipement scientifique, des produits  
photographiques et pharmaceutiques  
11 Laurier St./ 11 rue, Laurier  
6B1, Place du Portage  
Gatineau, Québec K1A 0S5

<b>Title - Sujet</b> Portique de levage 22,000lb	
<b>Solicitation No. - N° de l'invitation</b> 31026-141295/B	<b>Amendment No. - N° modif.</b> 001
<b>Client Reference No. - N° de référence du client</b> 31026-141295	<b>Date</b> 2015-03-19
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$\$PV-940-66882	
<b>File No. - N° de dossier</b> pv940.31026-141295	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2015-03-24</b>	<b>Time Zone</b> <b>Fuseau horaire</b> Eastern Daylight Saving Time EDT
<b>F.O.B. - F.A.B.</b> Specified Herein - Précisé dans les présentes <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input type="checkbox"/> <b>Other-Autre:</b> <input checked="" type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Hooper, Marlyn	<b>Buyer Id - Id de l'acheteur</b> pv940
<b>Telephone No. - N° de téléphone</b> (819) 956-2702 ( )	<b>FAX No. - N° de FAX</b> (819) 956-3814
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

Solicitation No. - N° de l'invitation

31026-141295/B

Amd. No. - N° de la modif.

001

Buyer ID - Id de l'acheteur

pv940

Client Ref. No. - N° de réf. du client

31026-141295

File No. - N° du dossier

pv94031026-141295

CCC No./N° CCC - FMS No/ N° VME

---

This page has been left blank intentionally.

This amendment is raised to publish all answers to the questions received as of March 3, 2015 and to modify mandatory specification 2.5.

### **Questions & Answers**

- Q.1 Clarify delivery date:  
a. Item 3.1.6: August 31, 2015  
b. Annex A: March 31, 2015

A.1 The delivery date is August 31, 2015.

- Q.2 What percentage of the time will the gantry be used on asphalt and on concrete?

This is to determine which wheels would be best for the job. Non-marking wheels made of polyurethane for concrete would likely dig into asphalt should the gantry be left stationary on a hot day. So, should we use wheels for outdoors or is it acceptable to use wheels designed for concrete and able to roll in a straight line on asphalt?

- A.2 95% indoors. If the gantry is taken outside, it will only be to unload a heavy load. It will be returned inside very soon afterwards.

- Q.3 After discussion with my supplier, in order to comply with the maximum width of 168", our clear width becomes 116.5" and the maximum depth, 88 3/16".  
Is it possible to deviate from items 2.2 and 2.5 of Annex B?

- A.3 Our requirement refers to the floor footprint with the lower portion of the structure, if what is offered complies with that requirement we see no issues.

- Q.4 We need some more information before we can submit a quotation. We need the sketches or drawing.

- A.4 Sketches or drawings are not necessary nor available

- Q.5 Based on the specs I received from the manufacturer, the depth needed relatively to the requested height has to be a little bit larger than what it was requested... To make sure it works properly, that it stays secure, would you give us the opportunity to go at 88 - 3/16 inches deep? Based on the following, "2.5 The depth of the structure must be a maximum of 2.13m (84")", we would need 5 - 3/16 inches more on the depth... Could this be accepted?

- A.5 Mandatory Specification 2.5 is modified to read (The depth of the structure must be a maximum of 2.44m (96")).

### **Annex B**

#### **Delete**

Mandatory Specification 2.5 (The depth of the structure must be a maximum of 2.13m (84"))

#### **Add**

Mandatory Specification 2.5 (The depth of the structure must be a maximum of 2.44m (96"))

Solicitation No. - N° de l'invitation  
31026-141295/B  
Client Ref. No. - N° de réf. du client  
31026-141295

Amd. No. - N° de la modif.  
001  
File No. - N° du dossier  
pv94031026-141295

Buyer ID - Id de 'acheteur  
pv940  
CCC No./N° CCC - FMS No/N° VME

---

All other terms and conditions remain unchanged