

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving - PWGSC / Réception des soumissions
- TPSGC
11 Laurier St. / 11, rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

SOLICITATION AMENDMENT

MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Vehicles & Industrial Products Division
11 Laurier St./11, rue Laurier
7A2, Place du Portage, Phase III
Gatineau, Québec K1A 0S5

Title - Sujet PUMP UNIT, CENTRIFUGAL	
Solicitation No. - N° de l'invitation W8482-156689/A	Amendment No. - N° modif. 001
Client Reference No. - N° de référence du client W8482-156689	Date 2015-03-24
GETS Reference No. - N° de référence de SEAG PW-\$\$HP-924-66927	
File No. - N° de dossier hp924.W8482-156689	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2015-04-15	Time Zone Fuseau horaire Eastern Daylight Saving Time EDT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Tessier, Sébastien	Buyer Id - Id de l'acheteur hp924
Telephone No. - N° de téléphone (819) 956-4017 ()	FAX No. - N° de FAX (819) 953-2953
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Quantity - Quantité Current Inc./Dec. Courant Augm/dim.	Revised Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
1	NSN - NNO: 4320-21-904-1983 PUMP UNIT, CENTRIFUGAL Description: MAXIMUM DISCHARGE FLOW RATE: 809.4 GALLONS PER MINUTE TOTAL HEAD: 335.0 FEET OPERATING SPEED AT RATED CAPACITY: 3600.0 REVOLUTIONS PER MINUTE MEDIA FOR WHICH DESIGNED: WATER, SALT PUMPING ELEMENT OPERATING POSITION: VERTICAL CENTRIFUGAL PUMP DESIGN: RADIAL FLOW CENTRIFUGAL PUMP IMPELLER QUANTITY: 1 CENTRIFUGAL PUMP IMPELLER SUCTION TYPE: SINGLE STAGE QUANTITY: 1 PUMP QUANTITY: 1 INTAKE CONNECTION QUANTITY: 1 INTAKE CONNECTION TYPE: ROUND	Total		4	4	Each	\$ XXXXXXXXXXXXX		

Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Quantity - Quantité		U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM		Del. Req. Liv. Req.	Del. Offered Liv. offerte
				Current Courant	Inc./Dec. Augm/dim. Révisée		Destination	Plant/Usine		
1	FLANGE DISCHARGE CONNECTION QUANTITY: 1 DISCHARGE CONNECTION TYPE: ROUND FLANGE PRIME MOVER TYPE: ELECTRIC MOTOR PRIME MOVER COOLING MEDIUM: AIR PRIME MOVER QUANTITY: 1 PRIME MOVER POWER RATING: 75.0 HORSEPOWER CURRENT TYPE: AC VOLTAGE IN VOLTS: 440.0 FREQUENCY IN HERTZ: 60.0 PHASE: THREE CURRENT RATING IN AMPS: 85.0 SUBMERSIBILITY: NONSUBMERSIBLE . PART: FF704115/X603D NSCM: 05563 Ingersoll-Rand Canada Inc									



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim.	Revised Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
1	or PART: 15487N18 NSCM: 05563 Ingersoll-Rand Canada Inc or PART: 15588N18 NSCM: 88032 Curtiss-Wright Electro-Mechanical . (or equivalent) . Your offer: Part No. offered: _____ . . NSCM/CAGE offered: _____										



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Quantity - Quantité		U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM		Del. Req. Liv. Req.	Del. Offered Liv. offerte
				Current Courant	Inc./Dec. Augm/dim.		Destination	Plant/Usine		
2	NSN - NNO: 4320-21-904-1983 PUMP UNIT, CENTRIFUGAL Description: MAXIMUM DISCHARGE FLOW RATE: 809.4 GALLONS PER MINUTE TOTAL HEAD: 335.0 FEET OPERATING SPEED AT RATED CAPACITY: 3600.0 REVOLUTIONS PER MINUTE MEDIA FOR WHICH DESIGNED: WATER, SALT PUMPING ELEMENT OPERATING POSITION: VERTICAL CENTRIFUGAL PUMP DESIGN: RADIAL FLOW CENTRIFUGAL PUMP IMPELLER QUANTITY: 1 CENTRIFUGAL PUMP IMPELLER SUCTION TYPE: SINGLE STAGE QUANTITY: 1 PUMP QUANTITY: 1 INTAKE CONNECTION QUANTITY: 1 INTAKE CONNECTION TYPE: ROUND	Total		4		4	\$	XXXXXXXXXX		

Public Works and Government Services Canada			Travaux publics et Services gouvernementaux Canada			Document No.W8482-156689/A			Part - Partie 1 of - de 2 See Part 2 for Conditions and Conditions Voir Partie 2 pour Clauses et Conditions			
Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim. Révisée		U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination		Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
2	FLANGE DISCHARGE CONNECTION QUANTITY: 1 DISCHARGE CONNECTION TYPE: ROUND FLANGE PRIME MOVER TYPE: ELECTRIC MOTOR PRIME MOVER COOLING MEDIUM: AIR PRIME MOVER QUANTITY: 1 PRIME MOVER POWER RATING: 75.0 HORSEPOWER CURRENT TYPE: AC VOLTAGE IN VOLTS: 440.0 FREQUENCY IN HERTZ: 60.0 PHASE: THREE CURRENT RATING IN AMPS: 85.0 SUBMERSIBILITY: NONSUBMERSIBLE . PART: FF704115/X603D NSCM: 05563 Ingersoll-Rand Canada Inc											



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim.	Revised Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
2	Or PART: 15487N18 NSCM: 05563 Ingersoll-Rand Canada Inc or PART: 15588N18 NSCM: 88032 Curtiss-Wright Electro-Mechanical . (or equivalent) . Your offer: Part No. offered: _____ . NSCM/CAGE offered: _____										

Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Quantity - Quantité		U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM		Del. Req. Liv. Req.	Del. Offered Liv. offerte
				Current Courant	Inc./Dec. Augm/dim.		Destination	Plant/Usine		
3	NSN - NNO: 4320-21-904-1985 PUMP UNIT, CENTRIFUGAL Description: MAXIMUM DISCHARGE FLOW RATE: 676.0 GALLONS PER MINUTE TOTAL HEAD: 40.2 FEET OPERATING SPEED AT RATED CAPACITY: 1200.0 REVOLUTIONS PER MINUTE MEDIA FOR WHICH DESIGNED: WATER, SALT PUMPING ELEMENT OPERATING POSITION: VERTICAL CENTRIFUGAL PUMP DESIGN: RADIAL FLOW CENTRIFUGAL PUMP IMPELLER QUANTITY: 1 CENTRIFUGAL PUMP IMPELLER SUCTION TYPE: SINGLE STAGE QUANTITY: 1 PUMP QUANTITY: 1 INTAKE CONNECTION QUANTITY: 1 INTAKE CONNECTION TYPE: ROUND	Total		2		2	\$	XXXXXXXXXX		



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Quantity - Quantité		U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM		Del. Req. Liv. Req.	Del. Offered Liv. offerte
				Current Courant	Inc./Dec. Augm/dim. Révisée		Destination	Plant/Usine		
3	FLANGE DISCHARGE CONNECTION QUANTITY: 1 PRIME MOVER TYPE: ELECTRIC MOTOR PRIME MOVER COOLING MEDIUM: AIR PRIME MOVER QUANTITY: 1 PRIME MOVER POWER RATING: 10.0 HORSEPOWER CURRENT TYPE: AC VOLTAGE IN VOLTS: 440.0 FREQUENCY IN HERTZ: 60.0 PHASE: THREE CURRENT RATING IN AMPS: 4.0 SUBMERSIBILITY: NONSUBMERSIBLE . . PART: FF704112/X6035D NSCM: 05563 Ingersoll-Rand Canada Inc or									

Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Quantity - Quantité		U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM		Del. Req. Liv. Req.	Del. Offered Liv. offerte
				Current Courant	Inc./Dec. Augm/dim. Révisée		Destination	Plant/Usine		
3	PART: FF704112-0 NSCM: 05563 Ingersoll-Rand Canada Inc . (or equivalent) . Your offer: Part No. offered: _____ . . NSCM/CAGE offered: _____									



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Quantity - Quantité		U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM		Del. Req. Liv. Req.	Del. Offered Liv. offerte
				Current Courant	Inc./Dec. Augm/dim. Révisée		Destination	Plant/Usine		
4	NSN - NNO: 4320-21-904-1985 PUMP UNIT, CENTRIFUGAL Description: MAXIMUM DISCHARGE FLOW RATE: 676.0 GALLONS PER MINUTE TOTAL HEAD: 40.2 FEET OPERATING SPEED AT RATED CAPACITY: 1200.0 REVOLUTIONS PER MINUTE MEDIA FOR WHICH DESIGNED: WATER, SALT PUMPING ELEMENT OPERATING POSITION: VERTICAL CENTRIFUGAL PUMP DESIGN: RADIAL FLOW CENTRIFUGAL PUMP IMPELLER QUANTITY: 1 CENTRIFUGAL PUMP IMPELLER SUCTION TYPE: SINGLE STAGE QUANTITY: 1 PUMP QUANTITY: 1 INTAKE CONNECTION QUANTITY: 1 INTAKE CONNECTION TYPE: ROUND	Total		2	2	Each	\$	XXXXXXXXXX		



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Quantity - Quantité		U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM		Del. Req. Liv. Req.	Del. Offered Liv. offerte
				Current Courant	Inc./Dec. Augm/dim. Révisée		Destination	Plant/Usine		
4	FLANGE DISCHARGE CONNECTION QUANTITY: 1 PRIME MOVER TYPE: ELECTRIC MOTOR PRIME MOVER COOLING MEDIUM: AIR PRIME MOVER QUANTITY: 1 PRIME MOVER POWER RATING: 10.0 HORSEPOWER CURRENT TYPE: AC VOLTAGE IN VOLTS: 440.0 FREQUENCY IN HERTZ: 60.0 PHASE: THREE CURRENT RATING IN AMPS: 4.0 SUBMERSIBILITY: NONSUBMERSIBLE . PART: FF704112/X6035D NSCM: 05563 Ingersoll-Rand Canada Inc or PART: FF704112-0									

Item Art.	Description	Dest.	Inv.	Quantity - Quantité		U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM		Del. Req. Liv. Req.	Del. Offered Liv. offerte
		Code Dest.	Code Fact.	Current Courant	Inc./Dec. Augm/dim. Révisée		Destination	Plant/Usine		
4	NSCM: 05563 Ingersoll-Rand Canada Inc • (or equivalent) • Your offer: Part No. offered: _____ • • NSCM/CAGE offered: _____									



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Quantity - Quantité		U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM		Del. Req. Liv. Req.	Del. Offered Liv. offerte
				Current Courant	Inc./Dec. Augm/dim.		Destination	Plant/Usine		
5	NSN - NNO: 4320-21-904-1989 PUMP UNIT, CENTRIFUGAL Description: MAXIMUM DISCHARGE FLOW RATE: 352.0 GALLONS PER MINUTE TOTAL HEAD: 335.0 FEET OPERATING SPEED AT RATED CAPACITY: 3600.0 REVOLUTIONS PER MINUTE MEDIA FOR WHICH DESIGNED: WATER, SALT PUMPING ELEMENT OPERATING POSITION: HORIZONTAL CENTRIFUGAL PUMP DESIGN: RADIAL FLOW CENTRIFUGAL PUMP IMPELLER QUANTITY: 1 CENTRIFUGAL PUMP IMPELLER SUCTION TYPE: SINGLE STAGE QUANTITY: 1 PUMP QUANTITY: 1 INTAKE CONNECTION QUANTITY: 1 INTAKE CONNECTION TYPE: ROUND	Total		2		Each	\$	XXXXXXXXXX		

Public Works and Government Services Canada		Travaux publics et Services gouvernementaux Canada		Document No.W8482-156689/A		See Part 2 for Conditions and Conditions Voir Partie 2 pour Clauses et Conditions		Part - Partie 1 of - de 2	
Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim. Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
5	FLANGE DISCHARGE CONNECTION QUANTITY: 1 DISCHARGE CONNECTION TYPE: ROUND FLANGE PRIME MOVER TYPE: ELECTRIC MOTOR PRIME MOVER COOLING MEDIUM: AIR PRIME MOVER QUANTITY: 1 PRIME MOVER POWER RATING: 50.0 HORSEPOWER CURRENT TYPE: AC VOLTAGE IN VOLTS: 440.0 FREQUENCY IN HERTZ: 60.0 PHASE: THREE CURRENT RATING IN AMPS: 58.0 SUBMERSIBILITY: NONSUBMERSIBLE . PART: FF704118/X6037D NSCM: 05563 Ingersoll-Rand Canada Inc								

Item Art.	Description	Dest.	Inv.	Quantity - Quantité		U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM		Del. Req. Liv. Req.	Del. Offered Liv. offerte
		Code Dest.	Code Fact.	Current Courant	Inc./Dec. Augm/dim. Révisée		Destination	Plant/Usine		
5	or PART: FF704118-0 NSCM: 05563 Ingersoll-Rand Canada Inc . (or equivalent) . Your offer: Part No. offered: _____ . . NSCM/CAGE offered: _____									

Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Quantity - Quantité		U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM		Del. Req. Liv. Req.	Del. Offered Liv. offerte
				Current Courant	Inc./Dec. Augm/dim.		Destination	Plant/Usine		
6	NSN - NNO: 4320-21-904-1989 PUMP UNIT, CENTRIFUGAL Description: MAXIMUM DISCHARGE FLOW RATE: 352.0 GALLONS PER MINUTE TOTAL HEAD: 335.0 FEET OPERATING SPEED AT RATED CAPACITY: 3600.0 REVOLUTIONS PER MINUTE MEDIA FOR WHICH DESIGNED: WATER, SALT PUMPING ELEMENT OPERATING POSITION: HORIZONTAL CENTRIFUGAL PUMP DESIGN: RADIAL FLOW CENTRIFUGAL PUMP IMPELLER QUANTITY: 1 CENTRIFUGAL PUMP IMPELLER SUCTION TYPE: SINGLE STAGE QUANTITY: 1 PUMP QUANTITY: 1 INTAKE CONNECTION QUANTITY: 1 INTAKE CONNECTION TYPE: ROUND	Total		2		2	\$	XXXXXXXXXX		

Public Works and Government Services Canada		Travaux publics et Services gouvernementaux Canada		Document No.W8482-156689/A		See Part 2 for Clauses and Conditions Voir Partie 2 pour Clauses et Conditions		Part - Partie 1 of - de 2		
Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim.	Revised Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
6	FLANGE DISCHARGE CONNECTION QUANTITY: 1 DISCHARGE CONNECTION TYPE: ROUND FLANGE PRIME MOVER TYPE: ELECTRIC MOTOR PRIME MOVER COOLING MEDIUM: AIR PRIME MOVER QUANTITY: 1 PRIME MOVER POWER RATING: 50.0 HORSEPOWER CURRENT TYPE: AC VOLTAGE IN VOLTS: 440.0 FREQUENCY IN HERTZ: 60.0 PHASE: THREE CURRENT RATING IN AMPS: 58.0 SUBMERSIBILITY: NONSUBMERSIBLE . PART: FF704118/X6037D NSCM: 05563 Ingersoll-Rand Canada Inc									

Item Art.	Description	Dest.	Inv.	Quantity - Quantité		U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM		Del. Req. Liv. Req.	Del. Offered Liv. offerte
		Code Dest.	Code Fact.	Current Courant	Inc./Dec. Augm/dim. Révisée		Destination	Plant/Usine		
6	or PART: FF704118-0 NSCM: 05563 Ingersoll-Rand Canada Inc . (or equivalent) . Your offer: Part No. offered: _____ . . NSCM/CAGE offered: _____									




Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Quantity - Quantité		U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM		Del. Req. Liv. Req.	Del. Offered Liv. offerte
				Current Courant	Inc./Dec. Augm/dim. Révisée		Destination	Plant/Usine		
7	NSN - NNO: 4320-21-912-4344 HOUSING, LIQUID PUMP Description: SPECIAL FEATURES: USED ON PUMP 4320-21-904-1983 PART NAME ASSIGNED BY CONTROLLING AGENCY: CASING,MOTOR DRIVEN FIRE PUMP . PART: 72459373 NSCM: 05563 Ingersoll-Rand Canada Inc or PART: FF704116-1 NSCM: 05563 Ingersoll-Rand Canada Inc . (or equivalent) . Your offer: Part No. offered: _____ . .	Total		2	2	Each	\$	XXXXXXXXXX		

Public Works and Government Services Canada		Travaux publics et Services gouvernementaux Canada		Document No.W8482-156689/A		See Part 2 for Clauses and Conditions Voir Partie 2 pour Clauses et Conditions		Part - Partie 1 of - de 2 See Part 2 for Clauses and Conditions		
Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Quantity - Quantité		U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM		Del. Req. Liv. Req.	Del. Offered Liv. offerte
				Current Courant	Inc./Dec. Augm/dim. Révisée		Destination	Plant/Usine		
7	NSCM/CAGE offered: _____									



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim.	Revised Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
8	NSN - NNO: 4320-20-008-7952 BODY SECTION, PUMP, CENTRIFUGA L Description: END ITEM IDENTIFICATION: AUXILIARY SEAWATER CIRCULATING PUMP FF-704112-1 PART NAME ASSIGNED BY CONTROLLING AGENCY: CASING . PART: FF704113-1 NSCM: 05563 Ingersoll-Rand Canada Inc . (or equivalent) . Your offer: Part No. offered: _____ . . NSCM/CAGE offered: _____ NSCM/CAGE - COF/CAGE: 05563	Total		2		2	Each	\$	XXXXXXXXXX		

 Public Works and Government Services Canada		Travaux publics et Services gouvernementaux Canada		Document No.W8482-156689/A		See Part 2 for Clauses and Conditions Voir Partie 2 pour Clauses et Conditions		Part - Partie 1 of - de 2 See Part 2 for Clauses and Conditions			
Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Quantity - Quantité Current Inc./Dec. Augm/dim. Revised Révisée		U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination		Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
8	Part No. - N° de la partie: FF704113-1										

Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Quantity - Quantité		U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM		Del. Req. Liv. Req.	Del. Offered Liv. offerte
				Current Courant	Inc./Dec. Augm/dim.		Destination	Plant/Usine		
9	NSN - NNO: 4320-20-008-6161 HOUSING, LIQUID PUMP Description: PART NAME ASSIGNED BY CONTROLLING AGENCY: CASING JOCKEY FIRE PUMP NATO ITEM DESCRIPTION: FIRE PUMP . PART: 72459761 NSCM: 05563 Ingersoll-Rand Canada Inc or PART: FF704119-1 NSCM: 05563 Ingersoll-Rand Canada Inc . (or equivalent) . Your offer: Part No. offered: _____ . .	Total		2		2	\$	XXXXXXXXXX		

Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Quantity - Quantité		U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM		Del. Req. Liv. Req.	Del. Offered Liv. offerte
				Current Courant	Inc./Dec. Augm/dim. Révisée		Destination	Plant/Usine		
9	NSCM/CAGE offered: _____									

Solicitation No. - N° de l'invitation

W8482-156689/A

Amd. No. - N° de la modif.

001

Buyer ID - Id de l'acheteur

hp924

Client Ref. No. - N° de réf. du client

W8482-156689

File No. - N° du dossier

hp924W8482-156689

CCC No./N° CCC - FMS No/ N° VME

This page has been intentionally left blank

This Solicitation Amendment #001 is raised to answer bidders questions.

1) Bidders questions:

Question 1:

Is it possible to obtain more detailed descriptions of the pumps and motors please?

Answer 1:

Incorporated into the line items descriptions is a complete descriptions. Any further information should be obtained from the manufacturer.

Question 2:

We are not familiar with the NATO Stock Number (NSN)/ NATO Commercial and Governmental Entity (NCAGE) system. Are special permissions required for the manufacturing or representation thereof?

Answer 2:

There are no special permissions required. Attached is a link that explains NSNs in more detail.

http://www.nato.int/structur/AC/135/ncs_guide/english/e_1-6-5.htm

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED