


[illegible]















[illegible]







CLIENT Public Works And Government Services Canada

PROJECT No. 133346487

LOCATION Route 117 Kouchibouquac Park Kouchibouquac, NB

BOREHOLE No. BH-07

DATES: BORING 2014/11/18

WATER LEVEL Not Encountered

DATUM Assumed

[illegible]








[illegible]



[illegible]









# BOREHOLE RECORD

## BH-12 (7+050)

CLIENT Public Works And Government Services CanadaPROJECT No. 133346487LOCATION Route 117 Kouchibouquac Park Kouchibouquac, NBBOREHOLE No. BH-12DATES: BORING 2014/11/18 WATER LEVEL Not EncounteredDATUM Assumed

DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa									
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD	Water Content & Atterberg Limits									
									Dynamic Penetration Test, blows/0.3m									
									Standard Penetration Test, blows/0.3m									
								mm	10	20	30	40	50	60	70	80	90	
0	100.00																	
	99.9	ASPHALT CONCRETE																
		FILL: Brown silty sand with gravel (SANDSTONE BASE)			SS	1	405	43										
					SS	2	355	31										
1	98.8																	
		EOH @ 1.22 meters below grade.																
2																		
3																		

△ Unconfined Compression Test

□ Field Vane Test

■ Remoulded

✕ Torvane





# BOREHOLE RECORD

## BH-13 (7+550)

CLIENT Public Works And Government Services CanadaPROJECT No. 133346487LOCATION Route 117 Kouchibouquac Park Kouchibouquac, NBBOREHOLE No. BH-13DATES: BORING 2014/11/18 WATER LEVEL Not EncounteredDATUM Assumed

DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa									
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD	Water Content & Atterberg Limits									
								mm	Dynamic Penetration Test, blows/0.3m									
									Standard Penetration Test, blows/0.3m									
0	100.00								10	20	30	40	50	60	70	80	90	
	99.9	ASPHALT CONCRETE																
		FILL: Brown silty sand with gravel (SANDSTONE BASE)			SS	1	380	40										
					SS	2	455	20										
1																		
	98.4				SS	3	430	20										
	98.2	Very stiff reddish brown silty CLAY with sand: GLACIAL TILL																
2		EOH @ 1.83 meters below grade.																
3																		

△ Unconfined Compression Test

□ Field Vane Test

■ Remoulded

✕ Torvane





# BOREHOLE RECORD

## BH-14 (8+050)

CLIENT Public Works And Government Services CanadaPROJECT No. 133346487LOCATION Route 117 Kouchibouquac Park Kouchibouquac, NBBOREHOLE No. BH-14DATES: BORING 2014/11/18 WATER LEVEL Not EncounteredDATUM Assumed

DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa									
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD	Water Content & Atterberg Limits									
								mm	Dynamic Penetration Test, blows/0.3m									
									Standard Penetration Test, blows/0.3m									
0	100.00								10	20	30	40	50	60	70	80	90	
	99.9	ASPHALT CONCRETE																
		FILL: Brown silty sand with gravel (SANDSTONE BASE)			SS	1	405	44										
					SS	2	455	22										
1	98.9																	
	98.8	Compact grey silty SAND (SUBGRADE)																
		EOH @ 1.22 meters below grade.																
2																		
3																		


△ Unconfined Compression Test

□ Field Vane Test

■ Remoulded

✕ Torvane









# BOREHOLE RECORD

## BH-16 (9+050)

CLIENT Public Works And Government Services CanadaPROJECT No. 133346487LOCATION Route 117 Kouchibouquac Park Kouchibouquac, NBBOREHOLE No. BH-16DATES: BORING 2014/11/18 WATER LEVEL Not EncounteredDATUM Assumed

DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa									
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD	Water Content & Atterberg Limits									
								mm	Dynamic Penetration Test, blows/0.3m									
									Standard Penetration Test, blows/0.3m									
0	100.00								10	20	30	40	50	60	70	80	90	
	99.9	ASPHALT CONCRETE																
		FILL: Brown silty sand with gravel (SANDSTONE BASE)			SS	1	455	60										
					SS	2	480	25										
1					SS	3	405	23										
	98.2	EOH @ 1.83 meters below grade.																
2																		
3																		

△ Unconfined Compression Test

□ Field Vane Test      ■ Remoulded

✕ Torvane





# BOREHOLE RECORD

## BH-17 (9+550)

CLIENT Public Works And Government Services CanadaPROJECT No. 133346487LOCATION Route 117 Kouchibouquac Park Kouchibouquac, NBBOREHOLE No. BH-17DATES: BORING 2014/11/18 WATER LEVEL Not EncounteredDATUM Assumed

DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa									
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD	Water Content & Atterberg Limits									
									Dynamic Penetration Test, blows/0.3m									
									Standard Penetration Test, blows/0.3m									
								mm	10	20	30	40	50	60	70	80	90	
0	100.00																	
	99.9	ASPHALT CONCRETE																
		FILL: Brown silty sand with gravel (SANDSTONE BASE)			SS	1	405	55										
					SS	2	580	47										
1																		
	98.8																	
		EOH @ 1.22 meters below grade.																
2																		
3																		

△ Unconfined Compression Test

□ Field Vane Test

■ Remoulded

✕ Torvane









# BOREHOLE RECORD

## BH-19 (10+550)

CLIENT Public Works And Government Services CanadaPROJECT No. 133346487LOCATION Route 117 Kouchibouquac Park Kouchibouquac, NBBOREHOLE No. BH-19DATES: BORING 2014/11/18WATER LEVEL Not EncounteredDATUM Assumed

DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa									
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD	Water Content & Atterberg Limits									
								mm	Dynamic Penetration Test, blows/0.3m									
									Standard Penetration Test, blows/0.3m									
0	100.00								10	20	30	40	50	60	70	80	90	
	99.9	ASPHALT CONCRETE																
		FILL: Brown silty sand with gravel (SANDSTONE BASE)			SS	1	405	38										
	99.2																	
		Dense reddish brown silty SAND (SUBGRADE)			SS	2	455	30										
1	98.8																	
		EOH @ 1.22 meters below grade.																
2																		
3																		

△ Unconfined Compression Test

□ Field Vane Test

■ Remoulded

✕ Torvane





# BOREHOLE RECORD

## BH-20 (11+050)

CLIENT Public Works And Government Services CanadaPROJECT No. 133346487LOCATION Route 117 Kouchibouquac Park Kouchibouquac, NBBOREHOLE No. BH-20DATES: BORING 2014/11/19 WATER LEVEL Not EncounteredDATUM Assumed

DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa									
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD	Water Content & Atterberg Limits									
								mm	Dynamic Penetration Test, blows/0.3m									
									Standard Penetration Test, blows/0.3m									
0	100.00								10	20	30	40	50	60	70	80	90	
	99.9	ASPHALT CONCRETE																
		FILL: Brown silty sand with gravel (SANDSTONE BASE)			SS	1	405	70										
	99.2																	
1		Brown silty SAND (SUBGRADE)			SS	2	455	15										
					SS	3	480	15										
	98.2																	
2		EOH @ 1.83 meters below grade.																
3																		

△ Unconfined Compression Test

□ Field Vane Test

✕ Torvane

■ Remoulded





# BOREHOLE RECORD

## BH-21 (11+550)

CLIENT Public Works And Government Services CanadaPROJECT No. 133346487LOCATION Route 117 Kouchibouquac Park Kouchibouquac, NBBOREHOLE No. BH-21DATES: BORING 2014/11/19 WATER LEVEL Not EncounteredDATUM Assumed

DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa									
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD	Water Content & Atterberg Limits									
								mm	Dynamic Penetration Test, blows/0.3m									
									Standard Penetration Test, blows/0.3m									
0	100.00								10	20	30	40	50	60	70	80	90	
	99.9	ASPHALT CONCRETE																
		FILL: Brown silty sand with gravel (SANDSTONE BASE)			SS	1	230	24										
					SS	2	175	10										
1	98.8																	
		EOH @ 1.22 meters below grade.																
2																		
3																		

△ Unconfined Compression Test

□ Field Vane Test      ■ Remoulded

✕ Torvane








DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa										
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD											
									Water Content & Atterberg Limits										
									Dynamic Penetration Test, blows/0.3m										
									Standard Penetration Test, blows/0.3m										
									10 20 30 40 50 60 70 80 90										
0	100.00							mm											
	99.9	ASPHALT CONCRETE																	
		FILL: Brown silty sand with gravel (SANDSTONE BASE)																	
	99.1																		
1		Compact brown silty SAND (SUBGRADE)																	
	98.8																		
		EOH @ 1.22 meters below grade.																	
2																			
3																			
									△ Unconfined Compression Test										
									□ Field Vane Test										
									✕ Torvane										
									■ Remoulded										











DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa										
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD											
									Water Content & Atterberg Limits										
									Dynamic Penetration Test, blows/0.3m										
									Standard Penetration Test, blows/0.3m										
									10 20 30 40 50 60 70 80 90										
0	100.00							mm											
	99.8	ASPHALT CONCRETE																	
		FILL: Brown silty sand with gravel (SANDSTONE BASE)																	
	99.4				SS	1	305	72											
		Loose reddish brown silty SAND (SUBGRADE)																	
					SS	2	355	7											
1	98.8																		
		EOH @ 1.22 meters below grade.																	
2																			
3																			
									△ Unconfined Compression Test										
									□ Field Vane Test										
									■ Remoulded										
									✕ Torvane										





# BOREHOLE RECORD

## BH-27 (14+550)

CLIENT Public Works And Government Services CanadaPROJECT No. 133346487LOCATION Route 117 Kouchibouquac Park Kouchibouquac, NBBOREHOLE No. BH-27DATES: BORING 2014/11/19 WATER LEVEL Not EncounteredDATUM Assumed

DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa									
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD	Water Content & Atterberg Limits									
								mm	Dynamic Penetration Test, blows/0.3m									
0	100.00								10	20	30	40	50	60	70	80	90	
	99.8	ASPHALT CONCRETE																
		FILL: Brown silty sand with gravel (SANDSTONE BASE)			SS	1	405	28										
					SS	2	455	28										
1					SS	3	305	110/455										
	98.3																	
		EOH @ 1.68 meters below grade.																
2																		
3																		

△ Unconfined Compression Test

□ Field Vane Test

■ Remoulded

✕ Torvane





# BOREHOLE RECORD

## BH-28 (15+050)

CLIENT Public Works And Government Services CanadaPROJECT No. 133346487LOCATION Route 117 Kouchibouquac Park Kouchibouquac, NBBOREHOLE No. BH-28DATES: BORING 2014/11/19WATER LEVEL Not EncounteredDATUM Assumed

DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa									
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD	Water Content & Atterberg Limits									
								mm	Dynamic Penetration Test, blows/0.3m									
									Standard Penetration Test, blows/0.3m									
0	100.00								10	20	30	40	50	60	70	80	90	
	99.9	ASPHALT CONCRETE																
	99.6	FILL: Brown silty sand (SANDSTONE BASE) -Contains trace gravel			SS	1	380	14										
		Compact brown silty SAND (SUBGRADE)																
1					SS	2	430	12										
	98.8																	
		EOH @ 1.22 meters below grade.																
2																		
3																		

△ Unconfined Compression Test

□ Field Vane Test

✕ Torvane

■ Remoulded





# BOREHOLE RECORD

## BH-29 (15+550)

CLIENT Public Works And Government Services CanadaPROJECT No. 133346487LOCATION Route 117 Kouchibouquac Park Kouchibouquac, NBBOREHOLE No. BH-29DATES: BORING 2014/11/19 WATER LEVEL Not EncounteredDATUM Assumed


DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa									
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD	Water Content & Atterberg Limits									
								mm	Dynamic Penetration Test, blows/0.3m									
0	100.00								10	20	30	40	50	60	70	80	90	
	99.8	ASPHALT CONCRETE																
		FILL: Brown silty sand with gravel (SANDSTONE BASE)			SS	1	355	51										
					SS	2	455	14										
1					SS	3	405	93/430										
	98.4	EOH @ 1.65 meters below grade.																
2																		
3																		

△ Unconfined Compression Test

□ Field Vane Test      ■ Remoulded

✕ Torvane













# BOREHOLE RECORD

## BH-32 (17+050)

CLIENT Public Works And Government Services CanadaPROJECT No. 133346487LOCATION Route 117 Kouchibouquac Park Kouchibouquac, NBBOREHOLE No. BH-32DATES: BORING 2014/11/19WATER LEVEL Not EncounteredDATUM Assumed

DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa									
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD	Water Content & Atterberg Limits									
								mm	Dynamic Penetration Test, blows/0.3m									
									Standard Penetration Test, blows/0.3m									
0	100.00								10	20	30	40	50	60	70	80	90	
	99.9	ASPHALT CONCRETE																
		FILL: Brown silty sand with gravel (SANDSTONE BASE)			SS	1	230	40										
					SS	2	455	12										
1					SS	3	405	18										
	98.2																	
2		EOH @ 1.83 meters below grade.																
3																		

△ Unconfined Compression Test

□ Field Vane Test

■ Remoulded

✕ Torvane



[illegible]





# BOREHOLE RECORD

## BH-34 (18+050)

CLIENT Public Works And Government Services CanadaPROJECT No. 133346487LOCATION Route 117 Kouchibouquac Park Kouchibouquac, NBBOREHOLE No. BH-34DATES: BORING 2014/11/19WATER LEVEL Not EncounteredDATUM Assumed

DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa									
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD	Water Content & Atterberg Limits									
								mm	Dynamic Penetration Test, blows/0.3m									
0	100.00								10	20	30	40	50	60	70	80	90	
	99.8	ASPHALT CONCRETE																
	99.4	FILL: Brown silty sand with gravel (SANDSTONE BASE)			SS	1	255	27										
1		Loose to compact brown silty SAND (SUBGRADE)			SS	2	455	7										
		-Contains trace to some gravel			SS	3	455	18										
2	98.2	EOH @ 1.83 meters below grade.																
3																		

△ Unconfined Compression Test

□ Field Vane Test      ■ Remoulded

✕ Torvane



[illegible]


















# BOREHOLE RECORD

## BH-39 (20+650)

CLIENT Public Works And Government Services CanadaPROJECT No. 133346487LOCATION Route 117 Kouchibouquac Park Kouchibouquac, NBBOREHOLE No. BH-39DATES: BORING 2014/11/20 WATER LEVEL Not EncounteredDATUM Assumed

DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa									
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD	Water Content & Atterberg Limits									
								mm	Dynamic Penetration Test, blows/0.3m									
0	100.00								10	20	30	40	50	60	70	80	90	
	99.8	ASPHALT CONCRETE																
		FILL: Brown silty sand with gravel (SANDSTONE BASE)			SS	1	355	23										
					SS	2	480	15										
1					SS	3	510	27										
	98.2	EOH @ 1.83 meters below grade.																
2																		
3																		

△ Unconfined Compression Test

□ Field Vane Test      ■ Remoulded

✕ Torvane







[illegible]







DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa										
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD	20 40 60 80										
										Water Content & Atterberg Limits									
										Dynamic Penetration Test, blows/0.3m									
										Standard Penetration Test, blows/0.3m									
										10 20 30 40 50 60 70 80 90									
0	100.00							mm											
	99.8	ASPHALT CONCRETE																	
		FILL: Brown silty sand with gravel (SANDSTONE BASE)			SS	1	305	37											
					SS	2	405	22											
1																			
	98.5				SS	3	455	19											
		Compact poorly graded sand with silt (SUBGRADE)																	
	98.2																		
2		EOH @ 1.83 meters below grade.																	
3																			
										△ Unconfined Compression Test									
										□ Field Vane Test      ■ Remoulded									
										✕ Torvane									





# BOREHOLE RECORD

## BH-44 (23+050)

CLIENT Public Works And Government Services CanadaPROJECT No. 133346487LOCATION Route 117 Kouchibouquac Park Kouchibouquac, NBBOREHOLE No. BH-44DATES: BORING 2014/11/21WATER LEVEL Not EncounteredDATUM Assumed

DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa									
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD	Water Content & Atterberg Limits									
								mm	Dynamic Penetration Test, blows/0.3m									
0	100.00	ASPHALT CONCRETE							10	20	30	40	50	60	70	80	90	
	99.7	FILL: Brown silty sand with gravel (SANDSTONE BASE)			SS	1	455	23										
1	98.8	Compact brown silty SAND (SUBGRADE)			SS	2	405	19										
	98.5	EOH @ 1.55 meters below grade.																
2																		
3																		

△ Unconfined Compression Test

□ Field Vane Test      ■ Remoulded

✕ Torvane





# BOREHOLE RECORD

## BH-45 (23+350)

CLIENT Public Works And Government Services CanadaPROJECT No. 133346487LOCATION Route 117 Kouchibouquac Park Kouchibouquac, NBBOREHOLE No. BH-45DATES: BORING 2014/11/21WATER LEVEL Not EncounteredDATUM Assumed

DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa									
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD	Water Content & Atterberg Limits									
								mm	Dynamic Penetration Test, blows/0.3m									
									Standard Penetration Test, blows/0.3m									
0	100.00								10	20	30	40	50	60	70	80	90	
	99.9	ASPHALT CONCRETE																
		FILL: Brown silty sand with gravel (SANDSTONE BASE)			SS	1	330	19										
					SS	2	560	11										
1	98.8	Compact brown silty SAND with gravel: GLACIAL TILL			SS	3	610	18										
	98.2	EOH @ 1.83 meters below grade.																
2																		
3																		

△ Unconfined Compression Test

□ Field Vane Test      ■ Remoulded

✕ Torvane





# BOREHOLE RECORD

## BH-46 (1+050)

CLIENT Public Works And Government Services CanadaPROJECT No. 133346487LOCATION Route 117 Kouchibouquac Park Kouchibouquac, NBBOREHOLE No. BH-46DATES: BORING 2014/11/21 WATER LEVEL Not EncounteredDATUM Assumed

DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa									
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD	Water Content & Atterberg Limits									
								mm	Dynamic Penetration Test, blows/0.3m									
									Standard Penetration Test, blows/0.3m									
0	100.00								10	20	30	40	50	60	70	80	90	
	99.9	ASPHALT CONCRETE																
		FILL: Brown silty sand with gravel (SANDSTONE BASE)			SS	1	380	59										
					SS	2	510	16										
					SS	3	610	26										
	98.2																	
2		EOH @ 1.83 meters below grade.																
3																		

△ Unconfined Compression Test

□ Field Vane Test


■ Remoulded

✕ Torvane



DEPTH (m)	ELEVATION (m)	SOIL DESCRIPTION	STRATA PLOT	WATER LEVEL	SAMPLES				Undrained Shear Strength - kPa									
					TYPE	NUMBER	RECOVERY	N-VALUE OR RQD										
0	100.00								Water Content & Atterberg Limits Dynamic Penetration Test, blows/0.3m Standard Penetration Test, blows/0.3m									
	99.9	ASPHALT CONCRETE							10 20 30 40 50 60 70 80 90 W <sub>P</sub> W W <sub>L</sub>									
		FILL: Brown silty sand with gravel: SANDSTONE BASE			SS	1	280	34	10 20 30 40 50 60 70 80 90 W <sub>P</sub> W W <sub>L</sub>									
1	98.8				SS	2	455	14	10 20 30 40 50 60 70 80 90 W <sub>P</sub> W W <sub>L</sub>									
	98.3	Compact to very dense brown silty SAND with gravel: GLACIAL TILL			SS	3	405	72/480	10 20 30 40 50 60 70 80 90 W <sub>P</sub> W W <sub>L</sub>									
2		EOH @ 1.70 meters below grade.							10 20 30 40 50 60 70 80 90 W <sub>P</sub> W W <sub>L</sub>									
3									10 20 30 40 50 60 70 80 90 W <sub>P</sub> W W <sub>L</sub>									








Borehole No.	Station	Depth of Exploration (m)	ASPHALT Thickness (m)	GRAVEL Thickness (m)	SANDSTONE FILL Thickness (m)	SAND Thickness (m)	GLACIAL TILL Depth (m)	Inferred SANDSTONE BEDROCK Depth (m)
BH-01	1+570	1.52	0.13	0.13	>1.26	NE	NE	NE
BH-02	2+070	1.04	0.11	0.15	0.47	NE	NE	0.73
BH-03	2+570	1.83	0.11	0.14	0.97	NE	1.22	NE
BH-04	3+070	1.83	0.11	0.05	0.98	NE	1.14	NE
BH-05	3+570	1.52	0.11	0.08	1.28	>0.05	NE	NE
BH-06	4+070	1.22	0.11	0.08	0.78	>0.25	NE	NE
BH-07	4+550	1.83	0.11	0.13	0.67	>0.92	NE	NE
BH-08	5+050	1.22	0.13	0.1	>0.99	NE	NE	NE
BH-09	5+550	1.83	0.15	0.1	1.22	NE	1.47	NE
BH-10	6+050	1.22	0.15	0.1	>0.97	NE	NE	NE
BH-11	6+550	1.83	0.11	0.08	1.03	NE	1.22	NE
BH-12	7+050	1.22	0.13	NE	1.09	NE	NE	NE
BH-13	7+550	1.83	0.15	NE	1.45	NE	1.6	NE
BH-14	8+050	1.22	0.11	NE	0.96	>0.15	NE	NE
BH-15	8+550	1.83	0.11	0.08	1.03	>0.61	NE	NE
BH-16	9+050	1.83	0.13	NE	>1.70	NE	NE	NE
BH-17	9+550	1.22	0.13	NE	>1.09	NE	NE	NE
BH-18	10+050	1.83	0.13	0.08	1.42	>0.20	NE	NE
BH-19	10+550	1.22	0.13	NE	0.7	>0.39	NE	NE
BH-20	11+050	1.83	0.13	NE	0.68	>1.02	NE	NE
BH-21	11+550	1.22	0.15	NE	1.07	NE	NE	NE
BH-22	12+050	1.83	0.14	NE	0.77	NE	0.91	NE
BH-23	12+550	1.22	0.14	NE	0.77	>0.31	NE	NE
BH-24	13+050	1.83	0.14	NE	0.77	NE	0.91	NE
BH-25	13+550	1.83	0.14	NE	1.08	>0.61	NE	NE
BH-26	14+050	1.22	0.18	NE	0.43	>0.61	NE	NE
BH-27	14+550	1.68	0.19	NE	1.49	NE	NE	NE
BH-28	15+050	1.22	0.14	NE	0.31	>0.77	NE	NE
BH-29	15+550	1.65	0.17	NE	1.48	NE	NE	NE
BH-30	16+050	1.22	0.15	NE	0.66	>0.41	NE	NE
BH-31	16+550	1.83	0.14	NE	0.47	>1.22	NE	NE
BH-32	17+050	1.83	0.13	NE	>1.70	NE	NE	NE
BH-33	17+550	1.22	0.17	NE	0.72	>0.33	NE	NE
BH-34	18+050	1.83	0.18	NE	0.43	>1.22	NE	NE
BH-35	18+550	1.83	0.2	NE	1.4	NE	NE	NE
BH-36	19+050	1.83	0.19	NE	1.03	>0.61	NE	NE
BH-37	19+550	1.63	0.14	NE	0.47	>1.02	NE	1.63
BH-38	20+050	1.83	0.18	NE	0.73	>0.92	NE	NE
BH-39	20+650	1.83	0.18	NE	1.65	NE	NE	NE
BH-40	21+050	1.65	0.15	NE	0.66	>0.84	NE	1.65
BH-41	21+550	1.83	0.11	NE	1.11	>0.61	NE	NE
BH-42	22+050	1.8	0.22	NE	1.28	>0.30	NE	NE
BH-43	22+550	1.83	0.22	NE	1.3	>0.31	NE	NE
BH-44	23+050	1.55	0.33	NE	0.86	>0.36	NE	NE




Borehole No.	Station	Depth of Exploration (m)	ASPHALT Thickness (m)	GRAVEL Thickness (m)	SANDSTONE FILL Thickness (m)	SAND Thickness (m)	GLACIAL TILL Depth (m)	Inferred SANDSTONE BEDROCK Depth (m)
BH-45	23+350	1.83	0.14	NE	1.08	NE	1.22	NE
BH-46	0+100	1.83	0.13	NE	>1.70	NE	NE	NE
BH-47	0+500	1.7	0.15	NE	1.04	NE	1.19	NE
BH-48	1+050	1.83	0.13	0.23	1.36	NE	1.72	NE

Notes:      NE - Not Encountered  
                  > - Greater Than









Project: **Route 117 Kouchibouquac Park**

Job No.: **133346487**


Date:

Location: **Kouchibouquac, NB**


Notes:

**GRADATION CURVES**



















Project: **Route 117 Kouchibouquac Park**

Job No.: **133346487**


Date:

Location: **Kouchibouquac, NB**

Notes:

**GRADATION CURVES**







Project: **Route 117 Kouchibouquac Park**  
 Job No.: **133346487**  
 Date:

Location: **Kouchibouquac, NB**  
 Notes:  
**GRADATION CURVES**
















Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
Section 1 - 0.000 to 4.400	0.09	0.10	10.00	1.12	1.40	1.26	0.99	1.23	1.11	1.14	1.37	1.25	1.08	1.33	1.21			2.60	3.80	2.40	3.50	2.60	3.80	2.53	3.70
	0.10	0.11	10.00	6.10	1.93	4.01	5.51	1.90	3.71	6.12	1.60	3.86	5.91	1.81	3.86	Yes	Yes	4.40	15.60	4.20	14.70	4.50	15.30	4.37	15.20
	0.11	0.12	10.00	11.92	17.73	14.82	10.50	16.14	13.32	10.66	16.40	13.53	11.03	16.76	13.89	Yes	Yes	5.80	12.10	0.80	10.90	3.70	11.30	3.43	11.43
	0.12	0.13	10.00	4.17	5.12	4.65	3.36	5.45	4.40	3.54	5.32	4.43	3.69	5.30	4.49	Yes	Yes	8.30	13.30	6.00	12.80	7.80	14.00	7.37	13.37
	0.13	0.14	10.00	10.94	4.90	7.92	9.41	4.81	7.11	8.83	4.64	6.73	9.73	4.78	7.25	Yes	Yes	9.00	23.30	7.80	22.50	8.40	21.60	8.40	22.47
	0.14	0.15	10.00	1.99	2.14	2.06	2.28	2.42	2.35	2.18	2.69	2.44	2.15	2.42	2.28	Yes		5.90	8.10	6.30	8.80	6.40	8.70	6.20	8.53
	0.15	0.16	10.00	1.87	2.29	2.08	2.04	2.46	2.25	2.20	2.53	2.37	2.04	2.43	2.23	Yes		6.20	7.30	6.20	7.30	5.70	7.00	6.03	7.20
	0.16	0.17	10.00	5.21	1.53	3.37	6.49	1.49	3.99	5.96	1.78	3.87	5.89	1.60	3.74	Yes	Yes	11.30	14.90	11.20	16.50	7.40	10.40	9.97	13.93
	0.17	0.18	10.00	5.91	2.61	4.26	4.68	2.72	3.70	4.47	1.83	3.15	5.02	2.39	3.70	Yes	Yes	13.60	23.00	12.50	19.20	8.50	15.70	11.53	19.30
	0.18	0.19	10.00	7.18	3.20	5.19	6.24	3.35	4.80	5.49	2.31	3.90	6.30	2.95	4.63	Yes	Yes	14.40	22.50	12.70	20.50	11.00	15.60	12.70	19.53
	0.19	0.20	10.00	9.12	2.36	5.74	7.55	2.47	5.01	8.62	2.21	5.42	8.43	2.35	5.39	Yes	Yes	14.70	18.00	15.10	20.20	10.20	14.20	13.33	17.47
	0.20	0.21	10.00	6.91	4.74	5.83	6.99	4.36	5.68	6.47	5.28	5.88	6.79	4.79	5.80	Yes	Yes	12.20	29.00	12.60	28.90	10.00	22.10	11.60	26.67
	0.21	0.22	10.00	2.20	2.38	2.29	2.11	2.38	2.24	2.86	2.33	2.59	2.39	2.36	2.37	Yes		7.40	12.60	7.50	12.80	4.10	9.90	6.33	11.77
	0.22	0.23	10.00	1.19	2.53	1.86	1.04	2.36	1.70	1.48	2.44	1.96	1.24	2.44	1.84	Yes		6.90	9.90	6.60	9.70	6.60	9.80	6.70	9.80
	0.23	0.24	10.00	3.12	3.59	3.35	3.18	3.50	3.34	3.47	3.79	3.63	3.26	3.63	3.44	Yes	Yes	6.80	9.80	6.30	8.80	7.10	10.50	6.73	9.70
	0.24	0.25	10.00	13.94	11.10	12.52	13.68	11.48	12.58	14.04	11.03	12.54	13.89	11.20	12.55	Yes	Yes	3.40	14.50	2.90	13.80	7.10	15.70	4.47	14.67
	0.25	0.26	10.00	2.70	2.11	2.41	2.84	2.12	2.48	2.56	2.39	2.47	2.70	2.21	2.45	Yes		0.00	8.50	0.20	9.30	7.50	13.10	2.57	10.30
	0.26	0.27	10.00	2.03	3.29	2.66	2.26	3.34	2.80	2.25	3.45	2.85	2.18	3.36	2.77	Yes		4.50	10.50	5.70	11.10	8.70	11.90	6.30	11.17
	0.27	0.28	10.00	1.65	4.42	3.03	1.73	4.04	2.89	1.84	4.02	2.93	1.74	4.16	2.95	Yes		4.70	6.70	6.70	8.50	8.30	10.40	6.57	8.53
	0.28	0.29	10.00	1.97	2.12	2.05	1.97	2.07	2.02	1.98	2.00	1.99	1.97	2.06	2.02	Yes		2.80	4.80	5.10	7.40	5.90	8.40	4.60	6.87
	0.29	0.30	10.00	1.39	2.01	1.70	2.32	1.53	1.92	2.40	1.64	2.02	2.04	1.73	1.88	Yes		2.60	4.30	7.10	9.70	7.00	9.50	5.57	7.83
	0.30	0.31	10.00	2.14	3.23	2.69	2.45	3.48	2.97	2.48	3.54	3.01	2.36	3.42	2.89	Yes		0.20	2.30	3.90	5.80	3.20	5.20	2.43	4.43
	0.31	0.32	10.00	1.23	2.18	1.71	1.33	2.19	1.76	1.58	2.25	1.92	1.38	2.21	1.80	Yes		-0.20	0.70	3.50	4.70	2.50	3.90	1.93	3.10
	0.32	0.33	10.00	1.89	2.27	2.08	1.82	1.94	1.88	1.87	2.13	2.00	1.86	2.11	1.99	Yes		0.20	3.90	3.40	11.20	1.70	8.10	1.77	7.73
	0.33	0.34	10.00	3.00	5.24	4.12	3.56	7.07	5.31	3.33	6.07	4.70	3.30	6.13	4.71	Yes	Yes	0.90	5.10	3.10	13.60	1.50	8.40	1.83	9.03
	0.34	0.35	10.00	1.00	0.70	0.85	1.08	1.04	1.06	1.04	0.87	0.95	1.04	0.87	0.95			1.50	2.50	2.40	3.00	1.30	2.40	1.73	2.63
	0.35	0.36	10.00	1.42	1.84	1.63	1.50	1.96	1.73	1.36	2.12	1.74	1.43	1.97	1.70	Yes		2.80	4.00	3.20	4.40	1.50	2.70	2.50	3.70
	0.36	0.37	10.00	2.46	1.95	2.21	2.47	1.78	2.13	2.42	1.74	2.08	2.45	1.82	2.14	Yes		3.00	5.60	3.30	6.10	1.20	2.70	2.50	4.80
	0.37	0.38	10.00	1.11	1.57	1.34	1.06	1.64	1.35	1.11	1.61	1.36	1.09	1.61	1.35			4.00	4.80	4.00	4.70	1.80	2.20	3.27	3.90
	0.38	0.39	10.00	1.38	1.07	1.22	1.24	1.19	1.21	1.06	1.05	1.06	1.23	1.10	1.16			4.50	5.30	4.40	5.20	1.80	2.70	3.57	4.40
	0.39	0.40	10.00	3.44	3.13	3.29	3.47	3.16	3.32	3.40	2.95	3.18	3.44	3.08	3.26	Yes	Yes	4.80	10.60	4.70	10.20	2.90	6.30	4.13	9.03
	0.40	0.41	10.00	2.36	1.50	1.93	2.25	1.44	1.85	2.26	1.68	1.97	2.29	1.54	1.92	Yes		4.20	6.30	4.10	6.40	3.20	5.60	3.83	6.10
	0.41	0.42	10.00	2.67	9.07	5.87	2.81	9.32	6.07	3.42	9.07	6.24	2.97	9.15	6.06	Yes	Yes	4.30	16.20	4.40	16.60	4.40	16.30	4.37	16.37
	0.42	0.43	10.00	1.70	3.60	2.65	1.64	3.52	2.58	1.65	3.47	2.56	1.66	3.53	2.60	Yes		5.20	6.50	5.30	6.50	5.50	6.40	5.33	6.47
	0.43	0.44	10.00	1.20	2.25	1.72	1.13	2.36	1.75	1.17	2.75	1.96	1.17	2.45	1.81	Yes		4.90	7.20	5.20	7.90	5.80	9.30	5.30	8.13
	0.44	0.45	10.00	2.20	2.02	2.11	2.10	2.09	2.09	2.15	2.19	2.17	2.15	2.10	2.12	Yes		6.80	8.10	7.50	9.20	8.10	9.50	7.47	8.93
	0.45	0.46	10.00	2.64	1.35	1.99	2.35	1.34	1.84	2.41	1.36	1.89	2.47	1.35	1.91	Yes		5.70	8.30	6.80	8.70	7.50	9.50	6.67	8.83



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	0.46	0.47	10.00	1.87	1.43	1.65	1.84	1.52	1.68	1.57	1.50	1.53	1.76	1.48	1.62	Yes		8.60	13.70	10.30	15.70	11.10	16.20	10.00	15.20
	0.47	0.48	10.00	2.87	6.20	4.53	3.05	6.48	4.76	3.22	6.89	5.06	3.05	6.52	4.78	Yes	Yes	14.60	27.90	16.80	32.00	17.40	33.30	16.27	31.07
	0.48	0.49	10.00	4.12	3.16	3.64	4.35	3.36	3.85	4.33	3.34	3.83	4.27	3.29	3.77	Yes	Yes	5.60	8.80	6.50	9.40	6.90	9.50	6.33	9.23
	0.49	0.50	10.00	3.34	2.05	2.69	3.08	1.94	2.51	2.87	2.02	2.44	3.10	2.00	2.55	Yes		4.40	6.80	4.90	7.10	5.10	7.00	4.80	6.97
	0.50	0.51	10.00	1.26	1.19	1.22	1.29	1.28	1.29	1.36	1.22	1.29	1.30	1.23	1.27			4.90	6.10	4.90	6.20	4.70	5.90	4.83	6.07
	0.51	0.52	10.00	2.80	3.99	3.40	2.81	4.01	3.41	2.61	3.47	3.04	2.74	3.82	3.28	Yes	Yes	8.50	19.90	8.60	20.10	9.30	22.90	8.80	20.97
	0.52	0.53	10.00	1.30	1.47	1.38	1.33	1.44	1.39	1.34	1.51	1.43	1.32	1.47	1.40			4.80	5.90	4.50	5.30	5.30	6.40	4.87	5.87
	0.53	0.54	10.00	1.98	2.81	2.39	1.95	2.92	2.43	1.89	3.24	2.56	1.94	2.99	2.46	Yes		9.20	13.20	8.20	11.80	10.00	13.90	9.13	12.97
	0.54	0.55	10.00	1.29	2.09	1.69	1.24	1.99	1.61	1.23	1.97	1.60	1.25	2.02	1.63	Yes		11.50	14.20	9.40	12.10	12.20	14.60	11.03	13.63
	0.55	0.56	10.00	3.09	3.33	3.21	3.03	3.59	3.31	2.85	3.47	3.16	2.99	3.46	3.23	Yes	Yes	19.20	33.90	15.20	29.30	19.00	33.40	17.80	32.20
	0.56	0.57	10.00	4.16	4.12	4.14	3.29	3.79	3.54	3.65	3.91	3.78	3.70	3.94	3.82	Yes	Yes	17.80	26.70	13.80	22.80	16.50	25.10	16.03	24.87
	0.57	0.58	10.00	2.64	1.62	2.13	2.30	1.65	1.97	2.64	1.69	2.17	2.53	1.65	2.09	Yes		9.40	10.80	7.00	8.50	8.80	10.20	8.40	9.83
	0.58	0.59	10.00	2.84	2.53	2.69	3.00	3.07	3.03	3.05	2.63	2.84	2.96	2.74	2.85	Yes		9.70	12.20	6.90	10.10	9.30	12.20	8.63	11.50
	0.59	0.60	10.00	7.63	8.41	8.02	5.39	7.71	6.55	7.13	8.34	7.73	6.72	8.15	7.43	Yes	Yes	11.40	15.60	7.00	11.30	10.90	15.40	9.77	14.10
	0.60	0.61	10.00	3.41	3.41	3.41	3.22	3.13	3.18	3.01	3.04	3.02	3.21	3.19	3.20	Yes	Yes	9.90	11.00	4.50	6.60	8.70	10.40	7.70	9.33
	0.61	0.62	10.00	2.36	1.89	2.12	2.57	2.25	2.41	2.26	1.91	2.08	2.40	2.02	2.20	Yes		8.90	11.90	6.60	8.50	8.60	11.50	8.03	10.63
	0.62	0.63	10.00	1.30	2.03	1.67	1.71	1.67	1.69	1.47	1.93	1.70	1.49	1.88	1.69	Yes		7.20	10.50	4.10	6.40	6.60	10.00	5.97	8.97
	0.63	0.64	10.00	2.93	1.96	2.45	2.54	2.54	2.54	2.87	2.00	2.43	2.78	2.17	2.47	Yes		7.90	12.50	4.00	7.40	7.10	11.80	6.33	10.57
	0.64	0.65	10.00	1.81	1.39	1.60	2.33	1.54	1.93	1.83	1.50	1.66	1.99	1.48	1.73	Yes		5.30	7.80	2.30	4.90	4.30	7.20	3.97	6.63
	0.65	0.66	10.00	2.22	1.59	1.91	4.24	1.22	2.73	2.68	1.57	2.13	3.05	1.46	2.26	Yes		5.00	7.80	1.60	4.40	4.20	7.20	3.60	6.47
	0.66	0.67	10.00	1.21	0.71	0.96	1.47	0.84	1.16	1.31	0.68	0.99	1.33	0.74	1.04			6.20	7.20	3.70	4.40	6.00	7.00	5.30	6.20
	0.67	0.68	10.00	1.44	1.13	1.28	1.55	1.26	1.41	1.71	1.26	1.49	1.57	1.22	1.39			5.30	7.30	3.50	4.50	5.40	7.40	4.73	6.40
	0.68	0.69	10.00	2.74	3.38	3.06	2.59	2.84	2.72	2.89	3.45	3.17	2.74	3.22	2.98	Yes		8.60	13.90	7.00	11.40	8.60	14.20	8.07	13.17
	0.69	0.70	10.00	1.41	1.33	1.37	1.31	1.71	1.51	1.44	1.37	1.41	1.39	1.47	1.43	Yes		6.60	7.80	5.80	6.60	6.60	7.80	6.33	7.40
	0.70	0.71	10.00	1.47	1.49	1.48	1.62	1.92	1.77	1.74	1.49	1.61	1.61	1.63	1.62	Yes		4.20	6.60	4.60	6.40	4.30	6.80	4.37	6.60
	0.71	0.72	10.00	2.04	1.80	1.92	1.86	1.59	1.72	1.92	1.72	1.82	1.94	1.70	1.82	Yes		4.80	6.10	5.30	6.10	4.70	5.60	4.93	5.93
	0.72	0.73	10.00	2.44	1.33	1.89	2.58	1.38	1.98	2.60	1.51	2.06	2.54	1.41	1.98	Yes		6.30	10.70	6.30	10.70	5.40	9.60	6.00	10.33
	0.73	0.74	10.00	1.14	0.83	0.99	1.12	0.99	1.05	1.05	0.92	0.98	1.10	0.91	1.01			5.00	7.00	4.90	6.80	3.90	5.70	4.60	6.50
	0.74	0.75	10.00	1.12	1.57	1.34	1.02	1.54	1.28	0.97	1.71	1.34	1.04	1.61	1.32			7.30	8.40	7.10	8.20	5.60	6.40	6.67	7.67
	0.75	0.76	10.00	1.17	1.11	1.14	1.36	1.16	1.26	1.29	1.14	1.22	1.27	1.14	1.21			4.90	6.60	4.80	6.50	3.80	5.30	4.50	6.13
	0.76	0.77	10.00	1.28	1.43	1.35	1.29	1.42	1.35	1.37	1.46	1.41	1.31	1.44	1.37			3.90	4.60	3.90	4.70	3.00	4.30	3.60	4.53
	0.77	0.78	10.00	2.93	2.06	2.49	2.59	2.13	2.36	3.07	1.89	2.48	2.86	2.03	2.44	Yes		5.60	14.50	6.10	14.90	4.60	12.20	5.43	13.87
	0.78	0.79	10.00	1.36	1.10	1.23	1.27	1.26	1.27	1.34	1.22	1.28	1.32	1.19	1.26			4.60	8.50	5.30	10.10	4.00	7.70	4.63	8.77
	0.79	0.80	10.00	1.88	1.75	1.81	1.69	1.42	1.55	1.84	1.68	1.76	1.80	1.62	1.71	Yes		3.60	4.30	4.20	4.70	3.40	4.30	3.73	4.43
	0.80	0.81	10.00	1.00	0.95	0.97	1.03	0.90	0.97	1.04	0.89	0.97	1.02	0.91	0.97			5.10	5.70	6.00	6.60	5.40	6.10	5.50	6.13
	0.81	0.82	10.00	0.85	0.66	0.76	0.75	0.51	0.63	0.76	0.59	0.67	0.79	0.59	0.69			5.90	7.10	7.10	8.20	6.60	7.50	6.53	7.60
	0.82	0.83	10.00	1.58	2.18	1.88	1.47	2.22	1.84	1.60	2.25	1.92	1.55	2.22	1.88	Yes		4.30	6.60	5.30	8.40	5.20	8.20	4.93	7.73



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	0.83	0.84	10.00	2.20	1.14	1.67	1.64	1.09	1.36	1.76	1.02	1.39	1.87	1.08	1.47	Yes		7.30	9.70	9.10	12.40	9.00	12.30	8.47	11.47
	0.84	0.85	10.00	2.11	2.41	2.26	2.00	2.43	2.22	1.97	2.41	2.19	2.03	2.42	2.22	Yes		5.40	6.90	5.50	7.70	5.50	7.70	5.47	7.43
	0.85	0.86	10.00	1.90	2.16	2.03	1.87	2.06	1.97	1.78	2.11	1.94	1.85	2.11	1.98	Yes		5.70	6.90	5.70	6.80	5.70	6.90	5.70	6.87
	0.86	0.87	10.00	1.33	0.81	1.07	1.43	0.90	1.17	1.36	1.00	1.18	1.37	0.90	1.14			5.20	6.10	5.30	6.20	5.30	6.30	5.27	6.20
	0.87	0.88	10.00	2.23	1.58	1.90	2.36	1.35	1.85	2.27	1.45	1.86	2.29	1.46	1.87	Yes		5.80	13.00	6.20	13.30	6.20	13.30	6.07	13.20
	0.88	0.89	10.00	0.91	1.48	1.20	0.80	1.96	1.38	0.82	2.23	1.52	0.84	1.89	1.37			5.20	6.10	5.60	6.80	5.70	6.70	5.50	6.53
	0.89	0.90	10.00	1.41	1.64	1.52	1.44	1.68	1.56	1.65	1.87	1.76	1.50	1.73	1.61	Yes		6.00	11.60	6.00	11.60	6.30	11.80	6.10	11.67
	0.90	0.91	10.00	0.53	0.79	0.66	0.79	0.81	0.80	0.73	0.80	0.77	0.68	0.80	0.74			4.90	5.90	4.70	5.60	5.00	6.00	4.87	5.83
	0.91	0.92	10.00	1.98	1.67	1.82	2.00	1.64	1.82	1.99	1.69	1.84	1.99	1.67	1.83	Yes		4.10	5.50	4.10	5.80	4.10	5.70	4.10	5.67
	0.92	0.93	10.00	1.01	1.25	1.13	1.17	1.31	1.24	1.06	1.44	1.25	1.08	1.33	1.21			3.80	6.30	3.70	6.40	3.80	6.10	3.77	6.27
	0.93	0.94	10.00	0.62	0.59	0.60	0.86	0.61	0.74	0.83	0.53	0.68	0.77	0.58	0.67			3.70	4.10	3.60	4.00	3.70	4.10	3.67	4.07
	0.94	0.95	10.00	1.22	1.34	1.28	1.29	1.31	1.30	1.32	1.39	1.36	1.28	1.35	1.31			3.70	4.40	3.60	4.20	3.70	4.30	3.67	4.30
	0.95	0.96	10.00	1.18	0.66	0.92	1.24	0.67	0.95	1.06	0.71	0.89	1.16	0.68	0.92			4.70	5.50	4.70	5.50	4.60	5.30	4.67	5.43
	0.96	0.97	10.00	1.46	1.19	1.32	1.44	1.24	1.34	1.57	1.21	1.39	1.49	1.21	1.35			3.50	5.10	3.60	5.20	3.20	4.70	3.43	5.00
	0.97	0.98	10.00	1.53	1.87	1.70	1.53	2.10	1.82	1.39	1.88	1.63	1.48	1.95	1.72	Yes		2.30	3.60	2.60	3.80	2.30	3.60	2.40	3.67
	0.98	0.99	10.00	1.34	1.64	1.49	1.28	1.63	1.45	1.36	1.64	1.50	1.33	1.64	1.48	Yes		2.30	4.90	2.60	5.60	2.60	5.20	2.50	5.23
	0.99	1.00	10.00	0.58	1.07	0.83	0.67	1.04	0.86	0.60	0.87	0.74	0.62	0.99	0.81			1.50	2.20	1.80	2.60	2.50	3.10	1.93	2.63
	1.00	1.01	10.00	1.93	1.23	1.58	1.95	1.34	1.64	2.05	1.38	1.71	1.98	1.32	1.64	Yes		0.90	2.90	1.10	3.30	2.40	5.40	1.47	3.87
	1.01	1.02	10.00	0.85	1.30	1.08	0.82	1.25	1.04	0.93	1.58	1.26	0.87	1.38	1.13			0.50	1.10	0.50	1.20	1.80	2.20	0.93	1.50
	1.02	1.03	10.00	1.35	0.84	1.09	1.48	0.87	1.17	1.49	0.74	1.11	1.44	0.82	1.12			0.90	2.00	0.80	1.80	2.40	4.00	1.37	2.60
	1.03	1.04	10.00	0.68	0.73	0.71	0.54	0.72	0.63	0.74	0.89	0.81	0.65	0.78	0.72			1.20	1.90	1.10	1.70	2.90	3.40	1.73	2.33
	1.04	1.05	10.00	1.06	1.08	1.07	1.08	1.23	1.15	0.98	1.18	1.08	1.04	1.16	1.10			1.10	1.40	1.20	1.50	2.80	3.30	1.70	2.07
	1.05	1.06	10.00	1.02	2.55	1.78	0.95	2.59	1.77	0.96	2.07	1.52	0.98	2.40	1.69	Yes		1.20	2.20	1.50	2.60	3.20	4.20	1.97	3.00
	1.06	1.07	10.00	0.69	1.49	1.09	0.73	1.51	1.12	0.77	1.46	1.12	0.73	1.49	1.11			1.00	2.30	1.50	2.90	2.90	4.10	1.80	3.10
	1.07	1.08	10.00	1.32	0.91	1.12	1.25	0.90	1.07	1.29	1.13	1.21	1.29	0.98	1.13			-0.50	1.70	0.40	3.00	1.70	5.50	0.53	3.40
	1.08	1.09	10.00	0.61	1.13	0.87	0.65	1.03	0.84	0.75	0.82	0.79	0.67	0.99	0.83			0.20	1.10	0.90	1.60	1.60	2.20	0.90	1.63
	1.09	1.10	10.00	1.56	0.78	1.17	1.43	0.71	1.07	1.48	0.70	1.09	1.49	0.73	1.11			0.80	1.50	1.40	2.30	1.70	2.60	1.30	2.13
	1.10	1.11	10.00	1.31	1.93	1.62	1.36	2.00	1.68	1.35	1.93	1.64	1.34	1.95	1.65	Yes		1.20	2.00	1.90	2.80	2.20	3.10	1.77	2.63
	1.11	1.12	10.00	1.29	3.84	2.57	1.13	3.48	2.30	1.14	3.31	2.22	1.19	3.54	2.36	Yes		2.20	9.30	3.00	10.30	3.10	10.30	2.77	9.97
	1.12	1.13	10.00	0.96	1.48	1.22	0.99	1.81	1.40	0.93	1.82	1.38	0.96	1.70	1.33			1.00	1.60	1.50	2.40	1.50	2.90	1.33	2.30
	1.13	1.14	10.00	0.56	1.12	0.84	0.60	1.03	0.82	0.59	0.94	0.76	0.58	1.03	0.81			0.60	1.20	1.00	1.50	0.90	1.50	0.83	1.40
	1.14	1.15	10.00	1.15	1.02	1.08	1.07	1.11	1.09	1.00	1.03	1.01	1.07	1.05	1.06			0.80	1.70	0.80	1.50	0.70	1.40	0.77	1.53
	1.15	1.16	10.00	0.74	1.16	0.95	0.88	1.25	1.06	0.92	1.16	1.04	0.85	1.19	1.02			0.70	1.30	0.30	0.90	0.10	0.80	0.37	1.00
	1.16	1.17	10.00	0.85	1.71	1.28	0.88	1.73	1.30	0.89	1.64	1.26	0.87	1.69	1.28			1.80	2.50	1.10	2.00	1.10	1.80	1.33	2.10
	1.17	1.18	10.00	0.66	1.27	0.97	0.72	1.08	0.90	0.70	1.14	0.92	0.69	1.16	0.93			0.90	1.60	0.60	1.60	0.80	1.60	0.77	1.60
	1.18	1.19	10.00	1.84	2.34	2.09	1.67	2.21	1.94	1.76	2.36	2.06	1.76	2.30	2.03	Yes		2.10	9.30	2.00	8.10	2.10	9.30	2.07	8.90
	1.19	1.20	10.00	0.92	0.54	0.73	0.80	0.49	0.64	0.89	0.45	0.67	0.87	0.49	0.68			1.10	1.50	1.00	1.60	1.10	1.50	1.07	1.53



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	1.20	1.21	10.00	0.98	0.78	0.88	0.98	0.83	0.91	0.85	0.97	0.91	0.94	0.86	0.90			0.30	1.50	0.40	1.40	0.50	1.70	0.40	1.53
	1.21	1.22	10.00	0.95	0.81	0.88	0.96	0.76	0.86	0.90	0.83	0.87	0.94	0.80	0.87			1.40	1.80	1.30	1.90	1.40	2.00	1.37	1.90
	1.22	1.23	10.00	2.65	1.97	2.31	2.64	2.06	2.35	2.57	2.04	2.30	2.62	2.02	2.32	Yes		2.10	3.20	2.30	4.00	2.10	3.40	2.17	3.53
	1.23	1.24	10.00	2.20	1.50	1.85	2.39	1.34	1.86	2.26	1.40	1.83	2.28	1.41	1.85	Yes		3.20	4.10	3.80	5.30	3.30	4.50	3.43	4.63
	1.24	1.25	10.00	2.34	2.77	2.56	2.29	2.68	2.49	2.35	2.71	2.53	2.33	2.72	2.53	Yes		3.00	4.40	3.90	5.90	3.60	6.00	3.50	5.43
	1.25	1.26	10.00	1.58	2.48	2.03	1.49	3.07	2.28	1.44	3.05	2.25	1.50	2.87	2.19	Yes		2.90	5.10	2.00	6.10	2.00	6.20	2.30	5.80
	1.26	1.27	10.00	1.03	1.58	1.31	1.12	1.66	1.39	1.06	1.66	1.36	1.07	1.63	1.35			-0.40	2.50	0.00	1.80	0.10	1.60	-0.10	1.97
	1.27	1.28	10.00	1.35	1.75	1.55	1.34	1.85	1.59	1.33	2.04	1.69	1.34	1.88	1.61	Yes		4.00	10.90	3.40	10.00	3.00	8.90	3.47	9.93
	1.28	1.29	10.00	2.70	3.23	2.96	2.52	3.17	2.84	2.47	3.21	2.84	2.56	3.20	2.88	Yes		5.50	10.80	4.60	10.80	3.90	10.40	4.67	10.67
	1.29	1.30	10.00	1.67	4.84	3.26	1.40	3.91	2.66	1.15	3.68	2.42	1.41	4.14	2.78	Yes		5.10	15.80	3.50	13.20	3.20	12.10	3.93	13.70
	1.30	1.31	10.00	1.01	0.77	0.89	1.17	0.72	0.95	1.08	0.65	0.87	1.09	0.71	0.90			2.90	3.90	2.10	2.70	2.20	2.80	2.40	3.13
	1.31	1.32	10.00	1.09	1.70	1.40	1.02	1.64	1.33	0.99	1.82	1.40	1.03	1.72	1.38			3.40	4.40	2.40	3.40	2.70	3.90	2.83	3.90
	1.32	1.33	10.00	1.40	1.82	1.61	1.41	1.95	1.68	1.53	2.10	1.82	1.45	1.96	1.70	Yes		3.90	5.80	3.20	5.00	3.50	5.10	3.53	5.30
	1.33	1.34	10.00	1.40	3.01	2.20	1.57	2.40	1.98	1.63	2.34	1.98	1.53	2.58	2.05	Yes		4.50	8.30	4.10	7.10	4.30	7.50	4.30	7.63
	1.34	1.35	10.00	1.33	1.54	1.44	0.98	1.59	1.28	1.06	1.61	1.33	1.12	1.58	1.35			4.10	5.70	4.00	5.40	4.00	5.50	4.03	5.53
	1.35	1.36	10.00	1.82	1.50	1.66	1.82	1.58	1.70	1.82	1.61	1.71	1.82	1.56	1.69	Yes		2.20	4.10	2.10	4.20	2.10	4.00	2.13	4.10
	1.36	1.37	10.00	1.22	1.37	1.29	1.16	1.30	1.23	1.21	1.39	1.30	1.20	1.35	1.27			2.70	3.60	2.90	3.80	3.00	3.80	2.87	3.73
	1.37	1.38	10.00	2.79	3.59	3.19	2.91	3.53	3.22	2.88	3.43	3.15	2.86	3.52	3.19	Yes	Yes	4.80	8.90	5.00	9.30	5.20	9.40	5.00	9.20
	1.38	1.39	10.00	1.82	1.89	1.85	2.22	1.76	1.99	2.34	1.68	2.01	2.13	1.78	1.95	Yes		6.30	9.90	6.30	9.80	6.90	11.10	6.50	10.27
	1.39	1.40	10.00	5.87	5.45	5.66	5.51	5.89	5.70	5.87	5.70	5.78	5.75	5.68	5.71	Yes	Yes	10.40	14.90	9.30	13.70	11.10	15.40	10.27	14.67
	1.40	1.41	10.00	3.52	4.21	3.87	3.49	4.15	3.82	3.47	3.84	3.65	3.49	4.07	3.78	Yes	Yes	8.60	16.10	8.00	14.70	8.50	16.20	8.37	15.67
	1.41	1.42	10.00	6.51	4.86	5.68	6.50	4.98	5.74	6.38	4.82	5.60	6.46	4.89	5.67	Yes	Yes	6.70	18.00	6.80	18.20	6.10	17.50	6.53	17.90
	1.42	1.43	10.00	1.63	3.11	2.37	1.56	3.14	2.35	1.66	3.27	2.47	1.62	3.17	2.40	Yes		3.40	6.00	4.40	6.60	3.30	5.60	3.70	6.07
	1.43	1.44	10.00	4.08	5.16	4.62	4.33	5.27	4.80	4.56	5.34	4.95	4.32	5.26	4.79	Yes	Yes	4.30	16.20	5.00	16.90	4.10	16.00	4.47	16.37
	1.44	1.45	10.00	3.75	4.47	4.11	3.36	4.36	3.86	3.42	4.30	3.86	3.51	4.38	3.94	Yes	Yes	3.70	5.40	4.00	5.30	3.80	5.40	3.83	5.37
	1.45	1.46	10.00	2.23	3.39	2.81	2.32	3.31	2.82	2.27	3.23	2.75	2.27	3.31	2.79	Yes		0.10	3.50	0.00	3.70	0.10	3.50	0.07	3.57
	1.46	1.47	10.00	1.52	2.15	1.84	1.60	2.09	1.84	1.64	2.12	1.88	1.59	2.12	1.85	Yes		0.40	1.90	-0.20	1.20	0.40	1.90	0.20	1.67
	1.47	1.48	10.00	1.08	1.33	1.21	0.96	1.25	1.10	0.92	1.29	1.10	0.99	1.29	1.14			1.70	3.00	1.00	2.50	1.70	2.90	1.47	2.80
	1.48	1.49	10.00	1.63	3.14	2.39	2.43	3.03	2.73	2.68	3.24	2.96	2.25	3.14	2.69	Yes		4.00	14.20	3.10	11.40	4.00	13.00	3.70	12.87
	1.49	1.50	10.00	3.34	2.52	2.93	2.78	2.36	2.57	2.98	2.42	2.70	3.03	2.43	2.73	Yes		8.40	13.10	5.70	9.00	6.70	9.00	6.93	10.37
	1.50	1.51	10.00	1.86	2.16	2.01	2.76	1.94	2.35	2.72	1.95	2.33	2.45	2.02	2.23	Yes		4.40	8.30	-0.40	1.70	0.30	3.50	1.43	4.50
	1.51	1.52	10.00	1.49	1.68	1.58	1.21	1.92	1.56	1.23	1.86	1.55	1.31	1.82	1.56	Yes		2.20	3.50	0.90	1.70	1.20	1.90	1.43	2.37
1.52	1.53	10.00	2.48	1.88	2.18	2.71	2.40	2.55	2.82	2.41	2.62	2.67	2.23	2.45	Yes		2.90	8.30	2.30	6.30	2.70	7.20	2.63	7.27	
1.53	1.54	10.00	3.03	1.90	2.47	2.83	2.09	2.46	2.84	2.11	2.48	2.90	2.03	2.47	Yes		2.70	8.20	2.60	5.10	3.00	4.90	2.77	6.07	
1.54	1.55	10.00	1.32	1.23	1.27	1.48	1.38	1.43	1.42	1.17	1.30	1.41	1.26	1.33			4.00	4.70	3.50	4.20	4.00	4.70	3.83	4.53	
1.55	1.56	10.00	1.06	1.08	1.07	1.03	1.24	1.14	1.00	1.21	1.10	1.03	1.18	1.10			2.70	4.40	3.10	4.50	3.30	4.70	3.03	4.53	
1.56	1.57	10.00	0.80	1.09	0.95	0.87	1.03	0.95	0.88	1.02	0.95	0.85	1.05	0.95			1.90	2.80	2.40	3.70	2.40	3.50	2.23	3.33	



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	1.57	1.58	10.00	2.30	1.76	2.03	2.18	1.95	2.07	2.01	1.74	1.88	2.16	1.82	1.99	Yes		2.60	4.90	3.10	4.60	2.70	3.60	2.80	4.37
	1.58	1.59	10.00	1.42	1.31	1.36	1.31	1.41	1.36	1.37	1.31	1.34	1.37	1.34	1.35			3.30	4.20	3.20	4.00	2.10	2.90	2.87	3.70
	1.59	1.60	10.00	1.55	1.04	1.29	1.53	1.16	1.34	1.55	1.23	1.39	1.54	1.14	1.34			3.70	4.60	2.70	3.80	1.70	3.10	2.70	3.83
	1.60	1.61	10.00	1.42	1.59	1.50	0.95	1.85	1.40	0.98	1.85	1.42	1.12	1.76	1.44	Yes		3.60	4.70	2.10	3.50	2.00	3.50	2.57	3.90
	1.61	1.62	10.00	2.75	1.87	2.31	2.08	2.14	2.11	2.32	2.27	2.30	2.38	2.09	2.24	Yes		3.70	5.90	2.40	3.80	3.00	4.20	3.03	4.63
	1.62	1.63	10.00	1.18	1.01	1.09	1.14	0.64	0.89	1.13	0.71	0.92	1.15	0.79	0.97			4.30	5.60	3.30	4.40	4.10	5.60	3.90	5.20
	1.63	1.64	10.00	1.02	1.27	1.14	0.98	1.21	1.09	1.00	1.29	1.15	1.00	1.26	1.13			5.00	7.10	4.40	8.40	5.20	10.80	4.87	8.77
	1.64	1.65	10.00	1.91	1.73	1.82	2.08	1.62	1.85	2.06	1.74	1.90	2.02	1.70	1.86	Yes		6.60	14.10	5.50	12.00	6.20	14.00	6.10	13.37
	1.65	1.66	10.00	1.93	1.23	1.58	1.79	1.22	1.51	2.05	1.30	1.68	1.92	1.25	1.59	Yes		4.40	7.00	4.20	6.30	4.60	7.10	4.40	6.80
	1.66	1.67	10.00	1.80	2.27	2.03	1.84	2.28	2.06	1.82	2.30	2.06	1.82	2.28	2.05	Yes		7.00	8.70	6.50	8.00	7.50	9.50	7.00	8.73
	1.67	1.68	10.00	1.24	2.14	1.69	1.24	1.93	1.59	1.16	2.00	1.58	1.21	2.02	1.62	Yes		6.80	8.40	6.70	8.20	7.10	9.10	6.87	8.57
	1.68	1.69	10.00	1.24	1.17	1.20	1.21	1.22	1.22	1.32	1.10	1.21	1.26	1.16	1.21			5.50	8.00	5.50	8.00	5.60	8.10	5.53	8.03
	1.69	1.70	10.00	1.39	2.59	1.99	1.39	2.58	1.99	1.36	2.44	1.90	1.38	2.54	1.96	Yes		7.10	8.80	7.20	9.40	7.50	9.80	7.27	9.33
	1.70	1.71	10.00	2.18	2.03	2.11	2.30	2.07	2.19	2.20	2.04	2.12	2.23	2.05	2.14	Yes		12.00	14.50	12.10	14.50	12.70	15.10	12.27	14.70
	1.71	1.72	10.00	3.19	1.97	2.58	3.09	2.13	2.61	3.01	1.91	2.46	3.10	2.00	2.55	Yes		11.70	13.50	11.20	12.70	11.90	13.70	11.60	13.30
	1.72	1.73	10.00	1.97	1.42	1.70	2.09	1.22	1.66	2.07	1.44	1.76	2.04	1.36	1.71	Yes		9.90	12.40	9.20	11.80	9.50	12.30	9.53	12.17
	1.73	1.74	10.00	3.76	1.72	2.74	4.03	2.53	3.28	4.49	2.60	3.55	4.09	2.28	3.19	Yes	Yes	8.70	19.30	8.50	17.60	9.50	19.70	8.90	18.87
	1.74	1.75	10.00	3.59	3.55	3.57	3.31	2.80	3.06	2.94	2.66	2.80	3.28	3.00	3.14	Yes	Yes	9.50	17.40	8.30	13.00	9.30	14.40	9.03	14.93
	1.75	1.76	10.00	3.75	1.59	2.67	3.94	1.50	2.72	3.91	1.65	2.78	3.87	1.58	2.72	Yes		9.80	12.70	8.20	11.00	9.90	12.80	9.30	12.17
	1.76	1.77	10.00	3.20	2.36	2.78	2.69	2.38	2.53	2.85	2.43	2.64	2.91	2.39	2.65	Yes		7.20	10.20	5.50	8.80	7.20	11.00	6.63	10.00
	1.77	1.78	10.00	2.41	2.42	2.42	2.24	2.28	2.26	2.54	2.23	2.39	2.40	2.31	2.36	Yes		13.70	16.10	12.30	14.60	13.90	16.30	13.30	15.67
	1.78	1.79	10.00	1.89	1.99	1.94	1.83	1.76	1.79	1.91	2.08	1.99	1.88	1.94	1.91	Yes		11.40	13.30	10.60	12.70	11.60	14.00	11.20	13.33
	1.79	1.80	10.00	2.95	1.40	2.18	3.00	1.46	2.23	3.01	1.40	2.21	2.99	1.42	2.21	Yes		11.90	17.50	9.90	15.40	11.50	17.50	11.10	16.80
	1.80	1.81	10.00	4.84	5.24	5.04	4.88	5.60	5.24	4.95	5.78	5.36	4.89	5.54	5.21	Yes	Yes	10.40	17.60	8.20	14.20	10.40	17.30	9.67	16.37
	1.81	1.82	10.00	2.20	2.91	2.56	2.21	2.44	2.33	2.28	2.13	2.21	2.23	2.49	2.37	Yes		9.20	12.20	7.80	10.00	9.00	12.00	8.67	11.40
	1.82	1.83	10.00	2.06	1.21	1.64	1.59	1.09	1.34	1.88	1.19	1.53	1.84	1.16	1.50	Yes		8.10	9.10	7.50	8.50	8.50	9.20	8.03	8.93
	1.83	1.84	10.00	2.12	2.21	2.16	1.71	1.92	1.81	1.94	2.30	2.12	1.92	2.14	2.03	Yes		6.60	8.70	6.50	8.50	6.90	9.00	6.67	8.73
	1.84	1.85	10.00	2.51	1.98	2.24	2.27	2.10	2.18	2.41	2.09	2.25	2.40	2.06	2.22	Yes		8.00	9.50	8.10	9.70	8.30	9.90	8.13	9.70
	1.85	1.86	10.00	2.30	1.09	1.69	1.93	1.67	1.80	1.74	1.64	1.69	1.99	1.47	1.73	Yes		7.00	8.20	8.00	9.20	8.10	9.60	7.70	9.00
	1.86	1.87	10.00	1.40	2.40	1.90	1.43	2.49	1.96	1.64	2.48	2.06	1.49	2.46	1.97	Yes		6.10	8.70	7.10	10.00	6.90	9.90	6.70	9.53
1.87	1.88	10.00	5.15	3.14	4.14	5.24	3.96	4.60	5.22	4.36	4.79	5.20	3.82	4.51	Yes	Yes	9.20	15.00	10.50	17.10	10.20	17.10	9.97	16.40	
1.88	1.89	10.00	4.59	8.66	6.63	4.03	7.44	5.73	5.30	6.41	5.85	4.64	7.50	6.07	Yes	Yes	9.40	15.90	7.10	16.00	4.70	13.30	7.07	15.07	
1.89	1.90	10.00	2.30	2.33	2.31	2.19	2.47	2.33	2.68	2.20	2.44	2.39	2.33	2.36	Yes		6.00	12.80	4.10	12.20	2.10	9.80	4.07	11.60	
1.90	1.91	10.00	5.02	2.42	3.72	3.99	2.71	3.35	3.47	2.84	3.15	4.16	2.66	3.41	Yes	Yes	11.10	14.00	9.10	12.80	6.80	9.80	9.00	12.20	
1.91	1.92	10.00	2.62	1.78	2.20	2.60	1.51	2.05	2.68	1.44	2.06	2.63	1.58	2.10	Yes		8.40	11.80	8.00	10.20	6.80	8.30	7.73	10.10	
1.92	1.93	10.00	1.63	1.48	1.55	1.55	1.40	1.47	1.47	1.32	1.39	1.55	1.40	1.47	Yes		4.20	5.20	4.70	6.30	4.80	7.30	4.57	6.27	
1.93	1.94	10.00	2.21	1.07	1.64	2.20	0.80	1.50	2.00	0.87	1.44	2.14	0.91	1.53	Yes		6.20	7.80	5.70	7.30	5.60	7.60	5.83	7.57	



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	1.94	1.95	10.00	1.36	1.87	1.61	1.62	1.54	1.58	1.56	1.52	1.54	1.51	1.64	1.58	Yes		8.20	11.00	7.00	9.20	7.10	10.00	7.43	10.07
	1.95	1.96	10.00	2.35	1.63	1.99	2.36	1.28	1.82	2.48	1.55	2.01	2.40	1.49	1.94	Yes		10.20	12.30	9.40	10.70	9.80	11.40	9.80	11.47
	1.96	1.97	10.00	3.07	3.27	3.17	3.08	3.11	3.10	2.96	3.43	3.19	3.04	3.27	3.15	Yes	Yes	10.50	15.50	10.10	14.80	10.40	15.60	10.33	15.30
	1.97	1.98	10.00	2.65	3.80	3.23	2.38	4.00	3.19	2.66	3.76	3.21	2.56	3.85	3.21	Yes	Yes	8.50	10.60	7.60	10.60	8.60	10.30	8.23	10.50
	1.98	1.99	10.00	1.91	1.26	1.58	0.99	1.31	1.15	1.72	1.30	1.51	1.54	1.29	1.41	Yes		10.80	12.00	5.40	6.40	10.50	11.60	8.90	10.00
	1.99	2.00	10.00	2.07	4.33	3.20	1.76	3.51	2.64	2.10	4.31	3.20	1.98	4.05	3.01	Yes	Yes	13.20	20.70	7.00	11.20	13.20	20.80	11.13	17.57
	2.00	2.01	10.00	2.60	4.19	3.39	2.52	2.95	2.74	2.80	4.91	3.86	2.64	4.02	3.33	Yes	Yes	12.50	14.50	5.80	7.50	12.90	14.90	10.40	12.30
	2.01	2.02	10.00	1.46	4.89	3.17	1.35	3.59	2.47	1.73	4.64	3.19	1.51	4.37	2.94	Yes		11.00	13.70	4.50	7.80	11.80	14.40	9.10	11.97
	2.02	2.03	10.00	1.06	2.70	1.88	1.04	4.81	2.92	0.90	2.43	1.67	1.00	3.31	2.16	Yes		14.40	19.50	10.50	15.20	14.80	19.70	13.23	18.13
	2.03	2.04	10.00	1.58	2.75	2.17	1.64	2.34	1.99	1.58	2.82	2.20	1.60	2.64	2.12	Yes		15.70	17.90	12.60	14.70	15.40	17.80	14.57	16.80
	2.04	2.05	10.00	1.78	4.81	3.29	2.02	6.22	4.12	1.90	5.37	3.63	1.90	5.47	3.68	Yes	Yes	14.70	17.10	11.30	14.50	13.60	15.90	13.20	15.83
	2.05	2.06	10.00	1.15	3.83	2.49	1.39	3.83	2.61	1.35	3.89	2.62	1.30	3.85	2.57	Yes		13.10	15.60	11.00	13.80	11.40	14.70	11.83	14.70
	2.06	2.07	10.00	1.66	4.26	2.96	1.60	4.91	3.26	1.62	5.12	3.37	1.63	4.76	3.20	Yes	Yes	14.70	18.40	13.90	17.30	13.50	17.00	14.03	17.57
	2.07	2.08	10.00	1.20	7.50	4.35	1.24	6.82	4.03	1.27	6.99	4.13	1.24	7.10	4.17	Yes	Yes	17.00	19.60	17.20	19.50	16.30	18.70	16.83	19.27
	2.08	2.09	10.00	5.85	9.58	7.71	6.45	9.41	7.93	6.10	9.82	7.96	6.13	9.60	7.87	Yes	Yes	17.90	23.20	20.30	25.90	17.80	22.80	18.67	23.97
	2.09	2.10	10.00	1.74	4.03	2.88	1.48	4.25	2.87	1.33	4.09	2.71	1.52	4.12	2.82	Yes		19.60	22.80	21.30	25.70	19.50	22.60	20.13	23.70
	2.10	2.11	10.00	1.18	3.74	2.46	1.11	3.37	2.24	1.36	3.26	2.31	1.22	3.46	2.34	Yes		20.90	22.10	22.60	23.40	20.70	21.80	21.40	22.43
	2.11	2.12	10.00	2.24	3.93	3.08	2.48	3.22	2.85	2.01	4.35	3.18	2.24	3.83	3.04	Yes	Yes	21.20	24.00	22.30	23.90	20.30	23.80	21.27	23.90
	2.12	2.13	10.00	3.37	10.01	6.69	3.41	9.47	6.44	3.54	10.46	7.00	3.44	9.98	6.71	Yes	Yes	26.90	33.50	29.80	36.60	25.80	30.80	27.50	33.63
	2.13	2.14	10.00	2.02	5.34	3.68	1.94	5.28	3.61	1.95	5.14	3.54	1.97	5.25	3.61	Yes	Yes	26.10	31.30	28.50	36.70	23.70	27.10	26.10	31.70
	2.14	2.15	10.00	1.85	6.83	4.34	2.48	6.48	4.48	2.87	7.02	4.95	2.40	6.78	4.59	Yes	Yes	28.80	33.10	31.70	37.60	21.00	27.80	27.17	32.83
	2.15	2.16	10.00	6.38	10.41	8.40	5.96	11.28	8.62	5.98	8.09	7.03	6.11	9.93	8.02	Yes	Yes	28.00	34.40	29.60	36.60	20.70	25.30	26.10	32.10
	2.16	2.17	10.00	1.68	4.94	3.31	1.89	4.96	3.42	2.02	5.11	3.57	1.86	5.00	3.43	Yes	Yes	22.20	28.70	21.60	27.60	16.30	26.80	20.03	27.70
	2.17	2.18	10.00	2.15	5.57	3.86	2.05	5.62	3.84	1.91	6.01	3.96	2.04	5.73	3.89	Yes	Yes	19.40	29.20	18.50	28.80	17.20	27.60	18.37	28.53
	2.18	2.19	10.00	1.01	3.38	2.19	1.05	3.35	2.20	1.13	3.37	2.25	1.06	3.37	2.21	Yes		14.40	17.10	14.10	17.20	13.20	16.80	13.90	17.03
	2.19	2.20	10.00	1.36	2.91	2.13	1.39	2.87	2.13	1.36	3.04	2.20	1.37	2.94	2.15	Yes		14.60	17.20	14.50	17.00	13.50	15.70	14.20	16.63
	2.20	2.21	10.00	2.50	2.51	2.50	2.36	2.82	2.59	2.42	2.81	2.61	2.43	2.71	2.57	Yes		15.10	18.90	15.20	18.80	15.30	19.10	15.20	18.93
	2.21	2.22	10.00	1.61	4.33	2.97	1.90	4.36	3.13	1.86	4.30	3.08	1.79	4.33	3.06	Yes	Yes	14.40	18.30	14.90	19.30	14.00	20.50	14.43	19.37
	2.22	2.23	10.00	8.00	5.05	6.52	7.71	4.85	6.28	6.37	5.37	5.87	7.36	5.09	6.22	Yes	Yes	21.20	34.30	21.80	32.40	19.40	30.40	20.80	32.37
	2.23	2.24	10.00	2.67	5.83	4.25	2.38	6.17	4.28	2.65	6.00	4.32	2.57	6.00	4.28	Yes	Yes	21.80	25.40	23.20	27.70	19.50	22.30	21.50	25.13
	2.24	2.25	10.00	6.02	3.51	4.76	6.37	4.54	5.46	5.99	3.23	4.61	6.13	3.76	4.94	Yes	Yes	27.00	30.60	29.40	34.30	25.20	28.50	27.20	31.13
	2.25	2.26	10.00	3.81	7.45	5.63	4.63	11.03	7.83	4.17	9.32	6.74	4.20	9.27	6.73	Yes	Yes	30.10	36.00	33.30	40.50	31.20	37.80	31.53	38.10
	2.26	2.27	10.00	4.77	7.09	5.93	4.49	7.51	6.00	4.51	7.46	5.99	4.59	7.35	5.97	Yes	Yes	26.90	31.10	27.20	32.00	27.40	30.60	27.17	31.23
	2.27	2.28	10.00	14.73	12.01	13.37	14.84	12.12	13.48	14.79	12.35	13.57	14.79	12.16	13.47	Yes	Yes	27.10	35.90	26.90	36.00	28.10	36.80	27.37	36.23
	2.28	2.29	10.00	1.88	3.79	2.84	1.87	3.51	2.69	1.83	3.31	2.57	1.86	3.54	2.70	Yes		21.00	26.40	20.40	26.00	20.90	26.50	20.77	26.30
	2.29	2.30	10.00	1.93	3.80	2.86	1.92	3.63	2.77	1.89	3.57	2.73	1.91	3.67	2.79	Yes		17.20	19.30	17.20	19.30	17.40	19.50	17.27	19.37
	2.30	2.31	10.00	1.30	3.88	2.59	1.12	4.02	2.57	1.23	3.91	2.57	1.22	3.94	2.58	Yes		12.60	17.70	12.60	17.30	13.10	16.90	12.77	17.30



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	2.31	2.32	10.00	1.33	3.95	2.64	1.37	3.87	2.62	1.47	3.80	2.64	1.39	3.87	2.63	Yes		13.30	16.10	13.10	16.20	13.90	16.50	13.43	16.27
	2.32	2.33	10.00	2.07	4.18	3.13	2.25	4.14	3.19	2.35	4.69	3.52	2.22	4.34	3.28	Yes	Yes	15.30	22.80	15.20	22.10	15.80	23.50	15.43	22.80
	2.33	2.34	10.00	4.63	4.08	4.35	4.50	3.73	4.12	4.53	4.04	4.28	4.55	3.95	4.25	Yes	Yes	25.10	33.20	24.30	31.80	26.00	33.30	25.13	32.77
	2.34	2.35	10.00	4.68	4.74	4.71	4.66	5.17	4.92	5.02	4.58	4.80	4.79	4.83	4.81	Yes	Yes	26.00	35.20	25.40	34.10	26.40	35.40	25.93	34.90
	2.35	2.36	10.00	4.90	3.13	4.01	4.36	3.51	3.93	4.43	3.76	4.09	4.56	3.47	4.01	Yes	Yes	24.40	28.60	22.70	26.90	24.40	28.40	23.83	27.97
	2.36	2.37	10.00	11.46	7.71	9.58	11.26	8.02	9.64	12.08	7.35	9.72	11.60	7.69	9.65	Yes	Yes	32.80	44.20	29.10	38.00	32.60	43.60	31.50	41.93
	2.37	2.38	10.00	5.36	4.07	4.71	4.69	3.99	4.34	4.99	4.29	4.64	5.01	4.12	4.56	Yes	Yes	30.80	33.70	27.80	29.90	29.70	32.80	29.43	32.13
	2.38	2.39	10.00	5.88	8.16	7.02	6.01	8.22	7.12	6.11	8.06	7.09	6.00	8.15	7.08	Yes	Yes	31.30	37.70	29.30	35.50	29.30	36.20	29.97	36.47
	2.39	2.40	10.00	3.10	6.97	5.03	2.87	6.92	4.90	2.81	6.96	4.89	2.93	6.95	4.94	Yes	Yes	35.40	42.90	36.30	44.30	34.40	40.60	35.37	42.60
	2.40	2.41	10.00	9.42	11.09	10.26	10.34	11.30	10.82	9.52	11.40	10.46	9.76	11.26	10.51	Yes	Yes	34.40	47.20	35.70	50.70	31.50	45.10	33.87	47.67
	2.41	2.42	10.00	3.42	5.61	4.52	3.31	5.21	4.26	3.51	5.03	4.27	3.41	5.28	4.35	Yes	Yes	20.30	26.90	22.70	27.10	20.20	23.80	21.07	25.93
	2.42	2.43	10.00	2.43	3.71	3.07	2.65	4.42	3.53	2.82	4.67	3.74	2.63	4.27	3.45	Yes	Yes	20.00	24.00	22.60	27.30	21.80	26.50	21.47	25.93
	2.43	2.44	10.00	3.02	6.15	4.59	2.83	5.70	4.26	2.60	5.23	3.91	2.82	5.69	4.25	Yes	Yes	18.10	24.30	20.50	27.00	19.70	25.90	19.43	25.73
	2.44	2.45	10.00	1.48	3.55	2.51	1.62	3.42	2.52	1.58	3.57	2.58	1.56	3.51	2.54	Yes		18.30	21.00	21.70	24.50	21.60	24.60	20.53	23.37
	2.45	2.46	10.00	1.63	4.56	3.10	1.49	4.60	3.04	1.41	4.52	2.96	1.51	4.56	3.03	Yes	Yes	15.60	21.00	18.00	23.50	18.20	22.80	17.27	22.43
	2.46	2.47	10.00	2.06	3.62	2.84	1.47	4.03	2.75	1.38	4.47	2.93	1.64	4.04	2.84	Yes		19.40	21.90	22.40	25.40	23.10	26.10	21.63	24.47
	2.47	2.48	10.00	3.03	4.54	3.79	2.99	4.96	3.98	2.97	5.11	4.04	3.00	4.87	3.94	Yes	Yes	19.40	22.90	21.50	24.70	22.30	25.30	21.07	24.30
	2.48	2.49	10.00	1.40	3.87	2.64	1.58	3.46	2.52	1.74	3.43	2.59	1.57	3.59	2.58	Yes		15.90	19.70	16.40	19.40	16.90	19.80	16.40	19.63
	2.49	2.50	10.00	2.29	2.53	2.41	2.33	2.35	2.34	2.42	2.32	2.37	2.35	2.40	2.37	Yes		13.10	16.40	13.30	16.70	13.50	17.20	13.30	16.77
	2.50	2.51	10.00	2.22	4.68	3.45	2.01	4.76	3.38	1.94	4.91	3.43	2.06	4.78	3.42	Yes	Yes	14.40	18.10	14.70	18.20	14.50	18.00	14.53	18.10
	2.51	2.52	10.00	6.00	6.62	6.31	6.12	7.21	6.67	5.86	8.88	7.37	5.99	7.57	6.78	Yes	Yes	15.30	20.90	15.20	20.30	14.00	18.80	14.83	20.00
	2.52	2.53	10.00	3.06	3.88	3.47	3.03	3.45	3.24	3.13	3.69	3.41	3.07	3.67	3.37	Yes	Yes	19.10	21.80	18.20	20.50	15.50	17.50	17.60	19.93
	2.53	2.54	10.00	7.13	5.04	6.09	7.71	5.51	6.61	7.70	5.15	6.42	7.51	5.23	6.37	Yes	Yes	15.10	17.90	14.20	17.20	10.30	14.40	13.20	16.50
	2.54	2.55	10.00	4.66	6.15	5.40	4.07	5.52	4.80	4.39	4.69	4.54	4.37	5.45	4.91	Yes	Yes	18.10	21.70	18.90	23.60	15.00	19.40	17.33	21.57
	2.55	2.56	10.00	4.95	3.60	4.27	4.84	3.79	4.32	5.15	3.94	4.55	4.98	3.78	4.38	Yes	Yes	22.60	27.40	24.60	29.00	17.80	22.70	21.67	26.37
	2.56	2.57	10.00	4.18	3.63	3.91	4.50	3.66	4.08	3.93	3.44	3.68	4.20	3.58	3.89	Yes	Yes	21.90	26.70	23.70	30.00	18.80	23.10	21.47	26.60
	2.57	2.58	10.00	2.76	3.00	2.88	2.70	3.68	3.19	2.68	3.39	3.03	2.71	3.36	3.03	Yes	Yes	15.60	19.40	17.10	21.40	14.80	18.40	15.83	19.73
	2.58	2.59	10.00	2.45	6.55	4.50	2.80	7.07	4.94	3.02	6.38	4.70	2.76	6.67	4.71	Yes	Yes	20.00	25.50	22.00	27.60	20.90	26.00	20.97	26.37
	2.59	2.60	10.00	5.06	4.05	4.55	4.84	4.23	4.54	4.93	4.14	4.54	4.94	4.14	4.54	Yes	Yes	21.80	25.60	22.30	26.00	21.80	25.90	21.97	25.83
	2.60	2.61	10.00	2.10	4.99	3.55	2.26	4.87	3.56	2.02	4.76	3.39	2.13	4.87	3.50	Yes	Yes	13.30	16.40	13.30	17.00	13.20	16.70	13.27	16.70
	2.61	2.62	10.00	5.76	2.92	4.34	5.66	2.71	4.18	5.65	2.75	4.20	5.69	2.79	4.24	Yes	Yes	14.50	19.00	14.60	19.00	14.80	19.00	14.63	19.00
	2.62	2.63	10.00	6.37	3.73	5.05	7.72	4.42	6.07	8.86	4.59	6.72	7.65	4.25	5.95	Yes	Yes	16.90	36.80	16.50	34.70	17.00	35.90	16.80	35.80
	2.63	2.64	10.00	7.96	6.17	7.06	5.97	5.50	5.74	5.47	5.33	5.40	6.47	5.67	6.07	Yes	Yes	8.00	35.90	5.80	22.30	6.00	18.00	6.60	25.40
	2.64	2.65	10.00	2.01	2.21	2.11	1.87	1.96	1.92	1.96	2.11	2.03	1.95	2.09	2.02	Yes		5.00	6.50	4.20	5.60	4.60	6.20	4.60	6.10
	2.65	2.66	10.00	2.07	1.88	1.98	1.74	2.22	1.98	1.71	2.04	1.87	1.84	2.05	1.94	Yes		5.70	7.10	5.00	6.90	5.40	7.10	5.37	7.03
	2.66	2.67	10.00	2.64	2.24	2.44	2.77	2.32	2.55	2.75	2.31	2.53	2.72	2.29	2.51	Yes		6.40	11.20	5.70	9.70	6.20	10.50	6.10	10.47
	2.67	2.68	10.00	3.40	2.41	2.91	4.09	2.38	3.24	4.52	2.49	3.51	4.00	2.43	3.22	Yes	Yes	8.50	14.10	7.70	13.80	8.70	17.40	8.30	15.10



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	2.68	2.69	10.00	9.49	10.24	9.86	9.88	10.17	10.02	9.10	10.23	9.67	9.49	10.21	9.85	Yes	Yes	15.20	26.30	12.50	23.60	13.70	25.70	13.80	25.20
	2.69	2.70	10.00	3.87	3.19	3.53	3.37	2.99	3.18	3.78	3.29	3.53	3.67	3.16	3.41	Yes	Yes	11.80	20.80	9.60	17.40	11.90	19.70	11.10	19.30
	2.70	2.71	10.00	10.10	11.73	10.92	10.04	13.51	11.78	10.24	13.41	11.83	10.13	12.88	11.51	Yes	Yes	20.40	37.00	18.10	34.50	19.70	35.90	19.40	35.80
	2.71	2.72	10.00	6.36	9.53	7.94	6.48	9.56	8.02	6.46	9.12	7.79	6.43	9.40	7.92	Yes	Yes	15.40	22.70	12.90	20.40	13.00	21.00	13.77	21.37
	2.72	2.73	10.00	5.73	3.32	4.52	5.15	2.96	4.06	5.09	2.73	3.91	5.32	3.00	4.16	Yes	Yes	15.30	19.60	12.80	16.30	11.80	15.80	13.30	17.23
	2.73	2.74	10.00	2.55	3.59	3.07	2.40	3.93	3.17	2.47	4.25	3.36	2.47	3.92	3.20	Yes	Yes	9.30	13.50	8.10	11.10	6.10	9.70	7.83	11.43
	2.74	2.75	10.00	12.87	9.83	11.35	12.95	9.94	11.45	12.24	9.75	11.00	12.69	9.84	11.27	Yes	Yes	16.40	33.10	16.10	32.60	13.60	28.00	15.37	31.23
	2.75	2.76	10.00	3.78	4.19	3.99	3.78	4.13	3.96	4.03	4.17	4.10	3.86	4.16	4.02	Yes	Yes	8.50	10.80	8.30	9.90	6.80	8.40	7.87	9.70
	2.76	2.77	10.00	3.48	3.07	3.28	3.89	3.03	3.46	3.96	2.99	3.48	3.78	3.03	3.41	Yes	Yes	8.40	10.60	8.60	10.60	7.80	9.90	8.27	10.37
	2.77	2.78	10.00	1.93	3.07	2.50	1.64	3.21	2.42	1.64	3.25	2.44	1.74	3.18	2.45	Yes		10.60	13.70	10.60	14.00	9.70	12.10	10.30	13.27
	2.78	2.79	10.00	3.21	2.44	2.82	3.58	2.27	2.92	3.63	2.26	2.94	3.47	2.32	2.89	Yes		10.10	15.30	10.30	14.90	10.50	15.60	10.30	15.27
	2.79	2.80	10.00	4.42	4.01	4.21	4.50	4.13	4.32	4.36	4.10	4.23	4.43	4.08	4.25	Yes	Yes	14.20	16.60	12.30	15.10	13.40	16.30	13.30	16.00
	2.80	2.81	10.00	3.42	2.89	3.16	3.37	2.78	3.07	3.29	2.94	3.11	3.36	2.87	3.11	Yes	Yes	7.70	12.00	6.70	11.20	7.70	12.00	7.37	11.73
	2.81	2.82	10.00	3.27	2.91	3.09	3.46	2.77	3.12	3.53	2.95	3.24	3.42	2.88	3.15	Yes	Yes	8.00	10.70	7.30	10.00	8.30	11.20	7.87	10.63
	2.82	2.83	10.00	3.40	3.02	3.21	3.59	3.21	3.40	3.55	2.88	3.22	3.51	3.04	3.28	Yes	Yes	4.90	6.40	4.70	6.40	5.50	7.80	5.03	6.87
	2.83	2.84	10.00	2.80	3.40	3.10	2.49	3.23	2.86	2.25	3.27	2.76	2.51	3.30	2.91	Yes		6.50	10.00	6.70	10.10	8.30	11.70	7.17	10.60
	2.84	2.85	10.00	3.16	3.29	3.23	3.32	3.42	3.37	3.07	3.27	3.17	3.18	3.33	3.26	Yes	Yes	4.30	7.70	4.30	7.60	6.20	10.60	4.93	8.63
	2.85	2.86	10.00	3.28	2.83	3.06	2.90	2.52	2.71	3.08	2.87	2.97	3.09	2.74	2.91	Yes		7.30	9.90	6.80	9.30	9.00	11.30	7.70	10.17
	2.86	2.87	10.00	2.99	3.56	3.27	2.89	3.51	3.20	3.24	3.45	3.34	3.04	3.51	3.27	Yes	Yes	7.90	10.40	7.80	10.00	8.50	11.10	8.07	10.50
	2.87	2.88	10.00	2.87	2.22	2.55	2.53	2.49	2.51	2.98	2.43	2.71	2.79	2.38	2.59	Yes		8.30	10.40	8.20	10.20	7.90	10.20	8.13	10.27
	2.88	2.89	10.00	2.05	2.26	2.16	2.09	2.09	2.09	1.96	2.00	1.98	2.03	2.12	2.08	Yes		9.60	12.40	9.70	12.60	9.80	12.20	9.70	12.40
	2.89	2.90	10.00	3.42	1.99	2.71	3.49	1.89	2.69	3.85	1.91	2.88	3.59	1.93	2.76	Yes		11.00	15.00	10.90	14.60	11.20	15.10	11.03	14.90
	2.90	2.91	10.00	4.49	2.59	3.54	4.23	2.51	3.37	4.24	2.60	3.42	4.32	2.57	3.44	Yes	Yes	15.60	18.90	15.00	18.70	15.00	18.80	15.20	18.80
	2.91	2.92	10.00	4.61	2.68	3.64	3.80	2.99	3.39	3.60	2.88	3.24	4.00	2.85	3.42	Yes	Yes	15.20	17.20	13.50	16.20	12.80	15.70	13.83	16.37
	2.92	2.93	10.00	3.11	3.05	3.08	3.04	3.29	3.17	2.76	3.59	3.18	2.97	3.31	3.14	Yes	Yes	15.70	18.00	14.30	16.70	13.00	15.70	14.33	16.80
	2.93	2.94	10.00	4.27	3.56	3.91	4.18	3.25	3.71	4.37	2.81	3.59	4.27	3.21	3.74	Yes	Yes	8.50	14.90	6.90	12.10	5.50	9.40	6.97	12.13
	2.94	2.95	10.00	2.11	1.85	1.98	2.42	2.03	2.23	2.24	2.17	2.20	2.26	2.02	2.14	Yes		8.60	10.30	8.30	10.00	7.30	9.10	8.07	9.80
	2.95	2.96	10.00	2.03	2.51	2.27	1.91	2.33	2.12	2.05	2.18	2.12	2.00	2.34	2.17	Yes		7.90	9.30	8.30	9.50	8.00	9.30	8.07	9.37
	2.96	2.97	10.00	3.26	2.61	2.93	3.37	2.88	3.12	3.57	2.95	3.26	3.40	2.81	3.10	Yes	Yes	6.00	8.50	6.70	9.10	7.00	9.40	6.57	9.00
	2.97	2.98	10.00	7.56	3.73	5.65	7.70	3.49	5.59	7.56	3.52	5.54	7.61	3.58	5.59	Yes	Yes	3.60	5.00	4.90	6.60	5.90	7.60	4.80	6.40
	2.98	2.99	10.00	4.56	2.40	3.48	4.62	2.23	3.42	4.85	2.15	3.50	4.68	2.26	3.47	Yes	Yes	4.70	7.00	5.70	9.30	6.90	10.40	5.77	8.90
	2.99	3.00	10.00	4.70	3.25	3.97	5.04	3.45	4.25	4.95	3.90	4.43	4.90	3.53	4.22	Yes	Yes	6.50	9.90	6.60	9.50	8.10	11.40	7.07	10.27
	3.00	3.01	10.00	4.81	3.57	4.19	4.74	3.25	3.99	4.90	3.78	4.34	4.82	3.53	4.17	Yes	Yes	7.90	10.00	6.60	8.50	8.50	10.20	7.67	9.57
	3.01	3.02	10.00	11.72	3.74	7.73	13.10	4.05	8.58	13.06	3.91	8.48	12.63	3.90	8.26	Yes	Yes	10.40	15.60	7.70	14.10	10.90	15.70	9.67	15.13
	3.02	3.03	10.00	7.77	4.00	5.89	6.54	3.46	5.00	6.13	3.84	4.99	6.81	3.77	5.29	Yes	Yes	10.30	13.00	5.40	9.10	10.00	13.10	8.57	11.73
	3.03	3.04	10.00	6.18	7.89	7.04	6.87	7.60	7.24	6.55	7.68	7.12	6.53	7.72	7.13	Yes	Yes	9.60	17.60	6.50	12.20	9.30	17.50	8.47	15.77
	3.04	3.05	10.00	8.30	4.53	6.42	7.80	4.27	6.04	8.28	4.87	6.57	8.13	4.56	6.34	Yes	Yes	11.20	14.60	8.70	12.40	10.80	13.90	10.23	13.63



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	3.05	3.06	10.00	3.96	4.60	4.28	3.82	4.37	4.09	4.09	4.46	4.27	3.96	4.48	4.21	Yes	Yes	12.40	14.90	9.70	11.60	11.20	13.20	11.10	13.23
	3.06	3.07	10.00	3.91	3.04	3.47	3.26	3.23	3.24	3.67	3.30	3.49	3.61	3.19	3.40	Yes	Yes	9.90	13.30	7.00	11.50	8.00	12.30	8.30	12.37
	3.07	3.08	10.00	3.40	3.14	3.27	3.75	3.28	3.52	3.87	3.24	3.55	3.67	3.22	3.45	Yes	Yes	6.60	8.50	4.50	6.50	5.50	7.50	5.53	7.55
	3.08	3.09	10.00	5.82	2.86	4.34	5.27	3.23	4.25	5.26	3.37	4.32	5.45	3.15	4.30	Yes	Yes	8.80	11.60	6.70	9.20	8.50	10.80	8.00	10.53
	3.09	3.10	10.00	12.41	11.67	12.04	11.95	11.34	11.65	14.30	11.55	12.93	12.89	11.52	12.21	Yes	Yes	13.10	22.40	11.80	20.60	14.70	24.10	13.20	22.37
	3.10	3.11	10.00	7.06	4.32	5.69	6.81	4.20	5.51	6.38	3.79	5.09	6.75	4.10	5.43	Yes	Yes	14.20	17.70	13.20	16.70	17.30	21.30	14.90	18.57
	3.11	3.12	10.00	4.66	5.53	5.09	4.88	6.21	5.54	5.09	5.97	5.53	4.88	5.90	5.39	Yes	Yes	20.70	27.80	20.30	27.40	24.70	30.80	21.90	28.67
	3.12	3.13	10.00	5.92	6.87	6.40	5.81	6.41	6.11	5.39	6.17	5.78	5.71	6.48	6.10	Yes	Yes	18.10	29.30	18.10	29.30	19.90	30.80	18.70	29.80
	3.13	3.14	10.00	5.20	5.79	5.49	5.53	6.59	6.06	5.76	7.08	6.42	5.50	6.49	5.99	Yes	Yes	19.70	26.90	23.70	30.20	24.40	31.10	22.60	29.40
	3.14	3.15	10.00	3.94	9.00	6.47	3.83	8.81	6.32	3.68	8.32	6.00	3.82	8.71	6.26	Yes	Yes	14.00	21.80	17.80	23.20	17.20	22.30	16.33	22.43
	3.15	3.16	10.00	3.62	6.87	5.24	4.39	6.85	5.62	4.50	7.68	6.09	4.17	7.13	5.65	Yes	Yes	12.00	16.30	14.50	20.20	14.10	19.60	13.53	18.70
	3.16	3.17	10.00	8.94	13.00	10.97	8.26	13.44	10.85	8.17	13.33	10.75	8.46	13.26	10.86	Yes	Yes	8.60	12.70	10.20	13.70	10.00	13.40	9.60	13.27
	3.17	3.18	10.00	2.22	4.75	3.49	2.31	3.88	3.10	2.42	3.75	3.09	2.32	4.13	3.23	Yes	Yes	6.00	9.60	8.60	14.40	8.40	13.60	7.67	12.53
	3.18	3.19	10.00	2.91	5.25	4.08	4.38	4.67	4.53	4.34	5.01	4.67	3.88	4.98	4.43	Yes	Yes	6.50	8.10	13.50	16.90	11.50	13.40	10.50	12.80
	3.19	3.20	10.00	2.46	2.77	2.61	2.58	2.39	2.49	2.21	2.47	2.34	2.42	2.54	2.48	Yes		7.50	10.50	13.20	18.40	10.70	15.10	10.47	14.67
	3.20	3.21	10.00	2.55	3.37	2.96	2.39	2.82	2.61	2.87	3.42	3.15	2.60	3.20	2.91	Yes		4.60	7.70	9.50	15.10	7.00	11.80	7.03	11.53
	3.21	3.22	10.00	2.25	2.74	2.50	1.32	2.74	2.03	1.47	2.62	2.04	1.68	2.70	2.19	Yes		6.90	10.50	8.20	12.60	6.80	9.80	7.30	10.97
	3.22	3.23	10.00	1.89	3.67	2.78	2.24	3.06	2.65	1.90	3.64	2.77	2.01	3.46	2.73	Yes		8.50	11.90	9.40	11.10	8.70	11.90	8.87	11.63
	3.23	3.24	10.00	1.48	2.69	2.09	1.51	2.69	2.10	1.70	2.74	2.22	1.56	2.71	2.14	Yes		14.90	18.90	14.70	18.60	14.80	17.60	14.80	18.37
	3.24	3.25	10.00	3.75	4.57	4.16	3.51	5.44	4.48	3.52	4.84	4.18	3.59	4.95	4.27	Yes	Yes	17.30	20.10	18.10	21.80	16.40	19.00	17.27	20.30
	3.25	3.26	10.00	2.13	3.90	3.02	2.06	3.98	3.02	2.24	3.76	3.00	2.14	3.88	3.01	Yes	Yes	16.70	18.30	17.90	19.10	16.50	18.10	17.03	18.50
	3.26	3.27	10.00	1.51	3.32	2.41	1.58	2.87	2.23	1.49	3.20	2.35	1.53	3.13	2.33	Yes		14.30	16.80	16.20	18.10	14.50	17.50	15.00	17.47
	3.27	3.28	10.00	1.65	3.37	2.51	2.06	2.27	2.16	1.84	3.45	2.65	1.85	3.03	2.44	Yes		11.70	14.00	14.90	16.40	13.60	16.50	13.40	15.63
	3.28	3.29	10.00	3.02	3.10	3.06	2.60	2.86	2.73	3.22	2.98	3.10	2.95	2.98	2.96	Yes		11.20	15.50	14.80	19.00	12.10	16.90	12.70	17.13
	3.29	3.30	10.00	3.31	3.68	3.50	2.91	4.02	3.47	3.10	4.04	3.57	3.11	3.91	3.51	Yes	Yes	9.10	12.60	15.90	21.30	10.60	13.90	11.87	15.93
	3.30	3.31	10.00	4.22	7.05	5.63	5.13	6.09	5.61	4.64	6.77	5.70	4.66	6.64	5.65	Yes	Yes	11.40	17.20	17.10	24.00	10.90	17.70	13.13	19.63
	3.31	3.32	10.00	9.45	8.02	8.73	12.59	8.53	10.56	10.85	9.24	10.04	10.96	8.60	9.78	Yes	Yes	18.50	33.20	22.70	38.10	17.70	29.70	19.63	33.67
	3.32	3.33	10.00	6.77	6.57	6.67	5.02	6.43	5.73	4.40	5.89	5.14	5.40	6.30	5.85	Yes	Yes	13.70	20.60	14.20	22.30	11.80	19.00	13.23	20.63
	3.33	3.34	10.00	3.14	4.37	3.76	3.11	4.06	3.58	3.52	3.80	3.66	3.26	4.08	3.67	Yes	Yes	12.60	15.30	12.60	15.30	11.60	13.90	12.27	14.83
	3.34	3.35	10.00	1.79	1.51	1.65	1.61	1.55	1.58	1.52	1.87	1.69	1.64	1.64	1.64	Yes		12.00	13.70	12.10	13.70	11.20	12.90	11.77	13.43
	3.35	3.36	10.00	1.26	1.58	1.42	1.51	1.46	1.48	1.67	1.49	1.58	1.48	1.51	1.49	Yes		13.00	14.50	13.10	14.50	11.90	13.40	12.67	14.13
	3.36	3.37	10.00	3.89	4.06	3.97	3.90	4.08	3.99	3.58	3.88	3.73	3.79	4.01	3.90	Yes	Yes	11.30	13.90	11.70	15.00	11.00	13.60	11.33	14.17
	3.37	3.38	10.00	6.00	6.42	6.21	6.16	6.33	6.24	6.00	6.17	6.08	6.05	6.31	6.18	Yes	Yes	16.00	26.30	15.70	26.60	16.30	26.20	16.00	26.37
	3.38	3.39	10.00	4.38	4.12	4.25	4.99	5.10	5.04	4.47	5.08	4.78	4.61	4.77	4.69	Yes	Yes	13.10	17.00	12.30	16.80	13.40	17.30	12.93	17.03
	3.39	3.40	10.00	5.48	5.55	5.51	6.01	4.98	5.50	5.39	4.79	5.09	5.63	5.11	5.37	Yes	Yes	15.50	20.70	14.20	20.30	14.70	20.90	14.80	20.63
	3.40	3.41	10.00	2.75	5.21	3.98	2.37	4.64	3.50	2.55	5.58	4.06	2.56	5.14	3.85	Yes	Yes	11.70	15.00	11.10	14.60	11.50	15.00	11.43	14.87
	3.41	3.42	10.00	2.58	5.63	4.11	2.57	5.53	4.05	2.57	5.30	3.94	2.57	5.49	4.03	Yes	Yes	7.10	11.10	7.70	11.60	7.10	9.90	7.30	10.87



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	3.42	3.43	10.00	3.20	4.68	3.94	3.46	4.57	4.02	3.73	4.53	4.13	3.46	4.59	4.03	Yes	Yes	8.60	13.50	9.20	15.50	8.00	13.00	8.60	14.00
	3.43	3.44	10.00	5.20	4.58	4.89	5.42	4.84	5.13	4.57	4.85	5.25	4.66	4.96	Yes	Yes	7.00	12.30	8.60	16.40	7.50	12.50	7.70	13.73	
	3.44	3.45	10.00	3.29	6.92	5.10	2.59	7.24	4.92	2.95	6.96	4.95	2.94	7.04	4.99	Yes	Yes	11.40	14.20	12.70	16.70	10.30	13.90	11.47	14.93
	3.45	3.46	10.00	5.25	7.47	6.36	5.17	8.77	6.97	5.97	7.77	6.87	5.46	8.00	6.73	Yes	Yes	10.20	14.10	11.60	14.90	9.60	13.60	10.47	14.20
	3.46	3.47	10.00	13.21	11.03	12.12	13.85	11.76	12.81	13.97	12.74	13.36	13.68	11.84	12.76	Yes	Yes	12.70	19.00	14.60	21.10	11.00	17.80	12.77	19.30
	3.47	3.48	10.00	4.80	7.52	6.16	4.01	5.75	4.88	3.11	5.38	4.24	3.97	6.22	5.09	Yes	Yes	6.10	7.80	8.80	10.10	4.20	6.00	6.37	7.97
	3.48	3.49	10.00	3.75	6.92	5.34	3.89	8.35	6.12	4.23	8.08	6.15	3.96	7.78	5.87	Yes	Yes	4.60	8.10	7.30	10.60	1.70	5.90	4.53	8.20
	3.49	3.50	10.00	4.10	8.53	6.31	4.31	8.25	6.28	4.70	8.30	6.50	4.37	8.36	6.36	Yes	Yes	1.80	4.90	5.10	10.60	0.90	4.00	2.60	6.50
	3.50	3.51	10.00	12.78	16.63	14.71	13.74	15.59	14.67	11.89	15.92	13.90	12.80	16.05	14.43	Yes	Yes	7.50	27.50	11.40	33.90	5.50	24.10	8.13	28.50
	3.51	3.52	10.00	4.89	6.05	5.47	5.56	6.15	5.86	5.61	6.46	6.03	5.35	6.22	5.79	Yes	Yes	9.80	15.40	12.00	17.20	9.70	14.10	10.50	15.57
	3.52	3.53	10.00	8.88	5.66	7.27	8.21	6.11	7.16	7.94	5.75	6.85	8.34	5.84	7.09	Yes	Yes	12.50	23.60	13.20	23.90	11.90	23.40	12.53	23.63
	3.53	3.54	10.00	1.63	2.69	2.16	1.75	1.94	1.84	1.63	2.09	1.86	1.67	2.24	1.95	Yes		8.60	10.40	8.90	11.00	8.70	11.30	8.73	10.90
10m Before Bridge	3.54	3.55	10.00	3.95	2.43	3.19	4.22	2.83	3.52	4.91	2.97	3.94	4.36	2.74	3.55	Yes	Yes	12.80	21.40	12.90	21.50	12.80	21.90	12.83	21.60
Bridge	3.55	3.56	10.00	4.87	6.20	5.53	5.16	5.82	5.49	5.27	5.60	5.44	5.10	5.87	5.49	Yes	Yes	11.30	13.40	11.30	14.00	11.10	13.60	11.23	13.67
Bridge	3.56	3.57	10.00	3.52	2.93	3.22	3.27	2.68	2.98	2.54	2.60	2.57	3.11	2.74	2.92	Yes		12.50	14.80	12.50	15.00	11.70	13.70	12.23	14.50
Bridge	3.57	3.58	10.00	7.89	7.19	7.54	7.62	7.33	7.47	7.41	8.85	8.13	7.64	7.79	7.71	Yes	Yes	13.30	17.40	13.40	17.80	11.60	15.60	12.77	16.93
Bridge	3.58	3.59	10.00	4.00	5.78	4.89	3.93	5.52	4.73	3.85	5.03	4.44	3.93	5.44	4.69	Yes	Yes	9.40	13.10	9.20	13.10	8.10	12.10	8.90	12.77
Bridge	3.59	3.60	10.00	4.21	3.78	4.00	4.46	4.11	4.28	4.93	4.21	4.57	4.53	4.03	4.28	Yes	Yes	12.70	22.10	12.60	21.90	12.30	21.60	12.53	21.87
Bridge	3.60	3.61	10.00	3.12	5.09	4.11	2.90	5.07	3.99	3.19	5.38	4.29	3.07	5.18	4.13	Yes	Yes	8.30	13.20	7.20	12.20	7.70	13.00	7.73	12.80
Bridge	3.61	3.62	10.00	5.08	3.73	4.40	5.96	3.33	4.65	5.50	3.21	4.35	5.51	3.42	4.47	Yes	Yes	12.90	16.70	11.60	14.30	14.10	17.10	12.87	16.03
Bridge	3.62	3.63	10.00	2.89	4.49	3.69	2.68	4.49	3.58	2.74	4.46	3.60	2.77	4.48	3.62	Yes	Yes	12.60	16.40	10.70	15.00	12.90	16.60	12.07	16.00
Bridge	3.63	3.64	10.00	6.51	8.37	7.44	6.83	7.24	7.03	7.87	7.99	7.93	7.07	7.87	7.47	Yes	Yes	8.00	14.90	4.10	14.40	5.40	15.00	5.83	14.77
10m After Bridge	3.64	3.65	10.00	6.28	8.85	7.56	4.45	8.30	6.37	5.29	8.21	6.75	5.34	8.45	6.89	Yes	Yes	8.90	18.30	5.40	11.40	11.90	19.10	8.73	16.27
	3.65	3.66	10.00	8.80	9.18	8.99	10.54	10.80	10.67	8.65	10.02	9.34	9.33	10.00	9.67	Yes	Yes	8.70	15.80	6.20	14.20	8.60	15.00	7.83	15.00
	3.66	3.67	10.00	3.79	7.67	5.73	3.61	6.29	4.95	3.56	6.37	4.97	3.65	6.78	5.22	Yes	Yes	7.70	13.40	6.10	10.00	7.20	13.40	7.00	12.27
	3.67	3.68	10.00	1.51	1.77	1.64	1.42	1.91	1.67	1.60	1.98	1.79	1.51	1.89	1.70	Yes		8.20	9.70	7.80	9.50	8.10	9.70	8.03	9.63
	3.68	3.69	10.00	0.91	2.22	1.56	1.11	2.39	1.75	1.26	2.27	1.77	1.09	2.29	1.69	Yes		6.60	8.60	6.10	8.40	6.30	8.10	6.33	8.37
	3.69	3.70	10.00	1.19	1.03	1.11	1.64	1.37	1.50	1.08	1.36	1.22	1.30	1.25	1.28			6.00	7.30	6.20	7.70	5.80	7.00	6.00	7.33
	3.70	3.71	10.00	0.88	3.13	2.01	0.86	3.15	2.00	1.09	2.86	1.98	0.94	3.05	2.00	Yes		5.40	6.20	5.30	6.40	5.30	6.60	5.33	6.40
	3.71	3.72	10.00	1.71	1.95	1.83	1.76	1.61	1.68	1.59	0.76	1.17	1.69	1.44	1.56	Yes		5.70	7.20	5.40	6.50	5.10	6.50	5.40	6.73
	3.72	3.73	10.00	2.38	1.84	2.11	3.45	3.43	3.44	3.32	2.37	2.84	3.05	2.55	2.80	Yes		4.90	6.30	4.30	6.70	4.10	6.10	4.43	6.37
	3.73	3.74	10.00	12.76	11.59	12.18	11.67	12.59	12.13	12.06	8.79	10.43	12.16	10.99	11.58	Yes	Yes	10.40	16.30	10.60	15.50	10.20	16.30	10.40	16.03
	3.74	3.75	10.00	2.52	5.45	3.98	2.26	5.25	3.75	2.09	3.06	2.57	2.29	4.59	3.43	Yes	Yes	7.60	11.00	7.20	10.80	7.00	7.90	7.27	9.90
	3.75	3.76	10.00	3.73	5.80	4.77	3.70	5.87	4.78	3.67	5.55	4.61	3.70	5.74	4.72	Yes	Yes	7.10	9.10	7.20	9.10	8.20	10.30	7.50	9.50
	3.76	3.77	10.00	0.81	2.43	1.62	0.98	2.28	1.63	0.89	1.93	1.41	0.89	2.21	1.55	Yes		5.80	6.40	6.10	6.70	8.40	9.80	6.77	7.63



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	3.77	3.78	10.00	1.49	2.53	2.01	1.52	2.54	2.03	1.02	2.27	1.65	1.34	2.45	1.90	Yes		5.30	7.90	5.50	7.90	8.40	10.40	6.40	8.73
	3.78	3.79	10.00	3.18	4.36	3.77	3.27	4.43	3.85	3.26	5.11	4.19	3.24	4.63	3.94	Yes	Yes	9.70	13.20	10.00	13.20	13.90	19.10	11.20	15.17
	3.79	3.80	10.00	4.53	8.40	6.46	4.40	8.63	6.52	4.54	8.46	6.50	4.49	8.50	6.49	Yes	Yes	11.00	17.90	11.00	18.70	13.50	21.90	11.83	19.50
	3.80	3.81	10.00	3.66	5.62	4.64	3.59	5.33	4.46	3.55	5.73	4.64	3.60	5.56	4.58	Yes	Yes	8.20	9.70	8.70	10.20	11.50	12.60	9.47	10.83
	3.81	3.82	10.00	1.48	5.29	3.38	1.46	5.76	3.61	1.34	4.74	3.04	1.43	5.26	3.34	Yes	Yes	11.00	13.20	12.40	14.50	16.70	19.70	13.37	15.80
	3.82	3.83	10.00	1.43	2.84	2.13	1.50	2.29	1.90	1.64	2.33	1.99	1.52	2.49	2.01	Yes		11.30	13.40	13.00	15.00	16.10	18.00	13.47	15.47
	3.83	3.84	10.00	0.87	2.41	1.64	0.74	2.41	1.57	0.91	2.64	1.77	0.84	2.49	1.66	Yes		10.80	12.80	12.40	14.90	14.50	18.00	12.57	15.23
	3.84	3.85	10.00	1.16	2.39	1.78	1.23	2.45	1.84	1.41	2.72	2.06	1.27	2.52	1.89	Yes		12.60	16.00	14.70	17.70	16.20	18.80	14.50	17.50
	3.85	3.86	10.00	1.74	4.04	2.89	1.94	3.78	2.86	1.78	3.74	2.76	1.82	3.85	2.84	Yes		18.30	22.10	22.00	25.40	23.20	26.20	21.17	24.57
	3.86	3.87	10.00	2.08	3.27	2.67	2.22	3.83	3.02	2.25	4.01	3.13	2.18	3.70	2.94	Yes		27.80	33.10	31.30	35.60	32.10	35.80	30.40	34.83
	3.87	3.88	10.00	3.31	4.03	3.67	2.95	3.75	3.35	2.50	3.58	3.04	2.92	3.79	3.35	Yes	Yes	22.90	33.70	23.10	36.30	22.40	36.30	22.80	35.43
	3.88	3.89	10.00	2.40	5.33	3.87	2.25	5.09	3.67	2.35	5.33	3.84	2.33	5.25	3.79	Yes	Yes	27.00	32.70	28.80	36.40	29.60	37.10	28.47	35.40
	3.89	3.90	10.00	3.54	5.64	4.59	3.62	5.38	4.50	3.73	5.29	4.51	3.63	5.44	4.53	Yes	Yes	33.50	37.40	34.70	38.60	34.90	38.70	34.37	38.23
	3.90	3.91	10.00	4.59	4.72	4.65	4.67	4.71	4.69	4.96	4.57	4.77	4.74	4.67	4.70	Yes	Yes	37.50	41.60	37.60	41.80	38.20	42.30	37.77	41.90
	3.91	3.92	10.00	3.15	4.73	3.94	3.53	4.82	4.18	3.34	4.71	4.03	3.34	4.75	4.05	Yes	Yes	38.80	43.50	39.60	44.70	40.30	45.20	39.57	44.47
	3.92	3.93	10.00	6.35	10.77	8.56	5.93	12.42	9.18	5.64	12.82	9.23	5.97	12.00	8.99	Yes	Yes	41.10	48.90	40.40	49.50	40.30	50.70	40.60	49.70
	3.93	3.94	10.00	5.32	8.65	6.98	5.33	7.63	6.48	5.85	7.31	6.58	5.50	7.86	6.68	Yes	Yes	29.70	38.20	31.10	44.10	31.80	44.30	30.87	42.20
	3.94	3.95	10.00	12.78	7.00	9.89	13.29	6.35	9.82	12.72	6.36	9.54	12.93	6.57	9.75	Yes	Yes	33.20	42.40	33.10	44.00	32.70	43.00	33.00	43.13
	3.95	3.96	10.00	9.23	6.77	8.00	9.85	6.53	8.19	10.33	6.84	8.59	9.80	6.71	8.26	Yes	Yes	26.40	31.40	29.20	38.90	29.70	41.00	28.43	37.10
	3.96	3.97	10.00	13.77	8.13	10.95	15.16	8.24	11.70	14.84	8.56	11.70	14.59	8.31	11.45	Yes	Yes	34.80	45.10	35.80	47.50	35.60	47.60	35.40	46.73
	3.97	3.98	10.00	6.63	7.64	7.13	5.49	7.25	6.37	5.78	6.55	6.17	5.97	7.15	6.56	Yes	Yes	26.40	33.60	25.90	34.40	25.90	33.30	26.07	33.77
	3.98	3.99	10.00	9.14	7.13	8.13	9.85	7.69	8.77	10.61	8.49	9.55	9.87	7.77	8.82	Yes	Yes	17.80	28.40	16.10	21.70	17.20	22.20	17.03	24.10
	3.99	4.00	10.00	6.12	9.74	7.93	4.48	9.07	6.78	4.42	8.61	6.51	5.01	9.14	7.07	Yes	Yes	23.30	26.50	20.60	24.50	22.50	25.90	22.13	25.63
	4.00	4.01	10.00	3.14	4.17	3.65	3.09	3.54	3.31	3.25	3.37	3.31	3.16	3.69	3.42	Yes	Yes	19.40	24.30	15.80	19.30	18.00	21.70	17.73	21.77
	4.01	4.02	10.00	3.10	4.77	3.94	2.49	4.85	3.67	2.73	5.45	4.09	2.77	5.02	3.90	Yes	Yes	19.20	22.60	15.10	19.00	17.80	21.40	17.37	21.00
	4.02	4.03	10.00	2.29	3.65	2.97	1.97	3.33	2.65	1.99	3.37	2.68	2.08	3.45	2.77	Yes		19.40	22.40	15.30	17.30	18.70	21.50	17.80	20.40
	4.03	4.04	10.00	1.48	2.86	2.17	1.93	2.23	2.08	1.79	2.25	2.02	1.73	2.45	2.09	Yes		19.80	23.20	13.90	17.20	17.70	20.90	17.13	20.43
	4.04	4.05	10.00	2.62	4.80	3.71	2.81	5.11	3.96	2.79	5.62	4.21	2.74	5.18	3.96	Yes	Yes	21.70	26.90	18.90	24.90	20.10	25.20	20.23	25.67
	4.05	4.06	10.00	2.96	4.04	3.50	2.93	4.21	3.57	3.11	3.64	3.38	3.00	3.96	3.48	Yes	Yes	20.40	26.70	19.60	24.40	18.90	23.20	19.63	24.77
	4.06	4.07	10.00	3.32	6.13	4.73	3.48	5.72	4.60	3.30	6.02	4.66	3.37	5.96	4.66	Yes	Yes	16.00	24.00	16.10	24.50	15.20	22.00	15.77	23.50
	4.07	4.08	10.00	3.03	5.26	4.14	2.36	5.20	3.78	2.76	5.84	4.30	2.72	5.43	4.07	Yes	Yes	11.90	15.40	16.20	21.70	14.90	19.90	14.33	19.00
	4.08	4.09	10.00	3.40	11.99	7.70	3.34	11.27	7.31	3.42	11.07	7.24	3.39	11.44	7.42	Yes	Yes	12.10	16.50	19.90	25.50	18.70	31.00	16.90	24.33
	4.09	4.10	10.00	4.27	10.63	7.45	3.38	9.69	6.54	4.43	13.81	9.12	4.03	11.38	7.70	Yes	Yes	13.50	21.40	25.30	36.20	22.00	33.30	20.27	30.30
	4.10	4.11	10.00	6.11	6.41	6.26	4.95	5.55	5.25	5.54	8.28	6.91	5.53	6.75	6.14	Yes	Yes	13.80	18.00	26.60	33.20	23.50	32.80	21.30	28.00
	4.11	4.12	10.00	6.78	13.68	10.23	6.42	12.82	9.62	6.44	12.24	9.34	6.55	12.91	9.73	Yes	Yes	7.70	12.80	21.60	35.10	16.40	28.40	15.23	25.43
	4.12	4.13	10.00	2.96	6.23	4.59	3.43	6.09	4.76	3.02	5.38	4.20	3.14	5.90	4.52	Yes	Yes	3.90	12.70	10.70	19.10	9.50	18.40	8.03	16.73
	4.13	4.14	10.00	4.18	4.57	4.37	4.70	5.31	5.01	4.46	5.41	4.94	4.45	5.10	4.77	Yes	Yes	4.60	9.50	10.10	14.50	9.70	13.90	8.13	12.63



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	4.14	4.15	10.00	3.81	6.90	5.36	4.42	7.13	5.77	4.37	6.84	5.61	4.20	6.96	5.58	Yes	Yes	1.10	10.10	4.90	14.60	3.70	12.00	3.23	12.23
	4.15	4.16	10.00	5.18	2.59	3.88	6.93	2.64	4.78	6.27	3.52	4.90	6.13	2.92	4.52	Yes	Yes	9.70	16.80	14.80	22.30	13.60	20.50	12.70	19.87
	4.16	4.17	10.00	3.23	5.24	4.23	3.59	5.35	4.47	3.60	5.08	4.34	3.47	5.22	4.35	Yes	Yes	11.50	20.60	16.70	27.50	15.40	26.70	14.53	24.93
	4.17	4.18	10.00	1.87	4.46	3.17	1.70	4.90	3.30	1.83	4.64	3.23	1.80	4.67	3.23	Yes	Yes	25.10	31.40	26.90	32.10	25.20	31.50	25.73	31.67
	4.18	4.19	10.00	4.30	5.54	4.92	3.97	4.72	4.35	4.22	5.21	4.71	4.16	5.16	4.66	Yes	Yes	20.00	24.70	21.20	26.70	19.50	24.90	20.23	25.43
	4.19	4.20	10.00	4.27	7.95	6.11	4.70	8.49	6.59	4.82	8.02	6.42	4.60	8.15	6.37	Yes	Yes	17.10	23.40	16.70	23.10	16.20	22.80	16.67	23.10
	4.20	4.21	10.00	1.83	3.52	2.67	1.94	3.46	2.70	1.76	3.73	2.75	1.84	3.57	2.71	Yes		16.00	18.40	15.50	17.30	16.10	18.70	15.87	18.13
	4.21	4.22	10.00	1.94	3.85	2.90	2.06	3.17	2.61	1.91	3.35	2.63	1.97	3.46	2.71	Yes		15.30	18.10	14.70	17.10	14.70	17.40	14.90	17.53
	4.22	4.23	10.00	2.44	3.29	2.86	2.40	3.54	2.97	2.29	3.39	2.84	2.38	3.41	2.89	Yes		16.30	19.10	16.80	19.70	17.20	20.00	16.77	19.60
	4.23	4.24	10.00	3.16	4.92	4.04	3.87	5.64	4.76	3.96	6.18	5.07	3.66	5.58	4.62	Yes	Yes	13.40	18.10	14.40	19.80	14.60	19.90	14.13	19.27
	4.24	4.25	10.00	4.76	8.04	6.40	5.44	7.58	6.51	5.51	8.09	6.80	5.24	7.90	6.57	Yes	Yes	19.50	26.50	18.10	27.00	18.60	27.00	18.73	26.83
	4.25	4.26	10.00	9.76	10.63	10.19	11.31	13.56	12.43	12.27	13.29	12.78	11.11	12.49	11.80	Yes	Yes	20.50	28.20	15.00	23.00	18.80	26.70	18.10	25.97
	4.26	4.27	10.00	8.95	12.51	10.73	6.65	9.71	8.18	5.80	10.24	8.02	7.13	10.82	8.98	Yes	Yes	18.40	28.60	13.90	23.90	16.00	27.40	16.10	26.63
	4.27	4.28	10.00	2.46	4.35	3.40	2.86	6.57	4.71	3.31	6.93	5.12	2.88	5.95	4.41	Yes	Yes	10.20	17.20	7.90	15.40	9.30	16.30	9.13	16.30
	4.28	4.29	10.00	4.53	11.52	8.03	3.56	10.87	7.21	3.00	11.41	7.21	3.70	11.27	7.48	Yes	Yes	21.30	28.00	20.70	25.00	20.60	25.00	20.87	26.00
	4.29	4.30	10.00	1.26	5.23	3.24	1.00	5.06	3.03	1.12	4.54	2.83	1.13	4.94	3.03	Yes	Yes	11.80	18.20	10.60	17.90	9.00	17.10	10.47	17.73
	4.30	4.31	10.00	5.45	7.71	6.58	6.35	9.17	7.76	6.29	8.03	7.16	6.03	8.30	7.17	Yes	Yes	9.20	19.50	8.00	15.80	6.40	14.80	7.87	16.70
	4.31	4.32	10.00	7.60	11.44	9.52	7.36	9.44	8.40	6.25	11.65	8.95	7.07	10.84	8.96	Yes	Yes	10.60	14.50	9.80	16.60	7.30	18.10	9.23	16.40
	4.32	4.33	10.00	2.27	9.01	5.64	2.36	8.40	5.38	2.36	8.18	5.27	2.33	8.53	5.43	Yes	Yes	14.00	17.30	12.30	15.70	10.10	13.40	12.13	15.47
	4.33	4.34	10.00	2.95	12.80	7.87	2.63	13.44	8.04	2.38	12.41	7.40	2.65	12.88	7.77	Yes	Yes	14.10	23.80	12.90	22.00	11.10	16.90	12.70	20.90
4.34	4.35	10.00	3.10	8.84	5.97	2.90	7.49	5.19	2.88	7.15	5.02	2.96	7.83	5.39	Yes	Yes	15.00	19.10	13.50	17.90	12.40	17.60	13.63	18.20	
4.35	4.36	10.00	5.23	6.37	5.80	4.64	6.90	5.77	4.28	6.06	5.17	4.72	6.44	5.58	Yes	Yes	9.50	19.20	6.90	12.60	7.00	10.30	7.80	14.03	
4.36	4.37	10.00	5.69	10.51	8.10	4.45	10.49	7.47	4.35	11.25	7.80	4.83	10.75	7.79	Yes	Yes	6.80	17.20	4.30	10.40	5.30	10.60	5.47	12.73	
4.37	4.38	10.00	4.14	8.99	6.57	4.68	10.18	7.43	4.91	9.52	7.21	4.58	9.56	7.07	Yes	Yes	9.40	12.90	9.30	14.30	9.80	14.10	9.50	13.77	
4.38	4.39	10.00	2.71	6.66	4.68	3.02	8.11	5.57	3.28	7.73	5.51	3.00	7.50	5.25	Yes	Yes	8.50	12.00	9.20	12.80	8.80	12.70	8.83	12.50	
4.39	4.40	10.00	4.45	11.36	7.90	5.46	11.56	8.51	5.59	11.78	8.69	5.17	11.57	8.37	Yes	Yes	3.10	11.40	1.90	10.80	1.40	9.50	2.13	10.57	
Section 2 - 4.400 to 10.900	4.40	4.41	10.00	8.43	4.47	6.45	7.96	4.25	6.11	7.57	3.66	5.61	7.99	4.13	6.06	Yes	Yes	6.90	9.40	7.20	9.40	7.20	9.50	7.10	9.43
	4.41	4.42	10.00	4.60	7.51	6.05	4.89	7.32	6.11	5.00	8.72	6.86	4.83	7.85	6.34	Yes	Yes	7.90	13.30	8.00	13.50	7.60	12.80	7.83	13.20
	4.42	4.43	10.00	4.89	7.63	6.26	5.38	9.37	7.37	6.32	10.43	8.37	5.53	9.14	7.33	Yes	Yes	7.60	11.90	8.70	13.30	7.00	11.00	7.77	12.07
	4.43	4.44	10.00	5.22	10.50	7.86	4.01	7.18	5.60	3.00	5.65	4.33	4.08	7.78	5.93	Yes	Yes	8.00	13.20	7.00	13.00	6.10	12.10	7.03	12.77
	4.44	4.45	10.00	1.34	7.73	4.53	1.19	6.51	3.85	1.97	10.64	6.31	1.50	8.29	4.90	Yes	Yes	7.50	11.40	7.80	13.00	7.70	12.40	7.67	12.27
	4.45	4.46	10.00	5.02	7.98	6.50	5.60	7.67	6.64	5.12	6.77	5.95	5.25	7.47	6.36	Yes	Yes	6.20	11.50	6.80	11.90	4.50	8.90	5.83	10.77
	4.46	4.47	10.00	4.02	3.15	3.59	4.58	3.23	3.90	3.96	3.28	3.62	4.19	3.22	3.70	Yes	Yes	5.40	9.60	5.90	10.30	5.10	8.80	5.47	9.57
	4.47	4.48	10.00	7.05	7.47	7.26	5.80	7.77	6.79	6.97	7.57	7.27	6.61	7.60	7.11	Yes	Yes	5.30	24.10	4.50	23.30	3.90	23.60	4.57	23.67
	4.48	4.49	10.00	8.31	13.39	10.85	10.23	9.69	9.96	7.67	13.75	10.71	8.74	12.28	10.51	Yes	Yes	5.70	20.10	3.60	13.10	7.40	20.30	5.57	17.83
	4.49	4.50	10.00	3.18	6.85	5.01	2.68	7.83	5.25	2.86	7.35	5.11	2.91	7.34	5.12	Yes	Yes	5.80	11.10	3.20	9.10	7.50	12.40	5.50	10.87
	4.50	4.51	10.00	1.82	4.82	3.32	1.85	8.55	5.20	2.13	6.36	4.25	1.93	6.58	4.26	Yes	Yes	8.40	13.00	7.40	11.50	9.40	15.10	8.40	13.20



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG IRI	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	4.51	4.52	10.00	2.82	7.93	5.37	3.48	8.72	6.10	3.20	6.78	4.99	3.17	7.81	5.49	Yes	Yes	7.70	13.00	5.40	10.80	8.80	12.90	7.30	12.23
	4.52	4.53	10.00	5.45	8.90	7.18	5.24	8.85	7.05	4.42	8.68	6.55	5.04	8.81	6.93	Yes	Yes	8.60	14.60	7.80	14.20	10.70	14.50	9.03	14.43
	4.53	4.54	10.00	3.20	14.51	8.85	3.17	14.47	8.82	3.06	13.77	8.42	3.14	14.25	8.70	Yes	Yes	7.50	14.60	7.40	14.70	8.80	16.20	7.90	15.17
	4.54	4.55	10.00	2.56	6.46	4.51	2.87	6.75	4.81	3.05	6.00	4.52	2.83	6.40	4.61	Yes	Yes	5.80	12.70	6.70	13.60	6.00	13.50	6.17	13.27
	4.55	4.56	10.00	1.04	3.23	2.14	1.10	4.12	2.61	1.29	3.04	2.16	1.14	3.46	2.30	Yes		6.20	9.00	8.30	11.90	6.60	9.30	7.03	10.07
	4.56	4.57	10.00	2.13	5.75	3.94	3.28	3.23	3.26	3.17	4.89	4.03	2.86	4.62	3.74	Yes	Yes	8.20	13.60	10.30	15.50	8.40	13.10	8.97	14.07
	4.57	4.58	10.00	2.92	8.41	5.67	1.95	6.44	4.19	1.70	8.67	5.19	2.19	7.84	5.02	Yes	Yes	7.00	12.50	8.90	12.20	7.20	12.70	7.70	12.47
	4.58	4.59	10.00	1.18	8.78	4.98	1.42	9.08	5.25	1.56	7.41	4.48	1.39	8.42	4.90	Yes	Yes	6.60	16.20	9.00	17.60	8.90	19.20	8.17	17.67
	4.59	4.60	10.00	2.23	8.91	5.57	2.16	9.46	5.81	2.31	10.35	6.33	2.23	9.57	5.90	Yes	Yes	8.00	18.20	9.80	17.70	9.40	18.00	9.07	17.97
	4.60	4.61	10.00	1.83	7.97	4.90	1.55	7.44	4.50	1.53	5.77	3.65	1.64	7.06	4.35	Yes	Yes	6.90	12.60	8.10	13.10	8.40	13.40	7.80	13.03
	4.61	4.62	10.00	1.29	3.07	2.18	1.56	5.02	3.29	1.75	4.13	2.94	1.53	4.07	2.80	Yes		4.50	6.70	7.60	11.80	8.90	12.70	7.00	10.40
	4.62	4.63	10.00	1.80	5.02	3.41	2.22	6.34	4.28	2.50	5.58	4.04	2.17	5.65	3.91	Yes	Yes	5.90	8.80	9.60	13.50	11.00	13.80	8.83	12.03
	4.63	4.64	10.00	2.35	6.15	4.25	2.55	7.14	4.84	2.74	6.71	4.73	2.55	6.67	4.61	Yes	Yes	3.50	6.70	5.60	9.10	7.80	11.70	5.63	9.17
	4.64	4.65	10.00	2.47	2.62	2.55	2.46	3.18	2.82	3.60	4.20	3.90	2.84	3.33	3.09	Yes	Yes	4.00	8.20	5.70	9.00	7.50	9.70	5.73	8.97
	4.65	4.66	10.00	4.76	4.56	4.66	5.04	4.46	4.75	5.21	4.38	4.80	5.00	4.47	4.74	Yes	Yes	9.30	15.60	10.30	15.80	12.30	18.90	10.63	16.77
	4.66	4.67	10.00	4.74	7.98	6.36	4.01	8.36	6.18	3.92	6.36	5.14	4.22	7.57	5.89	Yes	Yes	14.10	16.50	14.00	16.70	15.70	18.30	14.60	17.17
	4.67	4.68	10.00	5.26	11.66	8.46	5.92	13.10	9.51	5.83	11.91	8.87	5.67	12.22	8.95	Yes	Yes	15.30	19.60	14.40	19.40	15.50	21.50	15.07	20.17
	4.68	4.69	10.00	1.61	12.46	7.03	1.84	11.41	6.62	2.09	11.25	6.67	1.85	11.71	6.77	Yes	Yes	19.40	25.10	18.40	23.20	18.10	23.40	18.63	23.90
	4.69	4.70	10.00	6.13	7.11	6.62	4.80	8.05	6.42	4.36	12.02	8.19	5.10	9.06	7.08	Yes	Yes	19.10	26.80	17.80	24.20	15.80	21.20	17.57	24.07
	4.70	4.71	10.00	6.17	4.12	5.15	5.50	6.25	5.88	4.41	6.18	5.29	5.36	5.52	5.44	Yes	Yes	10.40	15.80	9.90	15.80	4.80	9.80	8.37	13.80
	4.71	4.72	10.00	8.13	7.28	7.70	4.75	6.06	5.40	4.24	5.74	4.99	5.71	6.36	6.03	Yes	Yes	14.80	25.00	14.80	22.10	7.70	12.30	12.43	19.80
	4.72	4.73	10.00	4.42	13.83	9.13	4.14	14.41	9.27	4.22	7.61	5.91	4.26	11.95	8.10	Yes	Yes	22.80	29.20	21.60	30.60	6.80	12.30	17.07	24.03
	4.73	4.74	10.00	4.36	3.93	4.14	3.96	3.29	3.62	1.99	5.14	3.56	3.44	4.12	3.77	Yes	Yes	13.70	19.80	12.70	17.50	5.50	9.10	10.63	15.47
	4.74	4.75	10.00	1.20	2.67	1.93	1.37	2.73	2.05	1.28	2.00	1.64	1.28	2.47	1.87	Yes		8.80	11.90	9.50	12.30	3.40	4.70	7.23	9.63
	4.75	4.76	10.00	4.14	4.44	4.29	5.21	3.85	4.53	4.23	3.57	3.90	4.53	3.95	4.24	Yes	Yes	12.70	17.70	15.50	19.80	8.10	11.70	12.10	16.40
	4.76	4.77	10.00	3.74	3.18	3.46	2.96	2.69	2.83	2.12	3.69	2.90	2.94	3.19	3.06	Yes	Yes	11.70	16.30	12.90	18.30	9.50	15.40	11.37	16.67
	4.77	4.78	10.00	2.01	3.81	2.91	2.47	2.48	2.48	2.03	4.72	3.37	2.17	3.67	2.92	Yes		9.10	15.10	10.30	15.10	7.50	14.30	8.97	14.83
	4.78	4.79	10.00	2.62	2.21	2.41	3.25	2.14	2.70	3.71	2.25	2.98	3.19	2.20	2.70	Yes		7.30	8.50	9.20	11.60	7.70	10.00	8.07	10.03
	4.79	4.80	10.00	5.24	2.75	3.99	5.06	2.85	3.96	4.43	2.78	3.60	4.91	2.79	3.85	Yes	Yes	8.70	9.90	10.10	11.80	8.70	9.80	9.17	10.50
	4.80	4.81	10.00	6.17	2.94	4.55	5.74	2.87	4.31	5.85	3.10	4.48	5.92	2.97	4.45	Yes	Yes	8.40	12.20	9.40	12.70	8.20	12.50	8.67	12.47
	4.81	4.82	10.00	4.54	4.87	4.70	5.38	5.82	5.60	5.57	5.13	5.35	5.16	5.27	5.22	Yes	Yes	8.80	15.10	9.60	15.50	8.90	14.50	9.10	15.03
	4.82	4.83	10.00	5.38	7.26	6.32	5.17	5.73	5.45	4.03	4.14	4.08	4.86	5.71	5.28	Yes	Yes	10.60	17.80	10.60	16.70	9.10	13.30	10.10	15.93
4.83	4.84	10.00	2.74	2.37	2.56	3.10	2.38	2.74	2.48	2.32	2.40	2.77	2.36	2.57	Yes		9.80	12.70	10.10	13.10	9.10	11.70	9.67	12.50	
4.84	4.85	10.00	2.45	1.88	2.17	2.26	1.99	2.12	2.26	1.97	2.11	2.32	1.95	2.13	Yes		7.80	11.60	7.10	11.40	5.70	8.40	6.87	10.47	
4.85	4.86	10.00	2.12	1.86	1.99	2.08	1.90	1.99	2.48	1.69	2.08	2.23	1.82	2.02	Yes		6.20	8.40	6.00	8.10	4.70	6.70	5.63	7.73	
4.86	4.87	10.00	1.82	2.01	1.91	1.78	2.04	1.91	1.93	2.06	2.00	1.84	2.04	1.94	Yes		2.50	5.30	2.60	5.00	1.40	3.40	2.17	4.57	
4.87	4.88	10.00	3.69	4.69	4.19	3.66	4.72	4.19	3.27	4.93	4.10	3.54	4.78	4.16	Yes	Yes	3.40	8.40	5.10	10.10	4.50	9.30	4.33	9.27	



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	4.88	4.89	10.00	2.93	3.24	3.09	2.90	4.35	3.62	2.99	4.36	3.68	2.94	3.98	3.46	Yes	Yes	4.20	8.40	9.00	13.70	8.10	12.40	7.10	11.50
	4.89	4.90	10.00	4.04	3.42	3.73	3.55	4.44	3.99	3.73	4.32	4.03	3.77	4.06	3.92	Yes	Yes	4.90	7.80	9.40	13.40	8.50	11.90	7.60	11.03
	4.90	4.91	10.00	1.81	5.03	3.42	3.38	5.74	4.56	3.00	5.62	4.31	2.73	5.46	4.10	Yes	Yes	1.20	5.20	8.20	12.40	6.70	10.30	5.37	9.30
	4.91	4.92	10.00	5.32	4.27	4.79	5.43	5.69	5.56	5.43	6.09	5.76	5.39	5.35	5.37	Yes	Yes	1.70	4.40	11.10	17.70	8.80	17.50	7.20	13.20
	4.92	4.93	10.00	7.05	11.84	9.45	9.84	11.97	10.91	9.57	12.08	10.82	8.82	11.96	10.39	Yes	Yes	9.00	13.00	16.90	25.60	13.80	20.30	13.23	19.63
	4.93	4.94	10.00	5.17	4.52	4.85	5.42	4.69	5.06	4.82	4.60	4.71	5.14	4.60	4.87	Yes	Yes	9.00	11.00	11.60	16.90	9.60	13.30	10.07	13.73
	4.94	4.95	10.00	3.16	4.76	3.96	2.86	4.35	3.60	3.07	4.15	3.61	3.03	4.42	3.72	Yes	Yes	8.80	11.50	11.00	12.70	9.60	11.60	9.80	11.93
	4.95	4.96	10.00	3.12	3.54	3.33	3.12	3.13	3.13	4.01	3.87	3.94	3.42	3.51	3.47	Yes	Yes	10.60	13.90	11.10	14.40	10.60	13.10	10.77	13.80
	4.96	4.97	10.00	4.18	3.28	3.73	3.83	3.26	3.55	3.25	3.61	3.43	3.75	3.38	3.57	Yes	Yes	14.30	20.10	14.20	19.70	13.10	18.30	13.87	19.37
	4.97	4.98	10.00	3.12	7.11	5.12	2.96	6.54	4.75	2.75	4.34	3.55	2.94	6.00	4.47	Yes	Yes	15.20	21.90	14.90	20.10	14.00	17.80	14.70	19.93
	4.98	4.99	10.00	2.75	7.87	5.31	3.14	7.69	5.41	3.46	10.97	7.22	3.12	8.84	5.98	Yes	Yes	12.20	16.20	11.30	16.00	9.80	14.20	11.10	15.47
	4.99	5.00	10.00	5.30	10.34	7.82	6.43	9.92	8.18	6.37	9.45	7.91	6.03	9.90	7.97	Yes	Yes	11.00	24.40	10.50	23.40	9.30	21.50	10.27	23.10
	5.00	5.01	10.00	7.33	10.52	8.93	7.66	10.57	9.11	8.39	11.20	9.79	7.79	10.76	9.28	Yes	Yes	8.80	18.50	9.10	18.30	8.80	18.60	8.90	18.47
	5.01	5.02	10.00	7.17	10.91	9.04	5.70	10.86	8.28	5.66	10.21	7.93	6.18	10.66	8.42	Yes	Yes	7.10	16.50	5.90	11.60	6.00	12.40	6.33	13.50
	5.02	5.03	10.00	2.57	3.33	2.95	2.60	3.34	2.97	2.25	4.24	3.25	2.47	3.64	3.06	Yes	Yes	5.40	7.20	5.40	8.30	6.30	12.20	5.70	9.23
	5.03	5.04	10.00	1.71	4.83	3.27	1.97	6.58	4.28	1.99	6.24	4.11	1.89	5.88	3.89	Yes	Yes	5.20	11.00	4.70	11.10	6.00	10.90	5.30	11.00
	5.04	5.05	10.00	5.48	6.78	6.13	5.02	5.85	5.44	4.94	9.10	7.02	5.15	7.24	6.20	Yes	Yes	7.10	11.30	7.00	11.60	9.90	17.00	8.00	13.30
	5.05	5.06	10.00	5.95	7.59	6.77	5.74	6.97	6.36	6.38	7.47	6.92	6.02	7.34	6.68	Yes	Yes	6.90	13.70	5.90	12.80	9.90	18.00	7.57	14.83
	5.06	5.07	10.00	4.20	4.15	4.17	4.47	4.50	4.48	4.90	3.10	4.00	4.52	3.92	4.22	Yes	Yes	4.40	5.90	4.30	5.60	7.90	11.30	5.53	7.60
	5.07	5.08	10.00	5.59	4.93	5.26	5.72	4.94	5.33	5.78	5.11	5.45	5.70	4.99	5.35	Yes	Yes	5.10	9.60	5.60	9.90	8.80	15.70	6.50	11.73
	5.08	5.09	10.00	5.00	4.25	4.63	4.80	4.42	4.61	7.49	4.30	5.90	5.76	4.32	5.05	Yes	Yes	7.60	13.50	7.40	13.00	11.40	17.40	8.80	14.63
	5.09	5.10	10.00	3.13	5.55	4.34	2.88	5.01	3.95	4.12	4.40	4.26	3.38	4.99	4.18	Yes	Yes	6.00	10.40	4.40	10.10	7.90	12.30	6.10	10.93
	5.10	5.11	10.00	1.71	2.20	1.95	1.59	2.15	1.87	1.85	2.04	1.95	1.72	2.13	1.92	Yes		4.40	6.80	3.60	5.80	7.00	9.00	5.00	7.20
	5.11	5.12	10.00	7.35	7.83	7.59	6.04	7.30	6.67	8.11	7.72	7.91	7.17	7.62	7.39	Yes	Yes	8.60	14.80	5.50	10.10	10.90	19.20	8.33	14.70
	5.12	5.13	10.00	7.25	7.19	7.22	5.78	6.92	6.35	8.90	8.56	8.73	7.31	7.56	7.43	Yes	Yes	8.10	12.70	5.10	7.20	10.70	16.20	7.97	12.03
	5.13	5.14	10.00	5.78	8.86	7.32	4.81	7.31	6.06	3.90	7.09	5.50	4.83	7.75	6.29	Yes	Yes	9.50	13.40	7.90	12.40	10.10	13.40	9.17	13.07
	5.14	5.15	10.00	2.88	7.99	5.43	2.96	7.69	5.33	3.40	6.76	5.08	3.08	7.48	5.28	Yes	Yes	13.30	19.30	13.40	17.30	12.40	16.70	13.03	17.77
	5.15	5.16	10.00	3.59	8.84	6.21	3.50	8.33	5.92	3.28	5.33	4.30	3.46	7.50	5.48	Yes	Yes	10.70	17.10	11.10	17.10	8.50	14.50	10.10	16.23
	5.16	5.17	10.00	4.71	6.30	5.51	5.43	5.62	5.52	5.16	6.39	5.77	5.10	6.10	5.60	Yes	Yes	18.90	28.80	20.60	30.20	16.70	27.40	18.73	28.80
	5.17	5.18	10.00	6.14	7.06	6.60	6.62	7.68	7.15	6.45	9.97	8.21	6.40	8.24	7.32	Yes	Yes	19.90	31.00	22.50	27.70	15.70	25.60	19.37	28.10
	5.18	5.19	10.00	3.75	7.79	5.77	2.83	10.66	6.75	2.62	7.98	5.30	3.07	8.81	5.94	Yes	Yes	20.20	30.60	27.00	39.90	21.10	31.60	22.77	34.03
	5.19	5.20	10.00	7.96	8.68	8.32	8.60	7.67	8.14	8.59	10.89	9.74	8.38	9.08	8.73	Yes	Yes	15.80	22.30	18.70	24.70	18.60	25.00	17.70	24.00
5.20	5.21	10.00	1.64	5.46	3.55	1.77	4.03	2.90	2.53	6.41	4.47	1.98	5.30	3.64	Yes	Yes	12.70	18.20	15.50	23.20	16.80	21.30	15.00	20.90	
5.21	5.22	10.00	2.80	5.08	3.94	2.60	5.87	4.24	2.45	3.97	3.21	2.62	4.97	3.80	Yes	Yes	10.40	15.90	12.00	18.70	12.20	17.60	11.53	17.40	
5.22	5.23	10.00	3.73	10.02	6.88	3.72	6.45	5.08	5.28	8.19	6.73	4.24	8.22	6.23	Yes	Yes	11.20	21.80	10.30	16.20	11.70	21.20	11.07	19.73	
5.23	5.24	10.00	2.73	8.74	5.74	2.47	7.67	5.07	3.05	7.43	5.24	2.75	7.95	5.35	Yes	Yes	4.20	10.80	5.40	12.90	6.10	14.30	5.23	12.67	
5.24	5.25	10.00	1.93	3.31	2.62	2.31	3.21	2.76	2.29	3.08	2.68	2.18	3.20	2.69	Yes		8.70	12.00	10.50	14.60	10.50	13.80	9.90	13.47	



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	5.25	5.26	10.00	2.79	4.45	3.62	5.43	5.10	5.26	4.43	5.07	4.75	4.22	4.87	4.54	Yes	Yes	13.50	18.80	16.00	21.20	16.00	21.40	15.17	20.47
	5.26	5.27	10.00	5.66	4.25	4.96	7.40	5.80	6.60	4.69	5.16	4.92	5.92	5.07	5.49	Yes	Yes	14.00	24.50	13.20	26.90	13.00	22.60	13.40	24.67
	5.27	5.28	10.00	4.33	4.03	4.18	4.75	4.32	4.54	4.53	3.91	4.22	4.54	4.09	4.31	Yes	Yes	6.80	11.00	7.90	12.10	6.50	11.00	7.07	11.37
	5.28	5.29	10.00	1.63	3.49	2.56	1.54	2.67	2.10	1.61	3.40	2.51	1.59	3.19	2.39	Yes		5.60	7.70	6.40	12.70	6.40	12.90	6.13	11.10
	5.29	5.30	10.00	2.30	4.97	3.63	2.30	4.03	3.16	2.03	3.79	2.91	2.21	4.26	3.23	Yes	Yes	5.10	11.60	5.70	13.50	5.30	12.40	5.37	12.50
	5.30	5.31	10.00	2.39	4.56	3.48	2.55	5.21	3.88	3.43	6.04	4.74	2.79	5.27	4.03	Yes	Yes	4.50	6.70	7.20	10.30	7.80	12.50	6.50	9.83
	5.31	5.32	10.00	6.97	3.96	5.47	9.43	3.93	6.68	9.28	3.44	6.36	8.56	3.78	6.17	Yes	Yes	3.80	7.60	8.50	13.10	8.60	14.00	6.97	11.57
	5.32	5.33	10.00	5.78	6.44	6.11	5.22	6.78	6.00	4.95	7.14	6.05	5.32	6.79	6.05	Yes	Yes	7.90	13.80	10.20	14.50	9.80	15.00	9.30	14.43
	5.33	5.34	10.00	3.19	2.82	3.01	2.56	2.53	2.55	2.39	2.36	2.38	2.71	2.57	2.65	Yes		7.00	10.10	10.40	13.00	9.80	12.80	9.07	11.97
	5.34	5.35	10.00	3.08	3.33	3.20	2.95	2.93	2.94	3.44	3.13	3.29	3.16	3.13	3.14	Yes	Yes	6.70	9.90	9.60	12.80	8.50	13.10	8.27	11.93
	5.35	5.36	10.00	1.88	2.60	2.24	3.50	2.72	3.11	2.73	3.44	3.08	2.70	2.92	2.81	Yes		5.60	13.30	8.30	15.20	7.20	15.10	7.03	14.53
	5.36	5.37	10.00	1.90	3.05	2.47	1.67	1.59	1.63	1.35	1.99	1.67	1.64	2.21	1.92	Yes		4.90	11.90	6.90	8.60	6.00	7.30	5.93	9.27
	5.37	5.38	10.00	1.84	2.49	2.17	1.70	2.56	2.13	1.89	2.61	2.25	1.81	2.55	2.18	Yes		4.40	6.70	6.60	10.30	5.60	8.20	5.53	8.40
	5.38	5.39	10.00	1.63	2.10	1.86	1.88	2.20	2.04	1.75	2.05	1.90	1.75	2.12	1.93	Yes		4.90	5.60	7.10	7.90	6.30	6.90	6.10	6.80
	5.39	5.40	10.00	1.28	1.92	1.60	1.30	2.03	1.66	1.22	2.05	1.64	1.27	2.00	1.63	Yes		4.30	5.30	5.70	7.90	4.70	6.60	4.90	6.60
	5.40	5.41	10.00	4.45	4.34	4.39	4.96	4.28	4.62	4.61	4.52	4.56	4.67	4.38	4.52	Yes	Yes	3.90	10.10	5.50	11.90	4.20	10.10	4.53	10.70
	5.41	5.42	10.00	2.52	1.96	2.24	2.25	1.88	2.06	2.43	1.67	2.05	2.40	1.84	2.12	Yes		6.20	9.30	6.20	9.50	4.40	7.60	5.60	8.80
	5.42	5.43	10.00	1.50	1.75	1.62	1.64	1.78	1.71	1.70	1.70	1.70	1.61	1.74	1.68	Yes		4.60	5.80	3.40	4.70	1.60	3.00	3.20	4.50
	5.43	5.44	10.00	1.71	1.33	1.52	1.75	1.49	1.62	1.90	1.87	1.89	1.79	1.56	1.68	Yes		5.80	6.80	4.60	5.90	2.90	4.10	4.43	5.60
	5.44	5.45	10.00	2.02	2.02	2.02	1.53	2.35	1.94	1.52	2.56	2.04	1.69	2.31	2.00	Yes		3.30	5.70	2.20	3.60	0.90	2.10	2.13	3.80
	5.45	5.46	10.00	4.27	2.39	3.33	3.85	2.44	3.15	3.45	2.26	2.85	3.86	2.36	3.11	Yes	Yes	3.20	8.60	2.20	6.70	0.90	4.30	2.10	6.53
	5.46	5.47	10.00	2.77	2.46	2.61	2.59	2.33	2.46	2.42	2.22	2.32	2.59	2.34	2.46	Yes		2.00	5.10	2.20	4.60	2.40	4.50	2.20	4.73
	5.47	5.48	10.00	2.67	1.70	2.18	2.61	1.86	2.24	2.66	1.87	2.27	2.65	1.81	2.23	Yes		6.00	8.70	3.60	5.20	4.50	7.00	4.70	6.97
	5.48	5.49	10.00	3.40	2.33	2.87	3.04	2.24	2.64	3.30	2.84	3.07	3.25	2.47	2.86	Yes		4.40	7.20	3.40	5.40	4.80	7.90	4.20	6.83
	5.49	5.50	10.00	2.59	2.88	2.74	2.79	2.60	2.70	3.14	2.01	2.57	2.84	2.50	2.67	Yes		5.20	9.20	4.80	8.80	6.40	10.40	5.47	9.47
	5.50	5.51	10.00	3.03	1.59	2.31	2.93	1.82	2.38	3.15	2.25	2.70	3.04	1.89	2.46	Yes		5.10	7.10	5.90	7.50	7.70	10.10	6.23	8.23
	5.51	5.52	10.00	2.96	2.24	2.60	3.88	2.48	3.18	4.54	2.49	3.52	3.79	2.40	3.10	Yes	Yes	4.30	7.60	5.20	9.20	5.60	8.60	5.03	8.47
	5.52	5.53	10.00	3.49	2.77	3.13	2.67	2.53	2.60	2.54	2.41	2.48	2.90	2.57	2.74	Yes		3.80	6.10	5.90	8.20	5.70	7.90	5.13	7.40
	5.53	5.54	10.00	3.20	1.82	2.51	2.91	1.78	2.35	3.17	1.46	2.32	3.09	1.69	2.39	Yes		3.10	6.60	6.30	9.30	6.50	9.50	5.30	8.47
	5.54	5.55	10.00	3.37	2.82	3.09	3.56	2.42	2.99	3.53	2.58	3.06	3.49	2.61	3.05	Yes	Yes	4.20	8.80	6.30	9.20	6.30	9.50	5.60	9.17
	5.55	5.56	10.00	2.70	1.72	2.21	3.25	1.41	2.33	3.23	1.48	2.35	3.06	1.54	2.30	Yes		5.80	7.70	7.10	8.70	7.30	9.20	6.73	8.53
	5.56	5.57	10.00	3.19	2.99	3.09	2.78	2.19	2.49	3.19	2.82	3.00	3.05	2.67	2.86	Yes		4.80	7.90	5.00	7.40	5.40	8.70	5.07	8.00
5.57	5.58	10.00	3.75	3.17	3.46	2.65	3.22	2.93	3.50	2.96	3.23	3.30	3.12	3.21	Yes	Yes	6.00	7.40	7.20	9.00	6.90	8.90	6.70	8.43	
5.58	5.59	10.00	3.34	2.09	2.71	4.54	2.16	3.35	3.61	2.02	2.81	3.83	2.09	2.96	Yes		6.40	9.00	8.10	10.60	7.70	10.90	7.40	10.17	
5.59	5.60	10.00	2.88	2.75	2.81	4.50	2.69	3.60	3.26	2.67	2.97	3.55	2.70	3.13	Yes	Yes	5.90	7.40	7.50	12.10	6.90	8.90	6.77	9.47	
5.60	5.61	10.00	2.54	2.91	2.72	2.61	2.54	2.58	2.72	3.00	2.86	2.62	2.82	2.72	Yes		5.20	6.50	6.20	8.20	6.50	8.00	5.97	7.57	
5.61	5.62	10.00	3.46	3.15	3.30	4.60	2.32	3.46	3.80	2.44	3.12	3.95	2.64	3.29	Yes	Yes	5.20	8.60	6.90	10.30	7.20	10.60	6.43	9.83	



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	5.62	5.63	10.00	2.55	1.81	2.18	3.94	1.86	2.90	2.93	1.83	2.38	3.14	1.83	2.49	Yes		5.40	6.70	6.40	8.70	6.70	8.60	6.17	8.00
	5.63	5.64	10.00	2.90	3.96	3.43	5.55	2.60	4.08	3.97	3.05	3.51	4.14	3.20	3.67	Yes	Yes	6.50	9.60	8.30	11.80	9.40	15.20	8.07	12.20
	5.64	5.65	10.00	2.34	1.85	2.10	2.76	1.51	2.13	2.55	1.48	2.01	2.55	1.61	2.08	Yes		6.70	8.40	6.00	11.00	7.10	11.20	6.60	10.20
	5.65	5.66	10.00	1.75	2.53	2.14	3.49	2.32	2.91	3.30	2.31	2.80	2.85	2.39	2.62	Yes		5.20	6.80	8.00	12.30	8.90	11.70	7.37	10.27
	5.66	5.67	10.00	2.47	3.06	2.77	4.87	2.45	3.66	4.44	2.77	3.60	3.93	2.76	3.34	Yes	Yes	4.60	7.80	6.50	9.40	7.10	10.30	6.07	9.17
	5.67	5.68	10.00	4.19	2.70	3.44	5.37	1.67	3.52	4.63	1.44	3.03	4.73	1.94	3.33	Yes	Yes	4.40	6.20	6.30	10.20	6.20	10.20	5.63	8.87
	5.68	5.69	10.00	2.91	3.23	3.07	3.59	3.09	3.34	3.63	3.06	3.34	3.38	3.13	3.25	Yes	Yes	4.60	7.70	8.30	13.80	8.40	14.00	7.10	11.83
	5.69	5.70	10.00	2.54	3.28	2.91	1.76	2.71	2.24	1.82	2.16	1.99	2.04	2.72	2.38	Yes		1.80	5.30	5.30	8.50	5.40	7.50	4.17	7.10
	5.70	5.71	10.00	1.66	1.56	1.61	2.05	1.68	1.86	1.99	1.70	1.84	1.90	1.65	1.77	Yes		2.00	2.90	6.50	8.10	6.80	8.50	5.10	6.50
	5.71	5.72	10.00	2.64	3.42	3.03	2.35	2.72	2.54	2.78	2.54	2.66	2.59	2.89	2.74	Yes		3.00	6.00	7.20	9.50	7.60	9.60	5.93	8.37
	5.72	5.73	10.00	3.03	2.64	2.84	3.33	2.31	2.82	3.43	2.07	2.75	3.26	2.34	2.80	Yes		3.70	6.80	5.10	7.40	4.90	7.50	4.57	7.23
	5.73	5.74	10.00	1.66	2.01	1.84	1.70	1.66	1.68	1.43	1.68	1.56	1.60	1.78	1.69	Yes		3.00	4.20	3.60	4.80	3.40	4.50	3.33	4.50
	5.74	5.75	10.00	1.25	1.74	1.50	1.26	1.75	1.51	1.51	1.68	1.59	1.34	1.72	1.53	Yes		3.60	4.80	3.90	5.90	3.90	5.80	3.80	5.50
	5.75	5.76	10.00	1.36	1.93	1.64	1.36	1.96	1.66	1.46	2.20	1.83	1.39	2.03	1.71	Yes		5.70	6.60	5.40	7.00	5.90	9.30	5.67	7.63
	5.76	5.77	10.00	5.59	2.75	4.17	5.15	2.43	3.79	5.68	2.53	4.10	5.47	2.57	4.02	Yes	Yes	6.30	9.90	5.10	8.70	6.20	9.90	5.87	9.50
	5.77	5.78	10.00	1.42	1.32	1.37	1.52	1.49	1.50	1.37	1.48	1.43	1.44	1.43	1.43	Yes		3.90	5.50	2.80	4.10	4.30	5.80	3.67	5.13
	5.78	5.79	10.00	4.38	4.35	4.36	4.06	4.04	4.05	5.19	4.71	4.95	4.54	4.37	4.45	Yes	Yes	5.40	9.60	3.80	6.20	6.70	11.90	5.30	9.23
	5.79	5.80	10.00	3.17	1.58	2.37	2.66	1.67	2.17	2.96	1.22	2.09	2.93	1.49	2.21	Yes		5.80	7.20	4.20	5.30	6.20	7.90	5.40	6.80
	5.80	5.81	10.00	3.53	2.80	3.17	3.56	2.99	3.28	3.44	2.64	3.04	3.51	2.81	3.16	Yes	Yes	4.40	6.90	3.50	6.50	5.20	7.30	4.37	6.90
	5.81	5.82	10.00	5.98	2.54	4.26	5.77	2.45	4.11	6.00	2.20	4.10	5.92	2.40	4.16	Yes	Yes	4.70	7.60	4.00	6.50	5.70	8.70	4.80	7.60
	5.82	5.83	10.00	0.87	0.79	0.83	0.83	0.93	0.88	1.14	1.07	1.10	0.95	0.93	0.94			3.90	4.90	3.70	4.20	5.10	5.70	4.23	4.93
	5.83	5.84	10.00	1.42	1.36	1.39	1.36	1.25	1.31	1.49	1.32	1.41	1.42	1.31	1.37			4.10	5.90	5.00	7.80	6.50	9.60	5.20	7.77
	5.84	5.85	10.00	3.55	5.19	4.37	4.22	5.66	4.94	4.32	5.94	5.13	4.03	5.60	4.81	Yes	Yes	5.10	8.10	6.20	8.90	6.80	9.20	6.03	8.73
	5.85	5.86	10.00	2.36	3.07	2.71	2.37	2.18	2.27	2.29	2.26	2.27	2.34	2.50	2.42	Yes		2.60	4.90	4.50	6.80	5.40	7.70	4.17	6.47
	5.86	5.87	10.00	3.76	1.51	2.64	3.70	1.58	2.64	3.54	1.52	2.53	3.67	1.54	2.60	Yes		4.40	6.00	6.20	7.60	6.60	8.00	5.73	7.20
	5.87	5.88	10.00	1.11	1.53	1.32	1.12	1.49	1.30	1.21	1.57	1.39	1.15	1.53	1.34			5.60	7.00	6.30	7.60	6.30	7.50	6.07	7.37
	5.88	5.89	10.00	2.37	3.27	2.82	2.67	3.06	2.86	2.69	3.16	2.92	2.58	3.16	2.87	Yes		6.70	9.50	6.60	9.70	6.40	9.50	6.57	9.57
	5.89	5.90	10.00	5.19	2.48	3.84	5.38	2.66	4.02	5.60	2.80	4.20	5.39	2.65	4.02	Yes	Yes	7.10	12.20	6.80	11.60	6.50	11.40	6.80	11.73
	5.90	5.91	10.00	4.37	1.05	2.71	4.04	0.97	2.51	4.05	1.05	2.55	4.15	1.02	2.59	Yes		6.70	8.60	6.10	8.30	5.70	7.70	6.17	8.20
	5.91	5.92	10.00	3.23	1.65	2.44	2.61	1.69	2.15	2.28	1.77	2.03	2.71	1.70	2.21	Yes		7.80	11.20	7.90	10.50	7.70	9.80	7.80	10.50
	5.92	5.93	10.00	6.37	5.93	6.15	5.46	6.33	5.90	5.34	6.42	5.88	5.72	6.23	5.98	Yes	Yes	11.40	16.30	10.20	15.30	9.00	14.10	10.20	15.23
	5.93	5.94	10.00	2.74	2.09	2.41	2.57	2.03	2.30	2.49	2.52	2.51	2.60	2.21	2.41	Yes		7.40	11.70	7.00	8.30	6.00	7.70	6.80	9.23
5.94	5.95	10.00	4.52	1.60	3.06	5.12	1.50	3.31	4.36	1.96	3.16	4.67	1.69	3.18	Yes	Yes	5.20	8.60	4.30	7.30	2.80	5.10	4.10	7.00	
5.95	5.96	10.00	8.06	2.37	5.21	7.28	3.57	5.42	6.67	4.48	5.58	7.34	3.47	5.40	Yes	Yes	4.90	10.30	4.20	9.60	2.50	7.50	3.87	9.13	
5.96	5.97	10.00	3.81	2.72	3.26	3.03	2.20	2.61	2.86	2.47	2.67	3.23	2.46	2.85	Yes		7.90	14.60	8.10	12.30	7.00	10.10	7.67	12.33	
5.97	5.98	10.00	2.72	2.04	2.38	1.99	2.04	2.01	2.05	2.20	2.12	2.25	2.09	2.17	Yes		9.50	14.50	7.40	12.30	5.70	9.90	7.53	12.23	
5.98	5.99	10.00	0.99	1.25	1.12	0.83	1.07	0.95	0.86	0.94	0.90	0.89	1.09	0.99			4.80	6.00	4.00	5.20	3.90	4.90	4.23	5.37	



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG IRI	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	5.99	6.00	10.00	5.64	3.14	4.39	5.90	3.36	4.63	6.78	3.87	5.33	6.11	3.46	4.78	Yes	Yes	6.90	13.60	6.20	12.00	7.90	14.30	7.00	13.30
	6.00	6.01	10.00	6.80	2.84	4.82	5.57	2.74	4.16	5.93	2.12	4.03	6.10	2.57	4.34	Yes	Yes	8.30	13.60	6.80	10.90	8.60	14.50	7.90	13.00
	6.01	6.02	10.00	2.25	1.29	1.77	2.10	1.31	1.70	2.51	1.28	1.89	2.29	1.29	1.79	Yes		7.10	8.20	5.80	7.30	8.10	9.20	7.00	8.23
	6.02	6.03	10.00	1.60	1.50	1.55	1.43	1.88	1.65	1.53	1.66	1.59	1.52	1.68	1.60	Yes		7.90	9.70	7.30	9.70	8.40	10.10	7.87	9.83
	6.03	6.04	10.00	2.41	3.03	2.72	2.46	3.49	2.98	2.84	2.79	2.82	2.57	3.10	2.84	Yes		8.90	11.00	9.20	12.80	9.90	12.70	9.33	12.17
	6.04	6.05	10.00	2.28	3.92	3.10	2.26	4.01	3.14	2.44	4.63	3.54	2.33	4.19	3.26	Yes	Yes	12.50	19.40	13.50	21.90	14.30	24.20	13.43	21.83
	6.05	6.06	10.00	11.46	5.97	8.72	12.29	6.36	9.32	12.72	5.64	9.18	12.16	5.99	9.07	Yes	Yes	21.70	33.10	21.10	33.00	20.60	33.00	21.13	33.03
	6.06	6.07	10.00	10.56	4.05	7.31	8.99	3.29	6.14	8.60	3.42	6.01	9.38	3.59	6.49	Yes	Yes	13.70	20.60	13.40	20.70	13.20	20.70	13.43	20.67
	6.07	6.08	10.00	3.20	2.25	2.72	3.26	2.37	2.81	3.28	2.37	2.82	3.25	2.33	2.78	Yes		11.10	13.50	11.00	14.00	10.90	14.40	11.00	13.97
	6.08	6.09	10.00	1.98	4.37	3.17	1.98	4.42	3.20	2.23	4.51	3.37	2.06	4.43	3.25	Yes	Yes	10.40	17.80	10.90	17.70	11.20	17.50	10.83	17.67
	6.09	6.10	10.00	1.45	3.00	2.23	1.54	2.72	2.13	1.40	2.69	2.05	1.46	2.80	2.14	Yes		3.50	8.90	3.70	8.40	4.40	7.90	3.87	8.40
	6.10	6.11	10.00	2.61	3.90	3.25	2.70	3.99	3.35	2.86	3.81	3.33	2.72	3.90	3.31	Yes	Yes	3.20	5.50	4.50	6.40	5.80	7.20	4.50	6.37
	6.11	6.12	10.00	2.52	4.53	3.53	2.55	4.28	3.42	2.38	4.00	3.19	2.48	4.27	3.38	Yes	Yes	4.00	5.80	4.50	6.50	5.10	7.00	4.53	6.43
	6.12	6.13	10.00	1.96	5.51	3.73	2.08	6.06	4.07	1.97	5.52	3.74	2.00	5.70	3.85	Yes	Yes	5.80	8.30	6.40	8.50	7.40	9.40	6.53	8.73
	6.13	6.14	10.00	1.22	4.71	2.96	1.27	4.55	2.91	1.43	4.13	2.78	1.31	4.46	2.88	Yes		6.80	9.40	6.60	9.50	6.70	9.60	6.70	9.50
	6.14	6.15	10.00	1.39	4.10	2.74	1.57	4.45	3.01	1.27	4.38	2.83	1.41	4.31	2.86	Yes		5.80	8.30	5.20	7.90	5.80	8.60	5.60	8.27
	6.15	6.16	10.00	1.62	5.76	3.69	1.77	5.34	3.55	2.01	5.76	3.89	1.80	5.62	3.71	Yes	Yes	6.60	11.50	6.40	11.00	7.70	12.50	6.90	11.67
	6.16	6.17	10.00	2.54	5.38	3.96	2.80	4.88	3.84	2.65	5.31	3.98	2.66	5.19	3.93	Yes	Yes	10.20	12.80	10.10	13.90	9.40	12.90	9.90	13.20
	6.17	6.18	10.00	1.76	2.17	1.96	1.60	2.64	2.12	1.36	2.16	1.76	1.57	2.32	1.95	Yes		7.80	10.20	7.20	9.50	8.30	10.50	7.77	10.07
	6.18	6.19	10.00	1.39	6.55	3.97	1.42	6.91	4.17	1.46	6.66	4.06	1.42	6.71	4.07	Yes	Yes	12.90	15.70	13.40	17.60	14.00	17.90	13.43	17.07
	6.19	6.20	10.00	2.56	3.87	3.21	3.80	6.18	4.99	4.45	5.20	4.83	3.60	5.08	4.34	Yes	Yes	15.50	17.70	12.80	19.50	15.50	18.90	14.60	18.70
	6.20	6.21	10.00	5.46	3.63	4.55	4.02	3.91	3.96	3.56	3.00	3.28	4.35	3.51	3.93	Yes	Yes	9.70	19.30	6.00	15.10	7.30	15.10	7.67	16.50
	6.21	6.22	10.00	1.96	2.95	2.46	1.93	2.61	2.27	2.10	2.74	2.42	2.00	2.77	2.38	Yes		7.40	9.50	5.80	7.70	7.60	13.20	6.93	10.13
	6.22	6.23	10.00	4.06	7.89	5.98	3.82	8.63	6.22	3.44	8.82	6.13	3.77	8.45	6.11	Yes	Yes	12.40	21.90	10.00	16.30	11.50	19.80	11.30	19.33
	6.23	6.24	10.00	2.63	9.31	5.97	2.93	9.92	6.43	3.14	9.98	6.56	2.90	9.74	6.32	Yes	Yes	15.00	25.30	14.20	23.40	15.20	24.20	14.80	24.30
	6.24	6.25	10.00	1.50	8.42	4.96	0.92	6.73	3.82	0.88	5.67	3.27	1.10	6.94	4.02	Yes	Yes	12.20	19.30	10.60	18.90	9.60	16.00	10.80	18.07
	6.25	6.26	10.00	1.46	1.92	1.69	1.50	2.22	1.86	1.96	2.39	2.17	1.64	2.18	1.91	Yes		5.60	7.90	3.90	6.50	2.40	5.40	3.97	6.60
	6.26	6.27	10.00	3.52	5.00	4.26	3.53	5.46	4.50	3.57	5.00	4.29	3.54	5.15	4.35	Yes	Yes	6.30	11.90	5.30	10.70	3.10	7.50	4.90	10.03
	6.27	6.28	10.00	1.41	1.99	1.70	1.29	1.63	1.46	1.47	1.53	1.50	1.39	1.72	1.55	Yes		5.60	6.30	5.00	5.80	3.10	3.80	4.57	5.30
	6.28	6.29	10.00	1.27	4.39	2.83	1.59	4.75	3.17	1.68	4.56	3.12	1.51	4.57	3.04	Yes	Yes	6.20	9.00	6.00	8.80	4.60	6.60	5.60	8.13
	6.29	6.30	10.00	1.48	3.47	2.48	1.43	3.74	2.59	1.53	5.23	3.38	1.48	4.15	2.82	Yes		6.60	11.20	7.10	11.20	5.80	11.70	6.50	11.37
	6.30	6.31	10.00	3.01	8.16	5.59	3.17	8.67	5.92	1.91	9.40	5.65	2.70	8.74	5.72	Yes	Yes	10.20	13.10	10.30	13.00	8.90	12.50	9.80	12.87
	6.31	6.32	10.00	3.24	5.61	4.43	3.42	4.32	3.87	3.52	4.52	4.02	3.39	4.82	4.11	Yes	Yes	8.60	11.50	8.20	11.50	7.30	11.60	8.03	11.53
	6.32	6.33	10.00	1.46	4.60	3.03	1.39	3.52	2.46	1.46	4.52	2.99	1.44	4.21	2.83	Yes		8.30	12.10	8.40	11.10	8.60	12.20	8.43	11.80
	6.33	6.34	10.00	1.47	7.07	4.27	1.68	5.05	3.37	1.68	4.85	3.26	1.61	5.66	3.63	Yes	Yes	10.90	17.60	10.40	16.50	10.50	16.40	10.60	16.83
6.34	6.35	10.00	5.25	7.02	6.13	5.22	8.10	6.66	6.18	7.26	6.72	5.55	7.46	6.50	Yes	Yes	8.50	13.30	8.70	15.70	9.20	17.60	8.80	15.53	
6.35	6.36	10.00	4.22	7.87	6.05	4.34	7.76	6.05	4.91	8.53	6.72	4.49	8.05	6.27	Yes	Yes	3.70	10.90	6.10	14.80	9.40	17.10	6.40	14.27	



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	6.36	6.37	10.00	2.75	5.55	4.15	2.55	5.11	3.83	3.31	5.12	4.21	2.87	5.26	4.06	Yes	Yes	5.80	14.50	4.50	12.10	8.20	11.20	6.17	12.60
	6.37	6.38	10.00	4.41	5.09	4.75	4.10	6.15	5.13	4.46	8.47	6.46	4.32	6.57	5.45	Yes	Yes	8.80	12.70	6.30	11.70	9.80	19.20	8.30	14.53
	6.38	6.39	10.00	2.23	8.65	5.44	2.05	6.56	4.31	1.99	5.89	3.94	2.09	7.03	4.56	Yes	Yes	3.70	8.40	0.20	3.80	5.10	10.80	3.00	7.67
	6.39	6.40	10.00	1.56	1.13	1.35	1.53	1.53	1.53	1.65	1.65	1.65	1.58	1.44	1.51	Yes		2.70	5.30	-1.10	0.30	4.30	8.20	1.97	4.60
	6.40	6.41	10.00	3.55	4.70	4.13	3.14	4.71	3.92	3.54	4.31	3.92	3.41	4.57	3.99	Yes	Yes	3.40	7.70	-2.30	1.80	3.80	9.10	1.63	6.20
	6.41	6.42	10.00	1.08	1.47	1.28	1.62	2.01	1.81	1.19	2.16	1.68	1.30	1.88	1.59	Yes		3.20	4.40	-2.20	-0.60	4.30	6.40	1.77	3.40
	6.42	6.43	10.00	1.77	3.03	2.40	1.26	2.88	2.07	1.75	2.11	1.93	1.59	2.67	2.13	Yes		4.90	5.90	-1.40	-0.30	5.00	6.00	2.83	3.87
	6.43	6.44	10.00	1.59	4.67	3.13	1.49	2.90	2.19	1.79	5.30	3.54	1.62	4.29	2.95	Yes		5.60	7.60	0.50	4.40	6.10	8.70	4.07	6.90
	6.44	6.45	10.00	4.14	5.11	4.62	3.81	6.42	5.11	3.87	4.63	4.25	3.94	5.39	4.66	Yes	Yes	5.40	8.40	-0.20	3.00	5.30	8.40	3.50	6.60
	6.45	6.46	10.00	1.01	11.42	6.22	1.91	5.79	3.85	1.33	8.80	5.06	1.42	8.67	5.04	Yes	Yes	7.40	15.50	1.20	8.40	7.50	12.80	5.37	12.23
	6.46	6.47	10.00	1.02	6.89	3.95	0.99	3.12	2.05	0.85	4.69	2.77	0.95	4.90	2.92	Yes		7.00	9.80	0.60	2.10	6.90	9.40	4.83	7.10
	6.47	6.48	10.00	1.65	3.24	2.45	1.36	3.24	2.30	1.69	3.29	2.49	1.57	3.26	2.41	Yes		5.90	7.20	3.20	8.30	6.90	10.60	5.33	8.70
	6.48	6.49	10.00	1.35	3.85	2.60	1.75	4.35	3.05	1.06	4.74	2.90	1.39	4.31	2.85	Yes		9.90	12.90	8.50	12.60	10.40	15.30	9.60	13.60
	6.49	6.50	10.00	3.30	8.90	6.10	3.49	6.41	4.95	3.32	6.83	5.08	3.37	7.38	5.38	Yes	Yes	8.70	15.90	7.00	15.60	7.70	15.30	7.80	15.60
	6.50	6.51	10.00	1.82	2.51	2.17	1.88	2.86	2.37	2.08	2.68	2.38	1.93	2.68	2.31	Yes		4.50	5.90	3.80	4.80	4.30	5.90	4.20	5.53
	6.51	6.52	10.00	2.34	1.78	2.06	2.39	2.82	2.60	2.51	3.61	3.06	2.41	2.74	2.57	Yes		4.70	6.80	4.90	8.80	4.80	7.90	4.80	7.83
	6.52	6.53	10.00	1.76	5.11	3.44	1.80	5.08	3.44	1.60	4.26	2.93	1.72	4.82	3.27	Yes	Yes	4.70	8.80	4.10	7.20	4.10	6.40	4.30	7.47
	6.53	6.54	10.00	1.73	1.68	1.71	1.93	2.70	2.31	2.47	4.02	3.24	2.04	2.80	2.42	Yes		5.80	7.80	5.70	11.00	6.00	10.50	5.83	9.77
	6.54	6.55	10.00	1.87	5.09	3.48	1.51	4.59	3.05	1.18	3.27	2.23	1.52	4.32	2.92	Yes		6.90	11.70	5.50	8.00	6.00	8.00	6.13	9.23
	6.55	6.56	10.00	1.10	1.25	1.18	1.33	1.66	1.50	0.98	1.35	1.16	1.14	1.42	1.28			6.20	7.60	4.80	5.90	5.80	7.10	5.60	6.87
	6.56	6.57	10.00	3.82	1.70	2.76	3.55	1.70	2.62	3.66	1.66	2.66	3.68	1.69	2.68	Yes		6.50	15.50	5.40	9.80	6.80	13.90	6.23	13.07
	6.57	6.58	10.00	3.00	0.85	1.93	2.57	0.73	1.65	2.68	0.85	1.76	2.75	0.81	1.78	Yes		6.60	9.40	4.70	7.20	5.90	8.10	5.73	8.23
	6.58	6.59	10.00	2.81	1.43	2.12	2.66	1.61	2.14	2.77	1.28	2.02	2.75	1.44	2.09	Yes		3.50	4.40	2.60	3.40	3.80	4.70	3.30	4.17
	6.59	6.60	10.00	1.22	1.38	1.30	1.38	2.10	1.74	1.91	1.99	1.95	1.50	1.82	1.66	Yes		3.40	4.10	3.70	8.10	3.70	7.90	3.60	6.70
	6.60	6.61	10.00	2.83	2.89	2.86	2.39	2.54	2.46	1.97	2.29	2.13	2.40	2.57	2.48	Yes		4.30	7.60	4.60	7.80	4.40	5.80	4.43	7.07
	6.61	6.62	10.00	1.27	1.39	1.33	1.23	1.30	1.27	1.29	1.22	1.25	1.26	1.30	1.28			3.40	4.60	4.50	5.60	4.70	5.80	4.20	5.33
	6.62	6.63	10.00	1.95	1.67	1.81	2.32	1.60	1.96	2.48	1.55	2.02	2.25	1.61	1.93	Yes		1.60	3.70	3.20	4.50	3.20	5.00	2.67	4.40
	6.63	6.64	10.00	3.15	1.54	2.35	2.67	1.30	1.99	2.77	1.38	2.08	2.86	1.41	2.14	Yes		1.60	3.40	3.80	5.30	3.60	5.20	3.00	4.63
	6.64	6.65	10.00	1.66	1.37	1.52	2.56	1.17	1.86	2.73	1.18	1.96	2.32	1.24	1.78	Yes		1.70	3.50	3.10	4.80	3.00	4.80	2.60	4.37
	6.65	6.66	10.00	2.25	1.10	1.68	3.09	1.18	2.14	3.24	1.05	2.15	2.86	1.11	1.99	Yes		2.80	6.60	4.20	8.20	3.70	7.50	3.57	7.43
	6.66	6.67	10.00	5.33	2.73	4.03	4.27	2.95	3.61	3.81	2.81	3.31	4.47	2.83	3.65	Yes	Yes	4.50	9.20	5.40	9.60	5.00	9.30	4.97	9.37
	6.67	6.68	10.00	3.61	2.69	3.15	3.98	3.05	3.52	3.99	2.84	3.42	3.86	2.86	3.36	Yes	Yes	5.70	8.80	5.80	8.60	5.50	8.00	5.67	8.47
6.68	6.69	10.00	4.94	4.87	4.90	4.65	4.29	4.47	4.71	4.18	4.44	4.77	4.45	4.60	Yes	Yes	5.90	9.70	5.90	9.40	6.10	8.90	5.97	9.33	
6.69	6.70	10.00	2.80	2.11	2.45	3.22	3.25	3.24	3.21	3.52	3.37	3.08	2.96	3.02	Yes	Yes	9.50	12.10	8.70	12.10	8.30	12.30	8.83	12.17	
6.70	6.71	10.00	1.28	3.62	2.45	2.41	4.54	3.47	3.00	5.25	4.13	2.23	4.47	3.35	Yes	Yes	4.70	12.40	4.50	11.60	4.50	11.40	4.57	11.80	
6.71	6.72	10.00	9.01	8.61	8.81	8.73	7.79	8.26	8.47	7.73	8.10	8.74	8.04	8.39	Yes	Yes	10.50	16.20	9.80	16.00	9.80	16.00	10.03	16.07	
6.72	6.73	10.00	5.00	6.25	5.63	4.80	6.54	5.67	4.80	6.36	5.58	4.87	6.38	5.63	Yes	Yes	4.50	10.40	4.20	10.60	4.50	10.80	4.40	10.60	



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG IRI	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	6.73	6.74	10.00	2.08	5.15	3.61	1.64	4.24	2.94	2.04	4.03	3.03	1.92	4.47	3.19	Yes	Yes	4.20	7.40	5.30	10.60	6.30	13.10	5.27	10.37
	6.74	6.75	10.00	5.31	5.08	5.19	5.87	5.99	5.93	5.65	6.89	6.27	5.61	5.99	5.80	Yes	Yes	5.90	10.90	9.10	13.50	13.40	16.70	9.47	13.70
	6.75	6.76	10.00	2.62	6.06	4.34	2.20	6.45	4.32	2.60	6.12	4.36	2.47	6.21	4.34	Yes	Yes	9.80	14.20	14.20	18.90	16.90	20.90	13.63	18.00
	6.76	6.77	10.00	2.91	10.45	6.68	3.74	10.77	7.26	3.10	10.74	6.92	3.25	10.65	6.95	Yes	Yes	9.40	15.40	11.30	20.70	12.00	20.80	10.90	18.97
	6.77	6.78	10.00	2.04	9.26	5.65	2.46	9.28	5.87	2.52	8.95	5.73	2.34	9.16	5.75	Yes	Yes	12.40	21.70	13.00	22.70	13.20	23.10	12.87	22.50
	6.78	6.79	10.00	2.53	5.06	3.79	2.55	6.28	4.42	2.50	6.58	4.54	2.53	5.97	4.25	Yes	Yes	17.10	21.60	17.60	21.60	17.40	22.10	17.37	21.77
	6.79	6.80	10.00	2.94	6.96	4.95	2.70	5.80	4.25	2.67	5.00	3.83	2.77	5.92	4.34	Yes	Yes	20.40	26.40	19.30	25.90	18.10	24.30	19.27	25.53
	6.80	6.81	10.00	1.76	4.76	3.26	2.12	4.93	3.53	1.92	5.58	3.75	1.93	5.09	3.51	Yes	Yes	18.70	23.60	19.20	24.90	18.90	24.10	18.93	24.20
	6.81	6.82	10.00	1.33	4.61	2.97	1.17	4.81	2.99	1.13	3.96	2.54	1.21	4.46	2.83	Yes		19.70	24.90	19.20	23.90	18.50	21.70	19.13	23.50
	6.82	6.83	10.00	0.76	4.73	2.74	0.80	4.81	2.81	0.85	3.96	2.40	0.80	4.50	2.65	Yes		15.10	21.10	14.20	21.20	13.60	20.40	14.30	20.90
	6.83	6.84	10.00	0.94	7.11	4.03	0.98	7.39	4.19	1.15	7.35	4.25	1.02	7.28	4.16	Yes	Yes	13.10	17.00	13.10	17.30	12.60	16.80	12.93	17.03
	6.84	6.85	10.00	1.64	4.25	2.94	1.62	5.33	3.47	1.49	5.86	3.67	1.58	5.15	3.36	Yes	Yes	10.60	12.50	10.60	12.70	10.50	13.00	10.57	12.73
	6.85	6.86	10.00	1.15	5.08	3.11	1.23	4.04	2.63	1.33	3.78	2.55	1.24	4.30	2.76	Yes		7.00	13.30	5.90	10.10	5.80	9.40	6.23	10.93
	6.86	6.87	10.00	2.42	6.21	4.32	2.44	7.56	5.00	2.35	7.25	4.80	2.40	7.01	4.71	Yes	Yes	7.70	16.00	8.20	16.00	8.60	15.50	8.17	15.83
	6.87	6.88	10.00	1.25	5.30	3.28	1.34	4.96	3.15	1.22	5.77	3.49	1.27	5.34	3.31	Yes	Yes	12.80	17.30	12.50	19.00	14.20	18.80	13.17	18.37
	6.88	6.89	10.00	2.09	7.56	4.83	2.13	7.89	5.01	2.24	7.43	4.84	2.15	7.63	4.89	Yes	Yes	13.00	18.90	13.20	19.20	13.30	19.60	13.17	19.23
	6.89	6.90	10.00	1.81	8.72	5.26	1.67	8.23	4.95	1.48	7.54	4.51	1.65	8.16	4.91	Yes	Yes	14.30	19.60	13.00	19.00	12.40	17.00	13.23	18.53
	6.90	6.91	10.00	1.85	4.14	2.99	1.86	4.26	3.06	2.20	4.25	3.22	1.97	4.22	3.09	Yes	Yes	12.10	17.90	13.00	18.00	12.60	17.10	12.57	17.67
	6.91	6.92	10.00	3.58	6.67	5.12	3.86	6.47	5.16	3.43	6.00	4.71	3.62	6.38	5.00	Yes	Yes	11.30	17.80	10.90	17.80	9.90	14.80	10.70	16.80
	6.92	6.93	10.00	2.41	3.67	3.04	2.77	4.19	3.48	2.40	6.12	4.26	2.53	4.66	3.59	Yes	Yes	13.70	24.20	15.20	24.50	14.10	22.70	14.33	23.80
	6.93	6.94	10.00	2.33	7.83	5.08	1.70	7.25	4.48	1.74	6.38	4.06	1.92	7.15	4.54	Yes	Yes	11.50	24.20	9.50	22.00	8.00	12.80	9.67	19.67
	6.94	6.95	10.00	2.00	3.38	2.69	3.67	6.51	5.09	3.76	6.16	4.96	3.14	5.35	4.25	Yes	Yes	9.20	15.90	9.40	15.20	7.00	11.20	8.53	14.10
	6.95	6.96	10.00	4.46	8.11	6.28	3.07	5.48	4.27	2.92	5.29	4.11	3.48	6.29	4.89	Yes	Yes	8.20	13.60	8.00	13.80	4.90	9.70	7.03	12.37
	6.96	6.97	10.00	1.78	5.91	3.85	1.82	5.11	3.46	2.03	7.05	4.54	1.88	6.02	3.95	Yes	Yes	9.70	15.30	11.00	15.70	8.40	14.40	9.70	15.13
	6.97	6.98	10.00	2.13	6.19	4.16	2.04	6.04	4.04	1.95	6.39	4.17	2.04	6.21	4.12	Yes	Yes	7.20	11.00	7.80	11.90	5.80	9.00	6.93	10.63
	6.98	6.99	10.00	1.49	4.98	3.23	1.45	6.19	3.82	1.27	6.39	3.83	1.40	5.85	3.63	Yes	Yes	3.60	6.30	5.10	7.80	4.10	6.80	4.27	6.97
	6.99	7.00	10.00	1.13	6.30	3.72	1.30	4.69	3.00	1.46	4.32	2.89	1.30	5.10	3.20	Yes	Yes	2.80	5.40	4.70	10.10	5.20	11.50	4.23	9.00
	7.00	7.01	10.00	3.83	8.92	6.37	3.91	9.39	6.65	3.95	8.67	6.31	3.90	8.99	6.44	Yes	Yes	5.10	8.90	7.30	11.90	7.20	12.50	6.53	11.10
	7.01	7.02	10.00	2.06	5.27	3.66	2.47	5.32	3.90	2.88	3.82	3.35	2.47	4.80	3.64	Yes	Yes	4.70	9.60	5.50	11.00	5.00	11.00	5.07	10.53
	7.02	7.03	10.00	2.83	3.63	3.23	2.17	3.62	2.89	2.46	3.19	2.83	2.49	3.48	2.98	Yes		1.80	4.60	3.10	6.20	3.80	7.40	2.90	6.07
7.03	7.04	10.00	3.50	6.44	4.97	4.12	4.77	4.45	4.56	3.08	3.82	4.06	4.76	4.41	Yes	Yes	2.30	5.70	3.40	7.30	3.80	5.60	3.17	6.20	
7.04	7.05	10.00	1.83	2.23	2.03	1.82	1.80	1.81	2.29	1.90	2.10	1.98	1.98	1.98	Yes		1.60	2.80	3.40	4.70	4.40	5.80	3.13	4.43	
7.05	7.06	10.00	2.94	4.17	3.55	3.95	5.11	4.53	3.53	3.46	3.50	3.47	4.25	3.86	Yes	Yes	2.60	8.40	6.30	12.30	6.80	11.80	5.23	10.83	
7.06	7.07	10.00	3.73	4.97	4.35	3.15	4.59	3.87	2.55	4.23	3.39	3.14	4.60	3.87	Yes	Yes	7.90	12.90	10.50	13.80	10.60	14.20	9.67	13.63	
7.07	7.08	10.00	2.22	5.12	3.67	2.42	4.04	3.23	2.89	4.33	3.61	2.51	4.50	3.50	Yes	Yes	6.70	12.40	8.10	12.10	7.90	10.60	7.57	11.70	
7.08	7.09	10.00	4.69	6.08	5.38	4.39	6.24	5.31	3.95	6.79	5.37	4.34	6.37	5.35	Yes	Yes	8.10	13.00	10.80	16.30	11.20	16.50	10.03	15.27	
7.09	7.10	10.00	3.05	4.71	3.88	3.33	5.58	4.45	3.30	5.28	4.29	3.23	5.19	4.21	Yes	Yes	10.20	12.30	10.40	13.40	10.10	13.30	10.23	13.00	



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	7.10	7.11	10.00	1.94	3.99	2.96	2.06	4.69	3.38	2.14	4.10	3.12	2.05	4.26	3.15	Yes	Yes	7.10	11.10	7.20	9.20	6.80	8.40	7.03	9.57
	7.11	7.12	10.00	1.63	3.07	2.35	1.45	1.96	1.71	1.63	1.92	1.78	1.57	2.32	1.95	Yes		5.20	7.30	5.90	8.50	6.10	9.40	5.73	8.40
	7.12	7.13	10.00	1.68	3.04	2.36	1.51	3.53	2.52	1.23	3.06	2.15	1.47	3.21	2.34	Yes		6.90	9.00	8.10	10.40	8.60	10.60	7.87	10.00
	7.13	7.14	10.00	3.58	5.89	4.73	3.82	5.68	4.75	4.25	5.48	4.87	3.88	5.68	4.78	Yes	Yes	8.70	12.30	10.40	13.40	12.90	17.70	10.67	14.47
	7.14	7.15	10.00	3.50	2.77	3.13	3.44	2.97	3.20	2.98	2.78	2.88	3.31	2.84	3.07	Yes	Yes	11.10	13.50	11.40	13.70	12.30	18.30	11.60	15.17
	7.15	7.16	10.00	3.14	3.72	3.43	3.62	4.18	3.90	3.38	3.27	3.33	3.38	3.72	3.55	Yes	Yes	10.80	13.70	10.30	12.80	12.30	14.90	11.13	13.80
	7.16	7.17	10.00	2.57	3.89	3.23	2.13	3.39	2.76	1.86	2.46	2.16	2.19	3.25	2.72	Yes		11.40	13.50	11.00	13.10	12.60	15.90	11.67	14.17
	7.17	7.18	10.00	2.88	3.69	3.29	3.00	3.83	3.41	3.24	3.59	3.42	3.04	3.70	3.37	Yes	Yes	12.00	14.20	12.10	14.20	10.80	14.50	11.63	14.30
	7.18	7.19	10.00	2.81	2.81	2.81	2.71	2.86	2.78	2.55	1.89	2.22	2.69	2.52	2.60	Yes		10.30	14.40	11.20	15.00	9.80	13.20	10.43	14.20
	7.19	7.20	10.00	2.74	4.62	3.68	2.75	4.63	3.69	2.02	3.61	2.81	2.50	4.29	3.39	Yes	Yes	11.30	15.30	12.30	15.40	10.60	13.70	11.40	14.80
	7.20	7.21	10.00	2.19	2.62	2.40	1.97	2.62	2.30	1.94	2.73	2.33	2.03	2.66	2.34	Yes		10.30	13.50	10.90	12.70	11.10	12.60	10.77	12.93
	7.21	7.22	10.00	1.73	3.88	2.81	1.79	3.95	2.87	1.86	4.16	3.01	1.79	4.00	2.90	Yes		11.90	15.30	12.60	16.30	13.70	16.50	12.73	16.03
	7.22	7.23	10.00	1.64	3.71	2.68	1.75	3.39	2.57	1.70	3.45	2.57	1.70	3.52	2.61	Yes		10.50	12.50	10.90	12.30	11.50	14.00	10.97	12.93
	7.23	7.24	10.00	2.66	3.93	3.29	3.38	5.04	4.21	3.12	6.67	4.90	3.05	5.21	4.13	Yes	Yes	14.20	16.00	14.40	16.60	14.90	19.80	14.50	17.47
	7.24	7.25	10.00	3.92	7.11	5.51	3.73	6.23	4.98	3.40	6.44	4.92	3.68	6.59	5.14	Yes	Yes	9.40	17.10	8.20	14.00	10.40	15.80	9.33	15.63
	7.25	7.26	10.00	4.00	2.76	3.38	3.56	3.40	3.48	3.29	4.25	3.77	3.62	3.47	3.54	Yes	Yes	10.20	16.00	9.90	15.30	12.90	17.90	11.00	16.40
	7.26	7.27	10.00	2.21	6.11	4.16	2.13	4.73	3.43	2.44	3.66	3.05	2.26	4.83	3.55	Yes	Yes	10.10	13.20	9.70	12.90	11.90	14.60	10.57	13.57
	7.27	7.28	10.00	3.86	11.46	7.66	4.10	12.41	8.26	4.17	11.55	7.86	4.04	11.81	7.93	Yes	Yes	9.20	17.20	7.30	17.20	9.30	18.30	8.60	17.57
	7.28	7.29	10.00	2.88	4.43	3.65	2.81	3.67	3.24	2.85	3.47	3.16	2.85	3.86	3.35	Yes	Yes	3.70	5.70	4.40	9.70	6.40	11.60	4.83	9.00
	7.29	7.30	10.00	6.22	5.41	5.82	6.20	6.01	6.11	6.46	6.65	6.55	6.29	6.02	6.16	Yes	Yes	4.90	10.40	4.80	10.50	5.80	13.00	5.17	11.30
	7.30	7.31	10.00	2.60	6.29	4.44	2.24	6.41	4.33	2.43	6.40	4.42	2.42	6.37	4.40	Yes	Yes	-1.10	3.60	-0.40	5.90	0.20	6.80	-0.43	5.43
	7.31	7.32	10.00	3.99	12.66	8.33	4.35	13.13	8.74	4.42	10.03	7.22	4.25	11.94	8.10	Yes	Yes	2.10	15.30	4.40	15.80	5.00	13.10	3.83	14.73
	7.32	7.33	10.00	3.98	7.59	5.78	3.59	5.30	4.45	3.44	4.99	4.22	3.67	5.96	4.82	Yes	Yes	2.50	6.30	5.10	12.70	8.10	14.90	5.23	11.30
	7.33	7.34	10.00	4.98	10.08	7.53	6.21	8.51	7.36	6.51	7.22	6.86	5.90	8.60	7.25	Yes	Yes	8.30	13.40	11.00	15.90	11.90	15.30	10.40	14.87
	7.34	7.35	10.00	2.47	8.11	5.29	2.48	6.52	4.50	2.84	4.75	3.80	2.60	6.46	4.53	Yes	Yes	9.60	12.80	11.10	14.50	10.40	14.40	10.37	13.90
	7.35	7.36	10.00	4.21	3.94	4.07	4.58	4.06	4.32	3.41	3.61	3.51	4.07	3.87	3.97	Yes	Yes	6.30	10.20	9.20	12.20	10.90	16.10	8.80	12.83
	7.36	7.37	10.00	4.13	3.41	3.77	5.19	3.28	4.23	6.79	4.33	5.56	5.37	3.67	4.52	Yes	Yes	8.30	12.40	12.90	17.70	16.20	22.40	12.47	17.50
	7.37	7.38	10.00	10.03	6.94	8.48	10.12	9.80	9.96	7.73	7.82	7.78	9.29	8.19	8.74	Yes	Yes	6.30	13.20	9.30	17.90	12.80	21.60	9.47	17.57
	7.38	7.39	10.00	3.34	7.22	5.28	3.09	4.03	3.56	3.35	3.28	3.31	3.26	4.84	4.05	Yes	Yes	8.30	12.10	13.40	17.10	14.20	19.00	11.97	16.07
	7.39	7.40	10.00	1.78	6.63	4.20	2.35	5.61	3.98	2.97	6.26	4.61	2.37	6.17	4.26	Yes	Yes	6.60	10.10	10.90	15.10	11.50	17.00	9.67	14.07
7.40	7.41	10.00	3.64	7.06	5.35	5.67	9.00	7.34	5.85	9.24	7.55	5.05	8.43	6.75	Yes	Yes	7.00	12.50	11.60	15.70	11.20	16.10	9.93	14.77	
7.41	7.42	10.00	2.74	8.61	5.68	2.24	8.99	5.62	2.21	8.86	5.53	2.40	8.82	5.61	Yes	Yes	2.60	6.20	8.30	12.50	6.70	11.60	5.87	10.10	
7.42	7.43	10.00	2.84	9.17	6.01	2.82	6.94	4.88	2.39	10.37	6.38	2.68	8.83	5.76	Yes	Yes	2.40	6.30	11.50	18.20	9.40	13.90	7.77	12.80	
7.43	7.44	10.00	2.40	8.68	5.54	2.18	6.44	4.31	2.11	7.27	4.69	2.23	7.46	4.85	Yes	Yes	1.60	6.60	12.10	16.90	8.20	13.00	7.30	12.17	
7.44	7.45	10.00	3.26	7.32	5.29	5.63	4.52	5.08	4.76	6.99	5.88	4.55	6.28	5.42	Yes	Yes	2.90	5.10	14.80	20.40	10.60	14.10	9.43	13.20	
7.45	7.46	10.00	4.53	4.88	4.71	7.23	6.54	6.88	7.11	4.58	5.85	6.29	5.33	5.81	Yes	Yes	7.40	10.80	18.90	25.90	15.50	20.30	13.93	19.00	
7.46	7.47	10.00	4.06	3.95	4.00	3.96	5.25	4.60	3.41	3.94	3.67	3.81	4.38	4.09	Yes	Yes	10.60	14.50	18.40	21.30	17.90	20.20	15.63	18.67	



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG IRI	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	7.47	7.48	10.00	1.88	1.53	1.71	1.94	3.11	2.53	2.36	3.68	3.02	2.06	2.77	2.42	Yes		12.50	15.20	19.10	21.30	19.10	22.10	16.90	19.53
	7.48	7.49	10.00	2.69	3.20	2.95	3.48	5.47	4.47	3.85	3.60	3.72	3.34	4.09	3.71	Yes	Yes	11.90	14.60	16.30	20.60	17.40	20.90	15.20	18.70
	7.49	7.50	10.00	4.19	3.60	3.90	4.34	3.28	3.81	4.48	2.80	3.64	4.34	3.23	3.78	Yes	Yes	13.60	16.20	14.40	18.10	17.30	20.20	15.10	18.17
	7.50	7.51	10.00	3.97	4.98	4.48	4.04	4.42	4.23	4.65	5.10	4.87	4.22	4.83	4.53	Yes	Yes	14.00	17.70	14.20	17.80	18.00	21.70	15.40	19.07
	7.51	7.52	10.00	3.57	3.66	3.62	2.60	3.65	3.12	3.81	3.61	3.71	3.33	3.64	3.48	Yes	Yes	12.00	15.80	12.60	16.30	16.90	20.30	13.83	17.47
	7.52	7.53	10.00	3.47	6.24	4.86	3.59	6.10	4.85	4.14	5.35	4.75	3.73	5.90	4.82	Yes	Yes	10.70	14.40	11.10	15.10	15.80	20.30	12.53	16.60
	7.53	7.54	10.00	1.62	4.83	3.22	1.50	4.35	2.93	1.75	4.01	2.88	1.62	4.40	3.01	Yes	Yes	6.80	9.50	7.50	10.90	11.40	17.60	8.57	12.67
	7.54	7.55	10.00	2.60	4.30	3.45	2.73	4.05	3.39	3.08	4.34	3.71	2.80	4.23	3.52	Yes	Yes	5.20	8.30	5.90	9.20	8.50	12.20	6.53	9.90
	7.55	7.56	10.00	1.90	1.13	1.52	2.00	1.39	1.69	1.72	1.58	1.65	1.87	1.37	1.62	Yes		5.90	6.70	6.10	7.30	8.10	9.50	6.70	7.83
	7.56	7.57	10.00	2.25	2.58	2.41	2.10	2.87	2.49	2.04	2.40	2.22	2.13	2.62	2.37	Yes		5.30	6.80	5.20	6.80	6.70	8.30	5.73	7.30
	7.57	7.58	10.00	3.90	2.32	3.11	4.08	2.02	3.05	4.13	1.93	3.03	4.04	2.09	3.06	Yes	Yes	4.40	6.20	4.20	5.70	4.90	7.10	4.50	6.33
	7.58	7.59	10.00	4.06	3.27	3.66	4.31	3.25	3.78	4.59	3.20	3.90	4.32	3.24	3.78	Yes	Yes	6.30	8.80	6.60	8.80	5.90	8.40	6.27	8.67
	7.59	7.60	10.00	4.11	1.73	2.92	4.56	1.61	3.09	3.94	1.47	2.71	4.20	1.60	2.91	Yes		5.20	7.20	5.70	8.20	3.10	5.20	4.67	6.87
	7.60	7.61	10.00	2.95	1.50	2.22	2.37	1.45	1.91	1.96	1.65	1.81	2.43	1.53	1.98	Yes		2.00	5.10	3.30	6.00	-0.70	2.50	1.53	4.53
	7.61	7.62	10.00	2.83	1.80	2.31	3.15	2.16	2.65	2.12	1.61	1.86	2.70	1.86	2.27	Yes		0.90	4.10	2.90	8.70	-2.70	-1.10	0.37	3.90
	7.62	7.63	10.00	0.96	0.96	0.96	1.08	1.13	1.10	0.70	0.86	0.78	0.91	0.98	0.95			0.30	1.40	2.00	3.00	-2.70	-1.10	-0.13	1.10
	7.63	7.64	10.00	3.75	2.59	3.17	4.09	3.36	3.72	3.66	3.19	3.42	3.83	3.05	3.44	Yes	Yes	1.20	3.10	3.20	4.70	-3.30	-2.20	0.37	1.87
	7.64	7.65	10.00	4.07	4.17	4.12	3.42	3.40	3.41	3.18	3.44	3.31	3.56	3.67	3.61	Yes	Yes	2.90	5.10	3.40	5.40	-2.30	-0.90	1.33	3.20
	7.65	7.66	10.00	1.50	1.87	1.68	1.43	1.74	1.58	1.67	1.87	1.77	1.53	1.83	1.68	Yes		0.60	3.20	-0.20	1.70	-3.80	-2.50	-1.13	0.80
	7.66	7.67	10.00	1.78	2.14	1.96	1.96	2.53	2.24	2.26	2.81	2.54	2.00	2.49	2.25	Yes		0.30	2.00	-0.80	0.60	-3.40	-2.10	-1.30	0.17
	7.67	7.68	10.00	1.20	4.36	2.78	1.46	3.88	2.67	1.53	3.71	2.62	1.40	3.98	2.69	Yes		-0.10	2.00	-1.60	-0.20	-2.20	-0.30	-1.30	0.50
	7.68	7.69	10.00	2.56	1.28	1.92	2.61	1.24	1.93	2.67	1.51	2.09	2.61	1.34	1.98	Yes		1.60	4.00	1.20	4.30	2.50	6.30	1.77	4.87
	7.69	7.70	10.00	3.86	6.00	4.93	3.97	7.47	5.72	3.83	6.58	5.21	3.89	6.68	5.29	Yes	Yes	5.00	10.90	4.00	11.60	4.70	8.90	4.57	10.47
	7.70	7.71	10.00	3.50	8.18	5.84	3.57	7.77	5.67	4.78	7.24	6.01	3.95	7.73	5.84	Yes	Yes	1.70	9.00	2.40	7.00	6.00	10.40	3.37	8.80
	7.71	7.72	10.00	4.10	6.65	5.38	4.77	7.05	5.91	4.70	8.51	6.61	4.52	7.40	5.97	Yes	Yes	6.50	12.50	6.60	13.30	8.00	15.00	7.03	13.60
	7.72	7.73	10.00	4.76	8.35	6.55	4.02	8.16	6.09	4.00	8.16	6.08	4.26	8.22	6.24	Yes	Yes	7.20	20.00	14.00	25.10	16.30	25.20	12.50	23.43
	7.73	7.74	10.00	5.77	12.46	9.12	4.72	12.66	8.69	5.05	11.83	8.44	5.18	12.32	8.75	Yes	Yes	10.40	23.00	11.10	25.00	10.50	15.70	10.67	21.23
	7.74	7.75	10.00	9.42	3.82	6.62	9.77	4.41	7.09	9.28	4.21	6.74	9.49	4.15	6.82	Yes	Yes	11.00	16.30	12.20	19.60	12.20	19.30	11.80	18.40
	7.75	7.76	10.00	3.47	4.19	3.83	3.66	5.32	4.49	3.84	5.68	4.76	3.66	5.06	4.36	Yes	Yes	9.90	13.60	13.70	19.70	14.40	23.10	12.67	18.80
	7.76	7.77	10.00	3.31	4.22	3.77	4.76	4.09	4.42	4.06	4.60	4.33	4.04	4.30	4.17	Yes	Yes	13.20	17.30	17.00	23.70	16.00	23.60	15.40	21.53
	7.77	7.78	10.00	2.35	5.11	3.73	1.99	5.18	3.58	2.04	4.45	3.25	2.13	4.91	3.52	Yes	Yes	8.10	15.10	12.50	20.30	14.10	21.70	11.57	19.03
	7.78	7.79	10.00	2.86	3.06	2.96	4.82	4.19	4.51	5.24	5.32	5.28	4.31	4.19	4.25	Yes	Yes	12.40	19.60	15.00	23.00	16.50	25.50	14.63	22.70
7.79	7.80	10.00	5.69	7.50	6.60	3.56	5.83	4.69	3.05	4.85	3.95	4.10	6.06	5.08	Yes	Yes	7.80	18.50	9.30	13.90	9.80	13.30	8.97	15.23	
7.80	7.81	10.00	1.40	1.96	1.68	1.83	1.84	1.83	2.00	1.99	1.99	1.74	1.93	1.83	Yes		3.50	5.10	5.40	6.90	5.70	7.00	4.87	6.33	
7.81	7.82	10.00	4.03	5.44	4.73	4.03	6.51	5.27	4.10	6.45	5.28	4.05	6.13	5.09	Yes	Yes	8.60	21.10	11.30	24.40	11.60	24.50	10.50	23.33	
7.82	7.83	10.00	4.76	3.56	4.16	4.58	4.21	4.40	4.67	4.42	4.55	4.67	4.06	4.37	Yes	Yes	9.60	17.10	10.40	18.60	10.50	18.80	10.17	18.17	
7.83	7.84	10.00	2.39	4.17	3.28	2.54	3.61	3.07	2.83	3.46	3.15	2.59	3.75	3.17	Yes	Yes	12.60	16.40	13.70	16.50	13.70	16.40	13.33	16.43	



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	7.84	7.85	10.00	4.30	2.98	3.64	4.35	3.48	3.92	4.06	3.82	3.94	4.24	3.43	3.83	Yes	Yes	10.30	14.10	11.50	15.10	10.60	14.70	10.80	14.63
	7.85	7.86	10.00	2.76	2.98	2.87	2.82	2.72	2.77	3.39	3.03	3.21	2.99	2.91	2.95	Yes		8.60	10.70	10.20	12.10	9.40	11.10	9.40	11.30
	7.86	7.87	10.00	10.92	5.08	8.00	11.65	5.52	8.58	12.45	5.09	8.77	11.67	5.23	8.45	Yes	Yes	10.40	20.10	11.90	22.30	10.60	20.70	10.97	21.03
	7.87	7.88	10.00	5.40	2.19	3.80	5.48	2.31	3.90	4.95	2.60	3.78	5.28	2.37	3.83	Yes	Yes	6.10	9.90	6.80	9.10	6.90	10.00	6.60	9.67
	7.88	7.89	10.00	8.71	4.66	6.68	9.17	4.62	6.89	8.70	4.66	6.68	8.86	4.65	6.75	Yes	Yes	6.80	12.30	6.90	13.60	7.90	15.20	7.20	13.70
	7.89	7.90	10.00	4.75	3.50	4.12	5.16	3.23	4.20	7.63	3.86	5.74	5.85	3.53	4.69	Yes	Yes	0.20	3.50	4.80	11.60	8.40	13.30	4.47	9.47
	7.90	7.91	10.00	8.59	7.47	8.03	9.05	8.58	8.81	8.33	7.15	7.74	8.66	7.73	8.19	Yes	Yes	8.20	12.30	12.10	16.50	14.40	19.20	11.57	16.00
	7.91	7.92	10.00	8.41	4.18	6.30	6.98	3.44	5.21	6.67	2.62	4.64	7.35	3.41	5.38	Yes	Yes	9.10	16.20	12.80	19.90	13.60	19.10	11.83	18.40
	7.92	7.93	10.00	5.38	5.06	5.22	5.36	3.86	4.61	7.37	4.25	5.81	6.04	4.39	5.21	Yes	Yes	14.00	19.10	13.90	18.80	12.40	17.90	13.43	18.60
	7.93	7.94	10.00	7.24	6.53	6.89	6.70	6.13	6.41	8.39	5.05	6.72	7.44	5.90	6.67	Yes	Yes	9.40	14.30	9.50	15.40	10.10	13.80	9.67	14.50
	7.94	7.95	10.00	9.30	4.39	6.85	12.82	3.38	8.10	13.34	2.64	7.99	11.82	3.47	7.65	Yes	Yes	7.60	12.20	8.50	13.50	10.80	17.50	8.97	14.40
	7.95	7.96	10.00	10.51	4.97	7.74	10.10	6.09	8.10	10.21	4.59	7.40	10.27	5.22	7.75	Yes	Yes	6.70	13.50	7.90	13.90	11.00	19.20	8.53	15.53
	7.96	7.97	10.00	8.62	2.63	5.63	8.49	1.98	5.24	5.76	1.77	3.76	7.62	2.13	4.88	Yes	Yes	9.80	13.00	10.30	14.10	10.70	17.90	10.27	15.00
	7.97	7.98	10.00	8.39	2.81	5.60	8.97	2.98	5.98	11.00	3.98	7.49	9.45	3.26	6.36	Yes	Yes	10.40	19.20	10.60	19.40	12.60	25.00	11.20	21.20
	7.98	7.99	10.00	2.20	2.36	2.28	1.94	2.50	2.22	2.23	2.98	2.60	2.12	2.61	2.37	Yes		7.80	11.60	7.90	11.40	8.20	14.40	7.97	12.47
	7.99	8.00	10.00	3.98	3.34	3.66	4.50	3.44	3.97	4.32	3.96	4.14	4.27	3.58	3.92	Yes	Yes	9.40	13.80	9.10	13.30	8.60	14.60	9.03	13.90
	8.00	8.01	10.00	4.96	3.89	4.42	5.01	3.50	4.26	5.71	3.08	4.40	5.23	3.49	4.36	Yes	Yes	6.20	9.60	7.20	13.50	6.90	12.10	6.77	11.73
	8.01	8.02	10.00	7.70	2.01	4.85	9.07	2.19	5.63	7.18	2.01	4.59	7.98	2.07	5.02	Yes	Yes	7.60	12.60	10.30	13.90	6.50	11.10	8.13	12.53
	8.02	8.03	10.00	4.29	2.77	3.53	8.50	3.43	5.96	8.14	3.52	5.83	6.98	3.24	5.11	Yes	Yes	7.40	15.70	11.10	21.90	8.60	17.50	9.03	18.37
	8.03	8.04	10.00	8.73	4.79	6.76	5.48	3.78	4.63	4.63	4.05	4.34	6.28	4.21	5.24	Yes	Yes	6.90	13.90	8.60	11.30	7.80	9.30	7.77	11.50
	8.04	8.05	10.00	2.03	3.13	2.58	2.66	3.51	3.08	2.94	3.80	3.37	2.54	3.48	3.01	Yes	Yes	7.10	8.40	8.20	9.90	8.20	10.30	7.83	9.53
	8.05	8.06	10.00	3.68	4.07	3.87	3.76	3.37	3.57	3.30	2.87	3.09	3.58	3.44	3.51	Yes	Yes	6.00	9.20	6.60	10.00	7.20	10.40	6.60	9.87
	8.06	8.07	10.00	3.37	3.94	3.66	3.77	4.96	4.37	3.83	3.80	3.81	3.66	4.23	3.95	Yes	Yes	7.00	12.10	6.90	11.90	6.70	11.40	6.87	11.80
	8.07	8.08	10.00	2.50	3.09	2.79	2.13	1.65	1.89	2.03	1.71	1.87	2.22	2.15	2.18	Yes		6.20	7.90	5.70	7.00	6.80	8.30	6.23	7.73
	8.08	8.09	10.00	1.63	3.72	2.67	1.64	3.23	2.43	1.75	3.81	2.78	1.67	3.59	2.63	Yes		7.60	11.10	7.30	9.50	8.90	11.10	7.93	10.57
	8.09	8.10	10.00	3.32	2.89	3.10	3.86	3.03	3.44	5.32	3.57	4.45	4.17	3.16	3.66	Yes	Yes	9.20	10.30	9.00	15.60	11.60	20.80	9.93	15.57
	8.10	8.11	10.00	5.20	5.17	5.18	4.46	5.29	4.88	3.76	4.14	3.95	4.47	4.87	4.67	Yes	Yes	17.00	21.60	16.40	20.20	16.60	21.30	16.67	21.03
	8.11	8.12	10.00	5.28	4.13	4.70	6.30	4.49	5.39	6.53	8.47	7.50	6.04	5.70	5.86	Yes	Yes	17.20	26.40	17.60	27.00	20.10	29.30	18.30	27.57
	8.12	8.13	10.00	3.29	4.44	3.86	2.27	4.75	3.51	2.10	5.74	3.92	2.55	4.98	3.76	Yes	Yes	11.40	16.20	11.80	15.20	13.10	16.10	12.10	15.83
	8.13	8.14	10.00	1.78	7.68	4.73	2.12	8.22	5.17	1.96	7.16	4.56	1.95	7.69	4.82	Yes	Yes	12.60	16.30	12.90	17.40	12.10	16.20	12.53	16.63
	8.14	8.15	10.00	4.65	4.41	4.53	6.36	5.07	5.71	6.56	5.12	5.84	5.86	4.87	5.36	Yes	Yes	17.90	28.40	17.80	29.00	15.00	26.50	16.90	27.97
	8.15	8.16	10.00	6.29	7.50	6.89	4.85	7.38	6.11	4.76	4.89	4.83	5.30	6.59	5.94	Yes	Yes	15.90	19.10	17.30	23.90	13.10	19.50	15.43	20.83
8.16	8.17	10.00	3.32	3.40	3.36	3.61	3.38	3.50	3.00	4.51	3.76	3.31	3.76	3.54	Yes	Yes	16.30	23.40	14.70	23.30	11.70	18.20	14.23	21.63	
8.17	8.18	10.00	3.46	5.01	4.24	3.23	5.49	4.36	3.60	4.28	3.94	3.43	4.93	4.18	Yes	Yes	9.10	13.90	9.30	14.80	6.80	11.30	8.40	13.33	
8.18	8.19	10.00	2.09	1.98	2.04	2.18	2.27	2.23	1.94	2.19	2.06	2.07	2.15	2.11	Yes		7.40	10.30	6.80	9.60	5.20	6.80	6.47	8.90	
8.19	8.20	10.00	1.97	2.06	2.01	1.76	2.17	1.96	1.84	3.07	2.45	1.86	2.43	2.14	Yes		6.20	8.50	6.30	8.40	5.50	6.90	6.00	7.93	
8.20	8.21	10.00	1.93	1.97	1.95	1.66	1.94	1.80	1.69	2.07	1.88	1.76	1.99	1.88	Yes		5.50	7.40	6.20	8.30	6.10	8.40	5.93	8.03	



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	8.21	8.22	10.00	2.20	1.93	2.06	2.42	1.50	1.96	2.67	1.54	2.10	2.43	1.66	2.04	Yes		6.40	7.70	5.90	8.60	5.10	8.60	5.80	8.30
	8.22	8.23	10.00	2.40	1.27	1.84	2.56	1.23	1.90	3.11	1.45	2.28	2.69	1.32	2.01	Yes		5.40	6.40	4.50	5.90	4.70	10.00	4.87	7.43
	8.23	8.24	10.00	6.38	1.64	4.01	5.82	1.71	3.76	4.90	1.58	3.24	5.70	1.64	3.67	Yes	Yes	5.00	11.40	5.00	11.00	4.10	10.30	4.70	10.90
	8.24	8.25	10.00	4.77	4.83	4.80	4.53	5.29	4.91	4.64	5.19	4.91	4.65	5.10	4.87	Yes	Yes	5.70	8.70	5.20	8.50	4.90	9.00	5.27	8.73
	8.25	8.26	10.00	2.34	2.48	2.41	2.68	2.41	2.54	2.87	2.70	2.79	2.63	2.53	2.58	Yes		2.90	5.70	2.40	5.20	2.70	6.10	2.67	5.67
	8.26	8.27	10.00	4.88	2.02	3.45	4.74	2.35	3.54	4.13	1.90	3.02	4.58	2.09	3.34	Yes	Yes	4.70	7.20	3.10	6.40	4.10	6.80	3.97	6.80
	8.27	8.28	10.00	3.42	1.99	2.71	2.86	1.87	2.36	2.85	2.00	2.42	3.04	1.95	2.50	Yes		3.00	5.30	1.40	3.00	2.40	4.80	2.27	4.37
	8.28	8.29	10.00	5.08	2.19	3.64	2.96	2.54	2.75	5.14	2.35	3.74	4.39	2.36	3.38	Yes	Yes	4.10	13.70	2.30	9.50	3.90	13.70	3.43	12.30
	8.29	8.30	10.00	3.05	1.18	2.12	2.36	1.19	1.77	2.77	1.16	1.96	2.73	1.18	1.95	Yes		3.70	8.20	2.20	5.80	3.60	8.20	3.17	7.40
	8.30	8.31	10.00	2.38	1.52	1.95	2.25	1.88	2.07	3.24	1.97	2.60	2.62	1.79	2.21	Yes		2.40	4.50	1.10	2.60	1.90	5.40	1.80	4.17
	8.31	8.32	10.00	2.79	2.06	2.43	2.11	1.57	1.84	2.31	2.05	2.18	2.40	1.89	2.15	Yes		0.80	4.80	0.60	4.50	1.60	6.00	1.00	5.10
	8.32	8.33	10.00	2.15	2.13	2.14	2.54	2.18	2.36	2.89	2.21	2.55	2.53	2.17	2.35	Yes		-2.70	0.60	-2.40	0.40	-0.50	4.10	-1.87	1.70
	8.33	8.34	10.00	2.92	4.48	3.70	2.59	5.14	3.86	1.89	5.56	3.72	2.47	5.06	3.76	Yes	Yes	-1.40	1.10	-0.60	2.00	0.70	5.00	-0.43	2.70
	8.34	8.35	10.00	4.30	3.22	3.76	4.28	3.32	3.80	4.62	3.12	3.87	4.40	3.22	3.81	Yes	Yes	-0.20	8.60	1.20	9.20	4.30	9.30	1.77	9.03
	8.35	8.36	10.00	2.00	5.95	3.97	1.57	6.04	3.80	1.84	4.13	2.99	1.80	5.37	3.59	Yes	Yes	4.90	9.30	5.20	9.50	4.60	7.30	4.90	8.70
	8.36	8.37	10.00	1.83	3.26	2.54	2.14	3.36	2.75	2.52	2.23	2.37	2.16	2.95	2.55	Yes		3.80	6.90	4.00	7.30	4.60	10.00	4.13	8.07
	8.37	8.38	10.00	2.10	2.30	2.20	1.56	1.81	1.69	1.74	1.98	1.86	1.80	2.03	1.92	Yes		1.30	3.70	1.80	2.90	2.40	4.70	1.83	3.77
	8.38	8.39	10.00	3.05	2.28	2.66	3.81	2.07	2.94	4.70	1.90	3.30	3.85	2.08	2.97	Yes		1.30	6.80	2.10	8.00	2.90	9.40	2.10	8.07
	8.39	8.40	10.00	3.60	1.55	2.57	4.52	1.57	3.05	4.41	1.44	2.93	4.18	1.52	2.85	Yes		0.80	3.80	1.20	5.00	1.50	4.30	1.17	4.37
	8.40	8.41	10.00	7.16	1.83	4.50	7.47	1.89	4.68	7.55	1.84	4.70	7.39	1.85	4.63	Yes	Yes	1.90	5.00	2.80	6.00	4.20	7.20	2.97	6.07
	8.41	8.42	10.00	2.95	2.47	2.71	3.36	2.59	2.98	4.17	2.33	3.25	3.49	2.46	2.98	Yes		2.20	3.80	3.10	5.40	3.50	6.00	2.93	5.07
	8.42	8.43	10.00	5.97	3.19	4.58	5.46	2.55	4.00	5.46	2.89	4.17	5.63	2.88	4.25	Yes	Yes	3.30	9.90	3.20	9.60	2.90	9.20	3.13	9.57
	8.43	8.44	10.00	5.18	3.28	4.23	5.46	3.06	4.26	4.76	3.22	3.99	5.13	3.19	4.16	Yes	Yes	-1.10	0.90	1.80	4.20	1.40	3.30	0.70	2.80
	8.44	8.45	10.00	6.13	3.07	4.60	6.54	3.98	5.26	7.55	3.38	5.47	6.74	3.48	5.11	Yes	Yes	1.00	4.80	5.60	10.20	4.20	9.30	3.60	8.10
	8.45	8.46	10.00	3.69	3.70	3.70	4.75	2.95	3.85	4.59	4.52	4.55	4.34	3.72	4.03	Yes	Yes	4.80	7.90	8.10	12.00	6.40	12.70	6.43	10.87
	8.46	8.47	10.00	7.11	2.25	4.68	6.96	2.15	4.55	6.25	2.08	4.17	6.77	2.16	4.47	Yes	Yes	4.70	7.60	7.00	10.70	5.90	8.40	5.87	8.90
	8.47	8.48	10.00	3.97	2.09	3.03	4.15	2.14	3.15	3.20	2.55	2.87	3.77	2.26	3.02	Yes	Yes	6.20	10.30	6.50	10.60	6.50	10.60	6.40	10.50
	8.48	8.49	10.00	3.29	2.29	2.79	4.68	2.51	3.60	4.28	2.15	3.21	4.08	2.32	3.20	Yes	Yes	7.20	10.50	8.30	11.70	8.00	11.00	7.83	11.07
	8.49	8.50	10.00	6.78	4.48	5.63	7.19	4.59	5.89	6.67	4.62	5.64	6.88	4.56	5.72	Yes	Yes	9.30	17.20	10.30	19.70	9.90	18.40	9.83	18.43
	8.50	8.51	10.00	3.26	2.10	2.68	4.94	2.35	3.65	5.34	2.51	3.92	4.51	2.32	3.42	Yes	Yes	9.80	14.00	11.40	15.30	11.60	15.00	10.93	14.77
	8.51	8.52	10.00	3.74	3.10	3.42	3.77	3.06	3.42	3.60	2.83	3.21	3.70	3.00	3.35	Yes	Yes	12.00	14.70	13.30	16.00	13.40	16.10	12.90	15.60
	8.52	8.53	10.00	2.88	2.85	2.87	3.98	2.59	3.29	3.63	2.79	3.21	3.50	2.74	3.12	Yes	Yes	10.10	11.90	10.80	13.20	10.50	13.20	10.47	12.77
8.53	8.54	10.00	3.44	3.19	3.32	3.69	3.00	3.34	3.74	2.84	3.29	3.62	3.01	3.32	Yes	Yes	11.10	14.60	11.10	15.90	11.90	18.90	11.37	16.47	
8.54	8.55	10.00	4.74	8.26	6.50	5.54	4.97	5.25	5.81	5.39	5.60	5.36	6.21	5.78	Yes	Yes	19.10	23.70	20.70	24.30	20.30	23.90	20.03	23.97	
8.55	8.56	10.00	3.01	6.88	4.95	2.90	4.39	3.64	2.80	4.63	3.71	2.90	5.30	4.10	Yes	Yes	14.90	20.30	16.40	19.30	16.60	19.40	15.97	19.67	
8.56	8.57	10.00	1.62	5.16	3.39	1.12	5.10	3.11	1.80	5.62	3.71	1.51	5.29	3.40	Yes	Yes	13.40	16.60	15.50	19.20	15.90	21.10	14.93	18.97	
8.57	8.58	10.00	3.32	3.93	3.62	3.57	5.19	4.38	3.59	4.15	3.87	3.49	4.42	3.96	Yes	Yes	11.90	17.40	12.20	18.30	14.00	19.90	12.70	18.53	



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	8.58	8.59	10.00	2.00	3.58	2.79	2.28	3.87	3.07	3.26	3.06	3.16	2.51	3.50	3.01	Yes	Yes	9.10	11.90	8.60	11.90	9.50	13.10	9.07	12.30
	8.59	8.60	10.00	2.27	4.19	3.23	2.15	4.38	3.27	2.49	4.68	3.59	2.30	4.42	3.36	Yes	Yes	6.80	8.60	7.10	9.20	9.50	12.20	7.80	10.00
	8.60	8.61	10.00	3.74	5.14	4.44	4.31	5.25	4.78	4.03	5.35	4.69	4.03	5.25	4.64	Yes	Yes	8.50	10.20	9.50	15.30	12.30	17.40	10.10	14.30
	8.61	8.62	10.00	6.23	5.42	5.83	6.31	4.69	5.50	6.22	5.85	6.04	6.25	5.32	5.79	Yes	Yes	15.20	20.80	16.70	23.40	19.20	26.50	17.03	23.57
	8.62	8.63	10.00	5.16	8.79	6.97	6.20	10.48	8.34	7.01	9.74	8.37	6.12	9.67	7.89	Yes	Yes	12.50	16.10	15.00	20.90	16.00	22.60	14.50	19.87
	8.63	8.64	10.00	4.47	5.10	4.78	4.00	5.66	4.83	3.78	7.43	5.61	4.08	6.06	5.07	Yes	Yes	11.60	17.00	13.10	18.60	12.80	19.00	12.50	18.20
	8.64	8.65	10.00	2.04	5.21	3.62	2.00	5.42	3.71	1.60	4.68	3.14	1.88	5.10	3.49	Yes	Yes	9.00	17.30	9.50	14.30	9.50	14.20	9.33	15.27
	8.65	8.66	10.00	1.51	4.15	2.83	1.93	5.31	3.62	2.49	5.58	4.03	1.98	5.01	3.49	Yes	Yes	7.50	10.20	6.70	10.10	6.40	10.10	6.87	10.13
	8.66	8.67	10.00	2.09	4.61	3.35	1.91	4.86	3.38	1.71	4.73	3.22	1.90	4.73	3.32	Yes	Yes	6.10	8.20	5.70	9.30	6.30	13.00	6.03	10.17
	8.67	8.68	10.00	3.78	4.35	4.06	3.74	3.72	3.73	3.56	6.02	4.79	3.69	4.70	4.19	Yes	Yes	12.20	17.30	8.60	13.50	7.30	12.90	9.37	14.57
	8.68	8.69	10.00	2.01	3.88	2.95	1.98	4.47	3.23	2.13	4.73	3.43	2.04	4.36	3.20	Yes	Yes	8.80	10.10	7.30	8.80	7.00	9.00	7.70	9.30
	8.69	8.70	10.00	3.70	3.95	3.83	3.99	4.22	4.11	3.80	4.37	4.08	3.83	4.18	4.01	Yes	Yes	7.20	11.60	5.10	9.90	4.50	9.60	5.60	10.37
	8.70	8.71	10.00	1.51	2.93	2.22	1.55	2.18	1.87	1.25	2.07	1.66	1.44	2.39	1.92	Yes		2.80	4.10	0.50	1.80	0.30	1.90	1.20	2.60
	8.71	8.72	10.00	1.85	2.09	1.97	1.91	2.83	2.37	1.89	2.95	2.42	1.88	2.62	2.25	Yes		3.10	5.50	1.30	3.20	1.90	3.30	2.10	4.00
	8.72	8.73	10.00	2.03	1.64	1.83	1.42	1.48	1.45	1.70	1.56	1.63	1.72	1.56	1.64	Yes		5.20	6.30	2.10	4.20	2.60	4.50	3.30	5.00
	8.73	8.74	10.00	2.22	2.86	2.54	2.65	4.07	3.36	2.53	3.92	3.23	2.47	3.62	3.04	Yes	Yes	7.90	12.60	4.10	8.20	4.80	9.30	5.60	10.03
	8.74	8.75	10.00	3.77	4.07	3.92	3.17	4.01	3.59	3.08	3.88	3.48	3.34	3.99	3.66	Yes	Yes	6.00	10.10	3.90	8.10	4.30	8.70	4.73	8.97
	8.75	8.76	10.00	3.80	3.56	3.68	4.43	3.62	4.02	4.49	3.55	4.02	4.24	3.58	3.91	Yes	Yes	6.10	14.60	4.40	11.20	3.90	11.00	4.80	12.27
	8.76	8.77	10.00	4.47	2.98	3.73	3.43	1.96	2.69	3.22	1.88	2.55	3.71	2.27	2.99	Yes		4.90	14.70	2.10	3.70	1.50	3.20	2.83	7.20
	8.77	8.78	10.00	1.91	1.98	1.95	1.38	1.76	1.57	1.45	1.58	1.51	1.58	1.77	1.68	Yes		3.60	6.00	2.80	5.00	2.40	4.40	2.93	5.13
	8.78	8.79	10.00	2.90	1.23	2.07	3.32	1.20	2.26	3.49	1.44	2.47	3.24	1.29	2.27	Yes		3.80	5.70	3.30	5.10	1.70	4.00	2.93	4.93
	8.79	8.80	10.00	4.03	1.63	2.83	3.93	1.81	2.87	4.23	1.53	2.88	4.06	1.66	2.86	Yes		3.70	8.40	4.30	8.50	1.90	5.40	3.30	7.43
	8.80	8.81	10.00	4.33	1.92	3.13	3.33	2.15	2.74	4.43	2.09	3.26	4.03	2.05	3.04	Yes	Yes	5.30	8.00	6.00	9.20	2.90	4.90	4.73	7.37
	8.81	8.82	10.00	3.10	7.76	5.43	2.90	4.85	3.87	3.23	4.06	3.64	3.08	5.56	4.31	Yes	Yes	5.90	11.30	6.50	9.80	4.50	6.70	5.63	9.27
	8.82	8.83	10.00	1.71	2.04	1.88	1.56	2.27	1.91	1.21	3.42	2.31	1.49	2.58	2.03	Yes		5.40	6.70	6.50	7.60	2.10	4.20	4.67	6.17
	8.83	8.84	10.00	0.82	2.20	1.51	0.78	1.89	1.33	0.97	1.98	1.47	0.86	2.02	1.44	Yes		5.40	8.10	7.40	9.30	2.20	4.60	5.00	7.33
	8.84	8.85	10.00	3.44	5.71	4.57	3.90	5.72	4.81	3.38	6.45	4.91	3.57	5.96	4.76	Yes	Yes	9.30	14.30	12.30	15.00	4.60	10.70	8.73	13.33
	8.85	8.86	10.00	3.87	3.98	3.92	3.12	3.07	3.10	3.73	4.38	4.06	3.57	3.81	3.69	Yes	Yes	10.70	15.40	13.80	15.50	6.70	11.80	10.40	14.23
	8.86	8.87	10.00	4.91	7.01	5.96	5.19	8.03	6.61	3.62	6.70	5.16	4.57	7.25	5.91	Yes	Yes	13.80	22.20	16.00	24.90	10.50	16.40	13.43	21.17
	8.87	8.88	10.00	1.73	5.86	3.79	2.16	6.11	4.13	2.26	4.16	3.21	2.05	5.38	3.71	Yes	Yes	14.30	16.40	14.80	17.00	12.20	14.60	13.77	16.00
8.88	8.89	10.00	2.73	5.57	4.15	2.24	4.67	3.45	2.41	4.32	3.36	2.46	4.85	3.65	Yes	Yes	17.20	20.50	16.60	19.60	16.70	20.30	16.83	20.13	
8.89	8.90	10.00	1.66	5.79	3.72	1.93	4.57	3.25	1.53	5.94	3.73	1.71	5.43	3.57	Yes	Yes	14.20	19.70	11.60	15.70	14.20	18.60	13.33	18.00	
8.90	8.91	10.00	1.63	4.13	2.88	1.85	3.79	2.82	1.61	3.45	2.53	1.70	3.79	2.74	Yes		19.90	25.50	17.60	21.80	20.90	25.10	19.47	24.13	
8.91	8.92	10.00	2.72	7.27	5.00	3.47	6.82	5.15	2.54	11.85	7.19	2.91	8.65	5.78	Yes	Yes	22.00	30.90	18.90	29.30	22.70	31.10	21.20	30.43	
8.92	8.93	10.00	2.11	8.12	5.11	2.37	7.80	5.08	2.32	8.05	5.18	2.27	7.99	5.12	Yes	Yes	20.00	29.50	15.30	23.90	17.50	27.20	17.60	26.87	
8.93	8.94	10.00	1.44	5.38	3.41	1.68	4.73	3.20	1.45	5.66	3.55	1.52	5.26	3.39	Yes	Yes	11.10	16.10	9.10	12.20	11.50	13.80	10.57	14.03	
8.94	8.95	10.00	3.21	6.37	4.79	3.88	7.20	5.54	3.80	6.66	5.23	3.63	6.74	5.19	Yes	Yes	9.30	15.60	7.90	14.40	12.90	18.30	10.03	16.10	



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG IRI	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	8.95	8.96	10.00	3.19	6.64	4.92	2.67	6.31	4.49	2.27	9.20	5.73	2.71	7.38	5.05	Yes	Yes	7.50	12.60	9.20	13.00	14.40	18.80	10.37	14.80
	8.96	8.97	10.00	1.66	4.69	3.18	1.62	4.28	2.95	1.15	5.52	3.33	1.48	4.83	3.15	Yes	Yes	7.50	12.10	6.80	12.20	10.60	13.40	8.30	12.57
	8.97	8.98	10.00	1.85	5.25	3.55	1.69	5.07	3.38	1.35	3.65	2.50	1.63	4.66	3.14	Yes	Yes	7.60	11.70	8.40	11.70	11.60	15.20	9.20	12.87
	8.98	8.99	10.00	1.91	4.78	3.34	1.96	5.11	3.54	2.52	5.01	3.76	2.13	4.97	3.55	Yes	Yes	5.30	8.70	4.00	8.80	6.50	11.20	5.27	9.57
	8.99	9.00	10.00	1.42	4.62	3.02	1.81	4.09	2.95	2.49	4.49	3.49	1.91	4.40	3.15	Yes	Yes	1.30	3.50	1.60	3.40	3.60	5.60	2.17	4.17
	9.00	9.01	10.00	2.64	1.62	2.13	2.01	1.44	1.73	1.99	1.87	1.93	2.21	1.64	1.93	Yes		2.70	3.90	3.00	4.00	5.10	8.90	3.60	5.60
	9.01	9.02	10.00	2.47	3.76	3.11	2.64	3.92	3.28	3.28	3.52	3.40	2.80	3.73	3.26	Yes	Yes	3.20	6.10	2.80	6.10	3.50	8.90	3.17	7.03
	9.02	9.03	10.00	1.93	1.53	1.73	2.06	1.92	1.99	1.66	2.02	1.84	1.88	1.82	1.85	Yes		-0.60	1.40	-1.00	0.50	0.30	1.10	-0.43	1.00
	9.03	9.04	10.00	1.44	3.78	2.61	2.11	3.70	2.90	3.03	3.55	3.29	2.19	3.68	2.93	Yes		1.90	8.80	3.30	9.20	4.80	10.10	3.33	9.37
	9.04	9.05	10.00	2.62	3.96	3.29	1.85	3.59	2.72	1.39	3.83	2.61	1.95	3.79	2.87	Yes		4.00	8.80	3.20	9.20	2.80	8.10	3.33	8.70
	9.05	9.06	10.00	1.25	1.55	1.40	1.63	1.93	1.78	1.93	1.80	1.87	1.60	1.76	1.68	Yes		1.90	3.40	2.60	5.00	2.70	5.00	2.40	4.47
	9.06	9.07	10.00	2.96	3.54	3.25	2.38	3.46	2.92	2.50	3.61	3.06	2.61	3.54	3.08	Yes	Yes	2.90	4.70	4.30	6.70	3.50	5.70	3.57	5.70
	9.07	9.08	10.00	2.56	3.80	3.18	2.39	3.76	3.08	2.19	4.22	3.20	2.38	3.93	3.15	Yes	Yes	2.70	5.50	3.90	7.00	3.80	6.30	3.47	6.27
	9.08	9.09	10.00	2.11	4.47	3.29	2.81	4.65	3.73	2.74	4.99	3.86	2.55	4.70	3.63	Yes	Yes	6.30	11.80	9.70	17.00	9.80	15.90	8.60	14.90
	9.09	9.10	10.00	5.95	6.42	6.18	7.47	4.72	6.09	7.96	5.26	6.61	7.13	5.47	6.29	Yes	Yes	8.90	14.30	11.60	16.50	10.50	16.30	10.33	15.70
	9.10	9.11	10.00	5.70	5.95	5.82	4.71	3.94	4.33	4.54	3.99	4.27	4.98	4.63	4.81	Yes	Yes	10.20	12.30	14.30	15.80	12.80	14.20	12.43	14.10
	9.11	9.12	10.00	4.21	8.01	6.11	7.34	7.84	7.59	7.24	9.44	8.34	6.26	8.43	7.35	Yes	Yes	15.80	25.90	19.90	31.60	21.00	32.30	18.90	29.93
	9.12	9.13	10.00	5.47	5.15	5.31	6.35	5.43	5.89	4.49	6.96	5.73	5.44	5.85	5.64	Yes	Yes	15.00	22.50	19.30	27.20	16.00	26.00	16.77	25.23
	9.13	9.14	10.00	4.80	7.35	6.08	5.56	9.82	7.69	4.34	7.92	6.13	4.90	8.36	6.63	Yes	Yes	12.90	20.80	18.00	29.70	12.90	22.50	14.60	24.33
	9.14	9.15	10.00	4.03	4.53	4.28	4.71	6.40	5.56	4.14	7.04	5.59	4.29	5.99	5.14	Yes	Yes	9.20	15.60	15.20	23.50	10.70	17.30	11.70	18.80
	9.15	9.16	10.00	2.12	7.21	4.67	2.18	5.74	3.96	2.61	8.98	5.80	2.30	7.31	4.81	Yes	Yes	12.30	17.50	14.10	19.70	10.50	19.00	12.30	18.73
	9.16	9.17	10.00	4.65	6.42	5.54	9.74	6.48	8.11	4.06	6.20	5.13	6.15	6.37	6.26	Yes	Yes	15.00	24.80	19.90	30.70	12.40	19.70	15.77	25.07
	9.17	9.18	10.00	3.66	7.94	5.80	4.37	6.70	5.53	4.20	6.33	5.26	4.08	6.99	5.53	Yes	Yes	16.30	21.80	17.20	21.70	10.00	15.50	14.50	19.67
	9.18	9.19	10.00	5.05	6.72	5.89	5.09	9.70	7.40	2.72	5.44	4.08	4.29	7.29	5.79	Yes	Yes	18.40	26.00	19.80	28.10	14.50	20.10	17.57	24.73
	9.19	9.20	10.00	1.89	3.27	2.58	1.55	4.86	3.20	1.54	3.89	2.71	1.66	4.01	2.83	Yes		13.20	17.50	13.70	19.30	10.70	13.80	12.53	16.87
	9.20	9.21	10.00	4.14	4.56	4.35	4.18	3.58	3.88	4.11	5.64	4.87	4.14	4.59	4.37	Yes	Yes	11.90	13.70	12.80	14.90	12.00	13.90	12.23	14.17
	9.21	9.22	10.00	2.06	5.44	3.75	3.49	6.53	5.01	3.47	5.90	4.69	3.01	5.96	4.48	Yes	Yes	8.70	11.50	13.50	16.90	12.40	15.30	11.53	14.57
	9.22	9.23	10.00	4.21	9.17	6.69	2.91	5.44	4.18	2.99	9.71	6.35	3.37	8.11	5.74	Yes	Yes	14.50	24.80	17.80	22.70	16.70	25.50	16.33	24.33
	9.23	9.24	10.00	2.39	5.24	3.82	2.00	4.53	3.26	2.02	4.42	3.22	2.14	4.73	3.43	Yes	Yes	6.70	13.10	9.80	12.50	8.30	13.00	8.27	12.87
	9.24	9.25	10.00	1.62	4.03	2.83	2.07	5.92	4.00	2.89	5.87	4.38	2.19	5.27	3.74	Yes	Yes	4.00	8.50	8.00	14.90	4.60	13.00	5.53	12.13
	9.25	9.26	10.00	3.94	6.59	5.26	4.48	7.53	6.01	3.27	4.94	4.11	3.90	6.35	5.13	Yes	Yes	3.00	7.30	9.70	12.80	6.50	12.00	6.40	10.70
	9.26	9.27	10.00	1.71	4.39	3.05	2.43	4.51	3.47	3.07	5.41	4.24	2.40	4.77	3.59	Yes	Yes	5.20	10.80	7.40	13.40	4.60	10.60	5.73	11.60
9.27	9.28	10.00	3.70	3.07	3.39	2.76	3.05	2.91	1.53	2.34	1.94	2.66	2.82	2.75	Yes		3.70	7.80	8.30	12.90	3.30	7.90	5.10	9.53	
9.28	9.29	10.00	0.76	5.77	3.27	0.82	6.75	3.79	0.87	6.61	3.74	0.82	6.38	3.60	Yes	Yes	7.50	12.40	12.80	15.20	8.40	12.50	9.57	13.37	
9.29	9.30	10.00	1.40	7.75	4.58	2.81	10.49	6.65	2.41	9.38	5.89	2.21	9.21	5.71	Yes	Yes	11.10	16.90	14.00	19.90	9.20	16.90	11.43	17.90	
9.30	9.31	10.00	2.89	8.41	5.65	2.66	9.22	5.94	2.05	6.39	4.22	2.53	8.01	5.27	Yes	Yes	7.60	13.00	9.90	17.10	5.10	10.20	7.53	13.43	
9.31	9.32	10.00	1.26	8.28	4.77	1.43	8.81	5.12	1.13	7.13	4.13	1.27	8.07	4.67	Yes	Yes	2.90	9.60	5.10	10.90	0.10	6.40	2.70	8.97	



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	9.32	9.33	10.00	1.32	5.49	3.40	1.95	4.18	3.06	2.25	3.31	2.78	1.84	4.33	3.08	Yes	Yes	5.00	9.00	4.30	10.30	1.30	4.90	3.53	8.07
	9.33	9.34	10.00	6.29	2.89	4.59	5.48	2.40	3.94	4.57	2.74	3.65	5.45	2.68	4.06	Yes	Yes	4.70	12.40	4.00	10.40	2.60	7.40	3.77	10.07
	9.34	9.35	10.00	1.38	2.37	1.87	1.23	3.28	2.26	1.14	4.29	2.72	1.25	3.31	2.28	Yes		3.40	5.40	2.80	6.00	2.50	5.40	2.90	5.60
	9.35	9.36	10.00	6.09	2.79	4.44	6.43	2.88	4.65	6.32	2.40	4.36	6.28	2.69	4.48	Yes	Yes	5.10	9.80	3.20	7.00	3.50	6.50	3.93	7.77
	9.36	9.37	10.00	1.91	4.22	3.07	1.45	4.48	2.96	1.62	6.84	4.23	1.66	5.18	3.42	Yes	Yes	4.60	7.70	2.00	5.20	2.90	5.60	3.17	6.17
	9.37	9.38	10.00	2.97	2.47	2.72	1.92	3.02	2.47	1.67	2.74	2.21	2.19	2.74	2.47	Yes		6.20	10.20	3.30	5.10	4.30	6.70	4.60	7.33
	9.38	9.39	10.00	0.98	3.15	2.06	1.09	4.07	2.58	1.30	4.59	2.95	1.12	3.94	2.53	Yes		4.40	5.70	3.50	6.50	4.10	10.00	4.00	7.40
	9.39	9.40	10.00	2.33	4.26	3.29	2.55	4.11	3.33	2.47	3.61	3.04	2.45	3.99	3.22	Yes	Yes	5.10	10.60	5.00	11.00	3.90	9.90	4.67	10.50
	9.40	9.41	10.00	1.48	2.06	1.77	1.41	2.44	1.92	1.36	3.21	2.28	1.42	2.57	1.99	Yes		5.40	7.90	6.60	8.10	5.50	7.90	5.83	7.97
	9.41	9.42	10.00	2.10	7.80	4.95	2.22	7.10	4.66	2.05	7.78	4.91	2.12	7.56	4.84	Yes	Yes	7.90	13.80	11.60	15.70	8.20	13.80	9.23	14.43
	9.42	9.43	10.00	1.41	4.21	2.81	1.82	3.23	2.53	1.70	3.55	2.62	1.64	3.66	2.65	Yes		4.70	7.60	9.90	16.00	7.00	11.60	7.20	11.73
	9.43	9.44	10.00	2.07	5.76	3.91	1.81	6.56	4.18	2.17	5.46	3.82	2.02	5.93	3.97	Yes	Yes	7.20	10.20	13.70	15.50	9.10	11.20	10.00	12.30
	9.44	9.45	10.00	1.85	5.38	3.61	2.70	5.31	4.01	2.66	6.46	4.56	2.40	5.72	4.06	Yes	Yes	5.00	8.10	10.50	14.60	6.40	9.20	7.30	10.63
	9.45	9.46	10.00	4.73	7.05	5.89	4.01	8.53	6.27	3.91	7.61	5.76	4.22	7.73	5.97	Yes	Yes	4.00	8.40	11.40	15.90	6.50	11.40	7.30	11.90
	9.46	9.47	10.00	3.21	8.32	5.76	6.37	9.43	7.90	4.14	6.81	5.47	4.57	8.19	6.38	Yes	Yes	5.60	11.60	12.80	20.70	3.00	11.30	7.13	14.53
	9.47	9.48	10.00	3.36	5.38	4.37	3.59	8.05	5.82	2.23	5.22	3.72	3.06	6.22	4.64	Yes	Yes	8.50	18.00	12.40	18.20	11.20	17.30	10.70	17.83
	9.48	9.49	10.00	1.53	7.74	4.63	2.34	7.01	4.68	3.36	11.03	7.20	2.41	8.59	5.50	Yes	Yes	8.90	14.10	10.70	16.60	6.70	12.80	8.77	14.50
	9.49	9.50	10.00	5.03	10.47	7.75	3.96	5.72	4.84	3.34	7.57	5.46	4.11	7.92	6.02	Yes	Yes	9.30	16.50	9.60	13.20	8.80	14.90	9.23	14.87
	9.50	9.51	10.00	1.77	2.41	2.09	1.30	1.49	1.40	1.52	2.44	1.98	1.53	2.11	1.82	Yes		5.50	8.40	5.00	8.10	3.30	7.40	4.60	7.97
	9.51	9.52	10.00	0.70	2.63	1.66	1.06	3.04	2.05	1.26	2.77	2.01	1.01	2.81	1.91	Yes		5.00	8.50	5.50	8.60	5.10	7.90	5.20	8.33
	9.52	9.53	10.00	4.72	2.83	3.78	4.51	2.69	3.60	4.04	2.44	3.24	4.42	2.65	3.54	Yes	Yes	4.70	8.40	4.60	6.40	2.70	5.00	4.00	6.60
	9.53	9.54	10.00	1.45	1.94	1.69	1.45	1.50	1.48	1.43	2.24	1.84	1.44	1.89	1.67	Yes		2.90	4.70	3.30	4.60	0.30	2.40	2.17	3.90
	9.54	9.55	10.00	2.78	2.74	2.76	2.67	3.84	3.26	3.51	3.76	3.64	2.99	3.45	3.22	Yes	Yes	3.00	7.70	4.60	9.50	0.60	5.30	2.73	7.50
	9.55	9.56	10.00	2.47	3.45	2.96	2.50	2.66	2.58	2.16	2.39	2.28	2.38	2.83	2.61	Yes		1.80	6.80	2.80	5.50	-0.40	1.30	1.40	4.53
	9.56	9.57	10.00	1.67	1.69	1.68	1.77	1.61	1.69	1.94	1.82	1.88	1.79	1.71	1.75	Yes		1.70	5.80	4.10	9.60	0.40	4.60	2.07	6.67
	9.57	9.58	10.00	2.01	1.20	1.60	1.61	1.23	1.42	1.71	1.10	1.41	1.78	1.18	1.48	Yes		0.80	2.60	3.40	5.00	0.80	3.20	1.67	3.60
	9.58	9.59	10.00	2.64	1.81	2.22	2.53	2.02	2.27	3.32	1.95	2.63	2.83	1.93	2.37	Yes		2.70	5.20	5.20	11.10	0.70	3.00	2.87	6.43
	9.59	9.60	10.00	2.25	1.52	1.89	2.24	1.37	1.80	2.19	1.58	1.89	2.23	1.49	1.86	Yes		1.60	2.90	4.40	6.00	-0.60	1.10	1.80	3.33
	9.60	9.61	10.00	2.23	2.74	2.48	4.85	2.58	3.72	1.76	4.34	3.05	2.95	3.22	3.08	Yes	Yes	0.70	4.10	5.30	13.10	-2.70	-1.00	1.10	5.40
	9.61	9.62	10.00	4.85	4.09	4.47	7.57	3.89	5.73	5.61	4.16	4.88	6.01	4.05	5.03	Yes	Yes	1.90	6.10	4.70	9.70	-3.60	0.00	1.00	5.27
	9.62	9.63	10.00	5.02	2.23	3.62	3.86	2.75	3.31	2.47	2.10	2.28	3.78	2.36	3.07	Yes	Yes	3.40	5.90	6.00	7.70	-3.70	-0.30	1.90	4.43
	9.63	9.64	10.00	2.87	2.63	2.75	2.51	2.12	2.32	2.73	1.80	2.27	2.70	2.18	2.45	Yes		3.40	6.70	3.50	5.40	-2.50	-0.30	1.47	3.93
9.64	9.65	10.00	1.06	1.32	1.19	0.90	1.40	1.15	0.92	1.76	1.34	0.96	1.49	1.23			3.30	4.10	3.50	4.40	0.00	0.90	2.27	3.13	
9.65	9.66	10.00	2.80	1.81	2.31	2.91	1.84	2.38	2.26	2.02	2.14	2.66	1.89	2.28	Yes		3.60	10.60	3.50	10.80	1.00	6.30	2.70	9.23	
9.66	9.67	10.00	2.22	1.73	1.98	2.15	1.40	1.77	1.94	1.07	1.50	2.10	1.40	1.75	Yes		1.80	3.50	2.30	4.70	0.70	2.30	1.60	3.50	
9.67	9.68	10.00	1.37	1.35	1.36	1.49	1.54	1.51	1.15	1.69	1.42	1.34	1.53	1.43	Yes		4.00	5.00	4.30	5.30	2.50	3.40	3.60	4.57	
9.68	9.69	10.00	1.23	1.03	1.13	1.04	0.85	0.95	0.91	0.85	0.88	1.06	0.91	0.99			2.20	3.10	2.60	3.60	1.40	2.20	2.07	2.97	



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG IRI	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	9.69	9.70	10.00	1.04	1.32	1.18	0.91	1.39	1.15	1.40	1.09	1.24	1.12	1.27	1.19			2.00	2.80	2.40	4.50	1.30	3.20	1.90	3.50
	9.70	9.71	10.00	2.69	1.60	2.14	2.48	1.50	1.99	2.66	1.43	2.04	2.61	1.51	2.06	Yes		0.80	3.80	0.60	4.50	0.00	2.20	0.47	3.50
	9.71	9.72	10.00	1.32	1.49	1.41	1.24	1.64	1.44	1.28	1.77	1.52	1.28	1.63	1.46	Yes		1.00	5.00	1.40	5.00	1.50	4.90	1.30	4.97
	9.72	9.73	10.00	2.46	1.66	2.06	3.45	1.67	2.56	3.68	1.66	2.67	3.20	1.66	2.43	Yes		2.80	7.20	2.70	6.90	3.30	7.20	2.93	7.10
	9.73	9.74	10.00	3.35	2.31	2.83	2.27	2.37	2.32	2.30	2.27	2.29	2.64	2.32	2.48	Yes		2.90	5.00	2.70	4.90	3.30	7.80	2.97	5.90
	9.74	9.75	10.00	2.69	1.82	2.25	2.62	1.66	2.14	3.02	1.83	2.42	2.78	1.77	2.27	Yes		2.70	8.00	1.30	7.20	2.60	8.40	2.20	7.87
	9.75	9.76	10.00	1.16	1.12	1.14	1.19	1.04	1.11	1.09	1.04	1.06	1.15	1.07	1.10			2.00	2.60	0.60	1.60	2.60	3.60	1.73	2.60
	9.76	9.77	10.00	3.41	2.70	3.05	2.96	2.96	2.96	3.34	3.04	3.19	3.24	2.90	3.07	Yes	Yes	3.50	7.30	2.10	5.10	3.70	7.30	3.10	6.57
	9.77	9.78	10.00	1.50	4.25	2.88	1.57	5.93	3.75	1.90	6.27	4.09	1.66	5.48	3.57	Yes	Yes	5.90	11.90	6.30	12.50	8.50	16.70	6.90	13.70
	9.78	9.79	10.00	3.04	8.96	6.00	2.95	6.17	4.56	3.16	7.29	5.22	3.05	7.47	5.26	Yes	Yes	10.10	16.50	8.40	15.80	8.20	15.90	8.90	16.07
	9.79	9.80	10.00	2.30	3.49	2.90	2.49	4.07	3.28	2.20	4.02	3.11	2.33	3.86	3.10	Yes	Yes	6.80	10.20	6.70	9.80	6.90	10.40	6.80	10.13
	9.80	9.81	10.00	1.14	3.16	2.15	1.30	2.50	1.90	1.39	2.13	1.76	1.28	2.60	1.94	Yes		7.20	11.90	8.20	13.10	8.60	13.20	8.00	12.73
	9.81	9.82	10.00	4.34	5.32	4.83	4.11	4.98	4.55	4.20	5.26	4.73	4.22	5.19	4.70	Yes	Yes	11.30	14.20	10.80	15.40	10.30	15.90	10.80	15.17
	9.82	9.83	10.00	1.25	3.20	2.22	1.10	3.52	2.31	1.19	3.09	2.14	1.18	3.27	2.22	Yes		6.60	8.60	6.90	9.00	6.60	9.00	6.70	8.87
	9.83	9.84	10.00	2.07	3.22	2.65	1.62	2.98	2.30	1.77	3.07	2.42	1.82	3.09	2.46	Yes		3.40	6.00	4.80	7.30	3.90	6.20	4.03	6.50
	9.84	9.85	10.00	2.43	3.54	2.99	2.41	3.85	3.13	2.48	4.57	3.53	2.44	3.99	3.22	Yes	Yes	5.40	13.50	6.70	15.70	4.90	13.40	5.67	14.20
	9.85	9.86	10.00	3.17	3.49	3.33	3.69	3.30	3.50	3.77	8.73	6.25	3.54	5.17	4.36	Yes	Yes	5.50	13.20	6.80	12.60	5.90	17.80	6.07	14.53
	9.86	9.87	10.00	2.04	5.88	3.96	1.91	4.17	3.04	1.51	3.47	2.49	1.82	4.51	3.16	Yes	Yes	6.40	10.50	6.30	10.20	4.40	6.30	5.70	9.00
	9.87	9.88	10.00	3.06	1.37	2.22	3.74	1.46	2.60	2.87	1.32	2.09	3.22	1.38	2.30	Yes		6.10	9.70	5.80	10.00	2.00	4.50	4.63	8.07
	9.88	9.89	10.00	2.34	1.65	1.99	2.15	1.70	1.92	1.55	1.89	1.72	2.01	1.75	1.88	Yes		3.70	4.60	4.10	5.10	2.20	2.90	3.33	4.20
9.89	9.90	10.00	1.84	1.63	1.74	1.67	1.73	1.70	1.76	1.74	1.75	1.76	1.70	1.73	Yes		3.80	4.80	4.40	5.70	2.60	4.70	3.60	5.07	
10m Before Bridge	9.90	9.91	10.00	1.36	1.46	1.41	1.94	1.24	1.59	1.92	1.20	1.56	1.74	1.30	1.52	Yes		3.40	5.50	4.00	4.90	2.90	4.40	3.43	4.93
	9.91	9.92	10.00	2.90	0.94	1.92	3.22	1.30	2.26	3.20	1.60	2.40	3.11	1.28	2.19	Yes		1.30	4.30	2.20	6.10	2.40	6.20	1.97	5.53
	9.92	9.93	10.00	4.80	2.54	3.67	6.98	2.42	4.70	5.89	2.05	3.97	5.89	2.34	4.11	Yes	Yes	4.90	8.80	6.20	11.60	6.70	10.20	5.93	10.20
	9.93	9.94	10.00	4.99	2.88	3.94	3.82	4.71	4.26	2.70	5.04	3.87	3.84	4.21	4.02	Yes	Yes	5.50	10.00	6.40	13.30	6.90	14.20	6.27	12.50
	9.94	9.95	10.00	1.16	1.86	1.51	1.24	2.31	1.77	1.32	3.14	2.23	1.24	2.44	1.84	Yes		5.00	6.90	5.90	7.90	7.80	10.90	6.23	8.57
10m After Bridge	9.95	9.96	10.00	3.49	11.75	7.62	3.86	12.75	8.31	3.35	7.17	5.26	3.57	10.56	7.06	Yes	Yes	11.60	18.20	12.10	18.00	8.30	12.20	10.67	16.13
	9.96	9.97	10.00	4.68	4.79	4.73	4.80	3.50	4.15	4.53	2.26	3.39	4.67	3.52	4.09	Yes	Yes	5.60	12.10	4.70	9.30	4.20	7.00	4.83	9.47
	9.97	9.98	10.00	6.68	8.33	7.50	7.30	9.03	8.17	6.04	9.52	7.78	6.67	8.96	7.82	Yes	Yes	7.60	19.50	7.80	19.00	5.10	13.20	6.83	17.23
	9.98	9.99	10.00	7.75	7.53	7.64	8.75	10.03	9.39	8.41	7.47	7.94	8.30	8.34	8.32	Yes	Yes	7.40	14.00	7.80	19.40	7.80	14.40	7.67	15.93
	9.99	10.00	10.00	8.23	11.42	9.83	7.80	9.12	8.46	8.28	5.70	6.99	8.10	8.75	8.43	Yes	Yes	0.40	19.60	1.30	14.00	7.90	22.00	3.20	18.53
	10.00	10.01	10.00	4.68	6.45	5.56	3.27	5.67	4.47	3.65	5.18	4.41	3.87	5.77	4.81	Yes	Yes	3.70	13.10	3.00	14.60	5.10	21.40	3.93	16.37
	10.01	10.02	10.00	3.88	4.70	4.29	4.36	5.05	4.70	5.35	5.55	5.45	4.53	5.10	4.81	Yes	Yes	-1.60	-0.10	-0.60	0.90	1.40	2.90	-0.27	1.23
	10.02	10.03	10.00	5.51	6.11	5.81	5.24	6.19	5.71	4.42	5.82	5.12	5.06	6.04	5.55	Yes	Yes	-0.70	0.50	0.30	1.50	1.00	2.00	0.20	1.33
	10.03	10.04	10.00	3.81	3.68	3.74	3.40	4.02	3.71	3.57	3.90	3.73	3.59	3.87	3.73	Yes	Yes	-0.90	0.80	0.80	3.00	1.00	3.30	0.30	2.37



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	10.04	10.05	10.00	6.04	9.43	7.74	6.10	9.19	7.65	6.08	9.20	7.64	6.07	9.27	7.68	Yes	Yes	-2.60	-0.60	-0.50	2.40	-0.60	1.80	-1.23	1.20
	10.05	10.06	10.00	4.05	6.39	5.22	5.32	8.18	6.75	5.49	8.45	6.97	4.95	7.67	6.31	Yes	Yes	-0.70	4.20	3.20	6.40	2.20	6.20	1.57	5.60
	10.06	10.07	10.00	7.08	9.83	8.46	7.15	9.03	8.09	7.31	8.08	7.69	7.18	8.98	8.08	Yes	Yes	-1.60	6.10	2.20	6.90	-0.30	6.00	0.10	6.33
	10.07	10.08	10.00	3.66	7.84	5.75	4.08	7.92	6.00	3.44	8.73	6.08	3.73	8.16	5.94	Yes	Yes	-2.10	9.80	4.20	12.60	5.10	13.00	2.40	11.80
	10.08	10.09	10.00	3.70	9.50	6.60	4.23	12.30	8.26	4.05	11.67	7.86	3.99	11.16	7.57	Yes	Yes	6.00	16.70	12.10	21.10	11.60	19.70	9.90	19.17
	10.09	10.10	10.00	5.97	7.96	6.96	6.55	5.90	6.22	7.08	5.78	6.43	6.53	6.55	6.54	Yes	Yes	5.00	13.10	9.70	13.80	13.00	19.40	9.23	15.43
	10.10	10.11	10.00	3.41	8.96	6.18	2.55	8.60	5.57	2.72	9.32	6.02	2.89	8.96	5.92	Yes	Yes	5.60	16.70	4.40	15.20	4.50	15.80	4.83	15.90
	10.11	10.12	10.00	2.06	5.13	3.60	2.37	4.46	3.42	2.14	6.09	4.12	2.19	5.23	3.71	Yes	Yes	5.60	12.40	6.90	12.30	9.40	15.40	7.30	13.37
	10.12	10.13	10.00	2.70	4.89	3.79	3.05	5.16	4.11	3.53	6.58	5.06	3.09	5.54	4.32	Yes	Yes	8.70	14.00	8.20	12.70	13.90	19.30	10.27	15.33
	10.13	10.14	10.00	3.70	5.46	4.58	3.39	6.33	4.86	4.04	5.93	4.98	3.71	5.91	4.81	Yes	Yes	14.70	18.80	14.10	19.10	18.30	20.60	15.70	19.50
	10.14	10.15	10.00	6.98	11.98	9.48	6.59	10.79	8.69	7.03	11.57	9.30	6.87	11.45	9.16	Yes	Yes	13.30	23.10	10.30	20.30	15.40	26.50	13.00	23.30
	10.15	10.16	10.00	2.57	8.80	5.69	3.20	9.82	6.51	2.98	8.32	5.65	2.92	8.98	5.95	Yes	Yes	16.40	21.10	12.00	18.70	17.00	21.00	15.13	20.27
	10.16	10.17	10.00	3.11	10.81	6.96	4.59	4.96	4.77	4.89	10.97	7.93	4.20	8.91	6.55	Yes	Yes	13.20	16.60	9.40	14.50	16.20	21.90	12.93	17.67
	10.17	10.18	10.00	4.41	3.20	3.80	3.44	3.53	3.48	3.28	4.37	3.83	3.71	3.70	3.70	Yes	Yes	11.50	18.10	5.60	11.10	12.50	17.30	9.87	15.50
	10.18	10.19	10.00	3.13	6.37	4.75	3.62	4.83	4.23	4.23	5.03	4.63	3.66	5.41	4.54	Yes	Yes	5.20	9.20	-0.70	3.60	7.70	12.10	4.07	8.30
	10.19	10.20	10.00	3.89	6.24	5.07	4.29	6.68	5.49	4.90	7.56	6.23	4.36	6.83	5.60	Yes	Yes	-1.40	5.80	-5.90	1.50	4.60	12.10	-0.90	6.47
	10.20	10.21	10.00	7.56	7.13	7.34	6.51	7.42	6.97	6.19	6.62	6.40	6.75	7.06	6.90	Yes	Yes	-2.10	4.50	-3.10	3.60	-1.50	6.00	-2.23	4.70
	10.21	10.22	10.00	6.23	7.94	7.08	6.32	6.71	6.52	5.84	6.88	6.36	6.13	7.18	6.65	Yes	Yes	2.20	10.60	4.50	16.80	2.90	8.30	3.20	11.90
	10.22	10.23	10.00	4.45	5.92	5.19	4.03	6.74	5.39	4.06	5.57	4.81	4.18	6.08	5.13	Yes	Yes	10.50	16.00	11.90	16.90	-0.30	5.20	7.37	12.70
	10.23	10.24	10.00	2.89	4.74	3.81	2.65	4.61	3.63	3.76	4.27	4.01	3.10	4.54	3.82	Yes	Yes	13.70	26.10	19.80	31.60	4.20	15.10	12.57	24.27
	10.24	10.25	10.00	3.34	6.80	5.07	4.31	8.33	6.32	3.86	5.43	4.65	3.84	6.85	5.35	Yes	Yes	30.70	41.40	34.10	43.00	21.80	33.70	28.87	39.37
	10.25	10.26	10.00	5.06	6.11	5.58	5.16	7.01	6.08	4.57	10.31	7.44	4.93	7.81	6.37	Yes	Yes	30.70	40.50	31.20	38.50	24.40	29.60	28.77	36.20
	10.26	10.27	10.00	7.67	8.09	7.88	8.06	6.48	7.27	7.96	5.47	6.71	7.90	6.68	7.29	Yes	Yes	26.40	33.70	28.00	36.60	24.40	31.20	26.27	33.83
	10.27	10.28	10.00	3.58	5.84	4.71	5.81	7.52	6.66	3.83	6.65	5.24	4.41	6.67	5.54	Yes	Yes	24.90	31.50	26.10	32.90	27.10	32.60	26.03	32.33
	10.28	10.29	10.00	10.80	5.64	8.22	13.26	6.80	10.03	14.79	7.20	10.99	12.95	6.55	9.75	Yes	Yes	28.80	34.20	28.50	34.10	29.00	34.60	28.77	34.30
	10.29	10.30	10.00	14.64	14.50	14.57	12.75	14.99	13.87	11.33	13.95	12.64	12.91	14.48	13.69	Yes	Yes	26.40	34.00	24.50	33.50	26.40	34.30	25.77	33.93
	10.30	10.31	10.00	8.46	11.29	9.88	8.11	12.71	10.41	8.07	13.72	10.90	8.21	12.57	10.40	Yes	Yes	24.30	30.20	23.30	31.40	25.20	30.50	24.27	30.70
	10.31	10.32	10.00	4.61	15.39	10.00	4.92	12.16	8.54	4.24	12.21	8.22	4.59	13.25	8.92	Yes	Yes	26.30	32.40	24.10	31.30	25.60	32.40	25.33	32.03
	10.32	10.33	10.00	3.34	8.62	5.98	4.05	9.30	6.67	4.05	9.95	7.00	3.81	9.29	6.55	Yes	Yes	20.00	28.40	18.90	26.20	20.60	29.40	19.83	28.00
	10.33	10.34	10.00	7.19	10.24	8.71	7.19	9.18	8.18	7.09	8.36	7.72	7.16	9.26	8.20	Yes	Yes	25.20	32.00	24.10	30.20	20.50	28.70	23.27	30.30
	10.34	10.35	10.00	6.10	4.39	5.25	4.61	4.36	4.49	4.52	3.32	3.92	5.08	4.02	4.55	Yes	Yes	25.20	29.20	26.20	30.30	17.90	24.20	23.10	27.90
	10.35	10.36	10.00	2.46	5.11	3.79	2.18	5.86	4.02	2.85	4.26	3.56	2.50	5.08	3.79	Yes	Yes	10.20	20.30	13.10	20.50	4.40	12.10	9.23	17.63
	10.36	10.37	10.00	3.41	5.18	4.30	3.16	4.38	3.77	4.53	6.62	5.57	3.70	5.39	4.55	Yes	Yes	3.40	10.40	8.10	12.50	0.90	8.90	4.13	10.60
	10.37	10.38	10.00	8.03	7.25	7.64	7.79	9.11	8.45	8.05	10.36	9.21	7.96	8.91	8.43	Yes	Yes	-0.20	8.80	7.00	14.80	-0.60	9.40	2.07	11.00
	10.38	10.39	10.00	5.72	6.13	5.93	6.25	3.64	4.94	5.04	6.47	5.76	5.67	5.41	5.54	Yes	Yes	1.20	11.00	7.00	12.90	-0.90	10.40	2.43	11.43
	10.39	10.40	10.00	3.08	5.04	4.06	2.97	4.46	3.72	1.97	7.32	4.65	2.67	5.61	4.14	Yes	Yes	-1.60	5.90	3.10	8.50	-3.60	7.00	-0.70	7.13
	10.40	10.41	10.00	2.25	8.26	5.26	2.66	6.29	4.47	2.53	6.30	4.42	2.48	6.95	4.72	Yes	Yes	4.90	9.60	12.20	16.10	0.80	3.90	5.97	9.87



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)								
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average		
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG IRI	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	10.41	10.42	10.00	6.55	8.06	7.31	8.94	9.05	9.00	7.90	11.14	9.52	7.80	9.42	8.61	Yes	Yes	7.60	16.10	16.50	25.10	2.10	7.80	8.73	16.33	
	10.42	10.43	10.00	2.99	9.00	5.99	2.43	5.92	4.18	1.51	7.05	4.28	2.31	7.32	4.82	Yes	Yes	6.30	9.90	10.20	17.30	0.10	4.30	5.53	10.50	
	10.43	10.44	10.00	1.81	4.71	3.26	2.32	4.03	3.17	1.67	3.81	2.74	1.93	4.18	3.06	Yes	Yes	4.10	8.80	6.60	9.10	1.30	5.50	4.00	7.80	
	10.44	10.45	10.00	1.78	3.42	2.60	1.85	3.03	2.44	1.94	3.22	2.58	1.86	3.22	2.54	Yes		9.30	12.20	9.00	11.00	5.90	10.40	8.07	11.20	
	10.45	10.46	10.00	1.80	3.31	2.55	1.78	3.42	2.60	1.81	2.80	2.31	1.80	3.18	2.49	Yes		12.70	14.80	11.90	16.00	11.40	16.20	12.00	15.67	
	10.46	10.47	10.00	4.96	9.49	7.22	5.66	9.51	7.58	5.99	10.27	8.13	5.54	9.76	7.64	Yes	Yes	16.70	27.20	14.20	24.90	13.40	24.60	14.77	25.57	
	10.47	10.48	10.00	1.99	3.38	2.69	2.48	3.45	2.96	2.08	2.78	2.43	2.18	3.20	2.69	Yes		10.20	12.50	9.70	12.60	9.80	12.70	9.90	12.60	
	10.48	10.49	10.00	2.42	2.78	2.60	2.76	3.97	3.37	3.26	5.60	4.43	2.81	4.12	3.47	Yes	Yes	13.20	28.00	15.30	30.00	15.90	29.90	14.80	29.30	
	10.49	10.50	10.00	3.56	8.39	5.97	3.03	6.40	4.72	3.10	4.69	3.90	3.23	6.49	4.86	Yes	Yes	16.10	32.30	13.20	23.30	12.70	18.50	14.00	24.70	
	10.50	10.51	10.00	1.87	3.16	2.51	1.64	3.15	2.40	1.34	2.88	2.11	1.62	3.06	2.34	Yes		11.90	14.00	12.10	14.40	12.40	14.10	12.13	14.17	
	10.51	10.52	10.00	1.62	2.98	2.30	1.78	3.06	2.42	1.91	3.02	2.47	1.77	3.02	2.40	Yes		12.20	15.00	12.40	15.20	12.60	16.10	12.40	15.43	
	10.52	10.53	10.00	1.85	5.23	3.54	2.12	6.72	4.42	2.72	6.33	4.52	2.23	6.09	4.16	Yes	Yes	11.90	18.00	12.20	18.50	14.40	20.00	12.83	18.83	
	10.53	10.54	10.00	2.09	6.34	4.22	2.16	4.90	3.53	2.66	6.79	4.72	2.30	6.01	4.16	Yes	Yes	6.70	9.20	6.70	9.30	9.90	12.60	7.77	10.37	
	10.54	10.55	10.00	4.26	10.98	7.62	4.11	10.98	7.55	4.31	12.68	8.49	4.23	11.55	7.89	Yes	Yes	5.80	13.70	5.40	13.80	10.10	20.20	7.10	15.90	
	10.55	10.56	10.00	1.83	6.40	4.12	2.14	6.38	4.26	2.45	5.37	3.91	2.14	6.05	4.10	Yes	Yes	6.80	10.70	4.70	10.00	10.90	15.40	7.47	12.03	
	10.56	10.57	10.00	2.28	6.43	4.35	3.02	4.93	3.98	1.61	5.93	3.77	2.30	5.76	4.03	Yes	Yes	5.40	8.10	3.10	5.80	10.10	13.10	6.20	9.00	
	10.57	10.58	10.00	1.86	3.60	2.73	2.22	4.58	3.40	3.37	7.37	5.37	2.48	5.18	3.83	Yes	Yes	7.30	11.00	4.60	8.00	10.00	15.10	7.30	11.37	
	10.58	10.59	10.00	2.48	5.74	4.11	2.21	5.95	4.08	2.66	6.48	4.57	2.45	6.06	4.25	Yes	Yes	6.60	10.30	4.00	6.60	9.80	15.60	6.80	10.83	
	10.59	10.60	10.00	2.46	5.90	4.18	2.44	2.60	2.52	2.01	2.43	2.22	2.30	3.64	2.97	Yes		6.20	11.10	3.70	6.00	8.90	11.80	6.27	9.63	
	10.60	10.61	10.00	1.08	1.39	1.24	1.70	2.05	1.87	2.28	4.11	3.20	1.69	2.52	2.10	Yes		4.40	5.90	2.90	3.90	8.50	16.00	5.27	8.60	
	10.61	10.62	10.00	1.52	4.08	2.80	0.80	3.52	2.16	1.59	3.22	2.41	1.30	3.61	2.46	Yes		2.60	5.50	1.10	3.00	5.80	7.60	3.17	5.37	
	10.62	10.63	10.00	4.19	3.42	3.81	4.03	3.88	3.96	7.33	3.97	5.65	5.18	3.76	4.47	Yes	Yes	2.30	5.40	1.30	3.50	6.40	11.60	3.33	6.83	
	10.63	10.64	10.00	4.03	3.37	3.70	4.18	2.49	3.33	6.46	4.20	5.33	4.89	3.35	4.12	Yes	Yes	6.60	13.20	4.00	9.20	11.50	19.20	7.37	13.87	
	10.64	10.65	10.00	4.51	4.97	4.74	3.85	3.79	3.82	4.41	6.42	5.41	4.26	5.06	4.66	Yes	Yes	9.30	12.00	7.10	9.20	11.20	15.90	9.20	12.37	
	10.65	10.66	10.00	7.38	4.64	6.01	6.79	5.02	5.91	8.77	6.37	7.57	7.65	5.34	6.50	Yes	Yes	10.80	13.20	4.10	10.10	15.50	23.60	10.13	15.63	
	10.66	10.67	10.00	6.68	5.07	5.87	6.24	5.29	5.77	7.63	7.04	7.34	6.85	5.80	6.33	Yes	Yes	10.50	15.70	8.90	14.00	14.10	19.70	11.17	16.47	
	10.67	10.68	10.00	5.27	6.29	5.78	4.49	5.43	4.96	4.45	5.17	4.81	4.74	5.63	5.18	Yes	Yes	10.20	14.80	9.00	11.90	10.30	15.00	9.83	13.90	
	10.68	10.69	10.00	5.24	4.14	4.69	6.06	4.08	5.07	5.76	4.20	4.98	5.69	4.14	4.91	Yes	Yes	4.50	10.60	6.20	13.00	6.40	13.00	5.70	12.20	
10m Before Bridge	10.69	10.70	10.00	3.96	2.41	3.19	3.86	2.27	3.07	2.74	1.75	2.24	3.52	2.14	2.83	Yes		3.10	5.90	4.30	8.60	3.40	5.80	3.60	6.77	
	Bridge	10.70	10.71	10.00	2.77	3.67	3.22	4.06	3.65	3.85	2.98	3.99	3.49	3.27	3.77	3.52	Yes	Yes	1.90	5.70	3.70	9.20	1.90	6.50	2.50	7.13
	Bridge	10.71	10.72	10.00	2.09	3.35	2.72	1.86	2.29	2.08	1.77	3.22	2.50	1.91	2.95	2.43	Yes		1.40	4.50	3.10	6.30	1.30	4.50	1.93	5.10
	Bridge	10.72	10.73	10.00	1.25	2.28	1.76	1.98	1.80	1.89	1.22	2.53	1.88	1.48	2.20	1.84	Yes		2.50	4.20	5.00	8.20	1.60	2.50	3.03	4.97
	Bridge	10.73	10.74	10.00	2.12	3.10	2.61	1.90	2.96	2.43	1.91	3.73	2.82	1.98	3.26	2.62	Yes		3.10	4.60	4.00	5.50	1.10	2.40	2.73	4.17
	Bridge	10.74	10.75	10.00	1.82	2.41	2.11	2.36	2.79	2.58	1.99	2.64	2.32	2.06	2.61	2.34	Yes		3.40	5.60	4.50	6.90	0.60	2.00	2.83	4.83
	Bridge	10.75	10.76	10.00	4.33	2.75	3.54	4.29	2.66	3.47	4.02	2.29	3.15	4.21	2.57	3.39	Yes	Yes	4.40	6.50	5.30	7.00	-1.30	0.80	2.80	4.77
	Bridge	10.76	10.77	10.00	3.86	2.00	2.93	3.48	2.12	2.80	2.66	2.35	2.51	3.33	2.16	2.75	Yes		3.40	5.80	2.90	6.10	0.60	2.00	2.30	4.63



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
Bridge 10m After Bridge	10.77	10.78	10.00	5.29	4.12	4.71	5.95	3.97	4.96	6.16	3.91	5.03	5.80	4.00	4.90	Yes	Yes	4.50	8.10	4.30	6.90	1.00	2.90	3.27	5.97
	10.78	10.79	10.00	2.98	3.72	3.35	2.51	3.43	2.97	2.47	3.71	3.09	2.65	3.62	3.14	Yes	Yes	5.70	7.90	3.40	5.80	1.20	3.60	3.43	5.77
Section 3 - 10.900 to 23.700	10.79	10.80	10.00	9.24	9.46	9.35	9.79	10.08	9.94	10.70	10.15	10.42	9.91	9.90	9.90	Yes	Yes	5.80	11.30	2.90	5.70	1.00	3.80	3.23	6.93
	10.80	10.81	10.00	4.95	8.36	6.65	4.71	5.36	5.04	4.09	4.32	4.20	4.58	6.01	5.30	Yes	Yes	4.30	12.30	1.20	3.00	0.60	2.10	2.03	5.80
	10.81	10.82	10.00	1.84	2.55	2.20	1.60	2.30	1.95	1.43	2.37	1.90	1.62	2.41	2.02	Yes		3.60	4.60	1.20	2.00	1.00	2.00	1.93	2.87
	10.82	10.83	10.00	1.07	1.70	1.39	1.42	1.54	1.48	1.37	1.71	1.54	1.29	1.65	1.47	Yes		4.10	6.30	1.10	3.80	1.20	4.10	2.13	4.73
	10.83	10.84	10.00	1.58	2.19	1.88	1.38	1.89	1.64	1.51	2.03	1.77	1.49	2.04	1.76	Yes		3.30	5.40	0.10	1.70	0.50	1.40	1.30	2.83
	10.84	10.85	10.00	1.69	2.72	2.20	1.91	2.68	2.29	1.84	2.68	2.26	1.81	2.69	2.25	Yes		4.60	5.60	0.10	1.30	1.10	2.20	1.93	3.03
	10.85	10.86	10.00	1.80	2.08	1.94	3.10	3.23	3.16	3.29	3.61	3.45	2.73	2.97	2.85	Yes		2.70	4.20	-1.10	0.50	1.00	2.20	0.87	2.30
	10.86	10.87	10.00	5.75	4.56	5.16	5.01	4.97	4.99	6.92	6.12	6.52	5.89	5.22	5.56	Yes	Yes	2.90	4.70	0.30	7.70	3.70	12.90	2.30	8.43
	10.87	10.88	10.00	5.83	6.99	6.41	5.98	5.59	5.79	3.71	3.83	3.77	5.17	5.47	5.32	Yes	Yes	10.00	14.00	5.10	8.30	10.90	20.20	8.67	14.17
	10.88	10.89	10.00	2.94	3.92	3.43	3.11	4.57	3.84	2.83	5.85	4.34	2.96	4.78	3.87	Yes	Yes	15.00	20.70	2.70	8.50	13.70	19.90	10.47	16.37
	10.89	10.90	10.00	3.80	10.43	7.12	4.29	6.57	5.43	3.30	10.55	6.93	3.80	9.18	6.49	Yes	Yes	14.30	18.60	-0.10	3.10	15.90	20.20	10.03	13.97
	10.90	10.91	10.00	2.34	7.71	5.03	3.10	5.20	4.15	3.29	6.05	4.67	2.91	6.32	4.62	Yes	Yes	18.70	22.50	6.80	10.00	19.00	23.10	14.83	18.53
	10.91	10.92	10.00	5.27	7.48	6.38	6.19	6.86	6.53	4.39	8.29	6.34	5.28	7.54	6.42	Yes	Yes	16.60	19.40	9.40	12.20	16.40	19.50	14.13	17.03
	10.92	10.93	10.00	1.46	6.40	3.93	1.86	5.51	3.69	1.89	4.61	3.25	1.74	5.51	3.62	Yes	Yes	16.80	19.60	8.50	11.90	15.80	18.30	13.70	16.60
	10.93	10.94	10.00	2.84	3.41	3.12	3.38	7.66	5.52	2.56	4.45	3.50	2.93	5.17	4.05	Yes	Yes	14.10	16.40	6.50	7.50	12.70	14.20	11.10	12.70
	10.94	10.95	10.00	1.50	4.20	2.85	2.21	7.05	4.63	1.39	5.47	3.43	1.70	5.57	3.64	Yes	Yes	16.40	22.60	7.50	11.50	15.30	20.90	13.07	18.33
	10.95	10.96	10.00	2.43	7.80	5.11	2.96	11.12	7.04	2.68	9.72	6.20	2.69	9.55	6.12	Yes	Yes	16.60	21.90	6.00	10.90	13.70	19.80	12.10	17.53
	10.96	10.97	10.00	1.38	5.16	3.27	2.20	6.32	4.26	2.14	6.25	4.20	1.91	5.91	3.91	Yes	Yes	12.30	17.50	6.30	10.20	10.20	16.20	9.60	14.63
	10.97	10.98	10.00	2.27	6.92	4.59	2.66	6.53	4.59	2.69	7.43	5.06	2.54	6.96	4.75	Yes	Yes	13.00	17.10	9.90	18.40	15.20	23.30	12.70	19.60
	10.98	10.99	10.00	2.40	5.24	3.82	2.07	5.68	3.87	1.77	3.59	2.68	2.08	4.84	3.46	Yes	Yes	15.40	23.80	13.20	18.40	14.00	18.90	14.20	20.37
	10.99	11.00	10.00	3.39	4.58	3.99	4.61	8.09	6.35	4.47	6.87	5.67	4.16	6.51	5.34	Yes	Yes	12.00	19.30	12.10	16.70	10.90	14.60	11.67	16.87
	11.00	11.01	10.00	2.81	7.99	5.40	1.91	9.31	5.61	1.61	5.99	3.80	2.11	7.76	4.94	Yes	Yes	10.90	15.90	11.00	18.40	10.30	15.40	10.73	16.57
	11.01	11.02	10.00	1.14	4.23	2.69	2.82	5.74	4.28	3.46	6.90	5.18	2.47	5.62	4.05	Yes	Yes	11.40	21.50	13.10	25.30	13.30	25.50	12.60	24.10
	11.02	11.03	10.00	3.98	7.51	5.74	2.39	6.04	4.22	1.49	3.88	2.69	2.62	5.81	4.22	Yes	Yes	11.50	25.40	9.30	15.60	9.70	13.00	10.17	18.00
	11.03	11.04	10.00	2.96	5.13	4.04	2.86	5.23	4.05	2.82	5.34	4.08	2.88	5.23	4.06	Yes	Yes	9.10	15.40	9.10	15.30	9.40	15.60	9.20	15.43
	11.04	11.05	10.00	1.52	4.90	3.21	1.65	4.73	3.19	1.54	4.83	3.19	1.57	4.82	3.20	Yes	Yes	6.80	14.50	7.00	14.60	7.10	14.90	6.97	14.67
	11.05	11.06	10.00	1.19	3.01	2.10	1.21	3.08	2.14	1.12	2.92	2.02	1.17	3.00	2.09	Yes		5.80	7.10	6.00	7.10	6.10	7.10	5.97	7.10
	11.06	11.07	10.00	4.36	4.55	4.46	4.52	4.31	4.41	5.34	4.66	5.00	4.74	4.51	4.62	Yes	Yes	6.70	13.80	7.00	14.30	6.90	14.10	6.87	14.07
	11.07	11.08	10.00	3.54	2.90	3.22	3.54	3.37	3.45	3.05	3.07	3.06	3.38	3.11	3.24	Yes	Yes	6.60	10.60	7.10	11.00	6.40	10.50	6.70	10.70
	11.08	11.09	10.00	5.59	6.89	6.24	5.98	7.12	6.55	5.94	7.23	6.58	5.84	7.08	6.46	Yes	Yes	8.00	14.70	8.10	15.30	7.20	14.60	7.77	14.87
	11.09	11.10	10.00	2.90	3.64	3.27	2.52	3.07	2.79	2.57	3.21	2.89	2.66	3.31	2.98	Yes		5.80	16.10	6.30	16.90	4.40	14.60	5.50	15.87
	11.10	11.11	10.00	6.78	9.32	8.05	6.91	10.11	8.51	7.85	12.85	10.35	7.18	10.76	8.97	Yes	Yes	10.10	17.40	13.90	27.80	13.60	26.00	12.53	23.73
	11.11	11.12	10.00	7.43	14.01	10.72	7.36	14.27	10.81	7.03	13.97	10.50	7.27	14.08	10.68	Yes	Yes	21.50	27.40	21.20	28.20	18.50	27.30	20.40	27.63
	11.12	11.13	10.00	3.50	7.31	5.40	2.95	6.19	4.57	2.77	4.68	3.72	3.07	6.06	4.56	Yes	Yes	9.30	23.60	7.70	12.60	7.50	10.20	8.17	15.47



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	11.13	11.14	10.00	4.00	7.72	5.86	4.62	7.44	6.03	4.75	7.47	6.11	4.46	7.54	6.00	Yes	Yes	8.10	17.70	9.00	18.40	9.80	19.40	8.97	18.50
	11.14	11.15	10.00	1.65	2.70	2.18	0.99	2.04	1.52	1.06	1.88	1.47	1.23	2.21	1.72	Yes		5.90	10.80	5.60	8.80	5.80	8.30	5.77	9.30
	11.15	11.16	10.00	6.75	6.80	6.77	6.63	7.57	7.10	6.46	7.70	7.08	6.61	7.36	6.98	Yes	Yes	7.40	15.90	9.30	17.80	10.70	22.10	9.13	18.60
	11.16	11.17	10.00	1.95	2.92	2.43	1.70	3.05	2.38	2.27	3.66	2.96	1.97	3.21	2.59	Yes		9.50	12.60	11.40	14.70	13.30	17.20	11.40	14.83
	11.17	11.18	10.00	4.32	5.80	5.06	4.56	6.07	5.32	3.98	5.93	4.96	4.29	5.93	5.11	Yes	Yes	3.40	11.00	8.70	14.60	11.60	15.90	7.90	13.83
	11.18	11.19	10.00	2.69	7.37	5.03	2.68	5.82	4.25	2.91	5.14	4.03	2.76	6.11	4.44	Yes	Yes	8.10	11.30	10.30	14.50	9.60	13.10	9.33	12.97
	11.19	11.20	10.00	2.61	2.97	2.79	1.61	3.08	2.34	1.71	2.91	2.31	1.98	2.99	2.48	Yes		5.80	11.90	6.30	11.00	4.20	9.10	5.43	10.67
	11.20	11.21	10.00	2.47	2.63	2.55	1.77	2.45	2.11	2.43	2.45	2.44	2.22	2.51	2.37	Yes		0.90	5.00	4.10	8.70	1.80	5.70	2.27	6.47
	11.21	11.22	10.00	3.66	2.34	3.00	2.82	1.55	2.18	3.32	2.65	2.99	3.27	2.18	2.72	Yes		1.20	4.70	5.80	10.70	3.60	6.70	3.53	7.37
	11.22	11.23	10.00	1.70	3.48	2.59	1.34	3.41	2.37	1.45	3.53	2.49	1.50	3.47	2.48	Yes		7.20	12.30	10.50	14.00	9.60	13.60	9.10	13.30
	11.23	11.24	10.00	0.62	1.89	1.26	0.71	1.37	1.04	0.82	1.95	1.39	0.72	1.74	1.23			3.10	11.60	5.60	7.70	3.60	4.50	4.10	7.93
	11.24	11.25	10.00	2.50	3.26	2.88	2.15	3.31	2.73	2.57	3.09	2.83	2.41	3.22	2.81	Yes		3.60	8.20	5.60	11.80	4.10	9.20	4.43	9.73
	11.25	11.26	10.00	2.78	4.17	3.48	3.23	3.97	3.60	3.16	4.13	3.65	3.06	4.09	3.58	Yes	Yes	3.90	9.60	5.80	12.90	3.70	9.10	4.47	10.53
	11.26	11.27	10.00	1.10	2.33	1.71	0.84	2.93	1.89	0.77	2.59	1.68	0.90	2.62	1.76	Yes		3.50	4.50	4.90	6.20	3.40	4.60	3.93	5.10
	11.27	11.28	10.00	1.07	2.44	1.76	1.36	3.06	2.21	1.35	3.84	2.60	1.26	3.11	2.19	Yes		3.20	8.60	4.60	9.40	3.90	8.60	3.90	8.87
	11.28	11.29	10.00	6.03	11.31	8.67	6.99	12.00	9.49	8.00	13.67	10.83	7.01	12.33	9.66	Yes	Yes	10.40	19.50	11.80	20.00	9.40	18.80	10.53	19.43
	11.29	11.30	10.00	11.74	10.02	10.88	13.08	8.65	10.87	13.71	7.54	10.62	12.84	8.74	10.79	Yes	Yes	25.90	38.00	27.30	37.10	22.90	32.30	25.37	35.80
	11.30	11.31	10.00	10.63	3.92	7.27	7.87	3.89	5.88	7.66	4.36	6.01	8.72	4.06	6.39	Yes	Yes	24.50	35.50	16.10	29.50	11.30	18.90	17.30	27.97
	11.31	11.32	10.00	7.18	6.24	6.71	7.65	6.26	6.96	7.57	5.93	6.75	7.47	6.14	6.81	Yes	Yes	29.30	38.50	14.30	21.30	8.10	17.60	17.23	25.80
	11.32	11.33	10.00	6.66	10.72	8.69	5.25	10.16	7.71	4.72	10.49	7.61	5.54	10.46	8.00	Yes	Yes	25.30	32.30	4.30	10.50	2.10	9.50	10.57	17.43
	11.33	11.34	10.00	8.52	7.90	8.21	6.42	8.52	7.47	6.41	7.26	6.83	7.12	7.89	7.50	Yes	Yes	24.60	34.80	15.70	24.90	14.30	22.10	18.20	27.27
	11.34	11.35	10.00	4.51	5.89	5.20	2.94	3.80	3.37	2.41	3.83	3.12	3.29	4.51	3.90	Yes	Yes	27.80	34.20	21.30	24.00	18.60	22.70	22.57	26.97
	11.35	11.36	10.00	3.30	6.51	4.91	2.69	4.75	3.72	2.86	4.64	3.75	2.95	5.30	4.13	Yes	Yes	29.20	38.00	29.20	39.10	27.40	35.40	28.60	37.50
	11.36	11.37	10.00	4.92	6.93	5.92	9.00	6.80	7.90	12.31	6.93	9.62	8.74	6.89	7.81	Yes	Yes	39.90	48.00	38.90	46.10	34.10	40.00	37.63	44.70
	11.37	11.38	10.00	12.23	5.27	8.75	10.10	5.03	7.56	9.54	4.59	7.06	10.62	4.96	7.79	Yes	Yes	16.80	33.10	15.40	26.10	15.10	25.60	15.77	28.27
	11.38	11.39	10.00	7.65	3.98	5.81	7.37	3.87	5.62	9.08	6.43	7.75	8.03	4.76	6.39	Yes	Yes	12.60	22.40	13.10	22.50	12.10	19.60	12.60	21.50
	11.39	11.40	10.00	6.46	5.18	5.82	5.44	5.21	5.32	3.98	5.92	4.95	5.29	5.44	5.36	Yes	Yes	9.80	20.10	8.80	14.50	6.60	12.40	8.40	15.67
	11.40	11.41	10.00	2.62	4.12	3.37	2.69	5.28	3.98	2.20	6.31	4.26	2.50	5.24	3.87	Yes	Yes	13.70	18.20	14.80	21.10	11.70	17.00	13.40	18.77
	11.41	11.42	10.00	6.67	10.58	8.63	8.06	10.98	9.52	8.63	11.98	10.30	7.79	11.18	9.48	Yes	Yes	16.90	22.10	14.60	21.10	12.50	18.00	14.67	20.40
	11.42	11.43	10.00	5.33	8.13	6.73	3.53	7.86	5.70	3.40	6.57	4.98	4.09	7.52	5.80	Yes	Yes	15.90	29.90	12.90	24.40	13.90	25.60	14.23	26.63
	11.43	11.44	10.00	4.46	6.40	5.43	5.27	7.40	6.33	5.08	7.56	6.32	4.94	7.12	6.03	Yes	Yes	19.30	28.20	14.60	22.60	16.50	25.20	16.80	25.33
	11.44	11.45	10.00	5.17	8.00	6.59	5.50	6.54	6.02	6.51	6.54	6.53	5.73	7.03	6.38	Yes	Yes	17.30	25.40	7.00	16.90	11.70	21.30	12.00	21.20
	11.45	11.46	10.00	10.21	5.02	7.61	9.13	4.16	6.65	9.47	5.07	7.27	9.60	4.75	7.18	Yes	Yes	10.90	26.10	-0.70	17.70	2.30	24.40	4.17	22.73
	11.46	11.47	10.00	6.49	7.91	7.20	8.51	12.15	10.33	8.64	11.41	10.03	7.88	10.49	9.19	Yes	Yes	3.80	9.40	-6.10	-2.00	-2.30	3.60	-1.53	3.67
	11.47	11.48	10.00	5.87	9.70	7.78	6.18	8.88	7.53	4.16	8.06	6.11	5.40	8.88	7.14	Yes	Yes	-0.50	5.80	-8.00	-4.90	-4.50	-1.00	-4.33	-0.03
	11.48	11.49	10.00	4.48	4.58	4.53	3.13	6.17	4.65	5.09	4.97	5.03	4.23	5.24	4.74	Yes	Yes	1.10	8.20	-4.00	3.00	1.40	8.10	-0.50	6.43
	11.49	11.50	10.00	6.16	5.31	5.73	6.38	4.71	5.54	5.55	5.21	5.38	6.03	5.08	5.55	Yes	Yes	9.10	14.90	-0.40	4.30	3.20	10.60	3.97	9.93



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	11.50	11.51	10.00	9.32	6.23	7.77	9.82	8.31	9.07	12.46	8.47	10.46	10.53	7.67	9.10	Yes	Yes	8.30	14.90	-0.20	3.50	3.70	10.10	3.93	9.50
	11.51	11.52	10.00	11.24	8.69	9.96	13.33	7.05	10.19	13.04	7.65	10.34	12.54	7.80	10.16	Yes	Yes	9.20	13.50	4.80	11.90	5.20	12.70	6.40	12.70
	11.52	11.53	10.00	7.62	6.77	7.19	5.13	4.54	4.83	4.77	3.94	4.36	5.84	5.08	5.46	Yes	Yes	-1.90	13.90	-5.40	3.30	-5.40	1.50	-4.23	6.23
	11.53	11.54	10.00	8.60	6.01	7.30	7.39	7.33	7.36	7.35	7.62	7.49	7.78	6.99	7.38	Yes	Yes	4.50	15.30	5.70	17.20	7.00	16.50	5.73	16.33
	11.54	11.55	10.00	4.75	6.74	5.74	6.01	7.03	6.52	6.00	7.39	6.69	5.59	7.05	6.32	Yes	Yes	11.80	23.20	8.00	16.10	7.90	11.80	9.23	17.03
	11.55	11.56	10.00	6.12	9.07	7.60	5.24	8.43	6.84	5.39	8.95	7.17	5.58	8.82	7.20	Yes	Yes	18.60	27.50	19.60	25.20	22.20	31.70	20.13	28.13
	11.56	11.57	10.00	6.48	7.69	7.09	6.49	9.15	7.82	7.44	9.69	8.57	6.80	8.84	7.83	Yes	Yes	24.50	32.60	21.00	33.20	22.00	34.00	22.50	33.27
	11.57	11.58	10.00	4.05	7.52	5.78	3.75	9.25	6.50	2.75	8.86	5.81	3.52	8.54	6.03	Yes	Yes	17.50	28.80	16.10	26.40	14.80	30.10	16.13	28.43
	11.58	11.59	10.00	1.42	2.52	1.97	1.04	3.25	2.15	1.08	1.81	1.45	1.18	2.53	1.86	Yes		8.70	13.90	6.90	9.00	7.90	8.90	7.83	10.60
	11.59	11.60	10.00	0.74	0.75	0.75	1.22	1.18	1.20	1.41	1.22	1.32	1.12	1.05	1.09			7.00	9.30	5.70	6.70	7.90	10.50	6.87	8.83
	11.60	11.61	10.00	7.64	7.81	7.72	8.13	9.84	8.99	8.33	10.93	9.63	8.03	9.53	8.78	Yes	Yes	16.10	29.30	13.60	22.60	19.00	29.10	16.23	27.00
	11.61	11.62	10.00	5.14	7.09	6.12	4.84	4.57	4.71	5.21	6.01	5.61	5.06	5.89	5.48	Yes	Yes	17.00	23.80	10.30	18.50	14.90	19.50	14.07	20.60
	11.62	11.63	10.00	5.20	4.13	4.67	3.85	2.91	3.38	4.27	2.01	3.14	4.44	3.02	3.73	Yes	Yes	12.70	17.40	8.60	10.90	11.90	17.40	11.07	15.23
	11.63	11.64	10.00	2.71	2.61	2.66	2.38	2.19	2.29	2.69	2.88	2.79	2.59	2.56	2.58	Yes		11.10	12.80	8.30	10.10	11.30	13.10	10.23	12.00
	11.64	11.65	10.00	4.12	2.93	3.53	4.28	2.73	3.51	4.14	2.69	3.41	4.18	2.78	3.48	Yes	Yes	13.00	17.00	8.70	12.20	11.70	16.20	11.13	15.13
	11.65	11.66	10.00	1.76	1.52	1.64	1.56	1.61	1.58	1.28	1.24	1.26	1.53	1.46	1.49	Yes		12.30	14.90	9.90	12.80	11.40	14.10	11.20	13.93
	11.66	11.67	10.00	5.91	8.83	7.37	6.20	9.75	7.97	6.14	9.90	8.02	6.08	9.49	7.79	Yes	Yes	18.60	29.70	15.80	23.50	15.40	23.40	16.60	25.53
	11.67	11.68	10.00	1.88	2.24	2.06	1.38	1.99	1.69	1.34	2.05	1.70	1.53	2.09	1.82	Yes		8.60	17.80	5.90	10.60	5.10	8.50	6.53	12.30
	11.68	11.69	10.00	3.80	4.86	4.33	3.91	5.61	4.76	4.37	5.48	4.93	4.03	5.32	4.67	Yes	Yes	11.50	20.80	9.40	18.00	8.70	17.10	9.87	18.63
	11.69	11.70	10.00	4.70	3.28	3.99	5.34	3.52	4.43	5.05	4.23	4.64	5.03	3.68	4.35	Yes	Yes	12.50	27.90	11.70	22.90	12.40	22.40	12.20	24.40
	11.70	11.71	10.00	4.05	4.73	4.39	3.01	4.27	3.64	2.69	3.82	3.25	3.25	4.27	3.76	Yes	Yes	15.80	25.70	11.30	18.60	9.80	14.20	12.30	19.50
	11.71	11.72	10.00	6.17	3.71	4.94	5.77	4.67	5.22	5.50	4.59	5.05	5.81	4.32	5.07	Yes	Yes	11.10	18.40	9.50	16.40	8.50	15.10	9.70	16.63
	11.72	11.73	10.00	0.77	1.53	1.15	1.38	1.15	1.27	1.90	1.78	1.84	1.35	1.49	1.42	Yes		5.50	7.00	6.50	13.70	7.70	21.90	6.57	14.20
	11.73	11.74	10.00	5.71	3.22	4.46	5.23	2.92	4.08	4.92	2.39	3.66	5.29	2.84	4.07	Yes	Yes	8.90	22.10	8.80	23.00	6.60	18.30	8.10	21.13
	11.74	11.75	10.00	2.60	1.57	2.08	2.73	1.98	2.35	3.64	2.22	2.93	2.99	1.92	2.45	Yes		5.90	7.70	6.30	9.10	6.20	13.60	6.13	10.13
	11.75	11.76	10.00	9.55	9.04	9.29	8.80	8.20	8.50	8.32	9.13	8.72	8.89	8.79	8.84	Yes	Yes	10.80	27.80	11.90	29.00	10.30	26.70	11.00	27.83
	11.76	11.77	10.00	1.66	2.01	1.84	1.74	3.08	2.41	1.45	3.08	2.27	1.62	2.72	2.17	Yes		7.90	10.00	7.70	10.00	6.50	9.10	7.37	9.70
	11.77	11.78	10.00	3.00	4.37	3.68	3.61	3.44	3.53	4.21	2.58	3.40	3.61	3.46	3.54	Yes	Yes	5.60	11.00	4.90	10.30	6.60	11.00	5.70	10.77
	11.78	11.79	10.00	2.93	2.78	2.86	2.37	2.71	2.54	1.71	3.33	2.52	2.34	2.94	2.64	Yes		10.00	13.80	10.60	13.40	12.30	14.80	10.97	14.00
	11.79	11.80	10.00	4.89	7.97	6.43	5.13	8.45	6.79	5.16	8.58	6.87	5.06	8.33	6.70	Yes	Yes	13.80	22.00	12.70	21.70	12.00	18.60	12.83	20.77
	11.80	11.81	10.00	3.48	4.89	4.18	3.74	4.68	4.21	3.06	5.97	4.51	3.43	5.18	4.30	Yes	Yes	12.60	18.10	12.80	17.00	11.20	17.70	12.20	17.60
	11.81	11.82	10.00	6.62	4.83	5.73	9.42	3.91	6.67	7.93	3.97	5.95	7.99	4.24	6.12	Yes	Yes	14.80	22.50	16.30	24.50	12.00	16.40	14.37	21.13
	11.82	11.83	10.00	5.08	6.79	5.94	3.30	7.80	5.55	2.62	5.47	4.04	3.67	6.69	5.18	Yes	Yes	21.20	26.90	22.60	27.90	14.30	19.10	19.37	24.63
	11.83	11.84	10.00	3.07	3.17	3.12	3.12	2.50	2.81	2.74	2.92	2.83	2.98	2.86	2.92	Yes		19.90	23.10	20.60	24.60	16.00	20.60	18.83	22.77
	11.84	11.85	10.00	2.54	3.60	3.07	2.35	4.64	3.49	3.50	6.16	4.83	2.80	4.80	3.80	Yes	Yes	18.50	30.00	21.80	32.60	21.20	30.30	20.50	30.97
	11.85	11.86	10.00	6.47	13.74	10.10	5.58	11.73	8.65	4.42	10.55	7.49	5.49	12.01	8.75	Yes	Yes	15.90	30.00	16.80	32.60	15.20	21.10	15.97	27.90
	11.86	11.87	10.00	1.37	3.96	2.67	1.08	3.79	2.44	1.11	3.55	2.33	1.19	3.77	2.48	Yes		10.80	16.90	17.20	23.10	18.10	23.70	15.37	21.23



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG IRI	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	11.87	11.88	10.00	1.66	3.93	2.80	1.52	4.90	3.21	1.73	5.37	3.55	1.64	4.73	3.19	Yes	Yes	18.70	22.50	23.40	26.50	23.60	27.20	21.90	25.40
	11.88	11.89	10.00	4.18	13.00	8.59	4.25	11.62	7.93	4.49	12.62	8.56	4.31	12.41	8.36	Yes	Yes	17.30	24.60	21.10	30.60	20.80	30.70	19.73	28.63
	11.89	11.90	10.00	3.12	7.45	5.28	5.13	10.12	7.63	5.97	8.50	7.24	4.74	8.69	6.72	Yes	Yes	13.20	20.60	14.40	22.70	13.80	22.30	13.80	21.87
	11.90	11.91	10.00	5.49	10.36	7.92	3.41	8.49	5.95	3.21	9.61	6.41	4.04	9.49	6.76	Yes	Yes	17.20	25.60	18.60	24.00	19.20	25.30	18.33	24.97
	11.91	11.92	10.00	1.64	5.18	3.41	2.43	4.27	3.35	3.50	4.83	4.17	2.52	4.76	3.64	Yes	Yes	17.50	22.10	16.70	19.90	15.30	19.00	16.50	20.33
	11.92	11.93	10.00	6.66	8.17	7.41	5.23	8.40	6.81	5.17	8.58	6.88	5.69	8.38	7.03	Yes	Yes	21.70	29.60	27.10	34.30	25.80	32.20	24.87	32.03
	11.93	11.94	10.00	2.59	7.96	5.27	2.32	7.63	4.98	2.92	6.67	4.80	2.61	7.42	5.02	Yes	Yes	25.50	36.10	25.00	38.50	22.70	36.70	24.40	37.10
	11.94	11.95	10.00	2.34	10.08	6.21	2.46	10.26	6.36	2.50	10.04	6.27	2.43	10.13	6.28	Yes	Yes	20.30	32.20	20.80	32.50	20.10	32.00	20.40	32.23
	11.95	11.96	10.00	5.08	5.99	5.54	8.47	7.86	8.16	10.56	10.91	10.73	8.04	8.25	8.14	Yes	Yes	16.90	24.40	18.40	28.80	19.30	29.00	18.20	27.40
	11.96	11.97	10.00	10.68	12.72	11.70	7.60	10.52	9.06	5.67	7.85	6.76	7.98	10.36	9.17	Yes	Yes	20.10	27.80	17.80	27.50	17.30	27.80	18.40	27.70
	11.97	11.98	10.00	7.19	6.47	6.83	8.00	7.07	7.53	8.54	7.74	8.14	7.91	7.09	7.50	Yes	Yes	16.10	22.40	15.90	23.70	15.80	23.50	15.93	23.20
	11.98	11.99	10.00	5.87	7.85	6.86	6.07	8.31	7.19	5.87	10.26	8.06	5.94	8.81	7.37	Yes	Yes	16.40	22.30	15.00	22.80	14.90	22.60	15.43	22.57
	11.99	12.00	10.00	9.09	11.44	10.27	9.36	10.98	10.17	9.66	9.07	9.36	9.37	10.50	9.93	Yes	Yes	8.60	13.90	8.30	14.10	7.40	14.00	8.10	14.00
	12.00	12.01	10.00	4.18	4.71	4.45	3.42	4.04	3.73	3.30	3.70	3.50	3.63	4.15	3.89	Yes	Yes	3.20	6.10	2.70	4.90	2.80	8.80	2.90	6.60
	12.01	12.02	10.00	8.45	5.51	6.98	8.12	5.70	6.91	7.45	5.89	6.67	8.01	5.70	6.85	Yes	Yes	5.60	14.60	4.10	13.20	2.80	12.30	4.17	13.37
	12.02	12.03	10.00	1.90	3.15	2.53	2.03	3.69	2.86	2.39	4.03	3.21	2.11	3.62	2.87	Yes		4.50	8.20	3.20	6.60	3.40	9.90	3.70	8.23
	12.03	12.04	10.00	3.99	7.19	5.59	4.62	10.74	7.68	4.77	11.54	8.15	4.46	9.82	7.14	Yes	Yes	14.60	24.10	14.50	23.50	14.20	23.30	14.43	23.63
	12.04	12.05	10.00	1.86	8.42	5.14	1.88	5.72	3.80	2.32	4.85	3.58	2.02	6.33	4.17	Yes	Yes	14.00	16.30	12.60	18.70	14.10	27.50	13.57	20.83
	12.05	12.06	10.00	2.94	8.16	5.55	3.05	8.28	5.66	2.89	7.56	5.22	2.96	8.00	5.48	Yes	Yes	17.10	27.70	15.90	27.50	15.30	27.10	16.10	27.43
	12.06	12.07	10.00	3.39	3.81	3.60	5.45	7.74	6.59	5.66	8.66	7.16	4.83	6.74	5.78	Yes	Yes	18.30	26.50	15.90	24.30	17.80	25.80	17.33	25.53
	12.07	12.08	10.00	4.84	8.86	6.85	3.41	5.20	4.31	3.05	4.60	3.83	3.77	6.22	5.00	Yes	Yes	17.70	27.70	13.10	22.40	16.50	26.80	15.77	25.63
	12.08	12.09	10.00	7.11	10.83	8.97	7.26	10.17	8.72	7.64	10.71	9.17	7.34	10.57	8.95	Yes	Yes	25.00	31.20	20.80	27.00	23.80	30.30	23.20	29.50
	12.09	12.10	10.00	3.67	6.18	4.92	3.31	6.62	4.97	3.05	6.17	4.61	3.34	6.32	4.83	Yes	Yes	20.30	28.00	18.10	25.10	18.00	27.20	18.80	26.77
	12.10	12.11	10.00	1.86	4.35	3.11	2.82	5.34	4.08	3.95	6.36	5.15	2.88	5.35	4.11	Yes	Yes	13.20	15.80	13.30	19.30	14.40	20.80	13.63	18.63
	12.11	12.12	10.00	4.07	5.59	4.83	3.26	4.83	4.05	2.34	2.87	2.60	3.22	4.43	3.83	Yes	Yes	14.70	20.20	14.40	19.00	15.50	21.80	14.87	20.33
	12.12	12.13	10.00	1.25	4.35	2.80	1.86	5.21	3.54	2.14	6.02	4.08	1.75	5.19	3.47	Yes	Yes	18.60	22.40	19.70	26.90	20.00	30.00	19.43	26.43
	12.13	12.14	10.00	3.23	6.38	4.80	2.79	5.13	3.96	2.09	3.71	2.90	2.70	5.07	3.89	Yes	Yes	18.50	27.30	17.10	23.50	19.40	23.40	18.33	24.73
	12.14	12.15	10.00	2.59	3.10	2.85	3.07	4.14	3.60	2.66	4.15	3.40	2.77	3.80	3.28	Yes	Yes	21.60	24.90	21.80	25.00	23.50	26.60	22.30	25.50
	12.15	12.16	10.00	1.79	3.62	2.70	1.42	2.95	2.19	2.06	2.63	2.34	1.76	3.07	2.41	Yes		18.90	23.70	19.70	22.90	20.90	23.40	19.83	23.33
	12.16	12.17	10.00	8.24	7.57	7.91	8.29	8.55	8.42	7.64	9.14	8.39	8.06	8.42	8.24	Yes	Yes	24.50	30.80	27.40	35.40	28.20	34.80	26.70	33.67
	12.17	12.18	10.00	7.14	8.74	7.94	7.84	9.18	8.51	9.05	9.47	9.26	8.01	9.13	8.57	Yes	Yes	32.10	36.10	31.00	37.50	28.10	34.60	30.40	36.07
	12.18	12.19	10.00	4.70	6.91	5.81	4.31	5.33	4.82	3.74	5.67	4.71	4.25	5.97	5.11	Yes	Yes	18.40	28.00	18.60	24.50	15.50	21.40	17.50	24.63
	12.19	12.20	10.00	1.93	7.31	4.62	1.39	8.01	4.70	2.22	7.23	4.73	1.85	7.52	4.68	Yes	Yes	24.80	33.40	25.60	33.90	23.30	33.00	24.57	33.43
	12.20	12.21	10.00	3.10	7.47	5.28	4.70	8.97	6.84	5.69	10.76	8.22	4.50	9.07	6.78	Yes	Yes	25.40	32.90	25.20	32.90	21.80	30.20	24.13	32.00
	12.21	12.22	10.00	10.55	10.49	10.52	9.33	9.26	9.29	8.66	8.49	8.58	9.51	9.41	9.46	Yes	Yes	20.20	26.50	20.40	25.10	20.70	25.00	20.43	25.53
	12.22	12.23	10.00	1.65	4.49	3.07	1.73	5.06	3.40	1.99	5.77	3.88	1.79	5.11	3.45	Yes	Yes	14.80	22.20	14.30	20.70	14.30	18.30	14.47	20.40
	12.23	12.24	10.00	1.67	6.37	4.02	1.54	7.51	4.52	1.92	4.99	3.46	1.71	6.29	4.00	Yes	Yes	12.80	18.40	13.30	18.50	12.40	18.30	12.83	18.40



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	12.24	12.25	10.00	1.49	5.60	3.55	1.64	6.43	4.03	1.88	6.94	4.41	1.67	6.32	4.00	Yes	Yes	13.10	16.90	15.20	19.50	19.30	24.10	15.87	20.17
	12.25	12.26	10.00	1.73	3.99	2.86	1.99	3.39	2.69	1.86	3.69	2.78	1.86	3.69	2.78	Yes		17.90	23.40	18.20	23.80	22.00	26.30	19.37	24.50
	12.26	12.27	10.00	2.67	5.46	4.07	2.86	5.39	4.12	3.70	6.82	5.26	3.08	5.89	4.48	Yes	Yes	19.10	27.30	17.80	26.40	18.50	29.20	18.47	27.63
	12.27	12.28	10.00	7.30	5.72	6.51	7.11	5.10	6.10	6.33	4.40	5.37	6.91	5.07	5.99	Yes	Yes	16.20	25.10	17.10	24.70	17.00	24.40	16.77	24.73
	12.28	12.29	10.00	1.78	3.10	2.44	1.55	3.31	2.43	1.52	4.33	2.93	1.62	3.58	2.60	Yes		18.00	23.70	14.70	20.10	18.80	26.20	17.17	23.33
	12.29	12.30	10.00	1.30	4.83	3.07	1.37	3.36	2.37	1.94	5.05	3.50	1.54	4.41	2.98	Yes		18.60	27.30	15.80	24.00	17.90	28.30	17.43	26.53
	12.30	12.31	10.00	1.78	2.88	2.33	1.08	3.42	2.25	1.53	3.28	2.40	1.46	3.19	2.33	Yes		10.60	17.80	9.50	12.10	9.50	13.20	9.87	14.37
	12.31	12.32	10.00	2.10	2.62	2.36	2.39	4.45	3.42	2.86	2.63	2.74	2.45	3.23	2.84	Yes		10.00	13.70	13.80	17.70	10.70	14.50	11.50	15.30
	12.32	12.33	10.00	4.54	4.69	4.62	6.20	5.27	5.73	4.74	4.34	4.54	5.16	4.77	4.96	Yes	Yes	12.60	19.90	16.50	24.70	16.10	21.50	15.07	22.03
	12.33	12.34	10.00	3.67	6.65	5.16	3.10	6.19	4.64	3.36	7.46	5.41	3.38	6.77	5.07	Yes	Yes	11.70	19.90	14.20	20.10	11.20	20.50	12.37	20.17
	12.34	12.35	10.00	2.46	7.84	5.15	2.18	8.15	5.17	2.00	7.34	4.67	2.21	7.78	5.00	Yes	Yes	11.90	16.80	14.00	19.30	13.90	18.50	13.27	18.20
	12.35	12.36	10.00	1.59	3.40	2.50	1.59	4.72	3.16	1.36	4.55	2.96	1.51	4.22	2.87	Yes		14.40	18.80	20.70	27.30	18.70	23.20	17.93	23.10
	12.36	12.37	10.00	1.65	2.76	2.20	2.02	4.89	3.45	1.76	3.88	2.82	1.81	3.84	2.82	Yes		12.00	15.70	14.70	19.20	13.70	17.20	13.47	17.37
	12.37	12.38	10.00	2.08	4.59	3.33	1.69	3.57	2.63	1.77	3.41	2.59	1.85	3.86	2.85	Yes		11.70	14.80	11.80	14.90	12.40	14.90	11.97	14.87
	12.38	12.39	10.00	5.83	9.18	7.50	5.56	9.38	7.47	6.20	10.27	8.24	5.86	9.61	7.74	Yes	Yes	15.50	23.90	16.50	26.60	16.30	26.70	16.10	25.73
	12.39	12.40	10.00	2.80	4.66	3.73	1.68	2.87	2.27	1.51	2.44	1.98	2.00	3.32	2.66	Yes		10.10	14.70	10.30	14.00	10.80	14.30	10.40	14.33
	12.40	12.41	10.00	1.94	3.23	2.58	1.68	3.14	2.41	1.84	3.17	2.50	1.82	3.18	2.50	Yes		15.20	18.70	16.10	20.50	16.30	20.30	15.87	19.83
	12.41	12.42	10.00	2.17	6.48	4.32	3.35	7.60	5.47	4.51	9.19	6.85	3.34	7.76	5.55	Yes	Yes	14.50	21.60	16.90	28.10	17.40	28.10	16.27	25.93
	12.42	12.43	10.00	4.51	6.14	5.33	3.21	6.64	4.92	2.07	5.16	3.61	3.26	5.98	4.62	Yes	Yes	15.50	26.70	13.90	26.30	12.70	20.80	14.03	24.60
	12.43	12.44	10.00	1.28	3.66	2.47	1.20	3.02	2.11	1.14	2.84	1.99	1.21	3.17	2.19	Yes		10.30	13.00	13.40	17.30	14.60	19.40	12.77	16.57
	12.44	12.45	10.00	1.06	3.38	2.22	1.36	5.71	3.54	1.39	6.73	4.06	1.27	5.27	3.27	Yes	Yes	14.90	16.50	18.70	23.30	19.00	24.30	17.53	21.37
	12.45	12.46	10.00	3.08	5.94	4.51	2.96	6.54	4.75	3.12	6.96	5.04	3.05	6.48	4.77	Yes	Yes	14.50	21.40	16.60	24.20	18.30	27.10	16.47	24.23
	12.46	12.47	10.00	1.61	3.47	2.54	1.83	5.21	3.52	1.71	5.43	3.57	1.72	4.70	3.21	Yes	Yes	14.00	16.10	23.60	26.70	25.90	30.70	21.17	24.50
	12.47	12.48	10.00	1.61	4.30	2.95	1.31	6.15	3.73	1.25	7.18	4.22	1.39	5.88	3.63	Yes	Yes	14.00	19.50	20.70	28.60	20.50	31.30	18.40	26.47
	12.48	12.49	10.00	2.16	4.70	3.43	2.68	7.73	5.21	2.63	9.01	5.82	2.49	7.15	4.82	Yes	Yes	5.00	12.00	11.60	15.80	13.30	17.40	9.97	15.07
	12.49	12.50	10.00	4.72	7.85	6.28	4.53	9.41	6.97	5.01	10.05	7.53	4.75	9.10	6.93	Yes	Yes	8.30	19.40	16.30	24.50	17.80	25.70	14.13	23.20
	12.50	12.51	10.00	4.31	3.77	4.04	3.07	3.43	3.25	2.64	3.51	3.07	3.34	3.57	3.45	Yes	Yes	12.30	19.40	13.60	21.50	14.10	24.50	13.33	21.80
	12.51	12.52	10.00	2.21	4.09	3.15	2.26	3.73	3.00	2.47	3.68	3.08	2.31	3.83	3.08	Yes	Yes	20.10	25.90	22.80	28.90	21.90	27.40	21.60	27.40
	12.52	12.53	10.00	1.61	3.08	2.35	3.76	3.56	3.66	4.76	3.98	4.37	3.38	3.54	3.46	Yes	Yes	11.70	15.70	12.70	16.10	12.70	16.50	12.37	16.10
	12.53	12.54	10.00	3.89	3.16	3.52	2.12	3.23	2.67	1.66	3.91	2.78	2.56	3.43	2.99	Yes		8.40	10.60	8.30	10.70	8.90	11.50	8.53	10.93
	12.54	12.55	10.00	0.96	2.12	1.54	0.93	2.20	1.56	1.06	3.27	2.16	0.98	2.53	1.75	Yes		10.30	13.80	9.60	11.70	11.40	14.80	10.43	13.43
	12.55	12.56	10.00	5.64	8.50	7.07	6.68	9.89	8.29	7.20	10.91	9.05	6.51	9.77	8.14	Yes	Yes	13.50	25.30	13.00	17.10	16.60	25.80	14.37	22.73
	12.56	12.57	10.00	3.57	9.93	6.75	2.65	7.99	5.32	1.85	7.02	4.43	2.69	8.31	5.50	Yes	Yes	18.10	25.00	12.20	16.70	18.00	21.70	16.10	21.13
	12.57	12.58	10.00	1.87	5.61	3.74	1.95	5.23	3.59	2.75	7.56	5.15	2.19	6.13	4.16	Yes	Yes	24.00	32.70	19.40	23.90	26.00	34.10	23.13	30.23
	12.58	12.59	10.00	2.43	10.09	6.26	2.39	7.15	4.77	2.18	9.52	5.85	2.33	8.92	5.63	Yes	Yes	23.60	28.20	22.80	25.10	25.10	29.50	23.83	27.60
	12.59	12.60	10.00	5.06	6.19	5.63	5.04	4.44	4.74	5.61	5.63	5.62	5.24	5.42	5.33	Yes	Yes	27.40	33.80	24.00	29.40	26.90	34.40	26.10	32.53
	12.60	12.61	10.00	2.74	3.25	3.00	2.03	3.63	2.83	2.09	3.92	3.00	2.29	3.60	2.94	Yes		23.00	27.20	22.10	26.30	22.40	27.30	22.50	26.93



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	12.61	12.62	10.00	2.42	6.78	4.60	2.85	6.51	4.68	3.04	6.03	4.54	2.77	6.44	4.61	Yes	Yes	21.40	25.20	20.00	25.30	19.70	25.90	20.37	25.47
	12.62	12.63	10.00	1.75	5.39	3.57	1.62	5.78	3.70	1.96	6.02	3.99	1.78	5.73	3.75	Yes	Yes	17.10	22.90	20.00	24.60	21.00	25.00	19.37	24.17
	12.63	12.64	10.00	1.66	7.02	4.34	1.71	7.73	4.72	2.04	7.80	4.92	1.80	7.52	4.66	Yes	Yes	22.20	25.70	24.50	29.10	24.60	28.20	23.77	27.67
	12.64	12.65	10.00	6.71	6.60	6.65	6.90	7.20	7.05	6.98	6.93	6.96	6.86	6.91	6.89	Yes	Yes	23.30	29.90	22.20	30.00	19.50	29.80	21.67	29.90
	12.65	12.66	10.00	2.35	5.96	4.15	1.93	6.84	4.38	1.84	6.67	4.26	2.04	6.49	4.26	Yes	Yes	14.20	18.00	14.30	19.60	15.40	21.10	14.63	19.57
	12.66	12.67	10.00	1.96	6.69	4.33	1.78	7.76	4.77	2.32	9.18	5.75	2.02	7.88	4.95	Yes	Yes	19.10	24.70	18.80	23.70	18.50	26.60	18.80	25.00
	12.67	12.68	10.00	1.90	4.01	2.96	1.83	3.08	2.45	1.95	2.86	2.41	1.89	3.32	2.61	Yes		14.00	19.20	13.60	16.10	12.80	14.70	13.47	16.67
	12.68	12.69	10.00	1.23	3.81	2.52	1.42	4.23	2.82	1.59	4.87	3.23	1.41	4.30	2.86	Yes		15.20	23.10	15.90	22.30	17.70	23.90	16.27	23.10
	12.69	12.70	10.00	2.61	5.50	4.06	3.56	4.91	4.24	4.51	6.22	5.37	3.56	5.54	4.56	Yes	Yes	20.00	23.80	18.40	21.20	20.10	26.20	19.50	23.73
	12.70	12.71	10.00	7.25	8.53	7.89	6.03	7.86	6.94	5.24	8.70	6.97	6.17	8.36	7.27	Yes	Yes	21.70	26.40	20.90	25.10	23.00	26.90	21.87	26.13
	12.71	12.72	10.00	1.89	7.62	4.75	2.14	7.15	4.64	2.42	6.65	4.54	2.15	7.14	4.64	Yes	Yes	23.90	27.40	21.70	27.30	22.30	27.50	22.63	27.40
	12.72	12.73	10.00	2.95	5.24	4.09	4.04	5.55	4.80	6.40	6.83	6.61	4.46	5.87	5.17	Yes	Yes	17.20	22.00	16.10	22.30	18.20	22.90	17.17	22.40
	12.73	12.74	10.00	6.85	8.62	7.74	5.35	7.57	6.46	2.98	6.26	4.62	5.06	7.48	6.27	Yes	Yes	16.90	22.80	15.40	19.60	15.60	20.60	15.97	21.00
	12.74	12.75	10.00	2.97	4.55	3.76	5.49	7.07	6.28	7.25	7.21	7.23	5.24	6.28	5.76	Yes	Yes	18.40	26.20	19.50	26.10	20.20	26.10	19.37	26.13
	12.75	12.76	10.00	8.94	9.10	9.02	6.73	6.82	6.77	5.39	6.78	6.09	7.02	7.57	7.29	Yes	Yes	19.60	24.80	19.50	24.30	17.80	22.40	18.97	23.83
	12.76	12.77	10.00	4.51	4.32	4.41	4.60	5.16	4.88	4.61	4.45	4.53	4.57	4.64	4.61	Yes	Yes	15.90	19.40	15.90	19.80	15.00	18.90	15.60	19.37
	12.77	12.78	10.00	7.18	5.42	6.30	8.08	6.42	7.25	7.67	8.31	7.99	7.64	6.72	7.18	Yes	Yes	14.10	17.80	14.90	19.40	13.30	18.30	14.10	18.50
	12.78	12.79	10.00	3.58	5.89	4.73	2.53	4.32	3.43	2.36	3.52	2.94	2.82	4.58	3.70	Yes	Yes	17.20	22.60	19.50	24.70	16.20	19.30	17.63	22.20
	12.79	12.80	10.00	0.96	4.59	2.77	1.29	4.82	3.05	1.22	4.08	2.65	1.16	4.50	2.82	Yes		22.10	27.80	23.40	28.30	20.60	24.20	22.03	26.77
	12.80	12.81	10.00	2.66	5.26	3.96	3.17	5.62	4.40	3.40	5.58	4.49	3.08	5.49	4.28	Yes	Yes	20.60	27.60	19.80	27.60	20.10	27.00	20.17	27.40
	12.81	12.82	10.00	10.99	7.75	9.37	11.42	7.14	9.28	11.04	7.20	9.12	11.15	7.36	9.26	Yes	Yes	20.20	26.20	19.80	25.90	19.10	24.70	19.70	25.60
	12.82	12.83	10.00	7.78	9.01	8.40	9.76	10.36	10.06	11.60	11.37	11.48	9.71	10.25	9.98	Yes	Yes	20.50	26.90	21.20	27.80	21.10	28.30	20.93	27.67
	12.83	12.84	10.00	11.01	7.63	9.32	8.04	5.01	6.52	5.94	4.52	5.23	8.33	5.72	7.02	Yes	Yes	18.20	24.70	18.60	23.80	19.70	28.80	18.83	25.77
	12.84	12.85	10.00	3.44	8.62	6.03	5.42	10.82	8.12	6.40	11.79	9.10	5.09	10.41	7.75	Yes	Yes	26.00	34.60	26.30	34.70	24.70	34.90	25.67	34.73
	12.85	12.86	10.00	8.85	11.02	9.94	6.93	10.17	8.55	5.73	9.11	7.42	7.17	10.10	8.64	Yes	Yes	17.30	25.30	16.60	21.60	17.40	21.40	17.10	22.77
	12.86	12.87	10.00	2.50	5.18	3.84	2.65	5.79	4.22	2.89	7.10	5.00	2.68	6.02	4.35	Yes	Yes	22.60	30.30	22.90	29.70	22.80	29.20	22.77	29.73
	12.87	12.88	10.00	2.96	12.17	7.56	4.58	12.16	8.37	6.31	12.90	9.61	4.62	12.41	8.51	Yes	Yes	18.50	28.90	19.30	25.20	19.30	25.00	19.03	26.37
	12.88	12.89	10.00	7.73	8.92	8.33	6.07	10.31	8.19	4.64	6.72	5.68	6.15	8.65	7.40	Yes	Yes	22.20	27.80	24.70	34.10	25.00	35.00	23.97	32.30
	12.89	12.90	10.00	1.59	4.29	2.94	1.53	5.16	3.35	1.66	5.69	3.68	1.59	5.05	3.32	Yes	Yes	12.40	22.40	14.30	17.40	14.10	16.60	13.60	18.80
	12.90	12.91	10.00	1.03	3.99	2.51	1.62	3.73	2.68	2.35	4.72	3.53	1.67	4.15	2.91	Yes		9.30	14.60	9.90	14.50	7.90	13.40	9.03	14.17
	12.91	12.92	10.00	6.01	7.38	6.69	5.84	7.37	6.61	4.72	8.05	6.39	5.52	7.60	6.56	Yes	Yes	10.20	13.90	9.20	13.90	8.40	11.50	9.27	13.10
	12.92	12.93	10.00	2.31	3.27	2.79	2.14	3.38	2.76	2.68	5.27	3.97	2.38	3.97	3.17	Yes	Yes	5.10	7.70	5.70	9.10	9.60	13.40	6.80	10.07
	12.93	12.94	10.00	2.80	4.62	3.71	2.81	4.62	3.71	2.74	5.43	4.09	2.78	4.89	3.84	Yes	Yes	5.90	13.00	5.70	13.20	2.90	9.80	4.83	12.00
	12.94	12.95	10.00	2.19	3.36	2.78	4.66	4.96	4.81	5.18	5.36	5.27	4.01	4.56	4.29	Yes	Yes	5.10	8.60	4.70	8.30	4.50	8.70	4.77	8.53
	12.95	12.96	10.00	4.62	4.71	4.67	2.81	3.45	3.13	2.20	3.77	2.99	3.21	3.98	3.60	Yes	Yes	4.40	7.60	4.10	7.10	3.60	7.10	4.03	7.27
	12.96	12.97	10.00	2.05	5.17	3.61	2.15	5.77	3.96	3.92	6.91	5.41	2.71	5.95	4.33	Yes	Yes	7.80	18.80	7.50	16.80	14.60	30.30	9.97	21.97
	12.97	12.98	10.00	10.09	11.99	11.04	8.75	11.39	10.07	7.62	12.20	9.91	8.82	11.86	10.34	Yes	Yes	17.30	26.50	10.90	17.40	14.40	21.20	14.20	21.70



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	12.98	12.99	10.00	2.11	6.82	4.46	2.03	6.79	4.41	3.48	9.93	6.71	2.54	7.85	5.19	Yes	Yes	6.80	12.10	6.30	14.90	10.50	23.00	7.87	16.67
	12.99	13.00	10.00	5.49	10.35	7.92	4.88	6.29	5.58	4.23	7.15	5.69	4.87	7.93	6.40	Yes	Yes	13.90	26.90	13.00	22.80	13.00	28.50	13.30	26.07
	13.00	13.01	10.00	6.08	12.24	9.16	6.18	11.76	8.97	6.19	10.24	8.22	6.15	11.41	8.78	Yes	Yes	19.40	30.40	20.10	30.00	17.80	28.80	19.10	29.73
	13.01	13.02	10.00	7.75	8.44	8.10	8.58	9.82	9.20	8.81	12.72	10.77	8.38	10.33	9.36	Yes	Yes	18.60	29.00	18.90	27.80	18.70	26.30	18.73	27.70
	13.02	13.03	10.00	3.73	10.21	6.97	2.60	10.67	6.63	2.11	8.87	5.49	2.81	9.92	6.36	Yes	Yes	18.70	24.90	21.20	27.10	22.00	26.80	20.63	26.27
	13.03	13.04	10.00	4.26	6.41	5.33	4.88	7.39	6.13	4.52	6.51	5.51	4.55	6.77	5.66	Yes	Yes	22.20	32.20	22.90	31.70	21.50	32.70	22.20	32.20
	13.04	13.05	10.00	1.47	4.11	2.79	1.17	3.56	2.36	1.13	4.52	2.83	1.26	4.06	2.66	Yes		11.60	15.90	13.60	18.80	13.20	18.30	12.80	17.67
	13.05	13.06	10.00	1.60	5.33	3.47	2.68	5.90	4.29	5.18	5.87	5.52	3.15	5.70	4.43	Yes	Yes	18.30	25.00	18.90	26.00	20.50	27.60	19.23	26.20
	13.06	13.07	10.00	7.57	9.18	8.37	6.16	9.82	7.99	4.17	8.69	6.43	5.97	9.23	7.60	Yes	Yes	22.20	29.00	19.70	27.70	22.80	30.40	21.57	29.03
	13.07	13.08	10.00	2.21	5.93	4.07	2.75	5.26	4.01	1.78	5.05	3.42	2.25	5.41	3.83	Yes	Yes	19.20	30.50	13.70	20.70	18.50	27.80	17.13	26.33
	13.08	13.09	10.00	2.64	4.32	3.48	2.49	5.04	3.76	2.49	4.18	3.33	2.54	4.51	3.52	Yes	Yes	26.00	33.60	25.30	31.20	22.30	31.50	24.53	32.10
	13.09	13.10	10.00	1.77	7.58	4.67	2.22	7.74	4.98	2.48	7.05	4.76	2.16	7.46	4.80	Yes	Yes	20.00	30.70	18.70	31.00	16.00	24.00	18.23	28.57
	13.10	13.11	10.00	2.45	4.01	3.23	2.34	4.03	3.19	3.19	4.26	3.72	2.66	4.10	3.38	Yes	Yes	16.90	21.10	16.90	21.00	14.90	17.20	16.23	19.77
	13.11	13.12	10.00	7.49	10.36	8.93	7.58	13.31	10.45	6.31	13.93	10.12	7.13	12.53	9.83	Yes	Yes	21.10	35.00	22.90	35.00	22.10	33.80	22.03	34.60
	13.12	13.13	10.00	4.26	8.62	6.44	3.53	5.79	4.66	3.05	4.46	3.76	3.61	6.29	4.95	Yes	Yes	17.60	26.60	16.30	23.50	15.10	22.00	16.33	24.03
	13.13	13.14	10.00	1.28	4.49	2.89	1.25	4.60	2.92	1.07	4.69	2.88	1.20	4.59	2.90	Yes		15.80	18.20	13.90	17.90	13.70	17.90	14.47	18.00
	13.14	13.15	10.00	4.00	4.67	4.34	3.95	3.55	3.75	4.42	4.86	4.64	4.12	4.36	4.24	Yes	Yes	11.70	19.80	10.10	17.90	11.30	19.40	11.03	19.03
	13.15	13.16	10.00	1.13	3.98	2.55	0.86	3.22	2.04	0.91	3.66	2.29	0.97	3.62	2.29	Yes		11.90	14.00	10.80	14.20	13.00	15.20	11.90	14.47
	13.16	13.17	10.00	2.41	8.36	5.39	2.60	7.42	5.01	2.48	9.42	5.95	2.50	8.40	5.45	Yes	Yes	19.90	27.40	19.40	27.10	21.90	27.30	20.40	27.27
	13.17	13.18	10.00	0.79	4.49	2.64	0.80	4.34	2.57	0.60	4.01	2.30	0.73	4.28	2.50	Yes		19.30	22.20	17.10	20.40	16.70	22.20	17.70	21.60
	13.18	13.19	10.00	0.78	4.51	2.64	1.08	5.42	3.25	1.53	5.57	3.55	1.13	5.17	3.15	Yes	Yes	12.90	18.70	13.70	22.50	14.20	25.20	13.60	22.13
	13.19	13.20	10.00	5.14	12.28	8.71	5.98	13.06	9.52	6.64	11.73	9.19	5.92	12.36	9.14	Yes	Yes	24.50	36.80	25.40	37.10	26.90	35.60	25.60	36.50
	13.20	13.21	10.00	6.67	5.57	6.12	6.41	3.88	5.14	6.25	4.07	5.16	6.44	4.51	5.47	Yes	Yes	29.70	37.50	28.80	38.50	25.70	35.30	28.07	37.10
	13.21	13.22	10.00	4.30	4.16	4.23	6.06	6.57	6.32	6.58	6.72	6.65	5.65	5.82	5.73	Yes	Yes	22.90	29.40	24.90	35.90	25.40	38.70	24.40	34.67
	13.22	13.23	10.00	8.44	10.61	9.53	6.98	8.78	7.88	7.02	9.16	8.09	7.48	9.52	8.50	Yes	Yes	34.30	43.30	34.80	42.90	33.30	42.10	34.13	42.77
	13.23	13.24	10.00	11.11	14.62	12.87	10.98	14.93	12.96	10.75	14.66	12.70	10.95	14.74	12.84	Yes	Yes	30.80	39.00	32.20	44.70	32.90	46.80	31.97	43.50
	13.24	13.25	10.00	6.53	7.84	7.18	7.47	8.55	8.01	8.01	9.22	8.62	7.34	8.54	7.94	Yes	Yes	19.50	43.70	15.80	34.60	16.70	28.60	17.33	35.63
	13.25	13.26	10.00	4.93	5.75	5.34	4.33	5.33	4.83	4.83	4.78	4.81	4.70	5.29	4.99	Yes	Yes	16.10	24.50	16.10	25.10	17.40	25.50	16.53	25.03
	13.26	13.27	10.00	6.48	7.48	6.98	6.99	8.11	7.55	6.45	8.90	7.67	6.64	8.16	7.40	Yes	Yes	5.60	15.90	8.60	18.00	16.90	22.10	10.37	18.67
	13.27	13.28	10.00	8.29	6.41	7.35	8.00	6.37	7.19	6.75	4.75	5.75	7.68	5.84	6.76	Yes	Yes	15.70	24.40	19.40	26.30	23.00	28.10	19.37	26.27
	13.28	13.29	10.00	7.12	6.34	6.73	7.21	6.73	6.97	6.45	8.18	7.32	6.93	7.08	7.01	Yes	Yes	16.40	28.20	19.60	34.70	24.50	38.30	20.17	33.73
	13.29	13.30	10.00	5.02	11.29	8.16	4.79	12.32	8.56	5.78	12.68	9.23	5.20	12.10	8.65	Yes	Yes	31.10	44.10	35.50	50.80	39.60	50.70	35.40	48.53
	13.30	13.31	10.00	6.98	4.87	5.93	6.93	4.05	5.49	6.20	3.78	4.99	6.70	4.23	5.47	Yes	Yes	44.90	50.80	42.10	50.70	40.40	50.80	42.47	50.77
	13.31	13.32	10.00	7.49	7.79	7.64	7.34	7.81	7.58	7.54	9.62	8.58	7.46	8.41	7.93	Yes	Yes	29.70	40.40	30.10	39.50	30.70	41.20	30.17	40.37
	13.32	13.33	10.00	14.40	14.50	14.45	15.33	15.11	15.22	14.08	16.09	15.08	14.60	15.23	14.92	Yes	Yes	29.40	44.70	26.10	43.70	21.40	43.50	25.63	43.97
	13.33	13.34	10.00	8.61	19.18	13.89	8.80	19.40	14.10	7.84	15.54	11.69	8.42	18.04	13.23	Yes	Yes	26.30	38.50	28.30	38.80	30.90	37.90	28.50	38.40
	13.34	13.35	10.00	6.96	8.68	7.82	9.14	9.09	9.11	7.80	9.02	8.41	7.97	8.93	8.45	Yes	Yes	28.60	34.90	28.00	33.20	28.70	35.10	28.43	34.40



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	13.35	13.36	10.00	8.13	8.14	8.14	8.23	7.95	8.09	7.65	6.25	6.95	8.00	7.45	7.73	Yes	Yes	30.90	39.30	31.90	42.50	24.10	34.80	28.97	38.87
	13.36	13.37	10.00	6.73	7.34	7.04	6.75	6.89	6.82	5.53	7.31	6.42	6.34	7.18	6.76	Yes	Yes	24.70	27.20	25.70	29.10	19.10	22.60	23.17	26.30
	13.37	13.38	10.00	6.84	7.84	7.34	7.01	7.75	7.38	5.42	7.45	6.44	6.42	7.68	7.05	Yes	Yes	24.30	28.80	24.60	28.60	23.00	27.50	23.97	28.30
	13.38	13.39	10.00	3.01	4.45	3.73	2.42	4.67	3.55	2.53	4.73	3.63	2.65	4.62	3.64	Yes	Yes	28.80	35.50	28.00	34.50	28.80	35.10	28.53	35.03
	13.39	13.40	10.00	3.12	7.75	5.43	3.17	8.16	5.67	3.09	8.39	5.74	3.13	8.10	5.61	Yes	Yes	29.70	38.20	27.90	37.60	30.90	38.60	29.50	38.13
	13.40	13.41	10.00	3.63	7.53	5.58	4.71	6.08	5.40	3.89	7.06	5.48	4.08	6.89	5.49	Yes	Yes	36.40	40.60	35.90	40.70	38.10	42.40	36.80	41.23
	13.41	13.42	10.00	2.25	6.93	4.59	3.12	10.03	6.58	3.63	8.52	6.07	3.00	8.49	5.75	Yes	Yes	27.80	35.10	23.70	33.50	24.20	34.10	25.23	34.23
	13.42	13.43	10.00	7.17	6.88	7.03	8.16	6.74	7.45	7.76	6.40	7.08	7.70	6.67	7.19	Yes	Yes	16.20	23.80	15.20	19.80	17.30	22.00	16.23	21.87
13.43	13.44	10.00	3.69	3.55	3.62	4.11	5.42	4.76	4.19	4.66	4.43	4.00	4.54	4.27	Yes	Yes	16.30	19.00	15.00	21.40	14.20	21.40	15.17	20.60	
10m Before Bridge	13.44	13.45	10.00	5.38	5.87	5.62	6.88	6.01	6.45	7.82	5.86	6.84	6.69	5.91	6.30	Yes	Yes	6.30	10.00	7.60	14.20	7.20	13.50	7.03	12.57
	13.45	13.46	10.00	5.08	4.09	4.58	3.22	3.84	3.53	2.13	2.79	2.46	3.48	3.57	3.52	Yes	Yes	6.80	13.30	6.60	8.00	6.60	7.70	6.67	9.67
	13.46	13.47	10.00	1.37	2.35	1.86	1.27	2.36	1.81	1.11	2.03	1.57	1.25	2.25	1.75	Yes		5.20	7.10	4.90	6.10	5.30	6.70	5.13	6.63
	13.47	13.48	10.00	2.03	2.69	2.36	3.17	3.31	3.24	5.56	4.31	4.94	3.59	3.44	3.51	Yes	Yes	5.50	12.60	8.10	18.30	6.90	12.00	6.83	14.30
	13.48	13.49	10.00	9.51	6.52	8.01	9.24	8.24	8.74	7.54	8.27	7.91	8.76	7.68	8.22	Yes	Yes	9.40	19.70	6.00	17.50	2.70	16.60	6.03	17.93
	13.49	13.50	10.00	2.57	5.04	3.80	1.93	3.03	2.48	1.35	2.19	1.77	1.95	3.42	2.68	Yes		1.10	3.60	0.40	2.00	-1.10	0.00	0.13	1.87
10m After Bridge	13.50	13.51	10.00	4.97	4.34	4.66	3.98	4.33	4.16	3.76	4.92	4.34	4.24	4.53	4.39	Yes	Yes	0.20	2.20	-0.80	2.40	-1.60	1.10	-0.73	1.90
	13.51	13.52	10.00	2.12	2.05	2.09	3.98	3.72	3.85	4.02	3.59	3.81	3.37	3.12	3.25	Yes	Yes	0.00	2.30	-0.10	1.30	-1.60	-0.50	-0.57	1.03
	13.52	13.53	10.00	3.92	4.35	4.14	5.67	4.91	5.29	5.26	6.55	5.91	4.95	5.27	5.11	Yes	Yes	1.30	2.60	2.20	10.50	1.00	6.00	1.50	6.37
	13.53	13.54	10.00	4.68	6.16	5.42	5.04	5.42	5.23	7.48	5.35	6.42	5.73	5.64	5.69	Yes	Yes	2.70	13.30	1.30	4.70	1.40	5.30	1.80	7.77
	13.54	13.55	10.00	11.21	5.72	8.47	10.56	6.30	8.43	12.53	9.33	10.93	11.43	7.12	9.28	Yes	Yes	0.70	7.80	0.50	8.00	1.30	7.80	0.83	7.87
	13.55	13.56	10.00	7.20	10.03	8.61	6.50	8.88	7.69	7.62	5.91	6.76	7.11	8.27	7.69	Yes	Yes	-0.10	4.40	-0.20	6.10	-0.60	4.00	-0.30	4.83
	13.56	13.57	10.00	2.83	2.62	2.73	3.26	2.66	2.96	4.89	2.90	3.90	3.66	2.73	3.20	Yes	Yes	-1.90	-0.80	-2.10	-0.90	-2.00	1.70	-2.00	0.00
	13.57	13.58	10.00	3.06	2.61	2.83	2.40	2.32	2.36	3.45	2.30	2.87	2.97	2.41	2.69	Yes		-1.30	0.40	-2.20	-0.90	-0.70	1.70	-1.40	0.40
	13.58	13.59	10.00	4.84	4.96	4.90	6.09	6.73	6.41	5.91	6.36	6.13	5.61	6.02	5.81	Yes	Yes	0.40	5.40	0.20	3.60	1.90	5.40	0.83	4.80
	13.59	13.60	10.00	4.47	2.24	3.35	4.78	1.52	3.15	3.60	2.02	2.81	4.28	1.93	3.10	Yes	Yes	1.50	4.60	1.00	2.40	3.60	7.30	2.03	4.77
	13.60	13.61	10.00	4.43	3.78	4.11	4.55	4.13	4.34	3.92	3.88	3.90	4.30	3.93	4.12	Yes	Yes	1.90	3.90	0.50	2.40	3.20	6.40	1.87	4.23
	13.61	13.62	10.00	1.85	2.75	2.30	1.94	3.05	2.50	2.34	2.14	2.24	2.04	2.65	2.35	Yes		0.50	2.50	-0.40	1.60	0.30	2.00	0.13	2.03
	13.62	13.63	10.00	1.93	1.28	1.60	1.59	1.57	1.58	2.20	1.44	1.82	1.91	1.43	1.67	Yes		0.30	1.50	0.10	0.90	1.50	3.30	0.63	1.90
	13.63	13.64	10.00	1.22	1.69	1.45	1.15	1.58	1.36	1.19	1.15	1.17	1.19	1.47	1.33			2.30	3.60	1.90	4.20	3.70	5.20	2.63	4.33
	13.64	13.65	10.00	1.09	1.21	1.15	0.81	1.42	1.12	1.15	1.34	1.25	1.02	1.32	1.17			4.50	5.80	3.90	5.40	4.60	6.10	4.33	5.77
	13.65	13.66	10.00	6.54	2.42	4.48	6.90	2.44	4.67	6.77	2.50	4.63	6.74	2.45	4.59	Yes	Yes	6.00	8.30	6.00	8.00	6.30	8.20	6.10	8.17
	13.66	13.67	10.00	1.32	1.47	1.40	1.08	1.76	1.42	1.19	1.82	1.51	1.20	1.68	1.44	Yes		5.90	8.20	4.70	6.20	5.00	6.50	5.20	6.97
	13.67	13.68	10.00	1.23	1.72	1.47	1.36	1.57	1.47	1.22	1.41	1.32	1.27	1.57	1.42	Yes		5.90	7.00	3.60	4.50	5.00	6.50	4.83	6.00
	13.68	13.69	10.00	3.84	2.78	3.31	4.84	4.16	4.50	4.37	3.60	3.98	4.35	3.51	3.93	Yes	Yes	8.60	16.50	6.10	10.30	8.50	13.60	7.73	13.47
	13.69	13.70	10.00	0.87	2.27	1.57	0.92	2.45	1.68	0.66	2.85	1.75	0.82	2.52	1.67	Yes		10.00	11.20	5.50	7.90	8.60	10.10	8.03	9.73



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	13.70	13.71	10.00	0.71	2.30	1.51	1.24	2.94	2.09	1.26	3.11	2.18	1.07	2.78	1.93	Yes		9.10	11.50	5.90	8.00	7.50	10.10	7.50	9.87
	13.71	13.72	10.00	1.62	2.32	1.97	1.11	2.32	1.71	1.03	1.90	1.47	1.25	2.18	1.72	Yes		5.20	7.80	5.50	8.50	5.70	7.90	5.47	8.07
	13.72	13.73	10.00	1.03	2.35	1.69	1.55	3.22	2.39	1.49	3.30	2.39	1.36	2.96	2.16	Yes		6.90	10.20	8.30	11.10	8.70	11.00	7.97	10.77
	13.73	13.74	10.00	4.84	6.89	5.86	5.33	9.02	7.18	5.45	8.23	6.84	5.21	8.05	6.63	Yes	Yes	8.00	17.40	9.00	17.60	8.60	18.10	8.53	17.70
	13.74	13.75	10.00	1.40	2.68	2.04	1.31	2.50	1.90	1.42	2.65	2.04	1.38	2.61	1.99	Yes		7.40	8.80	8.50	10.00	8.80	10.00	8.23	9.60
	13.75	13.76	10.00	1.27	2.61	1.94	1.12	2.40	1.76	0.97	2.42	1.70	1.12	2.48	1.80	Yes		6.00	9.30	6.50	8.20	6.70	9.30	6.40	8.93
	13.76	13.77	10.00	1.68	2.57	2.12	2.82	2.71	2.76	5.54	3.47	4.50	3.35	2.92	3.13	Yes	Yes	6.40	10.10	8.30	20.50	8.30	20.80	7.67	17.13
	13.77	13.78	10.00	7.18	4.00	5.59	5.95	3.31	4.63	3.14	2.87	3.01	5.42	3.39	4.41	Yes	Yes	8.00	18.60	7.80	20.70	6.90	8.70	7.57	16.00
	13.78	13.79	10.00	1.41	1.45	1.43	1.31	1.58	1.45	1.49	1.52	1.50	1.40	1.52	1.46	Yes		6.40	8.50	5.90	8.00	5.20	6.90	5.83	7.80
	13.79	13.80	10.00	0.93	1.67	1.30	0.99	1.48	1.24	0.98	1.69	1.33	0.97	1.61	1.29			6.40	8.40	6.50	8.10	6.10	8.40	6.33	8.30
	13.80	13.81	10.00	2.07	1.86	1.96	4.83	2.60	3.72	5.64	2.76	4.20	4.18	2.41	3.29	Yes	Yes	6.50	10.90	6.40	11.80	6.60	10.90	6.50	11.20
	13.81	13.82	10.00	4.98	3.06	4.02	1.97	2.44	2.21	1.30	1.93	1.62	2.75	2.48	2.62	Yes		5.60	11.00	5.40	6.60	5.40	6.00	5.47	7.87
	13.82	13.83	10.00	1.43	1.36	1.39	1.48	1.37	1.43	1.50	1.65	1.58	1.47	1.46	1.47	Yes		5.90	6.80	5.90	6.70	6.10	6.90	5.97	6.80
	13.83	13.84	10.00	0.72	1.69	1.21	0.62	1.44	1.03	0.82	1.38	1.10	0.72	1.50	1.11			6.50	7.20	6.50	7.20	6.50	7.10	6.50	7.17
	13.84	13.85	10.00	0.80	1.08	0.94	0.69	1.01	0.85	0.74	1.22	0.98	0.74	1.10	0.92			5.20	7.20	4.80	6.70	4.60	5.10	4.87	6.33
	13.85	13.86	10.00	0.73	2.36	1.55	0.74	2.42	1.58	0.90	2.34	1.62	0.79	2.37	1.58	Yes		4.80	5.30	4.90	5.80	4.70	5.30	4.80	5.47
	13.86	13.87	10.00	0.94	2.35	1.65	1.90	3.00	2.45	4.07	3.94	4.01	2.30	3.10	2.70	Yes		5.80	6.50	6.10	9.30	5.70	8.90	5.87	8.23
	13.87	13.88	10.00	5.61	3.35	4.48	4.86	3.05	3.96	2.85	1.69	2.27	4.44	2.70	3.57	Yes	Yes	6.10	10.00	5.10	6.90	5.40	7.10	5.53	8.00
	13.88	13.89	10.00	1.18	1.44	1.31	1.03	1.36	1.19	0.83	1.11	0.97	1.01	1.30	1.16			5.20	6.10	4.60	5.60	5.20	5.90	5.00	5.87
	13.89	13.90	10.00	0.72	0.92	0.82	0.93	1.15	1.04	0.92	1.24	1.08	0.86	1.10	0.98			5.50	6.00	5.00	5.70	5.40	5.90	5.30	5.87
	13.90	13.91	10.00	2.81	3.59	3.20	3.06	3.80	3.43	2.94	3.82	3.38	2.94	3.74	3.34	Yes	Yes	4.20	7.10	3.40	6.30	3.90	7.40	3.83	6.93
	13.91	13.92	10.00	0.85	1.62	1.23	0.67	1.49	1.08	0.61	1.06	0.83	0.71	1.39	1.05			3.20	3.60	2.60	3.00	3.20	3.70	3.00	3.43
	13.92	13.93	10.00	1.00	1.53	1.27	1.87	2.36	2.11	1.92	2.64	2.28	1.60	2.18	1.89	Yes		2.00	4.50	1.30	3.80	1.90	5.10	1.73	4.47
	13.93	13.94	10.00	1.68	2.05	1.87	1.02	1.16	1.09	0.92	0.71	0.82	1.21	1.31	1.26			1.20	3.50	0.80	1.60	1.40	2.20	1.13	2.43
	13.94	13.95	10.00	1.29	1.27	1.28	2.66	1.98	2.32	2.95	2.32	2.64	2.30	1.86	2.08	Yes		2.00	5.20	1.80	4.60	2.30	5.90	2.03	5.23
	13.95	13.96	10.00	2.54	2.01	2.27	1.22	1.71	1.46	0.93	1.55	1.24	1.56	1.76	1.66	Yes		1.50	3.30	1.40	2.50	1.60	2.40	1.50	2.73
	13.96	13.97	10.00	2.69	2.91	2.80	2.83	2.84	2.84	2.89	2.61	2.75	2.80	2.79	2.80	Yes		1.70	2.40	1.60	2.30	1.80	2.50	1.70	2.40
	13.97	13.98	10.00	2.32	3.38	2.85	2.11	3.16	2.64	2.08	3.13	2.60	2.17	3.22	2.70	Yes		1.80	2.50	1.10	2.00	0.60	1.90	1.17	2.13
	13.98	13.99	10.00	1.37	1.07	1.22	3.24	1.33	2.29	3.76	0.98	2.37	2.79	1.13	1.96	Yes		1.90	8.50	1.70	7.80	0.90	6.00	1.50	7.43
	13.99	14.00	10.00	2.76	1.42	2.09	1.08	1.03	1.06	1.05	1.65	1.35	1.63	1.37	1.50	Yes		2.60	3.80	2.30	3.50	1.10	2.50	2.00	3.27
	14.00	14.01	10.00	6.23	3.15	4.69	6.85	3.09	4.97	7.12	2.67	4.90	6.73	2.97	4.85	Yes	Yes	4.20	10.70	4.10	9.90	2.70	7.50	3.67	9.37
	14.01	14.02	10.00	1.96	3.09	2.53	1.77	2.53	2.15	2.18	2.22	2.20	1.97	2.61	2.29	Yes		5.10	8.00	5.20	8.50	3.80	6.90	4.70	7.80
	14.02	14.03	10.00	0.83	1.36	1.09	0.82	1.36	1.09	0.86	1.52	1.19	0.84	1.41	1.12			5.70	6.10	5.90	6.80	4.70	6.00	5.43	6.30
	14.03	14.04	10.00	1.39	3.00	2.19	1.25	3.19	2.22	1.65	3.54	2.60	1.43	3.24	2.34	Yes		7.70	9.70	7.90	9.30	7.00	8.30	7.53	9.10
	14.04	14.05	10.00	2.14	3.73	2.94	2.40	4.03	3.21	2.42	3.79	3.10	2.32	3.85	3.08	Yes	Yes	7.10	10.20	6.90	9.50	6.60	8.70	6.87	9.47
	14.05	14.06	10.00	1.71	4.42	3.06	1.68	4.03	2.86	1.81	3.98	2.89	1.73	4.14	2.94	Yes		10.30	14.30	10.80	14.30	10.80	14.00	10.63	14.20
	14.06	14.07	10.00	2.39	2.93	2.66	2.46	3.29	2.88	2.46	3.41	2.94	2.44	3.21	2.83	Yes		7.60	11.90	7.00	10.60	6.70	10.70	7.10	11.07



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG IRI	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	14.07	14.08	10.00	0.82	2.00	1.41	0.74	1.55	1.15	0.78	1.49	1.13	0.78	1.68	1.23			5.70	6.90	5.50	6.30	5.80	6.60	5.67	6.60
	14.08	14.09	10.00	0.61	1.31	0.96	0.65	1.38	1.02	0.66	1.37	1.01	0.64	1.35	1.00			6.30	7.40	6.30	7.20	6.80	7.50	6.47	7.37
	14.09	14.10	10.00	2.90	4.10	3.50	3.35	3.66	3.50	2.68	3.77	3.22	2.98	3.84	3.41	Yes	Yes	7.20	13.90	6.80	13.30	7.00	14.10	7.00	13.77
	14.10	14.11	10.00	2.18	3.11	2.65	2.55	3.37	2.96	2.33	3.45	2.89	2.35	3.31	2.83	Yes		5.40	7.80	4.80	7.00	5.00	7.80	5.07	7.53
	14.11	14.12	10.00	0.66	1.34	1.00	0.67	1.07	0.87	0.70	0.84	0.77	0.68	1.08	0.88			4.80	5.60	4.40	5.60	4.90	6.00	4.70	5.73
	14.12	14.13	10.00	2.28	3.24	2.76	2.24	3.25	2.74	2.45	3.36	2.91	2.32	3.28	2.80	Yes		5.30	6.80	4.50	6.30	4.40	6.40	4.73	6.50
	14.13	14.14	10.00	1.90	3.56	2.73	2.00	3.76	2.88	2.03	3.51	2.77	1.98	3.61	2.79	Yes		3.90	5.70	3.30	5.10	3.30	5.20	3.50	5.33
	14.14	14.15	10.00	2.07	2.55	2.31	2.11	2.73	2.42	2.14	2.89	2.52	2.11	2.72	2.42	Yes		3.60	6.30	3.00	5.40	2.80	5.30	3.13	5.67
	14.15	14.16	10.00	0.71	1.14	0.93	0.67	0.87	0.77	0.65	0.89	0.77	0.68	0.97	0.82			2.00	2.80	1.90	2.80	2.00	3.70	1.97	3.10
	14.16	14.17	10.00	0.53	0.95	0.74	0.66	0.96	0.81	0.70	0.83	0.76	0.63	0.91	0.77			3.50	4.30	3.40	3.90	3.60	4.10	3.50	4.10
	14.17	14.18	10.00	1.79	1.45	1.62	2.08	1.69	1.88	2.56	1.93	2.24	2.14	1.69	1.91	Yes		3.90	5.90	3.70	5.50	3.90	6.10	3.83	5.83
	14.18	14.19	10.00	3.74	1.32	2.53	3.53	1.02	2.27	3.30	1.08	2.19	3.52	1.14	2.33	Yes		2.10	3.90	1.70	3.90	1.60	3.20	1.80	3.67
	14.19	14.20	10.00	3.48	1.66	2.57	3.75	1.68	2.71	4.05	1.48	2.76	3.76	1.61	2.68	Yes		2.90	9.90	4.20	11.90	5.00	12.30	4.03	11.37
	14.20	14.21	10.00	2.19	1.38	1.79	2.38	1.64	2.01	2.00	1.73	1.86	2.19	1.58	1.89	Yes		5.20	7.40	5.50	6.50	5.80	6.80	5.50	6.90
	14.21	14.22	10.00	3.66	2.04	2.85	4.20	2.19	3.19	4.63	3.68	4.15	4.16	2.64	3.40	Yes	Yes	5.70	6.90	7.00	8.70	7.30	16.00	6.67	10.53
	14.22	14.23	10.00	3.42	6.20	4.81	3.04	5.71	4.38	2.49	4.71	3.60	2.98	5.54	4.26	Yes	Yes	6.70	14.00	8.10	18.20	6.40	10.30	7.07	14.17
	14.23	14.24	10.00	1.95	1.99	1.97	2.70	2.36	2.53	2.22	2.57	2.40	2.29	2.31	2.30	Yes		8.90	11.70	10.10	12.20	10.00	11.90	9.67	11.93
	14.24	14.25	10.00	1.83	2.87	2.35	1.85	2.28	2.07	1.53	2.17	1.85	1.74	2.44	2.09	Yes		11.00	12.30	11.40	12.80	9.90	11.50	10.77	12.20
	14.25	14.26	10.00	1.64	2.43	2.03	1.47	2.37	1.92	1.79	2.26	2.03	1.63	2.35	1.99	Yes		11.80	13.90	12.40	16.00	10.70	13.70	11.63	14.53
	14.26	14.27	10.00	3.31	4.01	3.66	2.95	4.00	3.48	3.46	4.33	3.90	3.24	4.11	3.68	Yes	Yes	12.10	16.30	11.30	16.00	11.40	15.30	11.60	15.87
	14.27	14.28	10.00	4.38	4.33	4.36	6.08	4.77	5.42	7.47	5.47	6.47	5.98	4.86	5.42	Yes	Yes	16.90	29.30	17.70	28.60	22.10	29.70	18.90	29.20
	14.28	14.29	10.00	6.45	2.88	4.67	4.95	2.36	3.65	6.46	2.89	4.67	5.95	2.71	4.33	Yes	Yes	22.60	25.50	21.10	23.30	21.10	26.60	21.60	25.13
	14.29	14.30	10.00	3.01	5.76	4.38	2.52	5.26	3.89	2.05	5.26	3.66	2.53	5.43	3.98	Yes	Yes	15.80	23.80	19.40	28.50	17.50	25.20	17.57	25.83
	14.30	14.31	10.00	3.26	5.47	4.37	2.18	4.87	3.52	4.42	8.30	6.36	3.29	6.21	4.75	Yes	Yes	13.30	24.60	26.30	35.90	13.10	19.60	17.57	26.70
	14.31	14.32	10.00	16.19	14.52	15.36	15.72	12.07	13.89	16.56	12.30	14.43	16.16	12.96	14.56	Yes	Yes	17.40	22.50	22.60	34.30	17.60	25.10	19.20	27.30
	14.32	14.33	10.00	3.82	5.54	4.68	3.29	6.74	5.02	3.36	5.42	4.39	3.49	5.90	4.70	Yes	Yes	17.50	25.60	20.90	29.40	23.20	30.30	20.53	28.43
	14.33	14.34	10.00	6.86	5.58	6.22	4.76	7.43	6.09	6.29	5.26	5.77	5.97	6.09	6.03	Yes	Yes	13.50	28.40	8.40	28.90	-2.10	23.60	6.60	26.97
	14.34	14.35	10.00	2.68	4.78	3.73	2.16	4.93	3.55	2.23	4.63	3.43	2.36	4.78	3.57	Yes	Yes	5.30	13.00	3.70	9.10	4.50	11.50	4.50	11.20
	14.35	14.36	10.00	3.24	3.88	3.56	4.75	5.54	5.14	5.40	4.53	4.96	4.46	4.65	4.55	Yes	Yes	2.20	17.80	1.00	14.50	0.70	16.00	1.30	16.10
	14.36	14.37	10.00	6.02	3.22	4.62	6.10	3.69	4.90	5.94	3.81	4.88	6.02	3.57	4.80	Yes	Yes	5.90	13.90	8.00	16.10	7.00	17.80	6.97	15.93
	14.37	14.38	10.00	6.24	6.89	6.57	5.04	7.25	6.15	5.46	7.05	6.26	5.58	7.06	6.33	Yes	Yes	1.30	13.30	0.60	9.80	0.70	11.10	0.87	11.40
	14.38	14.39	10.00	15.66	6.18	10.92	14.03	6.97	10.50	15.99	7.23	11.61	15.23	6.79	11.01	Yes	Yes	10.20	31.30	10.80	28.00	12.50	31.60	11.17	30.30
	14.39	14.40	10.00	5.66	11.04	8.35	4.86	9.47	7.17	4.40	9.40	6.90	4.97	9.97	7.47	Yes	Yes	10.30	19.10	12.80	19.10	13.20	19.00	12.10	19.07
	14.40	14.41	10.00	2.18	7.79	4.98	2.01	7.87	4.94	1.97	8.71	5.34	2.05	8.12	5.09	Yes	Yes	9.50	16.50	8.70	15.50	8.50	15.40	8.90	15.80
	14.41	14.42	10.00	4.29	6.85	5.57	4.71	6.26	5.48	4.78	5.48	5.13	4.59	6.20	5.39	Yes	Yes	15.20	28.20	16.30	27.10	16.60	28.10	16.03	27.80
	14.42	14.43	10.00	2.40	2.66	2.53	2.03	2.57	2.30	1.82	2.76	2.29	2.08	2.66	2.37	Yes		13.60	16.90	13.30	15.80	12.40	15.00	13.10	15.90
	14.43	14.44	10.00	2.19	5.20	3.70	4.45	6.57	5.51	4.08	8.64	6.36	3.57	6.80	5.19	Yes	Yes	11.60	14.10	10.20	13.50	10.50	14.20	10.77	13.93



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	14.44	14.45	10.00	4.00	6.29	5.14	2.76	3.79	3.28	2.47	3.29	2.88	3.08	4.46	3.77	Yes	Yes	7.50	9.30	6.00	7.80	7.30	9.20	6.93	8.77
	14.45	14.46	10.00	1.73	2.39	2.06	2.11	2.60	2.36	1.89	1.81	1.85	1.91	2.27	2.09	Yes		8.30	10.40	8.10	10.20	9.20	10.90	8.53	10.50
	14.46	14.47	10.00	1.05	2.04	1.55	1.45	2.05	1.75	1.34	2.70	2.02	1.28	2.26	1.77	Yes		8.70	10.30	8.20	9.20	10.60	19.40	9.17	12.97
	14.47	14.48	10.00	3.96	3.98	3.97	5.20	4.33	4.76	4.90	3.61	4.25	4.69	3.97	4.33	Yes	Yes	8.70	18.20	7.70	15.00	8.90	20.00	8.43	17.73
	14.48	14.49	10.00	5.93	5.78	5.85	4.75	3.62	4.18	5.31	4.03	4.67	5.33	4.48	4.90	Yes	Yes	5.80	16.90	4.90	11.00	7.10	17.20	5.93	15.03
	14.49	14.50	10.00	2.17	2.87	2.52	2.53	3.22	2.88	2.61	2.68	2.65	2.44	2.92	2.68	Yes		3.70	5.80	5.50	6.80	5.20	7.50	4.80	6.70
	14.50	14.51	10.00	2.63	2.85	2.74	2.06	2.43	2.25	1.56	2.44	2.00	2.08	2.57	2.33	Yes		4.10	6.20	6.20	8.70	6.50	11.90	5.60	8.93
	14.51	14.52	10.00	2.74	3.75	3.25	2.24	4.08	3.16	2.51	3.77	3.14	2.50	3.87	3.18	Yes	Yes	6.60	16.90	6.50	18.60	4.90	17.30	6.00	17.60
	14.52	14.53	10.00	0.81	1.85	1.33	0.87	1.80	1.34	1.10	1.97	1.53	0.93	1.87	1.40			3.00	3.70	3.30	4.10	3.10	4.10	3.13	3.97
	14.53	14.54	10.00	1.15	1.82	1.48	1.86	2.19	2.03	3.40	2.32	2.86	2.14	2.11	2.12	Yes		4.40	6.90	5.90	17.60	6.10	17.80	5.47	14.10
	14.54	14.55	10.00	4.09	2.45	3.27	3.30	2.48	2.89	1.90	2.21	2.06	3.10	2.38	2.74	Yes		5.70	17.60	4.60	8.20	4.60	6.00	4.97	10.60
	14.55	14.56	10.00	1.71	3.61	2.66	3.95	4.45	4.20	4.28	5.42	4.85	3.31	4.49	3.90	Yes	Yes	8.10	17.90	9.20	20.60	8.50	21.30	8.60	19.93
	14.56	14.57	10.00	4.84	5.62	5.23	2.70	4.19	3.45	2.07	3.10	2.59	3.20	4.30	3.76	Yes	Yes	7.30	20.50	6.30	7.40	6.70	7.40	6.77	11.77
	14.57	14.58	10.00	3.09	4.75	3.92	2.97	4.54	3.75	3.06	3.31	3.19	3.04	4.20	3.62	Yes	Yes	6.40	18.00	6.20	17.90	5.60	14.90	6.07	16.93
	14.58	14.59	10.00	2.18	2.54	2.36	2.46	2.58	2.52	2.27	3.16	2.71	2.30	2.76	2.53	Yes		3.50	8.90	3.70	8.70	3.40	7.20	3.53	8.27
	14.59	14.60	10.00	2.28	2.05	2.16	3.87	2.62	3.24	5.18	2.23	3.70	3.78	2.30	3.03	Yes	Yes	5.20	16.50	6.80	20.60	6.70	20.30	6.23	19.13
	14.60	14.61	10.00	4.68	2.78	3.73	2.68	2.12	2.40	1.98	1.83	1.91	3.11	2.24	2.68	Yes		8.40	19.90	8.10	10.10	7.50	8.70	8.00	12.90
	14.61	14.62	10.00	2.60	2.11	2.36	5.12	3.37	4.24	5.93	4.13	5.03	4.55	3.20	3.88	Yes	Yes	9.20	20.20	9.00	19.30	8.50	20.00	8.90	19.83
	14.62	14.63	10.00	6.14	4.84	5.49	4.20	3.95	4.07	3.42	3.55	3.48	4.59	4.11	4.35	Yes	Yes	7.50	18.70	7.10	13.50	7.90	13.00	7.50	15.07
	14.63	14.64	10.00	2.10	2.86	2.48	2.84	2.89	2.87	2.70	2.97	2.84	2.55	2.91	2.73	Yes		10.10	17.80	9.10	16.60	9.80	17.90	9.67	17.43
	14.64	14.65	10.00	2.52	3.35	2.94	1.66	2.47	2.07	1.36	2.28	1.82	1.85	2.70	2.28	Yes		8.10	13.70	8.90	9.90	8.90	9.90	8.63	11.17
	14.65	14.66	10.00	1.31	0.99	1.15	1.56	0.95	1.26	1.47	1.00	1.24	1.45	0.98	1.22			8.30	10.40	10.10	12.00	10.20	11.90	9.53	11.43
	14.66	14.67	10.00	3.05	1.65	2.35	3.38	2.21	2.79	3.37	2.26	2.81	3.27	2.04	2.65	Yes		10.10	20.20	10.80	21.20	10.30	21.10	10.40	20.83
	14.67	14.68	10.00	1.32	1.81	1.56	1.04	1.50	1.27	1.30	1.31	1.31	1.22	1.54	1.38			6.20	8.80	6.30	8.60	5.60	8.00	6.03	8.47
	14.68	14.69	10.00	4.25	1.67	2.96	5.19	2.12	3.66	5.29	2.58	3.93	4.91	2.12	3.52	Yes	Yes	6.90	12.40	7.20	12.50	6.70	11.90	6.93	12.27
	14.69	14.70	10.00	2.71	3.02	2.86	1.70	3.32	2.51	1.56	3.53	2.54	1.99	3.29	2.64	Yes		6.00	7.90	7.70	24.20	7.70	27.70	7.13	19.93
	14.70	14.71	10.00	5.86	3.68	4.77	6.60	3.77	5.19	5.82	4.60	5.21	6.09	4.02	5.06	Yes	Yes	20.20	29.90	19.00	30.20	14.30	26.60	17.83	28.90
	14.71	14.72	10.00	3.71	2.35	3.03	2.77	2.03	2.40	1.82	3.14	2.48	2.77	2.51	2.64	Yes		6.20	11.00	6.10	7.10	2.20	3.40	4.83	7.17
	14.72	14.73	10.00	2.79	2.06	2.42	3.74	1.99	2.87	4.04	1.80	2.92	3.52	1.95	2.74	Yes		5.00	10.60	4.50	10.50	4.60	9.70	4.70	10.27
	14.73	14.74	10.00	2.94	2.50	2.72	1.68	2.92	2.30	1.06	2.67	1.86	1.89	2.70	2.29	Yes		2.50	6.70	1.90	4.20	0.60	3.20	1.67	4.70
	14.74	14.75	10.00	1.48	1.71	1.59	1.20	1.27	1.23	1.38	1.52	1.45	1.35	1.50	1.42	Yes		0.90	3.80	1.40	4.10	2.60	3.80	1.63	3.90
	14.75	14.76	10.00	1.09	1.39	1.24	1.18	1.52	1.35	1.30	1.63	1.46	1.19	1.51	1.35			0.10	3.30	0.00	4.00	1.20	3.60	0.43	3.63
	14.76	14.77	10.00	3.81	2.29	3.05	4.01	2.03	3.02	4.56	1.97	3.27	4.13	2.10	3.11	Yes	Yes	-0.90	1.20	-0.30	1.30	1.50	2.60	0.10	1.70
	14.77	14.78	10.00	2.27	2.34	2.31	1.92	2.60	2.26	1.58	2.44	2.01	1.92	2.46	2.19	Yes		-0.90	2.70	-0.30	2.90	0.60	3.40	-0.20	3.00
	14.78	14.79	10.00	1.73	1.96	1.84	3.09	2.23	2.66	3.82	2.70	3.26	2.88	2.30	2.59	Yes		-0.40	1.20	0.60	3.60	1.80	5.10	0.67	3.30
	14.79	14.80	10.00	4.35	3.02	3.69	2.88	2.17	2.53	2.10	1.93	2.02	3.11	2.37	2.75	Yes		-0.30	1.70	0.00	1.40	1.00	2.00	0.23	1.70
	14.80	14.81	10.00	1.17	2.00	1.59	0.96	2.00	1.48	0.65	1.46	1.06	0.93	1.82	1.38			0.10	1.20	0.60	1.50	1.00	2.20	0.57	1.63



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG IRI	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	14.81	14.82	10.00	0.85	1.63	1.24	1.02	1.72	1.37	1.59	1.98	1.79	1.15	1.78	1.47	Yes		-0.40	0.50	-0.10	0.60	0.90	5.40	0.13	2.17
	14.82	14.83	10.00	4.66	2.79	3.72	4.70	2.80	3.75	3.66	2.54	3.10	4.34	2.71	3.52	Yes	Yes	1.80	4.30	2.20	4.50	2.50	5.60	2.17	4.80
	14.83	14.84	10.00	1.25	1.75	1.50	1.11	1.88	1.49	0.97	1.70	1.34	1.11	1.78	1.44	Yes		1.50	2.50	1.40	2.60	1.30	2.60	1.40	2.57
	14.84	14.85	10.00	3.56	1.45	2.51	4.19	1.34	2.76	4.24	1.52	2.88	4.00	1.44	2.72	Yes		0.60	3.40	0.30	3.50	0.00	3.40	0.30	3.43
	14.85	14.86	10.00	1.86	1.50	1.68	1.40	1.86	1.63	1.39	2.17	1.78	1.55	1.84	1.70	Yes		-1.30	0.00	-0.80	1.10	-0.90	1.10	-1.00	0.73
	14.86	14.87	10.00	1.74	3.84	2.79	1.70	3.98	2.84	1.74	3.91	2.83	1.73	3.91	2.82	Yes		-0.80	1.20	0.00	2.30	0.60	3.30	-0.07	2.27
	14.87	14.88	10.00	4.00	3.00	3.50	3.66	2.45	3.05	3.55	2.17	2.86	3.74	2.54	3.14	Yes	Yes	2.50	4.30	3.10	5.60	3.00	5.50	2.87	5.13
	14.88	14.89	10.00	0.83	2.02	1.42	0.70	1.80	1.25	0.70	1.74	1.22	0.74	1.85	1.30			2.00	2.90	2.20	3.40	1.80	2.80	2.00	3.03
	14.89	14.90	10.00	0.72	1.51	1.12	0.78	1.44	1.11	1.07	1.53	1.30	0.86	1.49	1.18			1.20	1.70	1.00	1.40	1.10	1.70	1.10	1.60
	14.90	14.91	10.00	2.11	1.52	1.82	2.70	1.32	2.01	2.26	1.61	1.93	2.36	1.48	1.92	Yes		0.60	1.10	0.30	1.40	0.80	2.40	0.57	1.63
	14.91	14.92	10.00	1.98	2.00	1.99	2.01	2.33	2.17	1.77	1.93	1.85	1.92	2.09	2.00	Yes		0.50	1.80	1.60	2.90	1.80	3.90	1.30	2.87
	14.92	14.93	10.00	1.29	1.37	1.33	1.17	1.54	1.35	1.26	1.46	1.36	1.24	1.46	1.35			2.80	3.70	3.60	5.50	4.20	5.80	3.53	5.00
	14.93	14.94	10.00	3.99	2.42	3.20	4.38	2.63	3.50	4.34	2.54	3.44	4.24	2.53	3.38	Yes	Yes	4.60	8.70	6.40	14.10	6.50	13.90	5.83	12.23
	14.94	14.95	10.00	1.61	2.38	1.99	1.58	2.63	2.11	1.60	2.63	2.11	1.60	2.55	2.07	Yes		5.40	6.70	5.70	6.70	6.10	8.60	5.73	7.33
	14.95	14.96	10.00	1.85	2.07	1.96	1.62	2.04	1.83	1.84	2.23	2.03	1.77	2.11	1.94	Yes		7.50	8.80	7.00	9.00	6.80	9.10	7.10	8.97
	14.96	14.97	10.00	3.21	2.54	2.88	3.07	2.61	2.84	2.84	2.35	2.60	3.04	2.50	2.77	Yes		6.70	9.80	6.90	9.80	6.40	10.00	6.67	9.87
	14.97	14.98	10.00	0.82	1.46	1.14	0.93	1.55	1.24	0.91	1.75	1.33	0.89	1.59	1.24			7.70	9.20	8.10	9.70	7.40	8.80	7.73	9.23
	14.98	14.99	10.00	2.11	2.50	2.30	2.16	2.71	2.44	3.97	2.60	3.28	2.75	2.60	2.67	Yes		9.50	21.20	9.50	18.90	11.50	21.30	10.17	20.47
	14.99	15.00	10.00	6.67	3.03	4.85	4.53	2.60	3.56	5.46	3.16	4.31	5.55	2.93	4.24	Yes	Yes	10.90	17.70	5.80	7.70	7.80	14.00	8.17	13.13
	15.00	15.01	10.00	4.96	3.13	4.04	4.48	2.58	3.53	4.82	2.62	3.72	4.75	2.78	3.76	Yes	Yes	6.60	13.60	6.90	12.80	7.30	13.50	6.93	13.30
	15.01	15.02	10.00	3.25	1.98	2.61	2.78	2.02	2.40	3.97	2.59	3.28	3.33	2.20	2.76	Yes		6.60	8.80	7.40	8.90	4.20	8.30	6.07	8.67
	15.02	15.03	10.00	4.85	3.71	4.28	5.16	4.08	4.62	5.52	2.37	3.95	5.18	3.39	4.28	Yes	Yes	4.40	10.00	4.90	9.60	2.70	8.30	4.00	9.30
	15.03	15.04	10.00	4.70	3.85	4.28	4.05	3.85	3.95	4.20	4.25	4.22	4.32	3.98	4.15	Yes	Yes	4.60	10.40	6.10	9.70	6.30	10.00	5.67	10.03
	15.04	15.05	10.00	3.78	3.16	3.47	3.26	3.07	3.16	4.17	2.72	3.45	3.74	2.98	3.36	Yes	Yes	9.80	11.60	8.30	10.10	9.30	10.70	9.13	10.80
	15.05	15.06	10.00	2.31	2.51	2.41	2.70	3.09	2.89	3.38	2.61	2.99	2.80	2.74	2.76	Yes		8.90	10.50	7.20	9.50	7.00	10.80	7.70	10.27
	15.06	15.07	10.00	10.98	6.89	8.94	12.41	7.64	10.02	11.20	6.99	9.10	11.53	7.17	9.35	Yes	Yes	13.70	36.00	16.70	35.20	21.10	35.20	17.17	35.47
	15.07	15.08	10.00	11.64	7.76	9.70	9.33	7.45	8.39	8.56	7.46	8.01	9.84	7.56	8.70	Yes	Yes	24.00	36.20	22.50	37.30	24.80	36.40	23.77	36.63
	15.08	15.09	10.00	9.11	3.32	6.22	8.14	3.02	5.58	9.23	2.98	6.11	8.83	3.11	5.97	Yes	Yes	16.50	30.70	14.80	21.50	15.50	22.20	15.60	24.80
	15.09	15.10	10.00	6.40	6.00	6.20	6.44	6.33	6.39	5.09	6.11	5.60	5.98	6.15	6.06	Yes	Yes	16.50	22.20	16.40	21.80	16.10	21.00	16.33	21.67
	15.10	15.11	10.00	2.99	3.74	3.36	2.50	3.67	3.09	2.32	3.68	3.00	2.60	3.70	3.15	Yes	Yes	14.00	16.90	13.40	17.00	13.70	17.70	13.70	17.20
	15.11	15.12	10.00	6.05	8.43	7.24	6.77	8.69	7.73	7.46	8.23	7.84	6.76	8.45	7.60	Yes	Yes	15.70	27.30	15.00	27.60	15.40	29.20	15.37	28.03
	15.12	15.13	10.00	6.19	3.38	4.79	6.88	3.17	5.02	8.12	4.49	6.31	7.06	3.68	5.37	Yes	Yes	11.80	22.10	14.00	22.20	17.30	25.00	14.37	23.10
	15.13	15.14	10.00	5.66	5.83	5.75	5.36	6.05	5.71	5.30	5.47	5.39	5.44	5.78	5.62	Yes	Yes	20.80	23.80	20.20	24.00	21.50	25.60	20.83	24.47
	15.14	15.15	10.00	4.44	4.58	4.51	4.05	4.44	4.25	3.64	3.66	3.65	4.04	4.23	4.14	Yes	Yes	14.60	19.10	14.50	18.40	15.50	20.60	14.87	19.37
	15.15	15.16	10.00	3.79	7.67	5.73	4.07	8.54	6.30	6.69	8.82	7.75	4.85	8.34	6.59	Yes	Yes	19.60	27.60	21.20	28.50	20.60	28.00	20.47	28.03
	15.16	15.17	10.00	5.29	10.88	8.09	7.00	11.15	9.07	8.43	9.01	8.72	6.91	10.35	8.63	Yes	Yes	26.10	39.60	24.90	38.60	21.00	31.50	24.00	36.57
	15.17	15.18	10.00	7.05	17.19	12.12	6.67	17.16	11.91	7.23	14.01	10.62	6.98	16.12	11.55	Yes	Yes	16.90	28.80	17.80	29.90	20.40	34.50	18.37	31.07



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	15.18	15.19	10.00	6.28	7.25	6.76	6.61	6.68	6.64	8.15	7.61	7.88	7.01	7.18	7.09	Yes	Yes	12.60	26.80	18.80	39.90	33.30	50.70	21.57	39.13
	15.19	15.20	10.00	7.76	4.53	6.14	7.24	5.73	6.48	6.43	6.46	6.45	7.14	5.57	6.36	Yes	Yes	22.40	35.90	24.30	31.10	31.10	38.20	25.93	35.07
	15.20	15.21	10.00	19.85	6.64	13.24	14.91	5.97	10.44	10.87	7.10	8.99	15.21	6.57	10.89	Yes	Yes	20.40	38.00	23.40	37.90	36.10	44.70	26.63	40.20
	15.21	15.22	10.00	9.83	13.02	11.42	9.48	16.24	12.86	11.06	18.70	14.88	10.12	15.99	13.05	Yes	Yes	10.80	20.50	10.60	24.10	15.10	33.40	12.17	26.00
	15.22	15.23	10.00	11.15	9.86	10.51	11.15	7.80	9.48	12.39	9.22	10.80	11.56	8.96	10.26	Yes	Yes	11.10	14.80	13.10	22.70	22.50	35.20	15.57	24.23
	15.23	15.24	10.00	4.55	6.21	5.38	4.39	5.09	4.74	5.56	5.53	5.55	4.83	5.61	5.22	Yes	Yes	15.40	27.60	14.30	27.60	16.30	29.00	15.33	28.07
	15.24	15.25	10.00	5.59	3.96	4.77	5.17	4.28	4.72	3.94	4.99	4.47	4.90	4.41	4.65	Yes	Yes	20.60	35.00	22.10	35.00	27.60	39.90	23.43	36.63
	15.25	15.26	10.00	5.25	3.51	4.38	5.59	3.88	4.73	7.56	4.58	6.07	6.13	3.99	5.06	Yes	Yes	21.20	30.80	21.00	30.60	27.70	37.90	23.30	33.10
	15.26	15.27	10.00	7.08	4.08	5.58	6.11	4.08	5.10	6.71	4.37	5.54	6.63	4.18	5.41	Yes	Yes	24.90	33.10	26.70	33.20	29.00	33.20	26.87	33.17
	15.27	15.28	10.00	3.26	5.12	4.19	3.32	5.51	4.42	3.49	5.28	4.38	3.36	5.30	4.33	Yes	Yes	30.30	34.90	30.20	35.20	31.10	36.00	30.53	35.37
	15.28	15.29	10.00	2.55	4.70	3.62	3.04	3.54	3.29	3.78	3.07	3.42	3.12	3.77	3.44	Yes	Yes	19.70	31.00	15.20	29.80	16.60	32.50	17.17	31.10
	15.29	15.30	10.00	4.16	3.13	3.64	4.87	4.03	4.45	5.03	4.10	4.57	4.69	3.75	4.22	Yes	Yes	22.30	28.60	27.90	33.60	27.30	32.90	25.83	31.70
	15.30	15.31	10.00	8.83	5.07	6.95	7.48	3.61	5.55	8.05	4.14	6.09	8.12	4.27	6.20	Yes	Yes	22.20	34.00	16.00	33.50	14.50	32.00	17.57	33.17
	15.31	15.32	10.00	3.27	2.74	3.00	2.50	1.43	1.97	2.04	2.31	2.17	2.60	2.16	2.38	Yes		8.40	9.80	6.00	7.10	8.20	12.60	7.53	9.83
	15.32	15.33	10.00	6.63	2.19	4.41	3.97	2.96	3.47	4.14	2.61	3.38	4.91	2.59	3.75	Yes	Yes	13.60	20.20	14.60	19.70	16.00	20.00	14.73	19.97
	15.33	15.34	10.00	4.57	2.53	3.55	4.28	2.80	3.54	2.95	2.67	2.81	3.93	2.67	3.30	Yes	Yes	17.50	22.90	10.90	18.50	10.70	17.70	13.03	19.70
	15.34	15.35	10.00	1.66	2.77	2.22	1.25	2.37	1.81	0.99	2.40	1.70	1.30	2.51	1.91	Yes		9.00	11.30	8.60	11.80	9.30	12.40	8.97	11.83
	15.35	15.36	10.00	0.97	2.12	1.54	1.07	2.59	1.83	1.07	2.52	1.79	1.04	2.41	1.72	Yes		9.00	11.50	10.10	11.80	10.00	11.60	9.70	11.63
	15.36	15.37	10.00	1.06	2.32	1.69	1.17	2.49	1.83	1.47	2.53	2.00	1.23	2.45	1.84	Yes		12.10	17.40	12.40	18.00	12.60	18.10	12.37	17.83
	15.37	15.38	10.00	2.44	8.15	5.29	2.44	8.09	5.26	2.29	8.35	5.32	2.39	8.20	5.29	Yes	Yes	9.80	15.60	12.30	18.90	13.10	19.50	11.73	18.00
	15.38	15.39	10.00	1.35	3.43	2.39	1.42	3.48	2.45	1.37	3.16	2.26	1.38	3.36	2.37	Yes		14.70	18.20	15.00	19.50	17.00	20.20	15.57	19.30
	15.39	15.40	10.00	2.44	2.66	2.55	2.27	2.37	2.32	2.29	1.86	2.07	2.33	2.30	2.31	Yes		13.80	18.20	14.10	19.30	14.30	20.50	14.07	19.33
	15.40	15.41	10.00	2.01	2.96	2.48	1.72	3.09	2.41	1.56	3.26	2.41	1.76	3.10	2.43	Yes		11.50	14.10	13.20	14.90	13.50	15.10	12.73	14.70
	15.41	15.42	10.00	4.77	4.74	4.75	5.54	4.91	5.22	6.31	5.94	6.12	5.54	5.20	5.36	Yes	Yes	15.30	21.80	17.90	27.50	18.40	28.10	17.20	25.80
	15.42	15.43	10.00	3.09	5.19	4.14	2.37	4.50	3.44	1.87	3.58	2.73	2.44	4.42	3.44	Yes	Yes	15.70	18.70	17.90	20.80	17.90	20.70	17.17	20.07
	15.43	15.44	10.00	1.97	2.33	2.15	2.69	3.26	2.98	4.13	3.92	4.02	2.93	3.17	3.05	Yes	Yes	14.40	19.20	17.30	28.30	19.70	32.00	17.13	26.50
	15.44	15.45	10.00	7.08	4.30	5.69	7.96	4.04	6.00	6.39	3.06	4.73	7.14	3.80	5.47	Yes	Yes	16.70	26.80	19.60	31.10	18.60	25.20	18.30	27.70
	15.45	15.46	10.00	2.04	2.76	2.40	1.27	3.55	2.41	1.64	3.60	2.62	1.65	3.30	2.48	Yes		21.80	35.20	31.80	42.70	32.90	42.90	28.83	40.27
	15.46	15.47	10.00	3.19	5.35	4.27	2.14	4.81	3.48	2.43	4.78	3.61	2.59	4.98	3.79	Yes	Yes	21.80	36.00	26.90	37.30	24.40	34.60	24.37	35.97
	15.47	15.48	10.00	4.35	9.11	6.73	5.27	8.32	6.79	4.87	8.83	6.85	4.83	8.75	6.79	Yes	Yes	21.40	31.10	29.60	38.30	26.10	37.20	25.70	35.53
	15.48	15.49	10.00	1.74	3.60	2.67	1.48	3.53	2.50	1.34	3.14	2.24	1.52	3.42	2.47	Yes		17.30	23.70	22.90	30.90	21.40	24.00	20.53	26.20
	15.49	15.50	10.00	1.25	2.18	1.72	1.40	2.79	2.09	1.22	2.50	1.86	1.29	2.49	1.89	Yes		14.60	17.20	21.80	25.50	19.40	22.30	18.60	21.67
	15.50	15.51	10.00	1.24	2.85	2.04	1.38	2.75	2.06	2.35	6.04	4.19	1.66	3.88	2.76	Yes		13.60	23.50	22.80	36.40	24.00	36.00	20.13	31.97
	15.51	15.52	10.00	4.21	10.18	7.20	5.21	9.71	7.46	4.78	7.11	5.95	4.73	9.00	6.87	Yes	Yes	23.30	31.00	26.50	34.00	25.60	32.60	25.13	32.53
	15.52	15.53	10.00	2.54	4.92	3.73	2.11	3.69	2.90	1.73	3.08	2.41	2.13	3.90	3.01	Yes	Yes	20.90	32.60	23.70	36.50	25.00	37.60	23.20	35.57
	15.53	15.54	10.00	4.30	4.52	4.41	4.55	4.64	4.60	4.40	5.33	4.87	4.42	4.83	4.63	Yes	Yes	18.50	31.80	19.70	28.50	19.60	30.40	19.27	30.23
	15.54	15.55	10.00	2.43	4.29	3.36	1.88	4.28	3.08	2.84	4.55	3.69	2.38	4.37	3.38	Yes	Yes	22.90	33.60	24.80	34.50	25.50	34.50	24.40	34.20



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	15.55	15.56	10.00	3.71	3.94	3.82	3.33	3.97	3.65	2.40	3.33	2.87	3.15	3.75	3.45	Yes	Yes	14.90	30.00	13.30	31.40	12.40	16.90	13.53	26.10
	15.56	15.57	10.00	2.24	3.49	2.86	2.96	3.14	3.05	2.89	3.32	3.10	2.70	3.32	3.00	Yes	Yes	10.80	14.40	10.60	13.50	11.50	21.80	10.97	16.57
	15.57	15.58	10.00	8.25	7.40	7.83	6.91	7.07	6.99	8.49	9.73	9.11	7.88	8.07	7.98	Yes	Yes	21.70	29.10	26.10	35.50	25.70	32.80	24.50	32.47
	15.58	15.59	10.00	3.17	9.33	6.25	1.46	4.21	2.83	1.87	7.02	4.44	2.17	6.85	4.51	Yes	Yes	17.60	30.00	14.50	25.40	13.70	23.20	15.27	26.20
	15.59	15.60	10.00	4.17	6.76	5.47	6.30	7.87	7.09	6.84	9.02	7.93	5.77	7.88	6.83	Yes	Yes	14.40	24.30	12.50	25.80	15.40	23.80	14.10	24.63
	15.60	15.61	10.00	5.48	8.32	6.90	3.18	4.85	4.01	3.96	5.77	4.86	4.21	6.31	5.26	Yes	Yes	20.30	26.30	18.50	23.80	19.00	25.80	19.27	25.30
	15.61	15.62	10.00	2.15	3.45	2.80	1.13	2.50	1.82	1.39	4.24	2.82	1.56	3.40	2.48	Yes		12.00	23.80	10.50	12.40	7.00	11.40	9.83	15.87
	15.62	15.63	10.00	6.88	5.11	6.00	12.46	4.49	8.47	10.92	7.01	8.97	10.09	5.54	7.81	Yes	Yes	16.60	48.30	17.30	48.80	11.10	38.60	15.00	45.23
	15.63	15.64	10.00	5.51	3.76	4.63	2.47	3.51	2.99	2.29	3.10	2.69	3.42	3.46	3.44	Yes	Yes	9.60	26.10	7.70	12.60	8.30	11.30	8.53	16.67
	15.64	15.65	10.00	2.40	4.04	3.22	2.41	3.47	2.94	2.93	4.23	3.58	2.58	3.91	3.25	Yes	Yes	10.40	15.50	10.10	13.70	12.00	15.60	10.83	14.93
	15.65	15.66	10.00	2.56	4.29	3.43	2.11	4.35	3.23	1.70	4.04	2.87	2.12	4.23	3.18	Yes	Yes	13.50	15.70	12.30	14.40	12.90	14.60	12.90	14.90
	15.66	15.67	10.00	1.23	2.10	1.67	1.64	2.10	1.87	1.99	3.75	2.87	1.62	2.65	2.14	Yes		14.60	17.20	13.90	16.60	16.00	29.90	14.83	21.23
	15.67	15.68	10.00	4.73	7.15	5.94	4.74	7.61	6.18	4.55	6.36	5.46	4.67	7.04	5.86	Yes	Yes	13.80	30.40	15.60	30.10	15.00	27.80	14.80	29.43
	15.68	15.69	10.00	5.98	5.25	5.61	7.22	4.91	6.07	7.17	4.57	5.87	6.79	4.91	5.85	Yes	Yes	16.00	24.00	13.40	24.30	12.80	24.80	14.07	24.37
	15.69	15.70	10.00	4.06	3.22	3.64	2.68	2.65	2.67	3.05	3.55	3.30	3.26	3.14	3.20	Yes	Yes	17.10	27.40	18.60	27.30	20.10	27.60	18.60	27.43
	15.70	15.71	10.00	2.26	2.81	2.53	3.17	3.10	3.13	2.49	4.01	3.25	2.64	3.31	2.97	Yes		21.80	25.20	19.90	24.40	19.90	25.30	20.53	24.97
	15.71	15.72	10.00	2.94	5.05	4.00	3.84	5.48	4.66	5.91	5.73	5.82	4.23	5.42	4.83	Yes	Yes	10.30	19.90	9.20	18.50	11.00	21.70	10.17	20.03
	15.72	15.73	10.00	8.14	7.16	7.65	8.15	6.88	7.52	4.64	5.33	4.99	6.98	6.46	6.72	Yes	Yes	7.30	21.40	5.30	20.20	5.60	8.50	6.07	16.70
	15.73	15.74	10.00	3.40	6.93	5.16	3.05	6.37	4.71	3.28	7.36	5.32	3.24	6.89	5.06	Yes	Yes	12.00	26.70	14.70	26.70	16.70	26.20	14.47	26.53
	15.74	15.75	10.00	3.64	3.97	3.81	4.61	4.06	4.33	9.04	3.85	6.44	5.76	3.96	4.86	Yes	Yes	19.80	23.00	18.70	23.30	20.10	23.80	19.53	23.37
	15.75	15.76	10.00	16.61	5.31	10.96	9.03	6.33	7.68	10.34	6.49	8.42	11.99	6.04	9.02	Yes	Yes	14.10	22.90	21.00	31.30	17.30	32.90	17.47	29.03
	15.76	15.77	10.00	6.71	3.49	5.10	7.79	6.85	7.32	10.10	5.83	7.96	8.20	5.39	6.79	Yes	Yes	18.50	32.90	18.20	31.90	11.90	26.60	16.20	30.47
	15.77	15.78	10.00	9.51	11.25	10.38	8.82	9.10	8.96	4.49	8.66	6.57	7.61	9.67	8.64	Yes	Yes	8.40	17.70	8.30	22.90	7.00	12.80	7.90	17.80
	15.78	15.79	10.00	2.74	4.00	3.37	4.17	3.57	3.87	3.69	3.18	3.44	3.53	3.58	3.56	Yes	Yes	4.00	8.10	4.00	7.10	5.00	16.90	4.33	10.70
	15.79	15.80	10.00	5.28	2.97	4.13	4.06	3.26	3.66	5.83	2.15	3.99	5.06	2.79	3.93	Yes	Yes	13.40	19.10	18.30	22.70	14.50	18.60	15.40	20.13
	15.80	15.81	10.00	5.03	2.15	3.59	4.62	2.11	3.37	4.78	2.56	3.67	4.81	2.27	3.54	Yes	Yes	9.70	14.80	16.10	25.00	8.60	14.70	11.47	18.17
	15.81	15.82	10.00	8.60	3.02	5.81	4.89	3.71	4.30	9.76	3.69	6.73	7.75	3.47	5.61	Yes	Yes	9.20	17.90	8.20	17.00	8.80	17.90	8.73	17.60
	15.82	15.83	10.00	4.36	3.81	4.08	3.38	2.72	3.05	2.46	3.30	2.88	3.40	3.28	3.34	Yes	Yes	2.90	9.20	-0.80	3.20	1.00	5.20	1.03	5.87
	15.83	15.84	10.00	3.54	2.98	3.26	4.04	1.97	3.00	3.86	2.58	3.22	3.81	2.51	3.16	Yes	Yes	-0.10	1.00	-0.40	1.10	0.60	2.20	0.03	1.43
	15.84	15.85	10.00	4.81	3.69	4.25	5.25	4.04	4.65	5.52	5.50	5.51	5.19	4.41	4.80	Yes	Yes	4.70	19.20	4.40	14.90	7.80	19.20	5.63	17.77
	15.85	15.86	10.00	3.43	6.27	4.85	1.67	4.26	2.96	1.88	5.31	3.60	2.33	5.28	3.80	Yes	Yes	9.50	18.10	7.10	9.50	8.00	11.00	8.20	12.87
	15.86	15.87	10.00	1.19	2.96	2.08	1.05	2.59	1.82	1.12	2.23	1.68	1.12	2.59	1.86	Yes		8.10	11.80	8.90	11.60	10.10	13.00	9.03	12.13
	15.87	15.88	10.00	0.95	2.87	1.91	0.92	2.97	1.94	1.08	3.10	2.09	0.98	2.98	1.98	Yes		12.50	14.50	12.10	14.40	13.00	16.30	12.53	15.07
	15.88	15.89	10.00	4.65	2.91	3.78	5.22	2.65	3.93	5.20	2.53	3.86	5.02	2.70	3.86	Yes	Yes	14.00	29.00	13.10	29.20	11.90	29.00	13.00	29.07
	15.89	15.90	10.00	2.74	4.80	3.77	2.30	5.35	3.82	2.57	6.02	4.30	2.54	5.39	3.96	Yes	Yes	7.10	9.80	8.10	11.30	7.50	10.20	7.57	10.43
	15.90	15.91	10.00	1.39	3.70	2.55	1.31	2.98	2.14	1.13	2.68	1.91	1.28	3.12	2.20	Yes		6.40	9.30	4.80	8.20	4.80	9.00	5.33	8.83
	15.91	15.92	10.00	2.94	3.23	3.09	3.59	3.88	3.73	3.67	3.63	3.65	3.40	3.58	3.49	Yes	Yes	4.20	15.70	3.10	13.50	4.00	14.10	3.77	14.43



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	15.92	15.93	10.00	1.80	3.45	2.62	2.23	3.77	3.00	2.30	3.95	3.13	2.11	3.72	2.92	Yes		12.10	19.80	14.40	18.70	14.70	18.50	13.73	19.00
	15.93	15.94	10.00	2.77	4.68	3.72	2.36	4.23	3.30	2.31	5.09	3.70	2.48	4.67	3.57	Yes	Yes	15.40	24.30	14.60	26.00	13.50	26.30	14.50	25.53
	15.94	15.95	10.00	1.68	3.26	2.47	1.74	4.26	3.00	1.79	3.55	2.67	1.74	3.69	2.71	Yes		5.00	8.90	4.00	9.50	2.90	9.20	3.97	9.20
	15.95	15.96	10.00	1.85	2.83	2.34	2.10	2.65	2.38	2.74	3.35	3.05	2.23	2.94	2.59	Yes		2.50	5.60	0.50	3.50	0.00	8.20	1.00	5.77
	15.96	15.97	10.00	5.60	4.37	4.98	6.23	4.53	5.38	6.17	4.63	5.40	6.00	4.51	5.25	Yes	Yes	5.70	17.50	5.40	15.10	5.00	14.10	5.37	15.57
	15.97	15.98	10.00	2.19	3.14	2.66	1.90	3.14	2.52	1.82	2.90	2.36	1.97	3.06	2.51	Yes		6.10	7.60	5.10	7.10	4.90	6.70	5.37	7.13
	15.98	15.99	10.00	1.50	3.58	2.54	1.24	3.76	2.50	1.24	3.48	2.36	1.33	3.61	2.47	Yes		5.60	8.20	6.30	8.50	6.60	8.50	6.17	8.40
	15.99	16.00	10.00	4.60	5.05	4.83	4.72	4.96	4.84	5.04	4.99	5.01	4.79	5.00	4.89	Yes	Yes	7.80	16.00	7.90	15.70	8.10	15.70	7.93	15.80
	16.00	16.01	10.00	2.59	2.95	2.77	2.93	3.27	3.10	4.47	4.35	4.41	3.33	3.52	3.43	Yes	Yes	7.30	8.60	9.30	20.80	10.00	21.70	8.87	17.03
	16.01	16.02	10.00	4.35	4.65	4.50	3.32	3.53	3.42	1.71	3.00	2.35	3.13	3.73	3.42	Yes	Yes	10.50	21.80	8.80	21.20	8.40	10.20	9.23	17.73
	16.02	16.03	10.00	0.89	1.49	1.19	0.75	1.63	1.19	0.99	2.68	1.83	0.88	1.93	1.40	Yes		8.20	9.30	8.10	9.70	8.40	11.00	8.23	10.00
	16.03	16.04	10.00	3.26	3.72	3.49	3.31	3.97	3.64	3.30	3.59	3.44	3.29	3.76	3.52	Yes	Yes	10.10	15.60	10.90	15.50	13.40	17.60	11.47	16.23
	16.04	16.05	10.00	1.71	3.48	2.60	1.87	4.08	2.97	1.85	4.93	3.39	1.81	4.16	2.99	Yes		16.00	21.80	15.30	21.70	18.30	23.60	16.53	22.37
	16.05	16.06	10.00	2.56	3.89	3.23	3.34	2.93	3.13	3.89	2.01	2.95	3.26	2.94	3.10	Yes	Yes	14.10	19.00	13.80	19.00	14.00	21.90	13.97	19.97
	16.06	16.07	10.00	1.85	2.77	2.31	1.01	3.16	2.09	0.84	2.87	1.86	1.23	2.93	2.09	Yes		8.10	13.30	7.80	13.80	6.60	14.70	7.50	13.93
	16.07	16.08	10.00	1.58	2.34	1.96	2.16	2.19	2.18	3.39	2.68	3.03	2.38	2.40	2.39	Yes		6.00	6.90	5.70	7.80	4.20	7.60	5.30	7.43
	16.08	16.09	10.00	2.87	3.84	3.35	2.27	3.50	2.89	1.22	2.86	2.04	2.12	3.40	2.76	Yes		5.10	8.60	5.30	8.60	5.70	9.40	5.37	8.87
	16.09	16.10	10.00	0.62	3.17	1.89	0.59	2.78	1.69	0.75	2.24	1.49	0.65	2.73	1.69	Yes		5.70	8.00	5.80	7.80	4.20	9.00	5.23	8.27
	16.10	16.11	10.00	3.71	2.46	3.08	3.30	2.50	2.90	4.45	2.57	3.51	3.82	2.51	3.16	Yes	Yes	7.90	18.70	8.20	19.50	6.40	15.60	7.50	17.93
	16.11	16.12	10.00	0.44	1.21	0.82	0.48	1.10	0.79	0.59	1.29	0.94	0.50	1.20	0.85			5.40	5.90	5.70	6.30	4.60	5.40	5.23	5.87
	16.12	16.13	10.00	1.86	2.73	2.30	1.86	2.88	2.37	2.11	3.43	2.77	1.94	3.01	2.48	Yes		5.50	8.70	5.90	9.00	5.10	7.10	5.50	8.27
	16.13	16.14	10.00	1.27	2.77	2.02	1.66	4.82	3.24	1.77	5.37	3.57	1.57	4.32	2.94	Yes		5.70	9.70	5.10	8.90	4.80	8.20	5.20	8.93
	16.14	16.15	10.00	1.64	3.90	2.77	1.17	1.99	1.58	1.10	1.84	1.47	1.30	2.58	1.94	Yes		5.40	7.10	5.40	6.90	5.60	6.90	5.47	6.97
	16.15	16.16	10.00	1.40	2.67	2.03	1.62	3.26	2.44	1.83	3.12	2.47	1.62	3.02	2.31	Yes		5.30	8.50	4.20	6.90	4.00	7.10	4.50	7.50
	16.16	16.17	10.00	0.61	1.46	1.04	0.63	1.08	0.86	0.45	0.81	0.63	0.56	1.12	0.84			4.10	5.10	4.80	6.10	5.10	6.40	4.67	5.87
	16.17	16.18	10.00	1.60	3.21	2.40	2.12	2.41	2.26	2.00	2.71	2.35	1.91	2.78	2.34	Yes		5.80	9.50	6.50	12.40	6.70	11.90	6.33	11.27
	16.18	16.19	10.00	1.14	0.83	0.99	1.08	1.36	1.22	1.08	0.96	1.02	1.10	1.05	1.08			4.80	5.30	6.40	7.50	6.10	7.10	5.77	6.63
	16.19	16.20	10.00	1.20	1.43	1.32	1.39	1.70	1.54	1.25	1.77	1.51	1.28	1.63	1.46	Yes		5.30	7.90	5.80	7.10	6.40	7.80	5.83	7.60
	16.20	16.21	10.00	1.48	3.59	2.54	1.36	3.86	2.61	1.49	3.90	2.69	1.44	3.78	2.61	Yes		8.00	11.70	8.80	11.80	8.80	11.80	8.53	11.77
	16.21	16.22	10.00	0.88	1.99	1.43	0.78	2.59	1.68	1.80	3.43	2.61	1.15	2.67	1.91	Yes		7.00	9.80	7.40	10.30	7.40	9.20	7.27	9.77
	16.22	16.23	10.00	1.98	4.06	3.02	2.21	4.17	3.19	1.88	3.20	2.54	2.02	3.81	2.92	Yes		5.50	8.90	5.60	9.50	5.30	7.00	5.47	8.47
	16.23	16.24	10.00	1.02	2.54	1.78	1.82	2.35	2.09	2.24	2.09	2.17	1.69	2.33	2.01	Yes		5.20	11.70	5.60	12.50	6.00	12.90	5.60	12.37
	16.24	16.25	10.00	1.44	1.66	1.55	1.59	2.02	1.81	1.69	1.87	1.78	1.57	1.85	1.71	Yes		6.40	9.90	6.40	10.20	6.50	10.90	6.43	10.33
	16.25	16.26	10.00	1.21	2.52	1.87	0.65	2.04	1.34	0.69	2.16	1.43	0.85	2.24	1.55	Yes		6.20	9.60	6.50	7.50	6.50	8.00	6.40	8.37
	16.26	16.27	10.00	1.72	3.26	2.49	1.83	3.22	2.53	1.94	3.21	2.57	1.83	3.23	2.53	Yes		7.10	13.30	6.90	13.30	7.30	13.30	7.10	13.30
	16.27	16.28	10.00	1.01	1.71	1.36	1.03	1.65	1.34	0.96	2.03	1.50	1.00	1.80	1.40			6.50	7.40	6.20	7.10	7.00	9.00	6.57	7.83
	16.28	16.29	10.00	5.70	3.06	4.38	5.52	3.06	4.29	5.68	2.86	4.27	5.63	2.99	4.31	Yes	Yes	8.80	19.70	8.50	19.50	8.80	19.70	8.70	19.63



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average				
	IRI 1	IRI 2		AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2			AVG IRI	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT		
	16.29	16.30	10.00	3.06	3.77	3.42	5.22	3.51	4.36	5.61	4.82	5.22	4.63	4.03	4.33	Yes	Yes	10.30	21.60	10.20	22.60	10.80	22.30	10.43	22.17
	16.30	16.31	10.00	4.56	3.98	4.27	2.93	2.06	2.50	2.57	1.94	2.25	3.35	2.66	3.01	Yes	Yes	10.80	14.40	10.40	13.70	11.60	14.60	10.93	14.23
	16.31	16.32	10.00	1.09	2.89	1.99	0.97	3.40	2.18	0.50	3.64	2.07	0.85	3.31	2.08	Yes		10.40	13.30	11.10	12.90	10.50	12.30	10.67	12.83
	16.32	16.33	10.00	0.86	3.97	2.41	1.32	4.79	3.05	2.06	4.41	3.24	1.41	4.39	2.90	Yes		13.40	21.10	12.90	19.10	13.10	21.50	13.13	20.57
	16.33	16.34	10.00	3.72	3.54	3.63	3.27	2.67	2.97	2.59	3.07	2.83	3.19	3.09	3.14	Yes	Yes	6.60	13.20	10.00	16.80	6.90	8.40	7.83	12.80
	16.34	16.35	10.00	5.35	11.34	8.35	6.77	14.70	10.73	6.47	14.68	10.58	6.20	13.57	9.89	Yes	Yes	11.60	22.10	15.70	26.00	13.60	22.40	13.63	23.50
	16.35	16.36	10.00	2.93	7.01	4.97	3.83	4.52	4.18	5.94	4.93	5.43	4.23	5.49	4.86	Yes	Yes	11.90	16.40	12.40	16.20	11.20	16.40	11.83	16.33
	16.36	16.37	10.00	6.66	7.33	6.99	4.76	7.24	6.00	2.89	7.33	5.11	4.77	7.30	6.03	Yes	Yes	9.20	16.20	10.60	14.60	7.70	11.60	9.17	14.13
	16.37	16.38	10.00	1.85	4.91	3.38	2.76	5.30	4.03	3.15	4.81	3.98	2.59	5.01	3.80	Yes	Yes	11.70	25.50	14.70	27.80	13.60	25.50	13.33	26.27
	16.38	16.39	10.00	3.91	4.74	4.33	3.28	3.70	3.49	3.38	3.60	3.49	3.52	4.01	3.77	Yes	Yes	10.30	26.20	10.10	14.20	9.00	12.00	9.80	17.47
	16.39	16.40	10.00	4.78	2.70	3.74	7.30	2.80	5.05	7.60	2.31	4.96	6.56	2.60	4.58	Yes	Yes	13.50	24.40	13.90	24.10	13.40	23.60	13.60	24.03
	16.40	16.41	10.00	4.74	2.71	3.72	3.24	2.17	2.70	4.96	2.16	3.56	4.31	2.35	3.33	Yes	Yes	13.20	21.00	12.00	21.40	12.60	23.00	12.60	21.80
	16.41	16.42	10.00	5.07	3.02	4.04	5.44	4.71	5.07	3.58	6.51	5.04	4.70	4.75	4.72	Yes	Yes	19.00	26.40	13.90	19.70	17.80	29.80	16.90	25.30
	16.42	16.43	10.00	3.69	9.78	6.74	4.74	8.49	6.62	4.04	8.20	6.12	4.16	8.82	6.49	Yes	Yes	30.30	36.00	24.20	30.50	30.50	35.60	28.33	34.03
	16.43	16.44	10.00	3.23	6.59	4.91	3.03	4.25	3.64	3.78	5.87	4.82	3.35	5.57	4.46	Yes	Yes	26.30	38.30	16.60	27.60	22.10	37.70	21.67	34.53
	16.44	16.45	10.00	3.05	5.90	4.47	3.53	6.44	4.98	3.13	5.51	4.32	3.24	5.95	4.59	Yes	Yes	22.80	32.60	17.30	24.00	21.60	32.70	20.57	29.77
	16.45	16.46	10.00	3.78	6.46	5.12	3.76	6.87	5.32	3.61	7.92	5.77	3.72	7.08	5.40	Yes	Yes	17.60	27.40	12.50	24.00	18.30	27.60	16.13	26.33
	16.46	16.47	10.00	3.68	7.26	5.47	4.67	5.77	5.22	3.79	5.71	4.75	4.05	6.25	5.15	Yes	Yes	17.90	30.70	17.20	29.10	17.70	31.40	17.60	30.40
	16.47	16.48	10.00	1.80	4.68	3.24	1.72	4.66	3.19	1.32	4.59	2.95	1.61	4.64	3.13	Yes	Yes	14.40	30.80	13.80	18.90	13.80	18.70	14.00	22.80
	16.48	16.49	10.00	1.20	2.82	2.01	1.44	2.60	2.02	1.73	3.52	2.63	1.46	2.98	2.22	Yes		4.90	15.70	5.30	15.60	6.30	17.00	5.50	16.10
	16.49	16.50	10.00	2.42	4.15	3.28	1.63	4.18	2.90	1.31	3.64	2.48	1.79	3.99	2.89	Yes		4.50	12.40	5.50	14.80	5.00	10.70	5.00	12.63
	16.50	16.51	10.00	1.31	2.14	1.72	1.14	2.67	1.90	1.12	2.59	1.85	1.19	2.47	1.82	Yes		4.20	5.10	5.20	7.10	5.30	7.70	4.90	6.63
	16.51	16.52	10.00	1.02	1.57	1.29	1.75	2.53	2.14	2.04	2.95	2.49	1.60	2.35	1.97	Yes		7.10	11.30	9.10	16.40	8.40	16.40	8.20	14.70
	16.52	16.53	10.00	2.04	4.00	3.02	1.24	2.71	1.98	1.01	2.76	1.88	1.43	3.16	2.29	Yes		7.80	13.80	7.10	8.50	6.40	10.60	7.10	10.97
	16.53	16.54	10.00	2.50	4.04	3.27	3.05	4.00	3.53	3.28	3.63	3.46	2.94	3.89	3.42	Yes	Yes	14.20	21.30	14.90	19.80	13.60	19.00	14.23	20.03
	16.54	16.55	10.00	1.49	2.56	2.03	3.14	4.84	3.99	3.50	6.39	4.95	2.71	4.60	3.66	Yes	Yes	10.70	18.80	10.40	19.40	9.70	17.70	10.27	18.63
	16.55	16.56	10.00	4.17	8.94	6.56	2.75	6.43	4.59	2.46	5.56	4.01	3.13	6.98	5.05	Yes	Yes	15.10	19.70	13.00	17.90	10.30	16.80	12.80	18.13
	16.56	16.57	10.00	1.28	2.87	2.08	1.47	3.63	2.55	1.53	3.89	2.71	1.43	3.46	2.45	Yes		3.80	9.10	3.40	6.10	1.90	3.90	3.03	6.37
	16.57	16.58	10.00	1.66	3.75	2.71	1.49	2.82	2.15	1.59	2.50	2.04	1.58	3.02	2.30	Yes		1.40	3.20	2.00	3.50	1.30	3.00	1.57	3.23
	16.58	16.59	10.00	5.23	2.62	3.92	4.96	2.71	3.84	5.26	2.77	4.01	5.15	2.70	3.92	Yes	Yes	2.30	4.80	3.70	6.70	2.70	4.80	2.90	5.43
	16.59	16.60	10.00	1.61	1.96	1.78	1.30	1.67	1.49	1.18	1.73	1.46	1.36	1.79	1.58	Yes		2.30	3.10	5.30	6.10	2.10	2.90	3.23	4.03
	16.60	16.61	10.00	2.22	1.87	2.05	1.78	2.41	2.10	2.30	2.07	2.18	2.10	2.12	2.11	Yes		2.40	7.90	5.40	11.40	3.20	8.70	3.67	9.33
	16.61	16.62	10.00	0.99	1.48	1.23	0.82	1.70	1.26	0.91	1.45	1.18	0.91	1.54	1.22			2.90	4.10	5.80	6.50	4.30	5.30	4.33	5.30
	16.62	16.63	10.00	0.84	1.71	1.28	0.91	2.25	1.58	0.87	1.96	1.41	0.87	1.97	1.42	Yes		3.50	4.80	5.30	6.50	5.00	6.30	4.60	5.87
	16.63	16.64	10.00	0.73	1.47	1.10	0.69	1.11	0.90	0.70	1.03	0.86	0.71	1.20	0.95			4.10	5.40	6.00	6.70	6.00	7.30	5.37	6.47
	16.64	16.65	10.00	3.46	1.58	2.52	3.54	1.83	2.69	3.76	2.05	2.90	3.59	1.82	2.70	Yes		6.10	10.70	7.60	12.00	7.60	12.30	7.10	11.67
	16.65	16.66	10.00	1.13	1.85	1.49	1.82	1.62	1.72	2.03	1.19	1.61	1.66	1.55	1.61	Yes		6.60	7.90	6.60	8.60	5.00	7.00	6.07	7.83



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	16.66	16.67	10.00	1.49	1.43	1.46	1.58	1.35	1.47	2.57	1.39	1.98	1.88	1.39	1.64	Yes		4.90	6.60	4.60	6.90	2.40	4.90	3.97	6.13
	16.67	16.68	10.00	4.47	1.29	2.88	4.21	1.23	2.72	4.72	1.47	3.10	4.47	1.33	2.90	Yes		5.60	9.60	6.30	10.80	5.10	8.60	5.67	9.67
	16.68	16.69	10.00	1.78	1.05	1.42	1.79	1.06	1.42	2.59	1.20	1.90	2.05	1.10	1.58	Yes		3.90	6.00	3.30	6.30	-0.70	3.90	2.17	5.40
	16.69	16.70	10.00	1.67	0.89	1.28	1.93	0.97	1.45	3.26	0.90	2.08	2.29	0.92	1.60	Yes		0.60	3.90	0.40	2.90	-0.10	5.20	0.30	4.00
	16.70	16.71	10.00	1.00	1.13	1.06	0.91	0.95	0.93	1.22	0.95	1.09	1.04	1.01	1.03			3.20	4.60	3.50	4.50	4.80	5.70	3.83	4.93
	16.71	16.72	10.00	0.83	1.50	1.16	1.06	1.28	1.17	1.07	1.15	1.11	0.99	1.31	1.15			4.30	5.00	3.90	4.40	5.00	5.90	4.40	5.10
	16.72	16.73	10.00	3.16	1.34	2.25	3.21	1.61	2.41	3.16	1.90	2.53	3.18	1.62	2.40	Yes		3.80	7.10	2.10	5.70	2.80	8.30	2.90	7.03
	16.73	16.74	10.00	2.62	1.41	2.02	2.82	1.58	2.20	3.52	1.38	2.45	2.99	1.46	2.22	Yes		0.50	2.30	0.50	2.70	1.80	3.40	0.93	2.80
	16.74	16.75	10.00	3.31	2.03	2.67	3.03	1.78	2.40	3.52	1.76	2.64	3.29	1.86	2.57	Yes		1.70	3.00	0.80	2.40	1.20	2.90	1.23	2.77
	16.75	16.76	10.00	2.05	1.57	1.81	1.79	1.75	1.77	1.82	1.71	1.77	1.89	1.68	1.78	Yes		0.40	2.00	1.00	2.50	3.10	4.50	1.50	3.00
	16.76	16.77	10.00	1.09	1.84	1.46	1.08	1.91	1.50	1.30	1.99	1.65	1.16	1.91	1.54	Yes		1.60	2.30	2.10	2.70	3.70	4.40	2.47	3.13
	16.77	16.78	10.00	1.50	1.59	1.54	2.10	1.90	2.00	2.58	2.28	2.43	2.06	1.92	1.99	Yes		1.30	2.20	2.20	4.90	3.20	5.70	2.23	4.27
	16.78	16.79	10.00	2.77	3.90	3.33	2.53	3.38	2.96	2.35	2.98	2.67	2.55	3.42	2.99	Yes		4.40	6.90	4.80	6.90	5.20	8.80	4.80	7.53
	16.79	16.80	10.00	3.53	1.80	2.66	3.81	1.62	2.71	4.23	1.44	2.84	3.86	1.62	2.74	Yes		6.50	10.00	7.90	12.20	6.90	10.60	7.10	10.93
	16.80	16.81	10.00	7.88	1.09	4.48	10.27	1.04	5.65	4.82	1.39	3.11	7.66	1.17	4.41	Yes	Yes	9.80	15.00	10.40	16.00	-2.00	3.50	6.07	11.50
	16.81	16.82	10.00	7.59	1.93	4.76	6.20	1.87	4.04	3.68	1.63	2.65	5.82	1.81	3.82	Yes	Yes	-0.20	8.00	-0.10	12.40	-4.30	-1.60	-1.53	6.27
	16.82	16.83	10.00	2.17	1.37	1.77	3.53	1.39	2.46	3.44	1.31	2.37	3.05	1.36	2.20	Yes		-4.50	-2.40	-4.00	0.30	-2.70	3.20	-3.73	0.37
	16.83	16.84	10.00	7.58	1.41	4.49	6.38	1.68	4.03	6.57	1.27	3.92	6.84	1.45	4.15	Yes	Yes	1.50	6.70	2.20	7.40	-0.90	5.20	0.93	6.43
	16.84	16.85	10.00	2.95	1.03	1.99	4.88	1.15	3.01	2.61	1.00	1.81	3.48	1.06	2.27	Yes		-2.00	1.30	2.90	17.50	-2.40	0.20	-0.50	6.33
	16.85	16.86	10.00	3.50	1.47	2.48	9.51	1.68	5.60	4.77	1.66	3.21	5.93	1.60	3.76	Yes	Yes	1.20	4.10	11.20	17.40	1.20	3.60	4.53	8.37
	16.86	16.87	10.00	6.09	1.72	3.91	4.05	1.68	2.86	4.40	1.73	3.06	4.85	1.71	3.28	Yes	Yes	3.60	4.90	4.30	12.10	4.10	5.10	4.00	7.37
	16.87	16.88	10.00	3.20	1.42	2.31	3.78	2.11	2.94	4.11	3.12	3.62	3.70	2.22	2.96	Yes		4.80	6.90	5.10	11.60	6.00	10.60	5.30	9.70
	16.88	16.89	10.00	4.08	4.32	4.20	3.49	3.66	3.57	2.97	2.39	2.68	3.51	3.46	3.48	Yes	Yes	6.50	11.20	5.80	11.60	5.60	6.80	5.97	9.87
	16.89	16.90	10.00	1.47	1.06	1.27	1.09	1.30	1.19	1.25	1.54	1.39	1.27	1.30	1.28			4.70	6.10	4.60	6.20	4.40	6.10	4.57	6.13
	16.90	16.91	10.00	3.22	1.85	2.54	3.67	1.68	2.68	3.07	2.10	2.58	3.32	1.88	2.60	Yes		6.30	8.00	6.90	9.40	7.10	11.50	6.77	9.63
	16.91	16.92	10.00	2.03	3.97	3.00	1.58	4.48	3.03	1.98	3.81	2.90	1.86	4.09	2.98	Yes		11.70	15.10	11.80	15.20	11.60	15.10	11.70	15.13
	16.92	16.93	10.00	1.93	3.41	2.67	2.64	4.89	3.76	3.69	7.11	5.40	2.75	5.14	3.94	Yes	Yes	10.80	13.30	12.60	23.60	13.20	23.70	12.20	20.20
	16.93	16.94	10.00	3.81	8.30	6.05	3.10	5.89	4.49	2.22	4.05	3.13	3.04	6.08	4.56	Yes	Yes	12.80	23.50	11.70	16.10	11.70	13.40	12.07	17.67
	16.94	16.95	10.00	1.87	2.09	1.98	1.96	2.22	2.09	1.47	2.54	2.00	1.77	2.28	2.02	Yes		11.50	12.20	12.60	13.70	12.70	14.10	12.27	13.33
	16.95	16.96	10.00	1.28	3.16	2.22	1.46	2.57	2.01	1.52	2.22	1.87	1.42	2.65	2.03	Yes		13.00	21.20	14.30	21.70	14.40	21.80	13.90	21.57
	16.96	16.97	10.00	1.58	2.23	1.91	1.99	2.58	2.28	2.16	2.48	2.32	1.91	2.43	2.17	Yes		10.80	18.90	11.20	15.60	11.00	15.50	11.00	16.67
	16.97	16.98	10.00	2.47	4.60	3.54	4.04	5.59	4.82	4.51	5.92	5.22	3.67	5.37	4.53	Yes	Yes	12.30	28.60	13.50	27.90	14.50	27.50	13.43	28.00
	16.98	16.99	10.00	2.86	6.31	4.58	2.22	5.86	4.04	1.68	6.36	4.02	2.25	6.18	4.21	Yes	Yes	15.20	21.00	16.20	20.50	15.50	20.40	15.63	20.63
	16.99	17.00	10.00	2.07	3.61	2.84	1.98	4.20	3.09	2.01	4.19	3.10	2.02	4.00	3.01	Yes	Yes	12.50	15.40	14.70	17.70	15.00	17.80	14.07	16.97
	17.00	17.01	10.00	1.66	4.67	3.16	1.54	4.45	2.99	1.36	3.48	2.42	1.52	4.20	2.86	Yes		12.30	15.40	12.50	17.60	11.70	14.20	12.17	15.73
	17.01	17.02	10.00	3.32	3.81	3.57	4.14	3.78	3.96	4.20	4.28	4.24	3.89	3.96	3.92	Yes	Yes	14.10	21.90	14.80	22.50	15.10	22.60	14.67	22.33
	17.02	17.03	10.00	1.66	4.08	2.87	1.27	3.39	2.33	1.24	3.07	2.15	1.39	3.51	2.45	Yes		10.30	12.60	9.70	13.00	9.00	12.00	9.67	12.53



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	17.03	17.04	10.00	2.15	2.19	2.17	2.24	1.94	2.09	2.29	1.98	2.13	2.23	2.04	2.13	Yes		7.30	11.40	7.40	11.40	7.10	11.60	7.27	11.47
	17.04	17.05	10.00	3.34	3.84	3.59	3.43	3.71	3.57	3.31	3.84	3.58	3.36	3.80	3.58	Yes	Yes	9.30	21.20	9.70	20.90	9.90	21.10	9.63	21.07
	17.05	17.06	10.00	0.91	1.65	1.28	0.98	1.55	1.27	0.72	1.72	1.22	0.87	1.64	1.26			7.70	9.50	7.60	9.50	7.70	9.50	7.67	9.50
	17.06	17.07	10.00	0.82	1.66	1.24	0.75	1.87	1.31	1.07	2.04	1.56	0.88	1.86	1.37			8.00	9.60	8.50	9.70	8.50	9.80	8.33	9.70
	17.07	17.08	10.00	5.10	3.47	4.28	5.77	3.95	4.86	5.95	3.99	4.97	5.61	3.80	4.70	Yes	Yes	9.40	21.80	10.00	22.50	10.30	22.50	9.90	22.27
	17.08	17.09	10.00	1.88	2.60	2.24	1.52	2.12	1.82	1.58	2.09	1.83	1.66	2.27	1.96	Yes		8.00	9.20	8.00	9.60	7.70	9.60	7.90	9.47
	17.09	17.10	10.00	3.65	3.12	3.38	4.31	4.41	4.36	4.37	4.31	4.34	4.11	3.95	4.03	Yes	Yes	8.80	19.90	9.40	20.60	9.60	20.50	9.27	20.33
	17.10	17.11	10.00	5.91	4.39	5.15	5.80	3.67	4.74	6.50	4.36	5.43	6.07	4.14	5.11	Yes	Yes	10.10	20.10	11.90	21.70	12.20	20.60	11.40	20.80
	17.11	17.12	10.00	2.56	3.03	2.79	2.09	3.31	2.70	1.28	1.92	1.60	1.98	2.75	2.36	Yes		10.50	20.10	9.50	21.60	9.30	10.80	9.77	17.50
	17.12	17.13	10.00	2.26	2.79	2.52	2.51	2.88	2.69	2.73	4.52	3.63	2.50	3.40	2.95	Yes		10.00	16.80	11.30	20.80	12.30	18.50	11.20	18.70
	17.13	17.14	10.00	2.24	5.63	3.93	1.97	4.39	3.18	2.56	5.53	4.04	2.26	5.18	3.72	Yes	Yes	13.70	19.80	11.10	21.40	10.80	16.20	11.87	19.13
	17.14	17.15	10.00	5.45	4.06	4.76	4.97	3.02	4.00	5.72	4.33	5.02	5.38	3.80	4.59	Yes	Yes	10.80	14.60	11.20	15.10	11.30	25.80	11.10	18.50
	17.15	17.16	10.00	6.03	8.50	7.26	6.44	7.15	6.79	6.30	9.81	8.05	6.26	8.49	7.37	Yes	Yes	19.20	27.60	22.80	27.60	21.20	27.60	21.07	27.60
	17.16	17.17	10.00	2.52	4.64	3.58	1.90	4.06	2.98	1.96	4.43	3.20	2.13	4.38	3.25	Yes	Yes	21.10	25.70	22.80	26.70	20.20	25.60	21.37	26.00
	17.17	17.18	10.00	3.16	6.51	4.83	3.38	5.12	4.25	2.91	5.39	4.15	3.15	5.67	4.41	Yes	Yes	15.50	27.20	12.10	25.10	12.00	27.10	13.20	26.47
	17.18	17.19	10.00	2.64	2.30	2.47	3.70	2.29	3.00	4.13	2.74	3.43	3.49	2.44	2.97	Yes		8.90	11.00	8.70	10.20	9.80	12.90	9.13	11.37
	17.19	17.20	10.00	3.49	1.70	2.60	2.34	1.69	2.01	1.92	1.99	1.95	2.58	1.79	2.19	Yes		11.50	14.30	11.10	13.30	11.60	14.80	11.40	14.13
	17.20	17.21	10.00	2.99	2.19	2.59	3.80	3.57	3.68	3.88	3.73	3.81	3.56	3.16	3.36	Yes	Yes	10.70	17.10	9.30	16.50	10.00	17.50	10.00	17.03
	17.21	17.22	10.00	3.20	4.26	3.73	2.32	2.88	2.60	2.38	2.82	2.60	2.63	3.32	2.98	Yes		9.30	17.30	9.20	11.30	10.30	12.20	9.60	13.60
	17.22	17.23	10.00	2.11	2.10	2.11	2.20	2.66	2.43	2.23	2.69	2.46	2.18	2.48	2.33	Yes		9.20	10.80	8.00	10.30	8.00	10.90	8.40	10.67
	17.23	17.24	10.00	2.00	3.11	2.56	2.38	2.64	2.51	2.55	2.49	2.52	2.31	2.75	2.53	Yes		6.40	8.30	6.50	8.00	6.60	8.30	6.50	8.20
	17.24	17.25	10.00	2.14	2.00	2.07	2.19	2.09	2.14	1.98	1.86	1.92	2.10	1.98	2.04	Yes		8.40	9.70	8.70	9.70	9.00	10.00	8.70	9.80
	17.25	17.26	10.00	6.85	3.36	5.11	7.20	3.95	5.58	6.96	4.21	5.59	7.00	3.84	5.43	Yes	Yes	8.80	14.30	8.40	15.20	8.40	16.10	8.53	15.20
	17.26	17.27	10.00	2.67	3.13	2.90	2.08	2.48	2.28	2.14	2.20	2.17	2.30	2.60	2.45	Yes		5.50	6.90	6.50	7.60	6.80	7.90	6.27	7.47
	17.27	17.28	10.00	1.37	1.62	1.49	1.40	1.39	1.40	1.69	1.26	1.47	1.49	1.42	1.45	Yes		4.20	5.30	4.90	6.60	4.90	6.20	4.67	6.03
	17.28	17.29	10.00	1.75	1.53	1.64	1.37	1.69	1.53	1.55	1.92	1.73	1.56	1.71	1.63	Yes		3.70	4.80	4.50	6.10	5.00	9.70	4.40	6.87
	17.29	17.30	10.00	3.23	2.36	2.80	3.51	2.25	2.88	3.20	1.99	2.59	3.31	2.20	2.76	Yes		4.80	8.20	5.00	9.20	4.80	6.50	4.87	7.97
	17.30	17.31	10.00	1.14	1.24	1.19	0.86	1.20	1.03	0.66	1.25	0.96	0.89	1.23	1.06			3.90	4.90	3.60	4.30	4.10	4.80	3.87	4.67
	17.31	17.32	10.00	0.96	1.37	1.16	2.38	2.36	2.37	2.61	2.63	2.62	1.98	2.12	2.05	Yes		3.50	4.00	3.20	5.00	4.10	6.40	3.60	5.13
	17.32	17.33	10.00	2.57	2.18	2.38	1.28	1.21	1.24	0.86	0.72	0.79	1.57	1.37	1.47	Yes		4.00	6.30	3.00	3.60	4.60	5.30	3.87	5.07
	17.33	17.34	10.00	0.66	0.90	0.78	0.67	0.96	0.82	0.86	1.16	1.01	0.73	1.01	0.87			4.00	4.70	2.90	3.50	4.50	7.50	3.80	5.23
	17.34	17.35	10.00	2.48	2.24	2.36	2.67	2.33	2.50	2.06	2.08	2.07	2.40	2.22	2.31	Yes		4.10	6.80	3.20	5.60	4.40	7.20	3.90	6.53
	17.35	17.36	10.00	0.59	1.20	0.90	0.69	1.12	0.91	0.65	1.08	0.87	0.64	1.13	0.89			4.60	5.30	3.90	4.60	4.60	5.30	4.37	5.07
	17.36	17.37	10.00	0.77	1.24	1.01	1.11	1.24	1.17	1.04	1.13	1.09	0.97	1.20	1.09			4.20	4.90	3.90	4.40	4.20	4.80	4.10	4.70
	17.37	17.38	10.00	2.48	2.03	2.25	2.36	2.37	2.37	2.48	2.46	2.47	2.44	2.29	2.36	Yes		4.00	4.90	3.90	4.70	3.70	4.50	3.87	4.70
	17.38	17.39	10.00	0.87	1.00	0.93	1.04	1.17	1.11	1.90	1.45	1.67	1.27	1.21	1.24			3.80	4.90	3.70	4.70	3.80	4.70	3.77	4.77
	17.39	17.40	10.00	2.08	2.08	2.08	1.64	2.23	1.93	0.84	1.95	1.40	1.52	2.09	1.80	Yes		3.50	4.90	3.50	4.70	3.40	3.70	3.47	4.43



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	17.40	17.41	10.00	0.69	1.37	1.03	0.88	1.10	0.99	1.35	1.38	1.36	0.97	1.28	1.13			3.50	4.10	3.70	4.10	3.80	6.10	3.67	4.77
	17.41	17.42	10.00	3.16	1.95	2.55	3.58	1.86	2.72	3.32	1.54	2.43	3.35	1.78	2.57	Yes		5.00	7.00	4.90	6.40	4.50	6.20	4.80	6.53
	17.42	17.43	10.00	2.30	1.83	2.06	1.81	2.30	2.06	1.91	2.61	2.26	2.01	2.25	2.13	Yes		3.50	4.70	3.20	4.40	3.20	4.40	3.30	4.50
	17.43	17.44	10.00	1.87	3.10	2.49	1.98	2.57	2.28	2.01	2.30	2.16	1.95	2.66	2.31	Yes		3.70	6.50	3.40	6.50	3.40	6.60	3.50	6.53
	17.44	17.45	10.00	1.74	0.87	1.30	1.47	1.17	1.32	1.77	1.52	1.64	1.66	1.19	1.42	Yes		2.00	3.10	2.10	3.60	2.00	3.90	2.03	3.53
	17.45	17.46	10.00	2.18	3.00	2.59	1.82	2.62	2.22	1.36	2.14	1.75	1.79	2.59	2.19	Yes		0.30	1.40	1.20	2.60	1.60	2.90	1.03	2.30
	17.46	17.47	10.00	1.66	1.87	1.76	1.73	2.57	2.15	2.70	3.67	3.19	2.03	2.70	2.37	Yes		1.80	4.80	3.00	6.40	3.50	8.20	2.77	6.47
	17.47	17.48	10.00	3.95	6.06	5.00	3.41	5.25	4.33	2.37	4.14	3.25	3.24	5.15	4.19	Yes	Yes	2.20	6.10	4.00	7.70	5.10	8.20	3.77	7.33
	17.48	17.49	10.00	0.86	6.20	3.53	0.81	4.20	2.51	0.99	3.47	2.23	0.89	4.62	2.76	Yes		3.80	10.50	6.40	11.50	7.80	11.30	6.00	11.10
	17.49	17.50	10.00	3.05	2.56	2.80	2.25	1.79	2.02	2.20	1.46	1.83	2.50	1.94	2.22	Yes		0.10	5.20	3.30	8.90	5.80	9.50	3.07	7.87
	17.50	17.51	10.00	3.11	2.65	2.88	3.24	3.33	3.29	3.74	3.16	3.45	3.36	3.05	3.21	Yes	Yes	2.30	5.30	9.30	13.70	11.60	17.80	7.73	12.27
	17.51	17.52	10.00	2.99	2.24	2.61	1.79	1.92	1.86	1.08	1.39	1.23	1.95	1.85	1.90	Yes		0.40	1.50	3.00	4.80	3.90	4.90	2.43	3.73
	17.52	17.53	10.00	1.06	1.75	1.41	1.32	1.51	1.41	1.28	2.07	1.67	1.22	1.78	1.50	Yes		-1.40	1.10	3.20	4.80	4.10	5.40	1.97	3.77
	17.53	17.54	10.00	3.82	3.84	3.83	3.89	4.43	4.16	4.18	4.16	4.17	3.96	4.14	4.05	Yes	Yes	-2.20	2.20	5.20	8.00	5.80	8.00	2.93	6.07
	17.54	17.55	10.00	2.98	4.62	3.80	3.87	2.56	3.21	3.56	2.47	3.01	3.47	3.22	3.34	Yes	Yes	-2.10	1.70	6.00	10.80	5.40	10.40	3.10	7.63
	17.55	17.56	10.00	3.75	3.37	3.56	0.86	2.16	1.51	0.72	2.02	1.37	1.78	2.52	2.15	Yes		-2.60	-1.00	5.50	6.70	5.60	6.50	2.83	4.07
	17.56	17.57	10.00	2.16	2.50	2.33	1.41	2.09	1.75	1.44	2.07	1.76	1.67	2.22	1.95	Yes		-1.00	0.20	5.80	7.60	5.70	7.40	3.50	5.07
	17.57	17.58	10.00	0.67	1.48	1.07	0.74	1.70	1.22	0.94	1.90	1.42	0.78	1.69	1.24			0.90	1.80	6.10	7.30	5.50	7.00	4.17	5.37
	17.58	17.59	10.00	2.70	2.98	2.84	2.01	3.02	2.51	1.81	2.65	2.23	2.17	2.88	2.53	Yes		0.50	3.00	5.00	9.20	4.50	8.80	3.33	7.00
	17.59	17.60	10.00	1.79	1.43	1.61	2.31	0.97	1.64	2.10	1.18	1.64	2.07	1.19	1.63	Yes		1.30	4.60	4.90	7.30	5.10	7.40	3.77	6.43
	17.60	17.61	10.00	0.98	1.60	1.29	0.87	1.11	0.99	0.84	0.97	0.91	0.90	1.23	1.06			4.90	6.00	6.60	7.80	5.80	7.10	5.77	6.97
	17.61	17.62	10.00	2.41	1.75	2.08	1.99	1.61	1.80	2.48	1.74	2.11	2.29	1.70	2.00	Yes		6.00	9.20	7.80	12.20	7.20	10.10	7.00	10.50
	17.62	17.63	10.00	1.36	1.43	1.40	1.50	1.94	1.72	1.97	2.08	2.02	1.61	1.82	1.71	Yes		8.50	15.90	8.60	16.40	8.70	15.00	8.60	15.77
	17.63	17.64	10.00	1.94	2.21	2.08	1.63	2.47	2.05	2.17	1.89	2.03	1.91	2.19	2.05	Yes		8.80	12.20	8.20	11.80	8.80	12.10	8.60	12.03
	17.64	17.65	10.00	1.92	1.93	1.93	1.36	1.35	1.35	1.18	1.76	1.47	1.49	1.68	1.58	Yes		8.50	9.70	8.30	9.00	8.80	9.80	8.53	9.50
	17.65	17.66	10.00	0.86	1.83	1.34	0.93	1.70	1.31	2.02	1.58	1.80	1.27	1.70	1.48	Yes		8.50	9.50	8.90	12.40	9.60	16.20	9.00	12.70
	17.66	17.67	10.00	3.62	1.73	2.68	3.51	2.09	2.80	2.47	1.78	2.13	3.20	1.87	2.54	Yes		10.30	16.10	10.40	15.70	9.90	11.50	10.20	14.43
	17.67	17.68	10.00	1.27	1.33	1.30	1.10	1.72	1.41	1.05	2.18	1.62	1.14	1.74	1.44	Yes		8.60	10.40	9.20	10.60	9.20	10.70	9.00	10.57
	17.68	17.69	10.00	0.87	4.91	2.89	1.05	5.05	3.05	1.09	4.69	2.89	1.00	4.88	2.94	Yes		10.30	12.40	11.30	13.10	11.90	13.40	11.17	12.97
	17.69	17.70	10.00	2.52	4.72	3.62	3.80	5.64	4.72	4.54	5.72	5.13	3.62	5.36	4.49	Yes	Yes	14.70	23.80	14.70	24.10	14.70	25.30	14.70	24.40
	17.70	17.71	10.00	3.79	3.36	3.58	2.68	1.99	2.33	2.53	1.65	2.09	3.00	2.33	2.67	Yes		10.00	15.30	10.20	13.60	10.90	16.40	10.37	15.10
	17.71	17.72	10.00	3.36	1.95	2.65	3.56	2.45	3.00	3.28	2.21	2.75	3.40	2.20	2.80	Yes		16.30	20.80	17.00	20.90	17.00	21.10	16.77	20.93
	17.72	17.73	10.00	1.89	2.60	2.25	1.36	2.41	1.89	1.51	2.25	1.88	1.59	2.42	2.01	Yes		14.00	16.90	13.70	15.40	13.40	15.10	13.70	15.80
	17.73	17.74	10.00	1.31	2.93	2.12	1.74	3.08	2.41	2.06	3.23	2.65	1.70	3.08	2.39	Yes		12.60	15.30	13.20	16.30	13.50	16.30	13.10	15.97
	17.74	17.75	10.00	2.28	4.25	3.27	1.82	4.45	3.13	1.48	4.44	2.96	1.86	4.38	3.12	Yes	Yes	13.50	16.30	13.80	15.80	14.50	16.80	13.93	16.30
	17.75	17.76	10.00	2.55	6.04	4.30	2.55	5.95	4.25	3.36	7.42	5.39	2.82	6.47	4.65	Yes	Yes	19.70	28.70	19.90	30.20	21.30	30.00	20.30	29.63
	17.76	17.77	10.00	4.83	9.09	6.96	4.90	8.47	6.69	4.70	7.28	5.99	4.81	8.28	6.55	Yes	Yes	17.60	23.00	13.90	23.60	13.80	23.30	15.10	23.30



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	17.77	17.78	10.00	2.04	3.50	2.77	1.88	3.77	2.82	1.59	3.60	2.60	1.84	3.62	2.73	Yes		11.30	16.00	13.00	18.40	13.20	17.80	12.50	17.40
	17.78	17.79	10.00	2.36	3.56	2.96	4.09	4.55	4.32	3.06	3.57	3.32	3.17	3.89	3.53	Yes	Yes	19.20	23.00	17.70	23.10	21.10	24.10	19.33	23.40
	17.79	17.80	10.00	4.24	3.10	3.67	5.87	3.26	4.57	2.87	3.04	2.95	4.33	3.13	3.73	Yes	Yes	22.80	25.60	20.90	24.50	22.90	28.70	22.20	26.27
	17.80	17.81	10.00	6.04	5.97	6.01	6.66	7.76	7.21	4.49	4.68	4.59	5.73	6.14	5.94	Yes	Yes	32.20	39.40	30.20	36.00	35.70	38.90	32.70	38.10
	17.81	17.82	10.00	4.36	6.04	5.20	4.48	5.23	4.86	3.39	4.56	3.98	4.08	5.28	4.68	Yes	Yes	33.40	41.60	32.80	41.80	36.90	45.20	34.37	42.87
	17.82	17.83	10.00	3.84	7.51	5.68	3.39	7.87	5.63	4.14	6.68	5.41	3.79	7.35	5.57	Yes	Yes	33.20	38.40	34.20	40.20	33.90	43.20	33.77	40.60
	17.83	17.84	10.00	4.22	9.31	6.76	4.29	9.76	7.03	4.89	9.23	7.06	4.47	9.43	6.95	Yes	Yes	33.20	41.20	32.50	43.30	30.20	36.70	31.97	40.40
	17.84	17.85	10.00	2.35	9.47	5.91	2.70	6.09	4.39	3.09	4.39	3.74	2.71	6.65	4.68	Yes	Yes	42.70	50.70	44.20	50.70	38.30	41.70	41.73	47.70
	17.85	17.86	10.00	2.29	8.24	5.27	3.06	6.28	4.67	4.08	4.59	4.34	3.14	6.37	4.76	Yes	Yes	38.50	50.60	33.90	45.70	27.30	36.90	33.23	44.40
	17.86	17.87	10.00	6.35	6.38	6.36	6.99	6.59	6.79	6.46	5.75	6.10	6.60	6.24	6.42	Yes	Yes	31.90	41.20	29.50	40.50	27.30	35.50	29.57	39.07
	17.87	17.88	10.00	3.09	6.25	4.67	3.21	6.70	4.95	3.41	6.83	5.12	3.24	6.59	4.91	Yes	Yes	31.60	38.60	35.50	39.80	35.90	39.70	34.33	39.37
	17.88	17.89	10.00	4.30	4.72	4.51	4.83	4.48	4.65	5.10	5.48	5.29	4.74	4.89	4.82	Yes	Yes	26.70	39.10	24.20	35.00	23.30	29.30	24.73	34.47
	17.89	17.90	10.00	4.38	7.18	5.78	3.68	7.50	5.59	2.93	5.93	4.43	3.66	6.87	5.27	Yes	Yes	20.50	29.00	18.40	26.40	16.80	23.20	18.57	26.20
	17.90	17.91	10.00	3.37	5.89	4.63	3.04	6.16	4.60	3.67	6.94	5.31	3.36	6.33	4.85	Yes	Yes	14.90	20.70	13.70	19.30	14.10	20.20	14.23	20.07
	17.91	17.92	10.00	4.24	5.36	4.80	4.44	4.62	4.53	4.44	3.84	4.14	4.37	4.61	4.49	Yes	Yes	16.40	21.80	15.30	21.00	15.30	21.30	15.67	21.37
	17.92	17.93	10.00	2.62	3.78	3.20	3.05	3.97	3.51	2.81	3.46	3.14	2.83	3.74	3.28	Yes	Yes	11.00	15.90	10.10	14.40	10.10	14.40	10.40	14.90
	17.93	17.94	10.00	3.91	2.65	3.28	3.85	2.03	2.94	4.14	2.55	3.34	3.97	2.41	3.19	Yes	Yes	9.90	12.70	9.80	12.60	8.20	11.90	9.30	12.40
	17.94	17.95	10.00	4.95	8.46	6.71	5.53	10.71	8.12	5.30	11.00	8.15	5.26	10.06	7.66	Yes	Yes	8.10	15.10	8.00	15.60	6.20	12.90	7.43	14.53
	17.95	17.96	10.00	4.28	7.37	5.82	4.13	5.26	4.69	5.16	5.81	5.49	4.52	6.15	5.33	Yes	Yes	9.30	15.00	10.40	15.20	10.60	22.00	10.10	17.40
	17.96	17.97	10.00	4.32	8.47	6.40	3.82	8.85	6.34	2.56	6.88	4.72	3.57	8.07	5.82	Yes	Yes	15.30	21.90	14.50	21.80	13.20	22.10	14.33	21.93
	17.97	17.98	10.00	1.98	3.18	2.58	1.94	2.73	2.33	1.77	3.28	2.52	1.90	3.06	2.48	Yes		9.30	11.80	9.60	11.80	5.60	10.50	8.17	11.37
	17.98	17.99	10.00	2.34	5.10	3.72	3.04	8.45	5.75	3.46	6.30	4.88	2.95	6.62	4.78	Yes	Yes	11.00	17.50	12.70	18.50	10.20	16.10	11.30	17.37
	17.99	18.00	10.00	2.61	9.31	5.96	3.46	8.19	5.83	7.02	11.81	9.41	4.36	9.77	7.07	Yes	Yes	10.70	17.60	9.20	14.10	9.80	24.20	9.90	18.63
	18.00	18.01	10.00	9.06	9.61	9.33	8.17	8.80	8.49	4.62	7.63	6.12	7.28	8.68	7.98	Yes	Yes	16.10	24.50	18.00	24.60	19.30	25.60	17.80	24.90
	18.01	18.02	10.00	3.22	7.68	5.45	3.53	10.14	6.84	4.55	10.67	7.61	3.77	9.50	6.63	Yes	Yes	17.40	20.60	18.00	21.70	16.50	21.80	17.30	21.37
	18.02	18.03	10.00	6.66	12.87	9.76	6.81	11.06	8.94	7.29	10.70	9.00	6.92	11.54	9.23	Yes	Yes	18.30	22.50	19.00	23.00	8.00	15.90	15.10	20.47
	18.03	18.04	10.00	2.62	6.17	4.40	1.65	5.24	3.45	2.41	7.56	4.99	2.23	6.32	4.28	Yes	Yes	21.90	28.90	25.00	30.70	10.10	17.00	19.00	25.53
	18.04	18.05	10.00	2.23	3.29	2.76	2.22	3.44	2.83	3.59	4.52	4.05	2.68	3.75	3.21	Yes	Yes	17.60	23.80	20.00	25.80	10.40	18.10	16.00	22.57
	18.05	18.06	10.00	3.64	5.24	4.44	4.32	6.29	5.31	4.47	6.29	5.38	4.14	5.94	5.04	Yes	Yes	26.60	40.30	30.00	37.00	21.10	34.30	25.90	37.20
	18.06	18.07	10.00	5.53	5.48	5.51	5.97	3.51	4.74	5.13	4.90	5.02	5.54	4.63	5.09	Yes	Yes	14.60	30.60	14.90	33.30	7.40	11.60	12.30	25.17
	18.07	18.08	10.00	5.96	3.70	4.83	8.81	6.00	7.40	4.89	4.19	4.54	6.55	4.63	5.59	Yes	Yes	14.30	20.10	20.20	27.80	12.60	16.30	15.70	21.40
	18.08	18.09	10.00	4.18	3.82	4.00	4.50	2.27	3.39	2.99	3.35	3.17	3.89	3.15	3.52	Yes	Yes	15.70	17.50	17.20	20.80	13.00	14.80	15.30	17.70
	18.09	18.10	10.00	2.76	3.51	3.13	4.25	2.59	3.42	3.42	4.49	3.95	3.48	3.53	3.50	Yes	Yes	13.40	15.50	13.10	15.00	13.10	15.50	13.20	15.33
	18.10	18.11	10.00	3.13	4.13	3.63	3.92	4.05	3.98	4.03	4.23	4.13	3.69	4.14	3.91	Yes	Yes	16.50	23.00	17.20	22.70	18.60	24.50	17.43	23.40
	18.11	18.12	10.00	3.93	3.39	3.66	2.97	3.90	3.43	1.90	2.97	2.44	2.93	3.42	3.18	Yes	Yes	22.20	26.90	20.90	26.70	20.10	26.90	21.07	26.83
	18.12	18.13	10.00	1.89	1.89	1.89	2.03	1.65	1.84	1.92	1.69	1.81	1.95	1.74	1.85	Yes		12.60	23.40	12.40	15.40	11.80	15.20	12.27	18.00
	18.13	18.14	10.00	1.62	2.42	2.02	1.73	2.38	2.05	1.72	2.60	2.16	1.69	2.47	2.08	Yes		10.90	12.70	10.90	13.00	11.50	21.70	11.10	15.80



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	18.14	18.15	10.00	2.51	2.50	2.50	2.51	2.42	2.46	2.49	2.21	2.35	2.50	2.38	2.44	Yes		13.60	23.90	14.40	24.50	14.30	24.80	14.10	24.40
	18.15	18.16	10.00	1.80	3.55	2.68	1.40	3.70	2.55	1.37	4.30	2.83	1.52	3.85	2.69	Yes		13.20	16.00	12.90	15.00	12.70	14.00	12.93	15.00
	18.16	18.17	10.00	2.22	4.84	3.53	2.46	4.10	3.28	2.52	3.67	3.09	2.40	4.20	3.30	Yes	Yes	11.60	13.80	12.10	13.70	12.40	14.00	12.03	13.83
	18.17	18.18	10.00	2.62	3.76	3.19	3.55	2.22	2.89	3.72	2.34	3.03	3.30	2.77	3.04	Yes	Yes	9.50	11.10	12.80	15.60	12.50	15.20	11.60	13.97
	18.18	18.19	10.00	3.93	3.41	3.67	3.96	2.46	3.21	3.24	3.13	3.18	3.71	3.00	3.35	Yes	Yes	9.60	11.80	13.30	17.00	12.00	14.40	11.63	14.40
	18.19	18.20	10.00	1.58	3.41	2.49	1.33	1.97	1.65	1.13	2.81	1.97	1.35	2.73	2.04	Yes		10.40	12.90	12.00	14.70	10.20	13.30	10.87	13.63
	18.20	18.21	10.00	3.69	5.20	4.45	3.26	4.93	4.10	4.51	5.32	4.91	3.82	5.15	4.49	Yes	Yes	11.70	17.20	12.80	19.10	12.30	16.50	12.27	17.60
	18.21	18.22	10.00	2.37	3.67	3.02	2.59	3.37	2.98	1.99	4.79	3.39	2.32	3.94	3.13	Yes	Yes	14.50	26.00	14.50	25.30	11.90	24.70	13.63	25.33
	18.22	18.23	10.00	2.72	2.57	2.65	2.67	1.95	2.31	3.01	2.49	2.75	2.80	2.34	2.57	Yes		10.30	11.40	10.80	12.20	9.50	18.70	10.20	14.10
	18.23	18.24	10.00	3.44	2.35	2.89	3.41	2.79	3.10	3.22	3.09	3.15	3.36	2.74	3.05	Yes	Yes	13.80	21.60	13.90	21.70	10.80	16.10	12.83	19.80
	18.24	18.25	10.00	4.77	2.80	3.78	5.54	3.39	4.47	4.94	3.80	4.37	5.08	3.33	4.21	Yes	Yes	13.90	18.90	14.10	20.30	13.20	20.50	13.73	19.90
	18.25	18.26	10.00	3.10	3.80	3.45	1.35	3.96	2.66	1.23	3.67	2.45	1.89	3.81	2.85	Yes		15.00	16.90	15.00	16.70	15.10	23.00	15.03	18.87
	18.26	18.27	10.00	1.47	3.50	2.48	1.54	4.69	3.11	2.72	4.88	3.80	1.91	4.36	3.13	Yes	Yes	20.00	28.60	21.70	29.90	20.80	29.20	20.83	29.23
	18.27	18.28	10.00	3.75	3.76	3.76	3.82	2.19	3.00	2.80	1.69	2.25	3.46	2.55	3.00	Yes	Yes	13.90	21.30	13.40	21.50	13.50	14.60	13.60	19.13
	18.28	18.29	10.00	1.48	2.59	2.04	1.66	3.91	2.79	1.56	4.72	3.14	1.57	3.74	2.66	Yes		12.60	18.50	12.20	18.20	12.10	18.10	12.30	18.27
	18.29	18.30	10.00	2.35	4.10	3.22	3.20	3.23	3.22	3.85	3.44	3.64	3.13	3.59	3.36	Yes	Yes	13.00	17.60	13.40	16.90	14.10	16.60	13.50	17.03
	18.30	18.31	10.00	3.14	3.21	3.17	2.01	4.32	3.16	2.98	4.53	3.76	2.71	4.02	3.36	Yes	Yes	13.90	20.20	12.60	19.60	13.80	18.60	13.43	19.47
	18.31	18.32	10.00	2.62	5.63	4.13	2.16	4.58	3.37	3.59	3.71	3.65	2.79	4.64	3.72	Yes	Yes	13.00	16.00	14.50	24.70	15.90	20.70	14.47	20.47
	18.32	18.33	10.00	2.79	2.91	2.85	2.77	2.87	2.82	2.36	4.69	3.52	2.64	3.49	3.06	Yes	Yes	21.80	26.80	21.90	26.80	18.30	21.50	20.67	25.03
	18.33	18.34	10.00	3.26	5.87	4.57	4.67	6.91	5.79	4.83	8.13	6.48	4.25	6.97	5.61	Yes	Yes	20.20	26.50	19.40	24.00	18.80	26.60	19.47	25.70
	18.34	18.35	10.00	3.07	4.39	3.73	1.86	3.76	2.81	1.52	5.48	3.50	2.15	4.54	3.35	Yes	Yes	20.80	29.30	20.70	29.70	21.20	29.60	20.90	29.53
	18.35	18.36	10.00	1.71	4.24	2.98	1.93	4.19	3.06	1.87	4.90	3.39	1.84	4.44	3.14	Yes	Yes	16.30	20.40	16.70	20.80	18.50	22.10	17.17	21.10
	18.36	18.37	10.00	2.24	4.18	3.21	3.93	9.81	6.87	4.69	12.86	8.78	3.62	8.95	6.29	Yes	Yes	23.30	40.70	25.50	42.70	27.50	43.50	25.43	42.30
	18.37	18.38	10.00	4.34	12.02	8.18	2.73	7.62	5.17	2.88	6.08	4.48	3.32	8.57	5.94	Yes	Yes	28.70	38.50	29.90	34.00	28.80	33.10	29.13	35.20
	18.38	18.39	10.00	1.77	3.75	2.76	2.02	3.73	2.88	1.85	2.70	2.28	1.88	3.39	2.64	Yes		22.10	30.90	22.40	28.10	22.10	27.80	22.20	28.93
	18.39	18.40	10.00	2.26	3.54	2.90	2.24	3.81	3.03	2.12	3.66	2.89	2.21	3.67	2.94	Yes		22.30	27.80	20.70	27.90	18.90	23.50	20.63	26.40
	18.40	18.41	10.00	4.03	2.23	3.13	3.91	2.10	3.00	3.38	2.28	2.83	3.77	2.20	2.99	Yes		16.00	20.30	16.40	19.40	16.80	21.60	16.40	20.43
	18.41	18.42	10.00	1.92	3.03	2.48	2.16	3.60	2.88	2.40	3.15	2.78	2.16	3.26	2.71	Yes		21.10	23.00	21.10	23.30	22.90	31.80	21.70	26.03
	18.42	18.43	10.00	3.06	3.11	3.08	3.83	7.05	5.44	3.85	8.40	6.12	3.58	6.19	4.88	Yes	Yes	29.20	38.40	31.70	39.70	30.90	39.80	30.60	39.30
	18.43	18.44	10.00	3.24	8.90	6.07	2.61	5.44	4.02	2.33	4.39	3.36	2.73	6.24	4.48	Yes	Yes	28.00	39.80	25.70	34.10	25.10	35.80	26.27	36.57
	18.44	18.45	10.00	2.25	3.92	3.08	2.48	3.70	3.09	2.62	3.81	3.22	2.45	3.81	3.13	Yes	Yes	22.30	34.20	22.70	32.30	23.10	29.90	22.70	32.13
	18.45	18.46	10.00	2.81	4.11	3.46	2.47	3.90	3.18	2.96	3.04	3.00	2.75	3.68	3.21	Yes	Yes	27.30	32.70	24.50	32.50	23.90	29.90	25.23	31.70
	18.46	18.47	10.00	1.22	2.28	1.75	1.51	2.40	1.95	1.42	2.51	1.96	1.38	2.40	1.89	Yes		21.80	24.30	20.20	22.60	21.10	26.90	21.03	24.60
	18.47	18.48	10.00	4.32	7.32	5.82	4.44	8.57	6.50	4.38	6.65	5.51	4.38	7.51	5.94	Yes	Yes	20.80	27.40	20.30	25.40	20.70	27.60	20.60	26.80
	18.48	18.49	10.00	2.19	4.18	3.19	2.02	4.09	3.06	2.01	3.48	2.75	2.07	3.92	3.00	Yes		21.50	28.90	19.00	26.10	19.30	22.50	19.93	25.83
	18.49	18.50	10.00	1.86	2.56	2.21	2.08	2.36	2.22	2.05	3.20	2.62	2.00	2.71	2.35	Yes		17.00	18.50	15.10	17.40	19.40	28.10	17.17	21.33
	18.50	18.51	10.00	4.46	6.01	5.24	4.49	5.84	5.17	3.91	5.19	4.55	4.29	5.68	4.99	Yes	Yes	21.40	32.60	21.60	31.60	22.70	36.80	21.90	33.67



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG IRI	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	18.51	18.52	10.00	1.34	3.13	2.23	1.40	3.61	2.50	1.31	3.07	2.19	1.35	3.27	2.31	Yes		17.80	22.60	19.20	24.80	21.60	28.00	19.53	25.13
	18.52	18.53	10.00	1.30	3.77	2.53	1.29	3.37	2.33	1.14	3.05	2.09	1.24	3.40	2.32	Yes		20.70	24.80	20.20	26.10	20.00	28.80	20.30	26.57
	18.53	18.54	10.00	0.82	4.00	2.41	1.20	3.75	2.47	1.39	3.61	2.50	1.14	3.79	2.46	Yes		19.30	23.90	19.10	23.70	20.20	24.20	19.53	23.93
	18.54	18.55	10.00	1.65	2.28	1.97	1.42	2.97	2.20	1.32	2.59	1.95	1.46	2.61	2.04	Yes		21.50	24.30	21.80	26.70	23.00	27.70	22.10	26.23
	18.55	18.56	10.00	4.67	8.78	6.73	4.62	9.47	7.05	4.49	11.16	7.83	4.59	9.80	7.20	Yes	Yes	23.60	28.70	20.60	27.20	21.00	27.80	21.73	27.90
	18.56	18.57	10.00	1.56	8.60	5.08	1.60	7.70	4.65	1.73	6.45	4.09	1.63	7.58	4.61	Yes	Yes	23.90	35.40	23.40	33.90	23.00	34.00	23.43	34.43
	18.57	18.58	10.00	1.90	3.57	2.74	2.10	7.14	4.62	2.27	7.98	5.13	2.09	6.23	4.16	Yes	Yes	22.30	27.60	24.30	33.40	24.40	32.10	23.67	31.03
	18.58	18.59	10.00	2.60	8.28	5.44	2.44	4.66	3.55	2.75	3.43	3.09	2.60	5.46	4.03	Yes	Yes	32.40	37.80	32.90	39.10	31.00	37.50	32.10	38.13
	18.59	18.60	10.00	4.85	5.38	5.11	5.02	4.80	4.91	4.88	5.28	5.08	4.92	5.15	5.03	Yes	Yes	29.70	37.70	34.40	41.90	33.10	39.10	32.40	39.57
	18.60	18.61	10.00	3.62	3.26	3.44	3.48	3.60	3.54	2.70	4.68	3.69	3.27	3.85	3.56	Yes	Yes	30.40	35.50	32.80	38.30	31.30	37.50	31.50	37.10
	18.61	18.62	10.00	2.50	5.47	3.99	2.85	7.70	5.28	3.58	11.73	7.66	2.98	8.30	5.64	Yes	Yes	29.80	37.20	31.00	39.20	28.40	34.40	29.73	36.93
	18.62	18.63	10.00	4.12	13.36	8.74	4.36	9.84	7.10	3.57	6.23	4.90	4.02	9.81	6.91	Yes	Yes	27.40	34.70	26.30	34.00	23.70	28.20	25.80	32.30
	18.63	18.64	10.00	4.37	2.83	3.60	5.95	2.71	4.33	6.39	2.34	4.37	5.57	2.63	4.10	Yes	Yes	15.30	28.10	13.60	20.60	12.30	14.70	13.73	21.13
	18.64	18.65	10.00	4.26	1.66	2.96	2.52	1.34	1.93	3.15	1.38	2.26	3.31	1.46	2.38	Yes		14.40	17.90	14.90	18.00	14.80	17.70	14.70	17.87
	18.65	18.66	10.00	2.96	1.47	2.21	2.64	1.87	2.25	3.10	1.85	2.47	2.90	1.73	2.31	Yes		12.50	16.20	11.70	15.80	11.70	16.00	11.97	16.00
	18.66	18.67	10.00	5.84	2.21	4.03	6.30	2.57	4.43	5.85	2.74	4.30	6.00	2.51	4.25	Yes	Yes	8.70	16.10	7.40	15.80	6.90	10.00	7.67	13.97
	18.67	18.68	10.00	4.57	4.08	4.32	4.29	3.76	4.03	4.14	4.28	4.21	4.33	4.04	4.19	Yes	Yes	7.30	10.20	6.30	8.40	6.10	8.80	6.57	9.13
	18.68	18.69	10.00	3.09	3.08	3.08	3.00	2.59	2.80	2.09	2.01	2.05	2.73	2.56	2.64	Yes		4.60	5.70	4.90	7.50	5.40	7.50	4.97	6.90
	18.69	18.70	10.00	1.73	1.62	1.67	1.57	1.75	1.66	1.80	1.79	1.79	1.70	1.72	1.71	Yes		5.40	10.80	5.00	11.10	4.80	11.40	5.07	11.10
	18.70	18.71	10.00	2.03	1.64	1.84	2.08	1.35	1.72	1.71	1.32	1.51	1.94	1.44	1.69	Yes		3.60	6.20	3.50	6.30	3.40	5.90	3.50	6.13
	18.71	18.72	10.00	1.16	1.09	1.13	1.10	1.06	1.08	1.70	1.41	1.56	1.32	1.19	1.26			3.20	4.10	3.30	4.30	2.90	4.10	3.13	4.17
	18.72	18.73	10.00	2.20	1.09	1.65	2.29	0.78	1.54	1.83	0.92	1.38	2.11	0.93	1.52	Yes		2.90	4.00	3.00	4.50	2.90	4.10	2.93	4.20
	18.73	18.74	10.00	1.78	2.13	1.95	1.63	1.99	1.81	1.95	2.19	2.07	1.79	2.10	1.94	Yes		3.00	4.70	4.10	5.80	3.60	5.40	3.57	5.30
	18.74	18.75	10.00	1.24	1.06	1.15	1.06	1.45	1.25	1.22	1.26	1.24	1.17	1.26	1.21			3.70	5.10	3.30	4.70	3.90	5.40	3.63	5.07
	18.75	18.76	10.00	2.25	1.39	1.82	1.48	1.62	1.55	1.87	1.27	1.57	1.87	1.43	1.65	Yes		3.10	5.10	2.80	4.10	3.10	4.60	3.00	4.60
	18.76	18.77	10.00	2.53	1.43	1.98	2.68	1.60	2.14	2.42	1.47	1.94	2.54	1.50	2.02	Yes		3.00	6.50	1.40	3.90	2.80	6.30	2.40	5.57
	18.77	18.78	10.00	3.02	1.92	2.47	2.94	1.67	2.30	3.29	1.75	2.52	3.08	1.78	2.43	Yes		2.40	4.90	0.90	2.10	2.20	4.20	1.83	3.73
	18.78	18.79	10.00	1.96	0.81	1.39	1.53	1.03	1.28	1.56	0.93	1.24	1.68	0.92	1.30			3.40	4.90	1.40	2.20	3.80	4.50	2.87	3.87
	18.79	18.80	10.00	1.39	0.99	1.19	2.09	1.45	1.77	2.14	1.60	1.87	1.87	1.35	1.61	Yes		4.30	8.00	3.10	6.70	4.50	9.00	3.97	7.90
	18.80	18.81	10.00	2.07	1.67	1.87	1.58	1.20	1.39	1.31	0.91	1.11	1.65	1.26	1.46	Yes		4.10	9.30	2.60	4.50	3.50	4.20	3.40	6.00
	18.81	18.82	10.00	1.32	1.17	1.25	1.03	1.24	1.14	1.69	1.21	1.45	1.35	1.21	1.28			2.70	4.50	2.30	4.30	3.00	5.40	2.67	4.73
	18.82	18.83	10.00	1.19	1.33	1.26	1.22	1.57	1.39	2.21	2.33	2.27	1.54	1.74	1.64	Yes		5.40	8.10	6.40	9.90	6.70	11.30	6.17	9.77
	18.83	18.84	10.00	3.33	2.89	3.11	3.60	2.83	3.21	1.91	1.85	1.88	2.95	2.52	2.73	Yes		6.30	11.30	5.30	10.60	5.40	7.10	5.67	9.67
	18.84	18.85	10.00	1.53	0.85	1.19	1.63	1.29	1.46	2.64	1.90	2.27	1.93	1.35	1.64	Yes		5.70	6.60	5.30	6.60	5.50	6.50	5.50	6.57
	18.85	18.86	10.00	2.73	2.31	2.52	2.41	2.06	2.23	1.50	1.63	1.56	2.21	2.00	2.10	Yes		7.00	12.20	8.30	12.30	8.90	11.20	8.07	11.90
	18.86	18.87	10.00	1.22	1.36	1.29	1.18	1.09	1.14	1.07	1.11	1.09	1.16	1.19	1.17			4.90	11.00	3.30	10.70	3.30	7.80	3.83	9.83
	18.87	18.88	10.00	1.37	0.64	1.00	1.57	0.79	1.18	1.93	1.10	1.52	1.62	0.84	1.23			-0.20	2.30	-0.70	2.10	-1.60	2.00	-0.83	2.13



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	18.88	18.89	10.00	5.48	4.12	4.80	5.79	4.36	5.08	5.78	4.11	4.94	5.68	4.20	4.94	Yes	Yes	0.60	3.40	1.50	3.80	2.70	4.80	1.60	4.00
	18.89	18.90	10.00	1.97	1.50	1.73	1.48	1.10	1.29	1.50	1.11	1.30	1.65	1.24	1.44	Yes		4.20	5.10	3.50	4.30	4.50	5.40	4.07	4.93
	18.90	18.91	10.00	0.87	0.58	0.72	1.19	0.76	0.98	1.34	0.76	1.05	1.13	0.70	0.92			3.20	5.10	1.80	3.30	2.30	3.30	2.43	3.90
	18.91	18.92	10.00	1.57	1.44	1.51	1.94	1.92	1.93	2.16	2.01	2.08	1.89	1.79	1.84	Yes		3.20	5.30	3.50	5.00	4.00	5.30	3.57	5.20
	18.92	18.93	10.00	2.42	1.70	2.06	1.54	1.29	1.41	1.25	1.22	1.23	1.74	1.40	1.57	Yes		2.90	5.10	2.30	4.10	2.60	4.00	2.60	4.40
	18.93	18.94	10.00	3.18	2.13	2.66	3.49	2.27	2.88	3.78	2.57	3.17	3.48	2.32	2.90	Yes		3.60	6.60	3.70	6.80	3.60	6.70	3.63	6.70
	18.94	18.95	10.00	2.11	1.21	1.66	2.38	1.15	1.76	2.07	0.96	1.51	2.19	1.11	1.64	Yes		1.70	3.80	1.20	3.90	1.10	2.50	1.33	3.40
	18.95	18.96	10.00	2.01	0.91	1.46	1.61	0.95	1.28	1.62	0.99	1.30	1.75	0.95	1.35			2.50	4.40	2.80	4.70	3.00	4.50	2.77	4.53
	18.96	18.97	10.00	1.14	1.15	1.14	1.16	1.22	1.19	1.14	1.08	1.11	1.15	1.15	1.15			3.20	5.20	3.60	5.30	3.90	5.20	3.57	5.23
	18.97	18.98	10.00	0.94	2.19	1.57	0.80	2.56	1.68	0.82	2.47	1.65	0.85	2.41	1.63	Yes		4.70	12.80	4.40	11.20	4.10	11.70	4.40	11.90
	18.98	18.99	10.00	0.68	1.03	0.85	0.81	0.95	0.88	0.85	1.17	1.01	0.78	1.05	0.91			2.80	3.40	2.70	3.50	2.70	3.50	2.73	3.47
	18.99	19.00	10.00	1.65	1.49	1.57	2.03	1.39	1.71	2.18	1.60	1.89	1.95	1.49	1.72	Yes		2.80	4.20	2.80	4.20	2.80	4.20	2.80	4.20
	19.00	19.01	10.00	2.59	1.53	2.06	2.48	1.77	2.12	2.35	1.17	1.76	2.47	1.49	1.98	Yes		3.50	6.60	4.10	6.40	4.50	6.80	4.03	6.60
	19.01	19.02	10.00	1.61	1.35	1.48	1.82	1.49	1.66	1.65	1.70	1.67	1.69	1.51	1.60	Yes		5.80	7.20	6.20	7.50	6.00	7.20	6.00	7.30
	19.02	19.03	10.00	1.91	1.42	1.67	1.70	2.07	1.88	1.68	2.04	1.86	1.76	1.84	1.80	Yes		5.60	6.50	6.10	8.90	6.60	10.40	6.10	8.60
	19.03	19.04	10.00	1.99	3.35	2.67	1.99	2.17	2.08	2.32	2.33	2.32	2.10	2.62	2.36	Yes		6.70	10.50	5.70	10.00	5.00	9.20	5.80	9.90
	19.04	19.05	10.00	3.47	2.69	3.08	4.26	3.39	3.83	4.30	3.42	3.86	4.01	3.17	3.59	Yes	Yes	4.80	13.80	4.60	14.00	5.40	13.90	4.93	13.90
	19.05	19.06	10.00	3.65	2.05	2.85	3.50	2.24	2.87	3.15	1.83	2.49	3.43	2.04	2.74	Yes		6.40	9.10	6.20	8.10	6.50	8.90	6.37	8.70
	19.06	19.07	10.00	2.29	2.60	2.45	2.29	2.36	2.33	2.37	3.19	2.78	2.32	2.72	2.52	Yes		9.10	16.70	10.90	19.30	13.70	21.20	11.23	19.07
	19.07	19.08	10.00	2.14	4.68	3.41	2.80	6.82	4.81	2.78	6.99	4.88	2.57	6.16	4.37	Yes	Yes	19.10	24.50	20.00	24.90	19.90	24.10	19.67	24.50
	19.08	19.09	10.00	2.86	6.17	4.52	2.50	4.90	3.70	2.46	4.42	3.44	2.61	5.16	3.89	Yes	Yes	18.80	23.80	17.60	23.00	17.70	23.10	18.03	23.30
	19.09	19.10	10.00	1.85	4.04	2.95	1.35	3.45	2.40	0.92	3.47	2.20	1.37	3.65	2.52	Yes		20.10	23.30	19.80	22.30	20.40	23.10	20.10	22.90
	19.10	19.11	10.00	1.51	4.34	2.92	2.04	3.67	2.85	2.30	5.72	4.01	1.95	4.58	3.26	Yes	Yes	17.70	19.90	15.60	20.30	16.80	20.00	16.70	20.07
	19.11	19.12	10.00	2.22	6.26	4.24	1.63	6.21	3.92	1.49	5.30	3.40	1.78	5.92	3.85	Yes	Yes	14.00	19.80	13.00	17.10	13.20	15.80	13.40	17.57
	19.12	19.13	10.00	1.65	4.90	3.28	1.64	4.54	3.09	1.57	4.48	3.03	1.62	4.64	3.13	Yes	Yes	9.60	15.70	7.40	13.50	8.10	14.10	8.37	14.43
	19.13	19.14	10.00	0.98	1.91	1.44	0.95	2.54	1.74	1.53	2.96	2.24	1.15	2.47	1.81	Yes		7.20	9.30	7.90	18.70	9.80	20.20	8.30	16.07
	19.14	19.15	10.00	1.94	3.02	2.48	1.87	2.10	1.99	1.36	1.94	1.65	1.72	2.35	2.04	Yes		10.10	19.90	9.00	19.60	8.90	10.70	9.33	16.73
	19.15	19.16	10.00	1.17	1.69	1.43	1.15	1.78	1.46	1.08	1.66	1.37	1.13	1.71	1.42	Yes		8.80	9.80	8.70	10.10	9.20	10.80	8.90	10.23
	19.16	19.17	10.00	2.50	5.03	3.77	3.00	5.65	4.33	2.81	5.97	4.39	2.77	5.55	4.16	Yes	Yes	11.30	23.00	11.30	22.60	11.50	23.00	11.37	22.87
	19.17	19.18	10.00	1.25	2.72	1.99	0.77	2.84	1.81	0.90	3.12	2.01	0.97	2.89	1.94	Yes		9.70	11.80	10.00	12.10	9.90	12.10	9.87	12.00
	19.18	19.19	10.00	3.20	6.80	5.00	5.21	8.59	6.90	6.44	8.76	7.60	4.95	8.05	6.50	Yes	Yes	13.60	27.00	15.50	27.70	16.40	27.70	15.17	27.47
	19.19	19.20	10.00	5.11	6.50	5.81	3.51	5.17	4.34	2.97	5.03	4.00	3.86	5.57	4.72	Yes	Yes	17.80	22.90	22.30	27.40	23.10	27.40	21.07	25.90
	19.20	19.21	10.00	2.82	5.05	3.94	3.04	5.59	4.32	4.00	6.69	5.34	3.29	5.78	4.53	Yes	Yes	17.30	21.30	21.00	30.60	20.20	30.30	19.50	27.40
	19.21	19.22	10.00	5.78	6.05	5.92	3.81	6.37	5.09	2.70	5.90	4.30	4.10	6.11	5.10	Yes	Yes	11.00	28.70	13.80	23.60	13.20	16.00	12.67	22.77
	19.22	19.23	10.00	0.66	5.79	3.23	1.04	4.79	2.92	1.35	4.29	2.82	1.02	4.96	2.99	Yes		6.00	10.50	15.10	20.80	15.50	20.90	12.20	17.40
	19.23	19.24	10.00	4.43	9.88	7.15	6.17	10.04	8.11	6.27	9.80	8.04	5.62	9.91	7.77	Yes	Yes	4.90	11.30	10.10	21.20	8.80	21.10	7.93	17.87
	19.24	19.25	10.00	3.81	6.87	5.34	4.14	5.82	4.98	4.13	5.81	4.97	4.03	6.17	5.10	Yes	Yes	3.80	10.20	9.50	20.20	9.90	19.70	7.73	16.70



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG IRI	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	19.25	19.26	10.00	1.17	2.26	1.71	0.86	2.32	1.59	0.76	2.40	1.58	0.93	2.33	1.63	Yes		4.00	5.50	11.80	15.60	11.80	15.40	9.20	12.17
	19.26	19.27	10.00	1.01	1.92	1.46	1.21	1.46	1.34	1.08	1.81	1.44	1.10	1.73	1.41	Yes		5.10	9.90	11.40	13.30	11.50	13.30	9.33	12.17
	19.27	19.28	10.00	0.92	3.21	2.07	0.64	2.40	1.52	0.51	1.88	1.20	0.69	2.50	1.60	Yes		8.10	9.40	8.80	13.40	7.20	9.80	8.03	10.87
	19.28	19.29	10.00	0.75	1.17	0.96	0.92	1.56	1.24	0.79	2.17	1.48	0.82	1.63	1.23			9.60	11.10	8.50	10.80	6.90	9.60	8.33	10.50
	19.29	19.30	10.00	5.39	4.26	4.83	5.48	4.78	5.13	5.79	6.10	5.94	5.55	5.05	5.30	Yes	Yes	11.50	19.30	11.30	19.20	9.40	17.50	10.73	18.67
	19.30	19.31	10.00	1.87	3.03	2.45	2.23	3.07	2.65	2.01	3.62	2.82	2.04	3.24	2.64	Yes		7.80	11.10	7.10	9.80	5.20	8.80	6.70	9.90
	19.31	19.32	10.00	1.83	3.08	2.46	2.04	3.62	2.83	2.01	3.94	2.98	1.96	3.55	2.76	Yes		9.70	13.90	11.50	14.90	10.90	17.90	10.70	15.57
	19.32	19.33	10.00	6.87	7.53	7.20	7.36	8.18	7.77	7.64	7.90	7.77	7.29	7.87	7.58	Yes	Yes	12.60	21.80	12.80	22.90	10.00	21.60	11.80	22.10
	19.33	19.34	10.00	2.71	3.68	3.20	1.97	2.54	2.25	1.70	1.72	1.71	2.13	2.65	2.39	Yes		5.20	7.40	6.00	8.10	5.30	6.30	5.50	7.27
	19.34	19.35	10.00	1.06	1.25	1.15	0.83	1.13	0.98	0.70	0.99	0.84	0.86	1.12	0.99			4.20	4.70	5.00	5.60	4.90	5.60	4.70	5.30
	19.35	19.36	10.00	3.48	2.23	2.86	4.02	2.38	3.20	3.91	2.51	3.21	3.80	2.37	3.09	Yes	Yes	3.30	5.60	4.00	6.80	4.20	7.50	3.83	6.63
	19.36	19.37	10.00	1.19	1.07	1.13	0.42	0.82	0.62	0.47	0.66	0.57	0.69	0.85	0.77			3.10	3.90	4.00	4.60	4.40	4.90	3.83	4.47
	19.37	19.38	10.00	1.77	1.73	1.75	4.14	2.88	3.51	4.40	2.97	3.68	3.44	2.53	2.98	Yes		4.10	5.80	4.60	6.10	5.10	7.20	4.60	6.37
	19.38	19.39	10.00	4.72	2.61	3.67	2.86	2.36	2.61	2.77	2.94	2.85	3.45	2.64	3.04	Yes	Yes	4.50	5.70	4.50	5.70	4.80	6.00	4.60	5.80
	19.39	19.40	10.00	2.60	3.88	3.24	2.50	3.40	2.95	2.16	2.90	2.53	2.42	3.39	2.91	Yes		3.00	4.50	2.90	4.10	3.80	5.80	3.23	4.80
	19.40	19.41	10.00	1.93	2.73	2.33	1.89	3.17	2.53	2.21	3.12	2.67	2.01	3.01	2.51	Yes		4.40	6.50	3.90	5.70	5.50	7.40	4.60	6.53
	19.41	19.42	10.00	2.30	2.50	2.40	2.02	1.90	1.96	1.79	1.82	1.80	2.04	2.07	2.05	Yes		6.50	8.20	5.40	6.80	7.40	9.30	6.43	8.10
	19.42	19.43	10.00	4.99	2.55	3.77	5.52	3.04	4.28	5.24	3.31	4.28	5.25	2.97	4.11	Yes	Yes	4.40	7.70	2.70	4.90	6.20	8.20	4.43	6.93
	19.43	19.44	10.00	2.01	2.37	2.19	1.97	1.96	1.97	1.91	1.74	1.82	1.96	2.02	1.99	Yes		4.20	6.00	2.50	4.50	7.50	9.60	4.73	6.70
	19.44	19.45	10.00	1.38	2.04	1.71	1.20	2.02	1.61	1.41	1.99	1.70	1.33	2.02	1.67	Yes		4.40	6.00	2.60	3.90	8.50	10.60	5.17	6.83
	19.45	19.46	10.00	1.21	2.25	1.73	1.25	2.83	2.04	0.96	2.88	1.92	1.14	2.65	1.90	Yes		-0.50	4.30	-1.60	0.70	6.70	9.20	1.53	4.73
	19.46	19.47	10.00	1.19	2.25	1.72	1.55	2.42	1.99	2.56	3.40	2.98	1.77	2.69	2.23	Yes		-1.80	-0.10	-0.20	6.00	4.20	10.00	0.73	5.30
	19.47	19.48	10.00	3.84	5.33	4.58	3.51	4.40	3.96	1.89	2.61	2.25	3.08	4.11	3.60	Yes	Yes	-2.20	5.30	-0.60	6.40	4.50	8.80	0.57	6.83
	19.48	19.49	10.00	1.58	1.85	1.72	1.30	1.71	1.50	1.16	1.92	1.54	1.35	1.83	1.59	Yes		3.00	5.60	4.80	7.60	5.70	9.50	4.50	7.57
	19.49	19.50	10.00	1.50	1.95	1.72	1.57	2.46	2.02	1.73	2.72	2.23	1.60	2.38	1.99	Yes		2.20	4.20	2.90	4.90	5.10	7.30	3.40	5.47
	19.50	19.51	10.00	1.42	3.32	2.37	1.33	2.91	2.12	1.13	2.32	1.72	1.29	2.85	2.07	Yes		5.90	10.20	7.00	10.30	9.10	11.30	7.33	10.60
	19.51	19.52	10.00	2.47	5.40	3.93	2.42	5.33	3.87	2.39	5.55	3.97	2.43	5.43	3.92	Yes	Yes	12.40	19.70	13.90	20.80	16.70	22.80	14.33	21.10
	19.52	19.53	10.00	2.00	3.58	2.79	3.58	5.53	4.56	3.73	5.66	4.70	3.10	4.92	4.02	Yes	Yes	20.10	23.50	17.60	22.00	19.70	23.50	19.13	23.00
	19.53	19.54	10.00	4.37	5.79	5.08	3.38	4.65	4.02	2.95	3.84	3.40	3.57	4.76	4.17	Yes	Yes	19.90	28.10	15.90	25.60	16.40	28.00	17.40	27.23
	19.54	19.55	10.00	1.92	3.64	2.78	1.93	4.14	3.03	1.40	3.88	2.64	1.75	3.89	2.82	Yes		19.40	28.60	17.50	22.60	23.60	30.80	20.17	27.33
	19.55	19.56	10.00	1.15	4.50	2.82	2.31	6.52	4.42	2.26	6.49	4.37	1.91	5.84	3.87	Yes	Yes	19.50	26.90	14.30	23.40	15.90	29.80	16.57	26.70
	19.56	19.57	10.00	3.24	6.32	4.78	2.72	5.15	3.94	2.35	3.68	3.01	2.77	5.05	3.91	Yes	Yes	10.30	24.10	11.40	23.20	18.80	30.90	13.50	26.07
	19.57	19.58	10.00	2.03	2.43	2.23	2.57	2.19	2.38	2.32	2.48	2.40	2.31	2.37	2.34	Yes		21.80	26.20	23.30	27.30	32.60	38.80	25.90	30.77
	19.58	19.59	10.00	3.23	2.71	2.97	2.85	2.60	2.72	3.39	2.76	3.07	3.16	2.69	2.92	Yes		18.30	25.80	16.30	25.80	14.60	25.50	16.40	25.70
	19.59	19.60	10.00	2.06	4.94	3.50	2.01	5.35	3.68	2.01	5.60	3.80	2.03	5.30	3.66	Yes	Yes	18.10	23.70	18.20	24.30	17.10	23.90	17.80	23.97
	19.60	19.61	10.00	2.45	3.49	2.97	2.49	3.16	2.82	2.40	4.24	3.32	2.45	3.63	3.04	Yes	Yes	12.30	17.30	13.80	15.50	15.40	19.80	13.83	17.53
	19.61	19.62	10.00	8.85	8.34	8.59	10.13	9.71	9.92	10.90	10.52	10.71	9.96	9.52	9.74	Yes	Yes	15.80	22.50	23.50	29.20	25.00	29.90	21.43	27.20



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	19.62	19.63	10.00	3.08	6.96	5.02	2.83	6.62	4.73	3.17	5.55	4.36	3.03	6.38	4.70	Yes	Yes	19.70	24.00	23.50	26.10	23.20	26.40	22.13	25.50
	19.63	19.64	10.00	4.09	4.01	4.05	3.94	3.26	3.60	3.61	3.54	3.58	3.88	3.60	3.74	Yes	Yes	18.90	24.10	18.30	21.20	18.70	21.90	18.63	22.40
	19.64	19.65	10.00	1.66	2.83	2.25	1.92	2.80	2.36	1.49	2.76	2.13	1.69	2.80	2.25	Yes		16.10	21.40	14.30	20.50	16.00	22.00	15.47	21.30
	19.65	19.66	10.00	2.03	3.56	2.79	2.52	4.34	3.43	2.66	4.79	3.72	2.40	4.23	3.31	Yes	Yes	14.60	18.30	14.60	19.90	15.90	22.70	15.03	20.30
	19.66	19.67	10.00	3.36	4.92	4.14	3.24	3.82	3.53	4.14	4.02	4.08	3.58	4.25	3.92	Yes	Yes	11.50	22.30	7.30	16.30	10.20	19.10	9.67	19.23
	19.67	19.68	10.00	5.07	3.44	4.26	4.78	4.30	4.54	3.73	3.79	3.76	4.53	3.84	4.19	Yes	Yes	14.10	21.90	12.80	18.80	13.40	19.10	13.43	19.93
	19.68	19.69	10.00	1.65	3.69	2.67	1.93	4.82	3.37	1.69	4.40	3.04	1.76	4.30	3.03	Yes	Yes	14.20	18.80	12.60	15.90	13.80	16.50	13.53	17.07
	19.69	19.70	10.00	3.13	2.57	2.85	3.47	2.72	3.10	3.99	3.63	3.81	3.53	2.97	3.25	Yes	Yes	22.50	32.60	21.70	28.50	26.10	50.30	23.43	37.13
	19.70	19.71	10.00	8.05	7.44	7.74	5.70	8.12	6.91	5.42	7.46	6.44	6.39	7.67	7.03	Yes	Yes	34.80	50.40	33.50	50.70	29.90	50.70	32.73	50.60
	19.71	19.72	10.00	2.94	4.65	3.80	2.48	5.04	3.76	2.30	4.95	3.62	2.57	4.88	3.73	Yes	Yes	30.30	32.50	31.00	33.50	30.40	33.40	30.57	33.13
	19.72	19.73	10.00	6.04	4.00	5.02	6.55	4.50	5.52	6.90	6.67	6.79	6.50	5.06	5.78	Yes	Yes	32.00	35.70	30.70	35.90	27.70	34.70	30.13	35.43
	19.73	19.74	10.00	3.75	7.44	5.59	3.85	6.78	5.32	3.85	6.11	4.98	3.82	6.78	5.30	Yes	Yes	24.40	29.20	24.10	26.00	23.20	25.70	23.90	26.97
	19.74	19.75	10.00	3.11	2.03	2.57	2.88	2.20	2.54	2.83	4.44	3.63	2.94	2.89	2.91	Yes		21.50	25.20	21.10	26.70	24.70	46.60	22.43	32.83
	19.75	19.76	10.00	3.65	6.14	4.90	4.07	5.81	4.94	2.98	3.59	3.28	3.57	5.18	4.37	Yes	Yes	26.00	46.60	24.90	48.10	22.00	34.70	24.30	43.13
	19.76	19.77	10.00	2.05	2.01	2.03	2.38	1.91	2.15	2.20	1.98	2.09	2.21	1.97	2.09	Yes		16.60	21.90	14.60	19.50	15.00	19.20	15.40	20.20
	19.77	19.78	10.00	4.70	2.89	3.79	4.79	2.79	3.79	4.12	2.63	3.38	4.54	2.77	3.65	Yes	Yes	14.50	21.60	13.40	20.60	13.60	21.70	13.83	21.30
	19.78	19.79	10.00	1.39	1.94	1.67	1.25	2.05	1.65	1.35	2.42	1.89	1.33	2.14	1.74	Yes		13.80	15.50	13.70	16.70	15.30	17.60	14.27	16.60
	19.79	19.80	10.00	1.53	2.89	2.21	2.55	2.78	2.66	2.52	3.30	2.91	2.20	2.99	2.59	Yes		17.30	18.80	17.60	23.00	20.40	32.60	18.43	24.80
	19.80	19.81	10.00	4.27	3.77	4.02	4.12	4.10	4.11	3.78	3.18	3.48	4.06	3.68	3.87	Yes	Yes	23.60	32.40	23.10	32.30	22.50	27.60	23.07	30.77
	19.81	19.82	10.00	3.67	6.09	4.88	4.59	6.56	5.58	5.37	8.24	6.80	4.54	6.96	5.75	Yes	Yes	21.80	24.10	21.80	23.60	20.90	24.40	21.50	24.03
	19.82	19.83	10.00	4.41	5.97	5.19	4.07	5.74	4.90	3.39	4.30	3.84	3.96	5.34	4.64	Yes	Yes	18.70	22.20	17.90	20.00	16.10	18.90	17.57	20.37
	19.83	19.84	10.00	3.64	3.79	3.71	4.25	4.34	4.30	4.26	6.26	5.26	4.05	4.80	4.42	Yes	Yes	15.40	23.90	19.30	35.60	18.40	33.70	17.70	31.07
	19.84	19.85	10.00	3.11	5.46	4.28	1.97	4.20	3.09	1.38	3.40	2.39	2.15	4.35	3.25	Yes	Yes	17.80	34.90	15.60	32.90	13.60	16.60	15.67	28.13
	19.85	19.86	10.00	2.35	2.65	2.50	2.89	2.79	2.84	2.95	2.55	2.75	2.73	2.66	2.70	Yes		14.60	16.60	14.50	17.50	11.80	14.50	13.63	16.20
	19.86	19.87	10.00	1.94	2.08	2.01	1.67	2.06	1.86	1.30	2.47	1.88	1.64	2.20	1.92	Yes		13.30	15.00	14.60	16.10	11.50	13.00	13.13	14.70
	19.87	19.88	10.00	1.57	3.46	2.51	1.84	2.83	2.33	1.56	2.87	2.22	1.66	3.05	2.35	Yes		12.50	13.80	13.50	15.10	10.10	11.60	12.03	13.50
	19.88	19.89	10.00	4.37	5.68	5.03	5.20	6.57	5.88	5.27	7.88	6.58	4.95	6.71	5.83	Yes	Yes	12.20	19.30	12.70	21.30	10.40	16.90	11.77	19.17
	19.89	19.90	10.00	2.90	4.04	3.47	2.02	2.88	2.45	1.75	3.04	2.40	2.22	3.32	2.77	Yes		11.20	13.40	12.00	14.40	9.30	12.10	10.83	13.30
	19.90	19.91	10.00	1.74	2.59	2.17	1.51	2.79	2.15	1.49	2.50	2.00	1.58	2.63	2.11	Yes		10.80	13.50	11.20	12.90	8.20	9.10	10.07	11.83
	19.91	19.92	10.00	1.40	2.47	1.93	1.59	2.63	2.11	1.56	3.09	2.32	1.52	2.73	2.12	Yes		9.50	11.70	8.50	11.80	5.60	7.50	7.87	10.33
	19.92	19.93	10.00	1.75	2.81	2.28	1.79	2.94	2.37	1.68	2.86	2.27	1.74	2.87	2.31	Yes		8.00	9.90	6.60	9.20	5.10	7.40	6.57	8.83
	19.93	19.94	10.00	1.83	3.03	2.43	2.33	3.31	2.82	2.38	3.68	3.03	2.18	3.34	2.76	Yes		8.70	11.90	5.90	8.90	5.00	8.70	6.53	9.83
	19.94	19.95	10.00	1.38	3.13	2.25	1.25	2.91	2.08	1.53	2.62	2.07	1.39	2.89	2.13	Yes		4.40	5.90	3.00	4.80	4.10	7.00	3.83	5.90
	19.95	19.96	10.00	2.46	2.61	2.54	2.53	2.33	2.43	2.56	2.46	2.51	2.52	2.47	2.49	Yes		7.60	12.10	6.80	10.10	9.40	12.30	7.93	11.50
	19.96	19.97	10.00	1.29	2.39	1.84	1.47	2.83	2.15	1.22	2.70	1.96	1.33	2.64	1.98	Yes		8.30	12.00	7.20	11.40	9.50	13.80	8.33	12.40
	19.97	19.98	10.00	2.71	3.49	3.10	3.33	3.23	3.28	2.87	3.71	3.29	2.97	3.48	3.22	Yes	Yes	9.30	12.90	7.10	10.40	9.10	13.60	8.50	12.30
	19.98	19.99	10.00	1.81	4.45	3.13	1.68	4.66	3.17	1.71	4.32	3.01	1.73	4.48	3.10	Yes	Yes	7.70	10.60	6.50	8.50	8.80	11.10	7.67	10.07



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	19.99	20.00	10.00	1.78	3.42	2.60	2.33	3.76	3.05	2.54	4.51	3.53	2.22	3.90	3.06	Yes	Yes	7.90	10.10	6.70	10.50	9.40	14.10	8.00	11.57
	20.00	20.01	10.00	3.10	4.12	3.61	2.18	3.81	3.00	2.41	4.57	3.49	2.56	4.17	3.37	Yes	Yes	11.60	13.90	10.80	14.10	12.50	16.70	11.63	14.90
	20.01	20.02	10.00	3.14	5.20	4.17	3.59	5.30	4.44	3.66	5.28	4.47	3.46	5.26	4.36	Yes	Yes	19.70	28.00	21.20	29.80	24.30	33.00	21.73	30.27
	20.02	20.03	10.00	3.59	5.30	4.44	3.13	5.48	4.30	2.87	7.13	5.00	3.20	5.97	4.58	Yes	Yes	29.80	36.40	21.60	27.50	27.00	32.90	26.13	32.27
	20.03	20.04	10.00	3.46	9.97	6.72	4.75	9.37	7.06	4.42	8.23	6.33	4.21	9.19	6.70	Yes	Yes	29.60	40.00	25.30	37.00	30.40	40.10	28.43	39.03
	20.04	20.05	10.00	4.29	5.81	5.05	5.59	6.15	5.87	3.64	5.26	4.45	4.51	5.74	5.12	Yes	Yes	30.00	39.40	30.60	39.30	33.10	43.20	31.23	40.63
	20.05	20.06	10.00	5.78	7.29	6.54	6.51	7.95	7.23	6.80	7.37	7.08	6.36	7.54	6.95	Yes	Yes	37.90	42.90	36.30	43.10	35.10	43.30	36.43	43.10
	20.06	20.07	10.00	3.32	5.00	4.16	3.36	4.45	3.90	2.44	4.21	3.32	3.04	4.55	3.79	Yes	Yes	31.00	37.40	30.50	35.70	29.00	36.00	30.17	36.37
	20.07	20.08	10.00	1.86	3.29	2.58	2.00	3.59	2.80	1.74	3.57	2.65	1.87	3.48	2.68	Yes		19.70	32.40	19.40	25.10	18.40	24.10	19.17	27.20
	20.08	20.09	10.00	3.10	5.87	4.49	3.53	5.79	4.66	3.10	5.09	4.09	3.24	5.58	4.41	Yes	Yes	19.70	27.30	19.30	26.90	17.80	27.00	18.93	27.07
	20.09	20.10	10.00	1.60	2.18	1.89	1.71	3.17	2.44	1.85	3.38	2.61	1.72	2.91	2.31	Yes		14.20	21.20	15.60	22.50	16.20	22.50	15.33	22.07
	20.10	20.11	10.00	3.32	5.27	4.30	3.08	5.14	4.11	3.39	5.68	4.54	3.26	5.36	4.32	Yes	Yes	19.00	25.60	18.50	25.30	18.30	25.00	18.60	25.30
	20.11	20.12	10.00	4.22	10.03	7.12	4.38	9.77	7.07	4.47	8.65	6.56	4.36	9.48	6.92	Yes	Yes	12.10	25.60	9.70	22.00	7.20	16.20	9.67	21.27
	20.12	20.13	10.00	2.88	3.06	2.97	3.10	3.19	3.14	3.29	3.81	3.55	3.09	3.35	3.22	Yes	Yes	6.90	10.80	7.40	14.00	4.90	9.70	6.40	11.50
	20.13	20.14	10.00	3.04	4.95	4.00	3.55	5.09	4.32	5.06	6.83	5.95	3.88	5.62	4.76	Yes	Yes	6.00	15.60	10.20	19.60	7.70	14.90	7.97	16.70
	20.14	20.15	10.00	6.47	7.05	6.76	4.81	7.67	6.24	4.76	7.35	6.05	5.35	7.36	6.35	Yes	Yes	4.40	15.10	7.40	13.50	-1.30	4.10	3.50	10.90
	20.15	20.16	10.00	2.46	11.05	6.75	2.59	9.94	6.27	4.25	10.27	7.26	3.10	10.42	6.76	Yes	Yes	0.60	12.50	12.40	20.90	-3.80	5.70	3.07	13.03
	20.16	20.17	10.00	4.05	6.92	5.48	3.23	6.00	4.61	3.40	6.52	4.96	3.56	6.48	5.02	Yes	Yes	0.50	10.80	6.30	13.20	-5.20	1.20	0.53	8.40
	20.17	20.18	10.00	4.32	3.97	4.14	3.90	3.27	3.59	4.46	4.55	4.51	4.23	3.93	4.08	Yes	Yes	6.90	10.90	7.70	10.20	2.00	5.00	5.53	8.70
	20.18	20.19	10.00	2.18	5.03	3.61	2.92	7.54	5.23	5.16	8.12	6.64	3.42	6.90	5.16	Yes	Yes	12.50	21.70	10.70	20.40	6.00	14.60	9.73	18.90
	20.19	20.20	10.00	5.41	9.58	7.49	9.91	6.30	8.10	6.71	3.60	5.15	7.34	6.49	6.91	Yes	Yes	16.40	27.30	10.10	17.30	7.00	10.90	11.17	18.50
	20.20	20.21	10.00	3.17	2.39	2.78	3.42	2.63	3.02	2.82	2.44	2.63	3.14	2.49	2.81	Yes		14.90	17.80	14.40	17.60	13.50	17.10	14.27	17.50
	20.21	20.22	10.00	5.82	5.32	5.57	4.49	5.33	4.91	4.99	5.97	5.48	5.10	5.54	5.32	Yes	Yes	11.30	18.80	10.00	18.00	8.70	16.60	10.00	17.80
	20.22	20.23	10.00	1.41	2.69	2.05	1.31	2.22	1.77	0.96	2.82	1.89	1.23	2.58	1.90	Yes		10.40	13.60	11.10	13.70	10.30	13.40	10.60	13.57
	20.23	20.24	10.00	3.14	5.40	4.27	3.23	5.96	4.60	3.48	5.45	4.47	3.28	5.60	4.45	Yes	Yes	10.80	14.90	10.40	14.90	10.40	14.50	10.53	14.77
	20.24	20.25	10.00	2.36	4.07	3.21	2.87	4.27	3.57	3.10	4.64	3.87	2.78	4.33	3.55	Yes	Yes	8.40	11.30	8.50	11.20	8.50	11.70	8.47	11.40
	20.25	20.26	10.00	4.26	5.70	4.98	3.27	5.50	4.39	3.47	5.17	4.32	3.67	5.46	4.56	Yes	Yes	11.40	19.20	12.40	19.60	12.40	19.70	12.07	19.50
	20.26	20.27	10.00	3.12	3.01	3.06	2.47	3.32	2.89	2.61	2.93	2.77	2.73	3.09	2.91	Yes		13.70	20.20	15.60	23.70	16.10	23.20	15.13	22.37
	20.27	20.28	10.00	0.91	2.08	1.50	1.48	3.51	2.50	1.14	2.39	1.76	1.18	2.66	1.92	Yes		11.30	13.00	15.00	16.30	14.40	15.30	13.57	14.87
	20.28	20.29	10.00	1.10	4.26	2.68	2.31	3.74	3.02	3.17	4.43	3.80	2.19	4.14	3.17	Yes	Yes	11.90	17.30	15.50	19.70	16.00	21.20	14.47	19.40
	20.29	20.30	10.00	3.00	2.45	2.73	3.54	3.17	3.35	3.76	6.89	5.33	3.43	4.17	3.80	Yes	Yes	10.60	15.80	17.00	29.70	16.50	32.20	14.70	25.90
	20.30	20.31	10.00	5.21	9.50	7.35	3.29	7.48	5.38	2.97	5.52	4.24	3.82	7.50	5.66	Yes	Yes	15.00	26.90	14.80	31.10	17.10	20.50	15.63	26.17
	20.31	20.32	10.00	0.95	2.10	1.52	0.75	1.36	1.05	0.94	1.41	1.18	0.88	1.62	1.25			14.70	18.70	14.10	15.90	13.60	15.80	14.13	16.80
	20.32	20.33	10.00	3.56	8.50	6.03	4.72	10.43	7.57	5.02	15.94	10.48	4.43	11.62	8.03	Yes	Yes	17.60	35.10	19.70	34.80	16.90	32.80	18.07	34.23
	20.33	20.34	10.00	3.55	10.69	7.12	2.66	5.13	3.90	3.09	4.32	3.71	3.10	6.71	4.91	Yes	Yes	17.00	24.90	18.60	21.30	17.40	19.60	17.67	21.93
	20.34	20.35	10.00	3.76	3.50	3.63	3.30	3.28	3.29	3.23	3.87	3.55	3.43	3.55	3.49	Yes	Yes	16.90	18.50	17.70	20.00	17.40	22.20	17.33	20.23
	20.35	20.36	10.00	1.68	3.95	2.81	1.81	4.06	2.94	2.94	6.43	4.68	2.14	4.81	3.48	Yes	Yes	21.20	30.20	24.60	40.70	30.10	47.20	25.30	39.37



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average				
	From	To		IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG			IRI 1	IRI 2	AVG IRI	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	20.36	20.37	10.00	9.28	10.60	9.94	10.17	10.23	10.20	9.69	7.33	8.51	9.71	9.39	9.55	Yes	Yes	37.40	49.00	33.50	47.30	35.70	50.80	35.53	49.03
	20.37	20.38	10.00	4.37	3.33	3.85	3.32	3.77	3.55	3.36	3.28	3.32	3.68	3.46	3.57	Yes	Yes	18.80	27.30	16.10	23.50	17.70	23.90	17.53	24.90
	20.38	20.39	10.00	3.91	2.46	3.18	3.72	1.85	2.79	3.28	1.47	2.38	3.64	1.93	2.78	Yes		13.20	16.60	11.20	13.90	13.90	17.70	12.77	16.07
	20.39	20.40	10.00	1.11	1.60	1.36	0.97	1.53	1.25	1.21	1.40	1.31	1.10	1.51	1.31			9.20	11.00	7.60	9.10	10.30	12.20	9.03	10.77
	20.40	20.41	10.00	0.92	1.22	1.07	0.99	1.05	1.02	0.97	1.15	1.06	0.96	1.14	1.05			9.30	10.50	7.90	9.20	9.90	11.00	9.03	10.23
	20.41	20.42	10.00	1.16	1.28	1.22	1.45	2.04	1.75	1.01	1.79	1.40	1.21	1.70	1.46	Yes		5.80	8.30	4.90	6.40	5.70	7.70	5.47	7.47
	20.42	20.43	10.00	1.31	2.78	2.04	1.59	2.08	1.83	1.71	2.39	2.05	1.54	2.42	1.97	Yes		4.50	5.40	4.00	5.30	3.50	6.00	4.00	5.57
	20.43	20.44	10.00	2.60	3.20	2.90	3.74	3.53	3.63	3.79	3.27	3.53	3.38	3.33	3.35	Yes	Yes	4.30	11.60	5.00	12.70	5.40	14.70	4.90	13.00
	20.44	20.45	10.00	3.84	3.25	3.54	2.11	3.08	2.59	1.97	3.50	2.74	2.64	3.28	2.96	Yes		4.10	9.40	4.90	8.80	4.00	5.20	4.33	7.80
	20.45	20.46	10.00	1.23	1.81	1.52	1.43	1.55	1.49	1.23	0.77	1.00	1.30	1.38	1.34			5.80	10.10	5.10	6.80	5.00	6.20	5.30	7.70
	20.46	20.47	10.00	1.38	1.37	1.37	1.38	1.45	1.42	2.21	1.84	2.02	1.66	1.55	1.60	Yes		4.20	5.70	4.60	5.70	5.60	6.60	4.80	6.00
	20.47	20.48	10.00	1.54	1.44	1.49	1.76	1.39	1.57	1.64	1.12	1.38	1.65	1.32	1.48	Yes		5.10	5.90	5.50	6.50	6.30	7.40	5.63	6.60
	20.48	20.49	10.00	2.47	2.93	2.70	2.21	2.74	2.48	1.87	2.34	2.11	2.18	2.67	2.43	Yes		5.80	8.10	5.80	8.20	7.30	10.10	6.30	8.80
	20.49	20.50	10.00	1.56	1.32	1.44	1.53	1.43	1.48	1.80	1.48	1.64	1.63	1.41	1.52	Yes		4.10	6.20	3.30	5.60	3.70	6.20	3.70	6.00
	20.50	20.51	10.00	1.12	0.86	0.99	1.08	0.78	0.93	1.30	0.80	1.05	1.17	0.81	0.99			4.20	5.60	3.90	5.40	4.00	5.80	4.03	5.60
	20.51	20.52	10.00	2.02	0.80	1.41	2.43	1.14	1.78	2.47	1.21	1.84	2.31	1.05	1.68	Yes		2.00	3.00	1.70	2.70	1.70	3.20	1.80	2.97
	20.52	20.53	10.00	6.09	2.83	4.46	5.23	2.42	3.82	5.21	2.25	3.73	5.51	2.50	4.00	Yes	Yes	4.30	10.50	5.00	10.20	5.20	10.10	4.83	10.27
	20.53	20.54	10.00	1.16	0.91	1.03	1.61	0.91	1.26	1.78	0.98	1.38	1.52	0.93	1.22			4.90	6.00	4.60	5.90	3.90	5.50	4.47	5.80
	20.54	20.55	10.00	2.04	0.93	1.48	1.49	0.89	1.19	1.93	1.27	1.60	1.82	1.03	1.42	Yes		3.40	4.60	3.60	4.70	3.80	5.70	3.60	5.00
	20.55	20.56	10.00	3.44	2.42	2.93	3.73	2.28	3.01	2.88	1.84	2.36	3.35	2.18	2.77	Yes		4.60	6.60	4.40	5.70	4.30	5.00	4.43	5.77
	20.56	20.57	10.00	0.66	0.75	0.70	0.61	1.02	0.82	0.70	0.94	0.82	0.66	0.90	0.78			4.50	5.10	4.00	4.70	4.30	5.40	4.27	5.07
	20.57	20.58	10.00	2.01	0.99	1.50	1.93	0.92	1.42	2.03	0.80	1.42	1.99	0.90	1.45	Yes		5.00	5.60	4.60	5.50	5.00	6.10	4.87	5.73
	20.58	20.59	10.00	1.76	1.09	1.43	2.04	1.40	1.72	2.24	1.76	2.00	2.01	1.42	1.72	Yes		4.70	6.30	4.10	5.80	3.80	4.90	4.20	5.67
	20.59	20.60	10.00	1.86	2.00	1.93	2.91	2.29	2.60	4.95	2.95	3.95	3.24	2.41	2.83	Yes		3.30	3.90	3.60	7.00	3.40	8.60	3.43	6.50
	20.60	20.61	10.00	5.22	2.39	3.80	3.85	2.10	2.97	1.84	1.63	1.73	3.64	2.04	2.83	Yes		3.10	8.10	2.60	3.80	2.90	3.90	2.87	5.27
	20.61	20.62	10.00	1.15	1.33	1.24	1.01	1.18	1.10	1.12	1.11	1.12	1.09	1.21	1.15			3.70	5.00	3.40	4.40	4.10	5.30	3.73	4.90
	20.62	20.63	10.00	0.82	1.37	1.09	0.77	1.25	1.01	0.63	1.26	0.95	0.74	1.29	1.02			3.60	4.40	3.30	4.10	3.70	4.30	3.53	4.27
	20.63	20.64	10.00	0.80	1.31	1.05	0.72	1.00	0.86	0.96	1.08	1.02	0.83	1.13	0.98			4.00	4.50	3.80	4.40	4.20	4.70	4.00	4.53
	20.64	20.65	10.00	1.25	1.11	1.18	2.96	1.67	2.32	2.95	1.83	2.39	2.39	1.54	1.96	Yes		4.80	7.20	3.90	4.80	4.70	6.80	4.47	6.27
	20.65	20.66	10.00	2.76	2.05	2.41	1.54	1.69	1.62	1.02	1.66	1.34	1.77	1.80	1.79	Yes		3.90	7.20	3.30	5.00	3.70	4.60	3.63	5.60
	20.66	20.67	10.00	0.80	1.35	1.08	0.82	1.47	1.14	0.90	1.23	1.07	0.84	1.35	1.10			4.30	5.30	3.70	4.50	4.60	5.50	4.20	5.10
	20.67	20.68	10.00	4.00	2.86	3.43	4.17	3.08	3.63	3.66	2.52	3.09	3.94	2.82	3.38	Yes	Yes	4.30	6.40	3.60	4.60	5.70	9.70	4.53	6.90
	20.68	20.69	10.00	1.03	0.96	0.99	1.37	1.01	1.19	1.31	1.21	1.26	1.24	1.06	1.15			3.40	5.90	3.20	5.90	4.60	5.70	3.73	5.83
	20.69	20.70	10.00	1.52	1.36	1.44	1.15	1.28	1.21	1.26	0.91	1.08	1.31	1.18	1.24			2.90	4.00	2.90	3.50	4.00	5.00	3.27	4.17
	20.70	20.71	10.00	1.10	1.23	1.16	1.23	1.45	1.34	1.13	1.52	1.33	1.15	1.40	1.28			2.70	3.90	3.20	4.10	3.50	5.10	3.13	4.37
	20.71	20.72	10.00	0.87	1.53	1.20	0.73	1.31	1.02	0.82	1.25	1.03	0.81	1.36	1.08			3.30	3.80	3.40	4.00	2.80	3.70	3.17	3.83
	20.72	20.73	10.00	0.95	1.55	1.25	0.96	1.63	1.30	1.03	1.45	1.24	0.98	1.54	1.26			2.90	3.60	3.20	3.80	2.20	3.50	2.77	3.63



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	20.73	20.74	10.00	0.80	1.35	1.08	0.94	1.33	1.13	0.97	3.32	2.14	0.90	2.00	1.45	Yes		3.00	8.60	3.70	6.50	0.50	2.10	2.40	5.73
	20.74	20.75	10.00	1.34	1.57	1.45	0.82	1.47	1.14	0.65	2.37	1.51	0.94	1.80	1.37			6.00	9.60	3.60	6.00	2.00	3.70	3.87	6.43
	20.75	20.76	10.00	3.80	1.81	2.80	5.11	1.96	3.53	6.28	2.16	4.22	5.06	1.98	3.52	Yes	Yes	2.50	4.90	4.10	12.00	6.20	14.40	4.27	10.43
	20.76	20.77	10.00	7.65	1.58	4.61	4.81	1.99	3.40	3.83	2.08	2.96	5.43	1.88	3.66	Yes	Yes	3.40	6.90	6.30	13.30	4.00	14.40	4.57	11.53
	20.77	20.78	10.00	2.58	1.31	1.95	2.80	1.27	2.04	3.04	1.36	2.20	2.81	1.31	2.06	Yes		1.50	3.50	1.20	2.60	2.60	3.40	1.77	3.17
	20.78	20.79	10.00	2.30	1.42	1.86	3.28	1.78	2.53	4.73	1.99	3.36	3.44	1.73	2.58	Yes		2.50	3.80	2.80	8.80	2.20	4.50	2.50	5.70
	20.79	20.80	10.00	4.40	1.84	3.12	4.07	2.01	3.04	2.73	1.64	2.19	3.73	1.83	2.78	Yes		2.20	5.40	2.10	8.50	2.20	3.10	2.17	5.67
	20.80	20.81	10.00	4.51	3.67	4.09	3.97	4.08	4.02	4.15	2.83	3.49	4.21	3.53	3.87	Yes	Yes	3.30	6.00	4.00	7.70	1.70	3.80	3.00	5.83
	20.81	20.82	10.00	2.18	1.45	1.81	2.41	2.00	2.21	3.21	2.65	2.93	2.60	2.03	2.32	Yes		3.60	4.30	3.80	5.40	2.00	3.20	3.13	4.30
	20.82	20.83	10.00	2.32	2.10	2.21	2.27	1.41	1.84	0.99	0.91	0.95	1.86	1.47	1.67	Yes		3.10	4.70	3.20	4.40	2.10	3.00	2.80	4.03
	20.83	20.84	10.00	0.81	1.12	0.96	1.98	1.13	1.55	3.20	1.59	2.39	2.00	1.28	1.63	Yes		4.00	5.20	5.10	11.00	4.30	8.70	4.47	8.30
	20.84	20.85	10.00	2.97	0.99	1.98	1.63	0.92	1.28	0.96	1.12	1.04	1.85	1.01	1.43	Yes		5.60	10.90	5.00	6.00	4.70	5.40	5.10	7.43
	20.85	20.86	10.00	0.76	1.00	0.88	0.63	0.95	0.79	0.67	1.11	0.89	0.69	1.02	0.85			4.30	5.70	4.70	6.40	4.70	7.00	4.57	6.37
	20.86	20.87	10.00	2.75	2.94	2.84	2.83	3.17	3.00	3.26	3.23	3.25	2.95	3.11	3.03	Yes	Yes	5.30	12.80	5.00	12.70	4.90	12.10	5.07	12.53
	20.87	20.88	10.00	1.21	1.46	1.33	1.15	1.43	1.29	1.11	1.63	1.37	1.16	1.51	1.33			4.80	5.70	4.50	5.40	4.50	5.30	4.60	5.47
	20.88	20.89	10.00	1.11	1.69	1.40	0.96	1.62	1.29	1.09	1.35	1.22	1.05	1.55	1.30			4.20	5.30	3.90	5.30	4.60	5.90	4.23	5.50
	20.89	20.90	10.00	1.02	1.47	1.24	0.93	1.61	1.27	1.10	1.87	1.49	1.02	1.65	1.33			7.00	10.40	6.00	9.90	7.60	10.50	6.87	10.27
	20.90	20.91	10.00	0.83	2.30	1.57	0.83	2.02	1.43	1.45	1.67	1.56	1.04	2.00	1.52	Yes		5.50	8.30	3.30	4.40	5.70	6.60	4.83	6.43
	20.91	20.92	10.00	1.86	2.28	2.07	2.25	2.91	2.58	1.53	3.54	2.54	1.88	2.91	2.40	Yes		13.10	23.40	13.20	19.40	19.30	24.40	15.20	22.40
	20.92	20.93	10.00	1.58	4.66	3.12	1.93	4.49	3.21	1.25	5.08	3.16	1.59	4.74	3.16	Yes	Yes	17.60	23.00	14.00	18.50	13.70	20.20	15.10	20.57
	20.93	20.94	10.00	4.42	4.06	4.24	5.35	3.18	4.26	4.89	3.99	4.44	4.89	3.74	4.31	Yes	Yes	10.30	14.10	3.40	8.90	11.60	23.90	8.43	15.63
	20.94	20.95	10.00	2.52	5.69	4.11	2.71	4.30	3.51	2.46	5.16	3.81	2.56	5.05	3.81	Yes	Yes	21.60	30.80	11.20	15.50	23.10	31.10	18.63	25.80
	20.95	20.96	10.00	1.96	3.17	2.57	2.27	4.32	3.30	2.60	3.83	3.21	2.28	3.77	3.03	Yes	Yes	13.70	23.40	9.50	14.30	10.80	14.70	11.33	17.47
	20.96	20.97	10.00	5.77	3.34	4.56	5.44	2.75	4.09	5.36	2.41	3.89	5.52	2.83	4.18	Yes	Yes	16.50	34.90	14.50	28.40	23.70	34.10	18.23	32.47
	20.97	20.98	10.00	2.9	3.32	3.11	3.21	6.51	4.86	3.93	9.1	6.52	3.35	6.31	4.83	Yes	Yes	28.10	35.10	23.10	31.70	25.90	34.10	25.70	33.63
	20.98	20.99	10.00	4.15	11.9	8	4.03	8.99	6.51	3.09	7.47	5.28	3.76	9.44	6.60	Yes	Yes	27.70	35.40	24.70	32.20	26.30	30.50	26.23	32.70
	20.99	21	10.00	2.89	5.27	4.08	2.48	5.09	3.78	2.33	5.19	3.76	2.57	5.18	3.87	Yes	Yes	29.30	31.30	27.80	31.20	29.10	32.50	28.73	31.67
	21	21.01	10.00	2.74	5.46	4.1	2.71	3.9	3.31	2.55	3.76	3.16	2.67	4.37	3.52	Yes	Yes	28.90	34.00	25.30	33.80	23.40	34.50	25.87	34.10
	21.01	21.02	10.00	1.87	3.53	2.7	1.94	3.65	2.79	2.16	3.49	2.82	1.99	3.56	2.77	Yes		12.50	19.30	12.70	15.20	13.70	15.80	12.97	16.77
	21.02	21.03	10.00	2.04	2.22	2.13	1.96	2.04	2	1.85	2.65	2.25	1.95	2.30	2.13	Yes		11.30	14.00	12.30	18.40	14.50	23.20	12.70	18.53
	21.03	21.04	10.00	1.88	2.44	2.16	2.01	2.65	2.33	2.25	2.45	2.35	2.05	2.51	2.28	Yes		17.80	26.30	19.20	30.20	18.60	32.80	18.53	29.77
	21.04	21.05	10.00	1.95	2.55	2.25	1.76	2.57	2.17	1.68	2.63	2.16	1.80	2.58	2.19	Yes		6.00	9.80	6.40	10.90	9.10	21.10	7.17	13.93
	21.05	21.06	10.00	2.89	2.73	2.81	6.25	6.27	6.26	7.24	8.06	7.65	5.46	5.69	5.57	Yes	Yes	11.80	20.30	15.70	25.50	15.50	28.00	14.33	24.60
	21.06	21.07	10.00	7.4	10.2	8.8	3.81	6.8	5.3	1.98	3.31	2.65	4.40	6.77	5.58	Yes	Yes	10.10	23.10	8.40	12.40	9.40	11.80	9.30	15.77
	21.07	21.08	10.00	0.88	1.68	1.28	0.95	1.13	1.04	0.9	1.11	1.01	0.91	1.31	1.11			4.80	6.70	5.30	6.60	6.90	8.90	5.67	7.40
	21.08	21.09	10.00	3.28	2.35	2.81	3.61	2.71	3.16	3.14	3.37	3.26	3.34	2.81	3.08	Yes	Yes	6.50	14.10	7.40	15.20	7.60	17.00	7.17	15.43
	21.09	21.1	10.00	1.36	1.61	1.48	1.09	1.26	1.18	0.75	0.98	0.86	1.07	1.28	1.17			4.80	5.90	5.80	7.50	5.60	8.60	5.40	7.33



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	21.1	21.11	10.00	0.96	1.09	1.03	0.82	0.96	0.89	1.15	1.13	1.14	0.98	1.06	1.02			4.70	5.40	5.80	7.10	6.10	14.40	5.53	8.97
	21.11	21.12	10.00	3.81	2.14	2.98	3.01	2.33	2.67	2.51	2.33	2.42	3.11	2.27	2.69	Yes		5.30	12.10	8.50	18.40	8.40	19.30	7.40	16.60
	21.12	21.13	10.00	1.01	1.92	1.46	0.96	2.55	1.75	1.01	3.41	2.21	0.99	2.63	1.81	Yes		4.30	6.40	6.20	8.60	5.80	7.80	5.43	7.66
	21.13	21.14	10.00	1.49	3.09	2.29	1.86	2.32	2.09	1.94	1.47	1.7	1.76	2.29	2.03	Yes		4.10	6.90	6.20	8.00	6.10	8.40	5.47	7.77
	21.14	21.15	10.00	1.26	1.51	1.39	1.3	1.3	1.3	1.23	2.42	1.83	1.26	1.74	1.51	Yes		2.30	4.10	6.20	8.80	6.20	8.50	4.90	7.13
	21.15	21.16	10.00	1.62	2.76	2.19	3.69	2.76	3.23	6.17	3.79	4.98	3.83	3.10	3.47	Yes	Yes	2.40	4.60	6.90	12.90	5.50	13.20	4.93	10.23
	21.16	21.17	10.00	7.54	4.99	6.26	4.89	5.53	5.21	4.99	5.69	5.34	5.81	5.40	5.60	Yes	Yes	2.50	10.20	6.10	9.20	7.90	18.00	5.50	12.47
	21.17	21.18	10.00	7.18	5.63	6.41	5.29	5.3	5.3	4.35	4.43	4.39	5.61	5.12	5.37	Yes	Yes	5.40	16.80	9.10	18.40	6.40	10.70	6.97	15.30
	21.18	21.19	10.00	8.75	6.48	7.61	7.52	5.14	6.33	7.66	5.99	6.83	7.98	5.87	6.92	Yes	Yes	6.20	10.40	9.40	13.80	9.20	13.20	8.27	12.47
	21.19	21.2	10.00	2.35	4.25	3.3	1.76	5.3	3.53	1.65	3.44	2.54	1.92	4.33	3.12	Yes	Yes	11.70	15.10	11.10	14.20	10.80	15.60	11.20	14.97
	21.2	21.21	10.00	2.21	3.18	2.7	2.39	3.55	2.97	2.86	3.7	3.28	2.49	3.48	2.98	Yes		7.20	10.50	11.30	15.90	10.20	14.80	9.57	13.73
	21.21	21.22	10.00	5.35	7.64	6.49	5.51	8.23	6.87	5.58	8.55	7.06	5.48	8.14	6.81	Yes	Yes	15.70	23.70	22.50	32.50	19.70	25.60	19.30	27.27
	21.22	21.23	10.00	2.71	7.94	5.33	3.98	8.27	6.13	3.77	7.35	5.56	3.49	7.85	5.67	Yes	Yes	15.80	27.30	18.50	36.80	13.00	27.50	15.77	30.53
	21.23	21.24	10.00	2.87	4.32	3.6	1.18	4.2	2.69	1.54	3.76	2.65	1.86	4.09	2.98	Yes		13.50	18.80	13.70	19.00	11.20	18.90	12.80	18.90
	21.24	21.25	10.00	5.47	5.98	5.73	5.57	6.62	6.1	5.76	6.71	6.24	5.60	6.44	6.02	Yes	Yes	10.10	25.10	10.70	25.70	9.30	24.30	10.03	25.03
	21.25	21.26	10.00	1.68	4.6	3.14	1.62	3.26	2.44	1.59	3.41	2.5	1.63	3.76	2.69	Yes		12.10	18.60	11.50	18.20	12.10	17.90	11.90	18.23
	21.26	21.27	10.00	1.34	2.61	1.97	1.15	3.32	2.23	1.03	3.15	2.09	1.17	3.03	2.10	Yes		11.70	17.00	11.70	17.00	12.30	17.10	11.90	17.03
	21.27	21.28	10.00	1.29	3.3	2.29	3.74	5.02	4.38	5.77	8.15	6.96	3.60	5.49	4.54	Yes	Yes	11.20	14.70	13.10	25.30	13.90	26.00	12.73	22.00
	21.28	21.29	10.00	6.33	10.9	8.6	4.14	9.02	6.58	2.51	5.98	4.25	4.33	8.62	6.48	Yes	Yes	19.50	27.50	17.10	21.90	16.30	22.20	17.63	23.87
	21.29	21.3	10.00	1.62	7.78	4.7	1.7	7.37	4.54	1.91	8.37	5.14	1.74	7.84	4.79	Yes	Yes	13.10	18.20	12.00	15.20	12.20	15.10	12.43	16.17
	21.3	21.31	10.00	1.73	5.63	3.68	1.93	5.7	3.82	2	5.52	3.76	1.89	5.62	3.75	Yes	Yes	11.80	14.00	10.50	13.30	10.10	12.60	10.80	13.30
	21.31	21.32	10.00	2.83	5.27	4.05	5.04	7.51	6.27	5.76	8.03	6.89	4.54	6.94	5.74	Yes	Yes	14.70	20.30	16.10	20.60	15.50	20.30	15.43	20.40
	21.32	21.33	10.00	5.1	9.69	7.4	2.81	7.47	5.14	2.01	7.42	4.72	3.31	8.19	5.75	Yes	Yes	15.60	23.70	15.30	23.50	16.70	23.80	15.87	23.67
	21.33	21.34	10.00	1.15	6.85	4	1.61	6.17	3.89	2.21	5.66	3.93	1.66	6.23	3.94	Yes	Yes	17.40	20.90	17.50	19.80	17.90	22.70	17.60	21.13
	21.34	21.35	10.00	3.43	4.24	3.84	3	4.51	3.75	3.25	3.88	3.56	3.23	4.21	3.72	Yes	Yes	15.40	21.30	18.40	24.70	15.50	21.90	16.43	22.63
	21.35	21.36	10.00	4	4.16	4.08	3.45	4.14	3.8	4.37	4.47	4.42	3.94	4.26	4.10	Yes	Yes	11.30	19.20	11.90	15.60	13.40	24.40	12.20	19.73
	21.36	21.37	10.00	8.55	3.87	6.21	5.43	3.17	4.3	5.84	4.71	5.27	6.61	3.92	5.26	Yes	Yes	17.40	27.20	27.50	33.20	26.20	32.20	23.70	30.87
	21.37	21.38	10.00	5.54	7.53	6.53	3.4	6.33	4.86	3.76	4.94	4.35	4.23	6.27	5.25	Yes	Yes	17.20	27.40	22.70	34.30	19.50	28.40	19.80	30.03
	21.38	21.39	10.00	2.77	5.48	4.13	2.98	5.04	4.01	2.63	5.79	4.21	2.79	5.44	4.12	Yes	Yes	17.10	20.50	27.50	36.20	24.80	32.00	23.13	29.57
	21.39	21.4	10.00	5.01	4.68	4.85	6.76	3.9	5.33	6.23	4.17	5.2	6.00	4.25	5.13	Yes	Yes	20.40	29.60	32.80	40.60	30.60	38.60	27.93	36.27
	21.4	21.41	10.00	4.58	4.81	4.69	4.46	4.83	4.65	5.48	4.52	5	4.84	4.72	4.78	Yes	Yes	15.40	24.50	21.40	31.90	18.60	25.50	18.47	27.30
	21.41	21.42	10.00	6.55	4.71	5.63	6.29	4.54	5.41	5.97	4.51	5.24	6.27	4.59	5.43	Yes	Yes	9.00	12.70	16.20	22.40	15.80	21.10	13.67	18.73
	21.42	21.43	10.00	4.92	5.23	5.07	8.32	6.53	7.43	8.78	7.22	8	7.34	6.33	6.83	Yes	Yes	13.70	24.70	22.30	36.90	21.20	38.10	19.07	33.23
	21.43	21.44	10.00	5.6	6.98	6.29	3.15	4.66	3.9	2.86	4.15	3.51	3.87	5.26	4.57	Yes	Yes	8.60	18.40	6.30	20.30	4.80	8.80	6.57	15.83
	21.44	21.45	10.00	4.94	6.22	5.58	3.72	7.13	5.42	3.19	7.35	5.27	3.95	6.90	5.42	Yes	Yes	10.90	20.00	9.70	19.20	9.40	19.10	10.00	19.43
	21.45	21.46	10.00	1.54	3.12	2.33	1.93	3.32	2.62	1.81	5.1	3.46	1.76	3.85	2.80	Yes		9.30	10.20	8.90	15.70	7.90	13.70	8.70	13.20
	21.46	21.47	10.00	2.96	5.52	4.24	3.87	7.28	5.57	4.04	5.1	4.57	3.62	5.97	4.79	Yes	Yes	8.60	18.50	9.20	12.60	9.40	14.00	9.07	15.03



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			IRI 1	IRI 2	AVG IRI	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT
	21.47	21.48	10.00	3.82	5.51	4.66	1.69	3.84	2.77	0.98	3.06	2.02	2.16	4.14	3.15	Yes	Yes	8.60	12.10	9.00	11.10	8.60	10.40	8.73	11.20
	21.48	21.49	10.00	0.88	3.29	2.08	1.11	3.42	2.26	1.45	4.51	2.98	1.15	3.74	2.44	Yes		9.10	11.00	10.30	14.80	10.80	17.50	10.07	14.43
	21.49	21.5	10.00	2.53	4.06	3.29	2.34	4.24	3.29	2.98	4.49	3.74	2.62	4.26	3.44	Yes	Yes	6.00	14.40	6.20	16.40	5.80	15.50	6.00	15.43
	21.5	21.51	10.00	4.05	6.23	5.14	3.59	6.3	4.94	2.28	4.56	3.42	3.31	5.70	4.50	Yes	Yes	6.70	13.30	5.80	14.00	5.00	8.30	5.83	11.87
	21.51	21.52	10.00	3.43	3.29	3.36	3.63	2.96	3.3	3.53	3.2	3.37	3.53	3.15	3.34	Yes	Yes	6.90	16.10	8.70	16.70	10.20	16.90	8.60	16.57
	21.52	21.53	10.00	2.41	4.48	3.45	2.43	4.55	3.49	2.15	4.6	3.37	2.33	4.54	3.44	Yes	Yes	17.50	29.30	20.50	29.60	22.40	30.40	20.13	29.77
	21.53	21.54	10.00	2.09	4.16	3.12	1.76	3.55	2.65	1.93	4.14	3.04	1.93	3.95	2.94	Yes		19.60	25.40	20.60	29.70	20.70	30.20	20.30	28.43
	21.54	21.55	10.00	3.56	5.05	4.31	3.54	5.8	4.67	4.21	5.25	4.73	3.77	5.37	4.57	Yes	Yes	21.80	30.30	19.90	26.80	19.60	24.50	20.43	27.20
	21.55	21.56	10.00	3.96	4.11	4.04	3.32	3.98	3.65	3.14	4.37	3.75	3.47	4.15	3.81	Yes	Yes	14.60	24.00	12.30	19.80	11.40	14.40	12.77	19.40
	21.56	21.57	10.00	3.62	4.71	4.17	4.14	5.03	4.58	4.03	4.88	4.45	3.93	4.87	4.40	Yes	Yes	10.80	24.40	11.20	24.80	12.60	24.80	11.53	24.67
	21.57	21.58	10.00	2.4	4.18	3.29	1.78	3.59	2.69	2.54	4.61	3.57	2.24	4.13	3.18	Yes	Yes	14.00	15.70	16.10	26.20	17.10	25.80	15.73	22.57
	21.58	21.59	10.00	3.12	5.74	4.43	3.43	6.67	5.05	2.52	5.48	4	3.02	5.96	4.49	Yes	Yes	19.90	29.90	19.70	28.20	20.10	29.90	19.90	29.33
	21.59	21.6	10.00	2.49	4.83	3.66	2.87	5.16	4.02	2.78	6.29	4.54	2.71	5.43	4.07	Yes	Yes	23.20	33.70	25.00	35.40	26.20	35.60	24.80	34.90
	21.6	21.61	10.00	2.64	7.1	4.87	3.75	5.62	4.69	3.67	5.26	4.46	3.35	5.99	4.67	Yes	Yes	29.20	34.90	24.00	33.50	21.00	35.30	24.73	34.57
	21.61	21.62	10.00	3.16	3.72	3.44	3.69	4.53	4.11	4.02	6.38	5.2	3.62	4.88	4.25	Yes	Yes	12.10	14.10	12.60	22.80	12.50	23.80	12.40	20.23
	21.62	21.63	10.00	4.05	6.78	5.41	3.14	4.77	3.95	1.97	3.11	2.54	3.05	4.89	3.97	Yes	Yes	10.70	24.00	7.60	16.50	8.50	10.90	8.93	17.13
	21.63	21.64	10.00	2.87	8.21	5.54	3.59	11.4	7.52	3.77	12.8	8.3	3.41	10.83	7.12	Yes	Yes	12.40	22.20	11.80	19.90	13.00	22.90	12.40	21.67
	21.64	21.65	10.00	2.42	7.93	5.17	1.45	4.95	3.2	1.27	3.56	2.42	1.71	5.48	3.60	Yes	Yes	7.70	12.60	8.00	18.50	8.20	16.70	7.97	15.93
	21.65	21.66	10.00	1.31	3.9	2.61	1.66	3.87	2.76	1.57	3.48	2.53	1.51	3.75	2.63	Yes		7.70	18.50	6.70	8.20	6.60	8.10	7.00	11.60
	21.66	21.67	10.00	1.32	2.33	1.82	4.2	2.66	3.43	5.32	3.03	4.17	3.61	2.67	3.14	Yes	Yes	7.80	12.40	10.10	20.30	9.90	19.50	9.27	17.40
	21.67	21.68	10.00	5.82	2.92	4.37	2.68	2.04	2.36	1.73	2.17	1.95	3.41	2.38	2.89	Yes		8.40	18.90	9.00	12.40	7.00	8.80	8.13	13.37
	21.68	21.69	10.00	0.93	2.58	1.76	0.8	2.44	1.62	0.84	3.1	1.97	0.86	2.71	1.78	Yes		7.30	10.00	9.60	11.90	7.40	10.20	8.10	10.70
	21.69	21.7	10.00	1.25	2.62	1.93	1.57	3.52	2.54	2.24	6.11	4.18	1.69	4.08	2.88	Yes		7.90	9.70	10.70	21.40	9.00	16.80	9.20	15.97
	21.7	21.71	10.00	2.85	6.99	4.92	2.48	5.34	3.91	1.67	2.86	2.26	2.33	5.06	3.70	Yes	Yes	8.30	17.60	8.10	19.80	6.30	7.70	7.57	15.03
	21.71	21.72	10.00	1.69	3.17	2.43	2.48	3.27	2.87	3.15	3.05	3.1	2.44	3.16	2.80	Yes		9.10	13.30	11.20	15.80	9.90	14.10	10.07	14.40
	21.72	21.73	10.00	3.07	2.51	2.79	3.8	3.04	3.42	3.99	3.09	3.54	3.62	2.88	3.25	Yes	Yes	8.70	14.60	9.70	17.90	9.00	17.00	9.13	16.50
	21.73	21.74	10.00	3.85	3.39	3.62	2.13	2.87	2.5	1.16	2.55	1.85	2.38	2.94	2.66	Yes		8.30	17.00	7.80	9.20	7.40	8.90	7.83	11.70
	21.74	21.75	10.00	1.44	2.28	1.86	1.51	3.5	2.51	1.79	3.32	2.55	1.58	3.03	2.31	Yes		13.60	25.30	15.40	25.90	14.90	25.20	14.63	25.47
	21.75	21.76	10.00	6.42	11.5	8.94	6.61	12.2	9.39	7.06	11.8	9.41	6.70	11.80	9.25	Yes	Yes	14.90	23.60	16.20	23.90	13.90	20.40	15.00	22.63
	21.76	21.77	10.00	2.4	4.4	3.4	2.02	3.59	2.8	1.61	3.16	2.38	2.01	3.72	2.86	Yes		10.90	15.70	10.60	14.70	8.80	10.60	10.10	13.67
	21.77	21.78	10.00	1.43	2.07	1.75	1.36	1.74	1.55	1.34	2.09	1.72	1.38	1.97	1.67	Yes		10.70	11.60	11.00	12.00	8.60	10.60	10.10	11.40
	21.78	21.79	10.00	1.34	1.84	1.59	1.58	2.71	2.15	4.03	3.44	3.73	2.32	2.66	2.49	Yes		10.00	12.20	9.70	12.40	9.80	16.00	9.83	13.53
	21.79	21.8	10.00	8.76	5.43	7.1	8.8	4.94	6.87	6.33	3.96	5.14	7.96	4.78	6.37	Yes	Yes	9.40	19.00	10.10	19.00	8.90	13.10	9.47	17.03
	21.8	21.81	10.00	2.5	2.59	2.54	2.08	2.36	2.22	1.82	2.3	2.06	2.13	2.42	2.27	Yes		10.00	11.90	10.20	12.40	9.40	11.40	9.87	11.90
	21.81	21.82	10.00	1.26	1.7	1.48	1.23	1.47	1.35	1.49	1.44	1.47	1.33	1.54	1.43	Yes		10.00	11.10	10.60	11.40	9.80	11.00	10.13	11.17
	21.82	21.83	10.00	2.77	2.57	2.67	2.62	2.84	2.73	2.53	2.78	2.66	2.64	2.73	2.69	Yes		9.90	12.50	11.40	15.30	12.50	16.20	11.27	14.67
	21.83	21.84	10.00	3.62	5.15	4.39	8.81	8.25	8.53	10.1	9.57	9.83	7.51	7.66	7.58	Yes	Yes	21.90	37.60	22.80	35.70	22.30	34.10	22.33	35.80



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	21.84	21.85	10.00	11.4	5.84	8.64	5.09	3.83	4.46	3.87	3.4	3.64	6.80	4.36	5.58	Yes	Yes	14.10	26.00	12.80	16.40	11.30	14.00	12.73	18.80
	21.85	21.86	10.00	1.82	3.58	2.7	2.01	3.48	2.75	1.7	2.81	2.26	1.84	3.29	2.57	Yes		10.70	14.40	10.00	11.80	9.30	11.00	10.00	12.40
	21.86	21.87	10.00	1.72	1.89	1.81	1.97	2.33	2.15	4.83	4.21	4.52	2.84	2.81	2.83	Yes		10.10	12.50	10.90	19.20	10.20	17.70	10.40	16.47
	21.87	21.88	10.00	6.01	9.41	7.71	5.49	9.76	7.62	3.31	7.69	5.5	4.94	8.95	6.94	Yes	Yes	9.00	18.10	8.20	19.20	6.50	10.50	7.90	15.93
	21.88	21.89	10.00	3.79	3.7	3.74	3.95	3.78	3.86	3.86	3.48	3.67	3.87	3.65	3.76	Yes	Yes	4.40	5.70	6.40	9.30	5.40	7.40	5.40	7.47
	21.89	21.9	10.00	2.07	3	2.53	1.66	2.51	2.08	1.44	2.21	1.83	1.72	2.57	2.15	Yes		4.40	5.30	5.30	6.50	4.90	6.20	4.87	6.00
	21.9	21.91	10.00	0.8	1.21	1	0.95	1.03	0.99	1.08	1.1	1.09	0.94	1.11	1.03			3.30	4.70	3.90	5.40	3.30	4.70	3.50	4.93
	21.91	21.92	10.00	0.81	1.34	1.08	0.82	1.41	1.11	0.9	1.39	1.14	0.84	1.38	1.11			2.70	4.30	4.30	5.80	4.10	5.40	3.70	5.17
	21.92	21.93	10.00	1.59	2.04	1.81	1.78	2.38	2.08	1.87	2.44	2.16	1.75	2.29	2.02	Yes		3.30	4.80	4.20	5.20	3.90	5.10	3.80	5.03
	21.93	21.94	10.00	2.21	1.32	1.76	1.86	0.89	1.37	2.19	0.99	1.59	2.09	1.07	1.57	Yes		2.50	3.50	3.10	4.80	2.90	4.40	2.83	4.23
	21.94	21.95	10.00	3.41	2.62	3.01	3.5	2.71	3.1	3.19	2.97	3.08	3.37	2.77	3.06	Yes	Yes	3.70	7.20	4.20	8.40	4.20	8.20	4.03	7.93
	21.95	21.96	10.00	1.14	1.39	1.27	1	1.32	1.16	1.01	0.99	1	1.05	1.23	1.14			2.80	3.60	3.10	4.20	3.20	4.30	3.03	4.03
	21.96	21.97	10.00	1.21	1.01	1.11	1.12	1.28	1.2	2.34	1.43	1.88	1.56	1.24	1.40			2.60	4.20	2.40	4.10	2.90	4.40	2.63	4.23
	21.97	21.98	10.00	3.22	2.34	2.78	3.23	2.08	2.65	1.76	1.92	1.84	2.74	2.11	2.42	Yes		3.20	4.00	3.30	4.40	3.50	4.40	3.33	4.27
	21.98	21.99	10.00	0.93	1.16	1.05	0.95	1.07	1.01	1.13	1.05	1.09	1.00	1.09	1.05			4.10	4.70	4.20	5.00	5.30	6.20	4.53	5.30
	21.99	22	10.00	0.96	1.31	1.13	1.34	1.84	1.59	1.68	2.04	1.86	1.33	1.73	1.53	Yes		4.80	7.10	5.40	7.70	6.60	8.30	5.60	7.70
	22	22.01	10.00	5.75	5.03	5.39	5.62	5.26	5.44	4.43	5.06	4.74	5.27	5.12	5.19	Yes	Yes	5.10	8.60	6.70	11.20	8.70	14.70	6.83	11.50
	22.01	22.02	10.00	2.08	2.21	2.14	1.21	1.67	1.44	1.11	1.15	1.13	1.47	1.68	1.57	Yes		7.50	9.30	9.70	10.70	10.40	11.90	9.20	10.63
	22.02	22.03	10.00	0.8	1.41	1.1	0.87	1.57	1.22	1.05	1.51	1.28	0.91	1.50	1.20			8.60	9.80	10.30	12.30	10.10	12.90	9.67	11.67
	22.03	22.04	10.00	1.05	1.39	1.22	0.89	0.99	0.94	0.73	0.74	0.74	0.89	1.04	0.97			8.00	8.80	9.20	10.20	9.40	10.30	8.87	9.77
	22.04	22.05	10.00	2.05	1.55	1.8	2.77	1.87	2.32	3.03	1.91	2.47	2.62	1.78	2.20	Yes		8.30	9.90	9.20	11.20	9.50	11.30	9.00	10.80
	22.05	22.06	10.00	2.13	3.55	2.84	2.93	4.58	3.76	2.92	4.63	3.77	2.66	4.25	3.46	Yes	Yes	8.20	11.90	10.10	14.60	10.30	14.70	9.53	13.73
	22.06	22.07	10.00	7.47	9.63	8.55	7.01	8.31	7.66	6.87	8.52	7.69	7.12	8.82	7.97	Yes	Yes	9.50	15.20	9.70	14.20	9.80	14.70	9.67	14.70
	22.07	22.08	10.00	2.86	5	3.93	2.29	4.25	3.27	2.25	4.34	3.3	2.47	4.53	3.50	Yes	Yes	8.20	9.60	9.10	11.70	10.10	14.80	9.13	12.03
	22.08	22.09	10.00	2.97	8.13	5.55	2.98	8.44	5.71	2.59	7.67	5.13	2.85	8.08	5.46	Yes	Yes	13.30	18.80	13.90	19.60	13.80	21.60	13.67	20.00
	22.09	22.1	10.00	1.71	3.5	2.61	2.11	4	3.05	1.99	4.84	3.41	1.94	4.11	3.02	Yes	Yes	12.70	13.90	13.10	14.40	12.70	14.40	12.83	14.23
	22.1	22.11	10.00	1.58	5.33	3.45	1.2	5.02	3.11	1.29	3.77	2.53	1.36	4.71	3.03	Yes	Yes	12.10	14.50	11.80	13.80	11.70	13.50	11.87	13.93
	22.11	22.12	10.00	2.28	4.62	3.45	2.45	4.72	3.58	2.15	5.5	3.83	2.29	4.95	3.62	Yes	Yes	10.40	16.10	10.30	16.40	11.20	17.10	10.63	16.53
	22.12	22.13	10.00	1.16	4.29	2.73	1.58	4.65	3.12	2.14	4.33	3.24	1.63	4.42	3.03	Yes	Yes	10.50	13.90	11.10	14.50	11.00	15.40	10.87	14.60
	22.13	22.14	10.00	2.41	4.66	3.54	1.79	3.99	2.89	1.32	3.73	2.52	1.84	4.13	2.98	Yes		7.10	12.50	6.30	12.50	7.50	10.30	6.97	11.77
	22.14	22.15	10.00	2.07	2.91	2.49	2.23	2.26	2.25	2.38	1.93	2.16	2.23	2.37	2.30	Yes		7.60	11.40	8.00	11.30	9.40	12.40	8.33	11.70
	22.15	22.16	10.00	1.85	2.64	2.24	1.92	2.97	2.45	1.66	3.13	2.39	1.81	2.91	2.36	Yes		8.60	13.40	8.00	12.50	8.30	13.40	8.30	13.10
	22.16	22.17	10.00	0.73	2.92	1.82	0.64	3.3	1.97	1.28	3.28	2.28	0.88	3.17	2.02	Yes		9.20	10.10	8.50	9.50	9.60	18.70	9.10	12.77
	22.17	22.18	10.00	1.73	2.78	2.26	2.07	2.19	2.13	1.74	1.79	1.76	1.85	2.25	2.05	Yes		10.60	19.80	10.70	19.60	8.50	11.90	9.93	17.10
	22.18	22.19	10.00	0.96	1.19	1.07	1.33	1.06	1.19	1.21	1.07	1.14	1.17	1.11	1.13			11.60	12.90	11.70	12.50	10.10	11.30	11.13	12.23
	22.19	22.2	10.00	2.02	2.17	2.1	2.25	2.33	2.29	2.45	3.17	2.81	2.24	2.56	2.40	Yes		12.50	24.40	12.50	26.00	11.20	24.30	12.07	24.90
	22.2	22.21	10.00	1.67	1.33	1.5	1.94	1.35	1.64	2.46	1.57	2.01	2.02	1.42	1.72	Yes		9.70	17.40	10.50	16.70	9.90	14.00	10.03	16.03



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	22.21	22.22	10.00	1.05	2.62	1.83	1.05	3.5	2.28	1.16	3.74	2.45	1.09	3.29	2.19	Yes		10.40	19.00	11.10	19.80	10.80	19.00	10.77	19.27
	22.22	22.23	10.00	0.85	1.32	1.08	0.81	0.96	0.89	0.73	1.07	0.9	0.80	1.12	0.96			10.00	10.90	9.90	10.90	9.20	10.20	9.70	10.67
	22.23	22.24	10.00	1.54	2.55	2.05	1.52	2.47	2	1.63	2.63	2.13	1.56	2.55	2.06	Yes		10.10	18.90	10.30	18.90	10.20	18.30	10.20	18.70
	22.24	22.25	10.00	2.72	1.36	2.04	2.68	1.62	2.15	2.99	1.8	2.39	2.80	1.59	2.19	Yes		10.40	15.40	10.30	15.90	10.10	15.40	10.27	15.57
	22.25	22.26	10.00	1.48	2.61	2.05	1.54	2.59	2.07	1.67	3.04	2.35	1.56	2.75	2.16	Yes		10.70	22.30	11.20	23.50	11.50	22.90	11.13	22.90
	22.26	22.27	10.00	1.49	2.01	1.75	1.04	1.47	1.25	0.9	1.19	1.04	1.14	1.56	1.35			10.90	22.40	10.80	11.70	10.90	11.90	10.87	15.33
	22.27	22.28	10.00	1.4	1.48	1.44	1.52	1.73	1.62	1.44	1.68	1.56	1.45	1.63	1.54	Yes		11.00	16.00	10.40	16.10	11.30	16.80	10.90	16.30
	22.28	22.29	10.00	1.11	1.61	1.36	1.2	1.42	1.31	0.95	1.37	1.16	1.09	1.47	1.28			10.60	11.30	10.50	11.10	10.60	11.80	10.57	11.40
	22.29	22.3	10.00	0.78	1.14	0.96	0.91	1.09	1	1.16	1.42	1.29	0.95	1.22	1.08			9.00	10.10	8.70	10.80	9.10	13.50	8.93	11.47
	22.3	22.31	10.00	2.85	2.28	2.56	2.96	2.3	2.63	2.5	1.94	2.22	2.77	2.17	2.47	Yes		8.90	13.60	9.00	15.40	8.50	13.20	8.80	14.07
	22.31	22.32	10.00	1.05	1.01	1.03	1.17	0.94	1.06	0.99	0.99	0.99	1.07	0.98	1.03			8.70	9.50	8.00	8.90	8.30	9.50	8.33	9.30
	22.32	22.33	10.00	0.79	1.17	0.98	0.71	1.39	1.05	0.85	1.35	1.1	0.78	1.30	1.04			7.90	8.50	7.70	9.10	8.30	9.50	7.97	9.03
	22.33	22.34	10.00	0.73	1.13	0.93	1.51	1.17	1.34	3.56	1.71	2.64	1.93	1.34	1.64	Yes		7.60	9.40	7.80	11.80	7.70	13.40	7.70	11.53
	22.34	22.35	10.00	5.52	2.38	3.95	5.54	2.37	3.96	3.48	2.27	2.87	4.85	2.34	3.59	Yes	Yes	5.80	11.60	4.90	13.40	4.30	7.00	5.00	10.67
	22.35	22.36	10.00	3.63	1.82	2.72	3.93	2.33	3.13	4.12	2.61	3.36	3.89	2.25	3.07	Yes	Yes	3.70	6.10	5.60	7.30	5.40	6.90	4.90	6.77
	22.36	22.37	10.00	1.88	2.43	2.15	1.59	1.61	1.6	1.36	1.51	1.44	1.61	1.85	1.73	Yes		5.00	6.00	5.80	6.80	5.20	6.40	5.33	6.40
	22.37	22.38	10.00	3.91	2.12	3.01	3.66	2.51	3.08	4	2.56	3.28	3.86	2.40	3.12	Yes	Yes	3.70	5.10	3.70	6.90	3.30	6.00	3.57	6.00
	22.38	22.39	10.00	1.79	1.66	1.72	1.4	1.07	1.24	1.48	1.17	1.32	1.56	1.30	1.43	Yes		2.30	2.90	2.30	3.10	1.80	3.20	2.13	3.07
	22.39	22.4	10.00	1.9	1	1.45	2.04	1.12	1.58	2.59	1.34	1.97	2.18	1.15	1.67	Yes		-0.70	2.00	-0.10	0.70	0.10	2.60	-0.23	1.77
	22.4	22.41	10.00	4.75	2.55	3.65	4.49	2.08	3.29	3.53	2.23	2.88	4.26	2.29	3.27	Yes	Yes	0.60	2.00	1.90	3.30	2.50	3.80	1.67	3.03
	22.41	22.42	10.00	1.47	1.38	1.43	1.51	1.55	1.53	2.68	1.95	2.32	1.89	1.63	1.76	Yes		0.60	1.50	1.30	2.00	2.40	4.50	1.43	2.67
	22.42	22.43	10.00	2.77	2.71	2.74	2.72	2.49	2.61	1.5	1.43	1.47	2.33	2.21	2.27	Yes		2.40	4.50	3.70	5.00	3.90	4.80	3.33	4.77
	22.43	22.44	10.00	2.11	2.38	2.24	1.83	2.3	2.06	1.79	2.57	2.18	1.91	2.42	2.16	Yes		2.80	4.70	2.60	4.10	2.90	4.80	2.77	4.53
	22.44	22.45	10.00	1.56	1.9	1.73	1.33	1.57	1.45	1.32	1.58	1.45	1.40	1.68	1.54	Yes		2.40	3.10	2.40	3.30	2.30	3.40	2.37	3.27
	22.45	22.46	10.00	0.74	1.22	0.98	1.84	1.78	1.81	3.44	2.21	2.83	2.01	1.74	1.87	Yes		2.00	2.60	2.20	4.90	2.10	4.00	2.10	3.83
	22.46	22.47	10.00	3.58	2.59	3.09	2.47	2.61	2.54	1.18	2.27	1.72	2.41	2.49	2.45	Yes		2.00	4.00	1.60	2.30	1.50	2.50	1.70	2.93
	22.47	22.48	10.00	1.5	2.34	1.92	1.6	2.01	1.81	1.86	2.35	2.11	1.65	2.23	1.95	Yes		0.90	3.10	0.80	3.10	0.40	3.20	0.70	3.13
	22.48	22.49	10.00	1.72	2.47	2.09	1.63	2.38	2	2.62	2.48	2.55	1.99	2.44	2.21	Yes		-0.20	4.10	0.00	4.20	0.20	4.20	0.00	4.17
	22.49	22.5	10.00	4.76	2.28	3.52	4.59	2.36	3.47	3.84	2.04	2.94	4.40	2.23	3.31	Yes	Yes	-1.20	3.30	-1.80	3.40	-2.20	3.90	-1.73	3.53
	22.5	22.51	10.00	1.36	2.48	1.92	1.49	2.41	1.95	1.36	2.02	1.69	1.40	2.30	1.85	Yes		-0.60	3.70	1.00	4.10	2.60	5.00	1.00	4.27
	22.51	22.52	10.00	1.85	2.84	2.35	1.65	3.08	2.37	1.71	2.88	2.29	1.74	2.93	2.34	Yes		3.10	4.70	3.40	4.90	4.10	5.50	3.53	5.03
	22.52	22.53	10.00	4.72	3.02	3.87	5.15	2.8	3.97	4.47	3	3.73	4.78	2.94	3.86	Yes	Yes	0.90	2.60	0.90	2.90	2.70	6.20	1.50	3.90
	22.53	22.54	10.00	2.02	1.69	1.85	1.88	1.93	1.91	2.09	1.73	1.91	2.00	1.78	1.89	Yes		0.00	2.20	0.50	2.50	1.40	2.90	0.63	2.53
	22.54	22.55	10.00	1.59	1.63	1.61	1.33	1.95	1.64	1.4	2.32	1.86	1.44	1.97	1.70	Yes		1.20	3.10	1.90	3.50	2.00	3.90	1.70	3.50
	22.55	22.56	10.00	4.94	4.95	4.94	5.09	4.63	4.86	5.03	4.16	4.59	5.02	4.58	4.80	Yes	Yes	2.70	7.30	1.70	7.30	0.10	8.40	1.50	7.67
	22.56	22.57	10.00	3.02	1.62	2.32	3.16	1.58	2.37	3.06	1.29	2.18	3.08	1.50	2.29	Yes		-2.30	-0.60	-2.60	-0.30	-1.80	-0.80	-2.23	-0.57
	22.57	22.58	10.00	3.13	1.64	2.39	3.61	1.85	2.73	2.3	1.86	2.08	3.01	1.78	2.40	Yes		-1.20	1.20	-1.20	2.00	1.20	9.60	-0.40	4.27



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	22.58	22.59	10.00	3.73	2.84	3.29	3.44	2.76	3.1	3.67	3.32	3.5	3.61	2.97	3.30	Yes	Yes	-0.70	4.80	-1.60	0.20	-0.50	6.10	-0.93	3.70
	22.59	22.6	10.00	2.83	1.82	2.33	3.12	1.96	2.54	3.18	2.18	2.68	3.04	1.99	2.52	Yes		2.40	6.60	3.30	4.60	5.00	7.90	3.57	6.37
	22.6	22.61	10.00	2.73	2.19	2.46	2.16	1.71	1.94	2.37	1.71	2.04	2.42	1.87	2.15	Yes		5.90	7.80	6.40	8.10	7.00	14.00	6.43	9.97
	22.61	22.62	10.00	2.34	1.73	2.03	2.89	2.09	2.49	3.4	1.93	2.67	2.88	1.92	2.40	Yes		8.60	13.30	7.80	12.30	10.00	16.30	8.80	13.97
	22.62	22.63	10.00	3.41	3.19	3.3	3.16	2.63	2.89	2.12	2.13	2.12	2.90	2.65	2.77	Yes		7.50	10.80	9.10	11.80	11.00	13.40	9.20	12.00
	22.63	22.64	10.00	2.11	2.54	2.33	1.64	2.5	2.07	1.5	2.93	2.21	1.75	2.66	2.20	Yes		10.10	11.10	10.80	12.50	10.60	12.90	10.50	12.17
	22.64	22.65	10.00	1.09	2.33	1.71	1.34	2.71	2.03	1.21	2.86	2.03	1.21	2.63	1.92	Yes		8.00	9.60	10.30	15.70	13.00	22.00	10.43	15.77
	22.65	22.66	10.00	1.32	3.04	2.18	2.44	3.54	2.99	3.17	4.94	4.05	2.31	3.84	3.07	Yes	Yes	19.20	22.80	21.40	23.80	20.60	23.20	20.40	23.27
	22.66	22.67	10.00	3.02	3.58	3.3	1.77	4.92	3.35	1.9	5.51	3.71	2.23	4.67	3.45	Yes	Yes	15.50	22.60	13.50	20.90	14.20	23.30	14.40	22.27
	22.67	22.68	10.00	2.18	4.95	3.56	2.06	3.18	2.62	2.07	2.45	2.26	2.10	3.53	2.81	Yes		11.10	18.90	9.10	10.60	11.10	13.50	10.43	14.33
	22.68	22.69	10.00	2.1	1.55	1.83	1.84	1.51	1.67	2.36	1.79	2.08	2.10	1.62	1.86	Yes		9.20	11.20	6.40	8.30	8.40	9.90	8.00	9.80
	22.69	22.7	10.00	2.12	1.86	1.99	2.56	2.37	2.46	2.91	1.89	2.4	2.53	2.04	2.28	Yes		8.80	10.70	5.10	6.70	6.80	9.70	6.90	9.03
	22.7	22.71	10.00	3.33	2.44	2.88	2.3	1.76	2.03	2.23	1.78	2.01	2.62	1.99	2.31	Yes		6.90	8.00	3.80	5.50	4.80	6.70	5.17	6.73
	22.71	22.72	10.00	1.57	2.55	2.06	1.32	2.47	1.9	1.01	2.11	1.56	1.30	2.38	1.84	Yes		6.40	8.70	5.30	7.40	5.40	7.60	5.70	7.90
	22.72	22.73	10.00	1.63	1.72	1.67	1.2	1.7	1.45	1.18	1.88	1.53	1.34	1.77	1.55	Yes		9.00	10.50	8.10	9.90	7.60	9.00	8.23	9.80
	22.73	22.74	10.00	1.39	1.95	1.67	1.37	1.87	1.62	1.35	2.02	1.68	1.37	1.95	1.66	Yes		9.90	11.30	8.30	9.10	7.40	8.50	8.53	9.63
	22.74	22.75	10.00	1.88	2.02	1.95	2.28	2.49	2.38	2.49	2.85	2.67	2.22	2.45	2.33	Yes		7.00	9.60	6.50	8.40	7.30	11.00	6.93	9.67
	22.75	22.76	10.00	5.03	4.98	5	4.5	4.93	4.72	4.12	4.16	4.14	4.55	4.69	4.62	Yes	Yes	11.00	21.90	10.20	21.10	11.40	22.30	10.87	21.77
	22.76	22.77	10.00	1.56	1.35	1.45	1.53	1.6	1.57	1.39	1.85	1.62	1.49	1.60	1.55	Yes		8.20	10.10	7.60	9.50	9.20	11.00	8.33	10.20
	22.77	22.78	10.00	1.1	2.23	1.67	1.11	1.8	1.46	1.16	1.53	1.35	1.12	1.85	1.49	Yes		6.40	8.10	5.90	7.00	8.90	9.70	7.07	8.27
	22.78	22.79	10.00	3.58	2.77	3.17	4.21	3.08	3.64	5.11	3.77	4.44	4.30	3.21	3.75	Yes	Yes	10.90	24.80	11.10	24.40	13.10	27.10	11.70	25.43
	22.79	22.8	10.00	2.29	3.69	2.99	1.82	3.41	2.62	2	2.73	2.37	2.04	3.28	2.66	Yes		8.60	9.60	8.20	9.30	8.30	10.10	8.37	9.67
	22.8	22.81	10.00	1.7	1.96	1.83	2.58	2.4	2.49	3.56	2.94	3.25	2.61	2.43	2.52	Yes		8.90	18.30	9.20	20.70	9.60	20.50	9.23	19.83
	22.81	22.82	10.00	3.34	2.97	3.15	2.36	2.29	2.32	1.74	1.88	1.81	2.48	2.38	2.43	Yes		10.60	22.00	9.70	11.00	9.80	11.30	10.03	14.77
	22.82	22.83	10.00	2.28	3.33	2.81	2.73	2.62	2.67	3.01	3.39	3.2	2.67	3.11	2.89	Yes		11.00	22.20	10.30	21.40	8.90	19.40	10.07	21.00
	22.83	22.84	10.00	1.73	1.26	1.49	1.28	1.2	1.24	1.72	1.69	1.71	1.58	1.38	1.48	Yes		9.00	9.70	9.10	9.80	7.80	16.00	8.63	11.83
	22.84	22.85	10.00	1.9	2.28	2.09	1.94	2.2	2.07	1.52	1.83	1.68	1.79	2.10	1.95	Yes		10.60	20.40	10.80	20.40	8.60	9.50	10.00	16.77
	22.85	22.86	10.00	1.36	1.09	1.22	1.72	1.22	1.47	1.84	1.41	1.63	1.64	1.24	1.44	Yes		10.50	12.20	10.70	12.10	9.00	10.20	10.07	11.50
	22.86	22.87	10.00	1.81	1.6	1.71	1.6	1.58	1.59	1.84	1.5	1.67	1.75	1.56	1.66	Yes		9.60	12.20	9.00	11.00	7.70	8.90	8.77	10.70
	22.87	22.88	10.00	1	1.93	1.47	1.35	2.31	1.83	2.12	2.89	2.5	1.49	2.38	1.93	Yes		8.70	11.10	9.90	18.30	8.90	17.30	9.17	15.57
	22.88	22.89	10.00	2.69	2.81	2.75	2.17	2.73	2.45	1.19	2.45	1.82	2.02	2.66	2.34	Yes		9.40	17.70	8.30	9.80	7.40	8.40	8.37	11.97
	22.89	22.9	10.00	0.98	1.99	1.49	0.99	2.24	1.62	0.89	2.4	1.65	0.95	2.21	1.59	Yes		6.90	9.70	7.50	10.40	8.30	11.40	7.57	10.50
	22.9	22.91	10.00	1.07	2.64	1.86	1.07	2.16	1.61	1.09	1.82	1.46	1.08	2.21	1.64	Yes		9.10	10.50	9.60	11.20	10.20	12.30	9.63	11.33
	22.91	22.92	10.00	1.79	1.66	1.72	1.95	2.68	2.31	2.97	5.16	4.06	2.24	3.17	2.70	Yes		11.10	12.70	11.90	19.00	12.10	19.10	11.70	16.93
	22.92	22.93	10.00	3.47	7.11	5.29	3.55	6.78	5.16	2.71	4.95	3.83	3.24	6.28	4.76	Yes	Yes	12.00	19.60	11.00	19.00	10.30	11.90	11.10	16.83
	22.93	22.94	10.00	1.8	2.42	2.11	1.71	2.45	2.08	1.76	3.26	2.51	1.76	2.71	2.23	Yes		10.00	12.80	10.50	14.10	10.60	14.60	10.37	13.83
	22.94	22.95	10.00	1.2	3.65	2.43	1.53	4.47	3	2.51	4.79	3.65	1.75	4.30	3.03	Yes	Yes	12.30	20.30	15.40	22.30	17.10	22.00	14.93	21.53



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	22.95	22.96	10.00	2.62	2.67	2.64	2.41	2.24	2.32	1.64	2.62	2.13	2.22	2.51	2.36	Yes		20.00	22.40	19.20	22.00	14.10	17.80	17.77	20.73
	22.96	22.97	10.00	1.48	3.18	2.33	1.55	4.36	2.95	2.48	5.88	4.18	1.84	4.47	3.15	Yes	Yes	18.30	20.10	21.60	36.80	17.10	29.60	19.00	28.83
	22.97	22.98	10.00	2.53	8.37	5.45	3.08	7.24	5.16	3.29	7.88	5.59	2.97	7.83	5.40	Yes	Yes	22.60	36.50	21.20	38.10	16.30	20.00	20.03	31.53
	22.98	22.99	10.00	2.91	5.8	4.36	2.18	5.77	3.97	2.84	5.94	4.39	2.64	5.84	4.24	Yes	Yes	21.60	27.70	24.90	30.40	23.00	26.90	23.17	28.33
	22.99	23	10.00	2.14	5.61	3.87	2.25	7.44	4.84	1.79	6.52	4.15	2.06	6.52	4.29	Yes	Yes	21.10	28.00	27.30	34.80	22.50	30.30	23.63	31.03
	23	23.01	10.00	3.32	5.56	4.44	4.05	5.42	4.74	3.88	2.99	3.43	3.75	4.66	4.20	Yes	Yes	24.00	30.40	32.60	37.80	24.30	29.30	26.97	32.50
	23.01	23.02	10.00	2.83	2.2	2.51	2.36	2.63	2.49	2.23	3.83	3.03	2.47	2.89	2.68	Yes		27.70	31.30	33.40	38.80	21.90	29.80	27.67	33.30
	23.02	23.03	10.00	1.97	5.76	3.87	4.04	8.84	6.44	4.31	9.03	6.67	3.44	7.88	5.66	Yes	Yes	20.30	33.90	23.60	39.60	22.70	35.40	22.20	36.30
	23.03	23.04	10.00	4.85	11.2	8	3.09	8.9	6	1.99	6.87	4.43	3.31	8.97	6.14	Yes	Yes	29.20	38.70	27.70	33.10	25.90	29.50	27.60	33.77
	23.04	23.05	10.00	2.89	4.71	3.8	2.67	4.58	3.63	3.18	4.86	4.02	2.91	4.72	3.82	Yes	Yes	29.20	34.90	30.40	35.50	28.30	32.70	29.30	34.37
	23.05	23.06	10.00	1.48	4.26	2.87	1.45	4.2	2.83	1.07	4.15	2.61	1.33	4.20	2.77	Yes		28.50	31.50	29.10	32.00	25.70	29.40	27.77	30.97
	23.06	23.07	10.00	1.81	4.26	3.04	1.96	3.51	2.74	2.02	4.12	3.07	1.93	3.96	2.95	Yes		20.10	26.20	21.50	26.90	19.10	23.50	20.23	25.53
	23.07	23.08	10.00	2.24	4.17	3.2	2.03	4.33	3.18	2.13	4.53	3.33	2.13	4.34	3.24	Yes	Yes	13.40	15.80	18.60	23.20	18.00	22.40	16.67	20.47
	23.08	23.09	10.00	2.82	5.11	3.97	3.85	8.22	6.03	4.15	9	6.58	3.61	7.44	5.53	Yes	Yes	13.10	17.30	18.70	27.10	18.80	27.80	16.87	24.07
	23.09	23.1	10.00	4.52	8.55	6.54	3.69	5.77	4.73	2.93	4.22	3.57	3.71	6.18	4.95	Yes	Yes	9.70	18.00	13.10	18.30	15.50	21.90	12.77	19.40
	23.1	23.11	10.00	3.87	3.87	3.87	2.19	3.57	2.88	2.09	2.57	2.33	2.72	3.34	3.03	Yes	Yes	12.10	16.50	17.60	22.20	18.40	24.10	16.03	20.93
	23.11	23.12	10.00	2.27	3.54	2.91	3.95	4.96	4.46	4.47	5.93	5.2	3.56	4.81	4.19	Yes	Yes	10.80	13.70	15.40	21.10	17.40	25.10	14.53	19.97
	23.12	23.13	10.00	4.01	5.51	4.76	2.22	4.07	3.14	1.62	3.2	2.41	2.62	4.26	3.44	Yes	Yes	6.10	11.50	10.10	12.80	11.00	14.90	9.07	13.07
	23.13	23.14	10.00	1.81	1.62	1.72	1.72	1.3	1.51	1.65	1.1	1.37	1.73	1.34	1.53	Yes		4.30	5.20	7.50	9.50	7.80	10.10	6.53	8.27
	23.14	23.15	10.00	1.72	1.13	1.43	1.95	1.3	1.62	2.19	1.5	1.85	1.95	1.31	1.63	Yes		5.20	7.90	7.40	9.80	7.60	9.90	6.73	9.20
	23.15	23.16	10.00	1.92	1.44	1.68	1.93	1.52	1.72	2.21	2.16	2.18	2.02	1.71	1.86	Yes		5.20	6.30	7.10	9.60	7.60	11.20	6.63	9.03
	23.16	23.17	10.00	2.95	3.39	3.17	3.28	3.14	3.21	2.96	2.08	2.52	3.06	2.87	2.97	Yes		5.90	7.90	7.30	10.90	6.80	7.80	6.67	8.87
	23.17	23.18	10.00	1.25	1.62	1.44	1.31	1.55	1.43	1.61	2.1	1.85	1.39	1.76	1.57	Yes		6.30	7.40	6.30	7.30	6.60	7.50	6.40	7.40
	23.18	23.19	10.00	1.45	3.03	2.24	1.87	2.85	2.36	1.54	2.73	2.13	1.62	2.87	2.24	Yes		6.30	7.10	6.20	7.30	6.20	8.30	6.23	7.57
	23.19	23.2	10.00	1.94	1.84	1.89	1.41	1.72	1.56	1.39	1.54	1.47	1.58	1.70	1.64	Yes		5.80	7.10	6.90	8.40	7.00	8.40	6.57	7.97
	23.2	23.21	10.00	1.44	1.08	1.26	1.12	1.06	1.09	0.92	1.19	1.05	1.16	1.11	1.13			5.10	6.50	7.30	8.40	7.30	8.70	6.57	7.87
	23.21	23.22	10.00	1.63	1.18	1.41	1.9	0.9	1.4	1.71	0.76	1.23	1.75	0.95	1.35			4.40	5.40	7.10	8.50	7.30	9.00	6.27	7.63
	23.22	23.23	10.00	1.46	0.98	1.22	1.6	1.11	1.36	1.7	1.48	1.59	1.59	1.19	1.39			2.70	4.00	4.40	7.00	4.80	6.10	3.97	5.70
	23.23	23.24	10.00	1.01	1.43	1.22	1.24	1.24	1.24	1.59	1.27	1.43	1.28	1.31	1.30			1.80	3.00	4.10	5.80	4.10	6.10	3.33	4.97
	23.24	23.25	10.00	1.76	1.75	1.76	1.93	1.6	1.76	1.68	1.51	1.59	1.79	1.62	1.70	Yes		1.50	2.50	3.40	4.70	3.20	4.00	2.70	3.73
	23.25	23.26	10.00	1.98	1.48	1.73	1.76	1.6	1.68	1.84	1.65	1.75	1.86	1.58	1.72	Yes		1.30	3.00	4.10	6.30	3.70	6.00	3.03	5.10
	23.26	23.27	10.00	1.99	1.97	1.98	1.36	2.06	1.71	1.4	1.86	1.63	1.58	1.96	1.77	Yes		1.50	2.40	2.90	4.40	2.60	3.60	2.33	3.47
	23.27	23.28	10.00	1.34	1.26	1.3	1.5	1.03	1.27	1.65	1.27	1.46	1.50	1.19	1.34			1.50	2.10	2.40	3.10	2.30	3.20	2.07	2.80
	23.28	23.29	10.00	1.87	1.44	1.65	2.04	1.51	1.78	2.29	1.25	1.77	2.07	1.40	1.73	Yes		2.40	3.50	2.70	3.90	3.00	4.60	2.70	4.00
	23.29	23.3	10.00	1.97	1.28	1.62	1.82	1.27	1.54	1.67	1.71	1.69	1.82	1.42	1.62	Yes		4.30	6.10	4.30	5.60	4.60	5.80	4.40	5.83
	23.3	23.31	10.00	2.27	1.66	1.96	2.55	2.08	2.31	2.77	1.69	2.23	2.53	1.81	2.17	Yes		5.30	6.30	3.70	5.50	3.40	5.60	4.13	5.80
	23.31	23.32	10.00	3.96	1.73	2.84	5.18	1.56	3.37	5.12	1.6	3.36	4.75	1.63	3.19	Yes	Yes	5.90	11.30	8.10	12.30	6.00	8.30	6.67	10.63



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)														Rutting Data (mm)							
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	23.32	23.33	10.00	7.22	1.48	4.35	8.44	1.94	5.19	8.23	2.21	5.22	7.96	1.88	4.92	Yes	Yes	7.30	10.90	7.70	11.00	5.20	10.00	6.73	10.63
	23.33	23.34	10.00	4.83	2.41	3.62	2.59	1.68	2.14	1.91	1.4	1.65	3.11	1.83	2.47	Yes		5.20	9.30	6.10	8.00	3.50	4.70	4.93	7.33
	23.34	23.35	10.00	1.47	1.22	1.34	1.9	1.34	1.62	3.14	1.69	2.42	2.17	1.42	1.79	Yes		4.50	6.70	4.80	8.00	3.70	6.00	4.33	6.90
	23.35	23.36	10.00	3.9	2.19	3.05	3.1	2.2	2.65	2.48	1.31	1.9	3.16	1.90	2.53	Yes		5.30	7.80	4.90	7.60	4.50	5.30	4.90	6.90
	23.36	23.37	10.00	1.82	1.68	1.75	1.77	1.59	1.68	1.53	1.74	1.63	1.71	1.67	1.69	Yes		6.10	8.10	6.60	8.10	6.70	7.60	6.47	7.93
	23.37	23.38	10.00	2.85	2.46	2.66	3.26	2.58	2.92	3.43	2.69	3.06	3.18	2.58	2.88	Yes		8.90	15.90	8.80	16.00	8.50	15.90	8.73	15.93
	23.38	23.39	10.00	1.56	1.67	1.61	1.37	1.58	1.48	1.3	1.46	1.38	1.41	1.57	1.49	Yes		6.30	7.20	6.40	7.30	6.30	7.00	6.33	7.17
	23.39	23.4	10.00	1.04	1.17	1.1	1.24	1.47	1.35	1.21	1.54	1.38	1.16	1.39	1.28			6.50	8.90	6.70	8.40	6.60	8.10	6.60	8.47
10m Before Bridge	23.4	23.41	10.00	10	3.56	6.79	9.66	3.68	6.67	9.91	4.99	7.45	9.86	4.08	6.97	Yes	Yes	7.40	17.80	7.60	20.70	7.70	21.90	7.57	20.13
	23.41	23.42	10.00	3.21	4.86	4.03	2.82	5.25	4.03	2.38	4.1	3.24	2.80	4.74	3.77	Yes	Yes	5.40	8.10	5.00	7.30	4.70	6.20	5.03	7.20
	23.42	23.43	10.00	2.03	2.57	2.3	1.43	1.7	1.56	1.2	1.92	1.56	1.55	2.06	1.81	Yes		5.00	7.10	5.60	7.80	5.80	8.00	5.47	7.63
	23.43	23.44	10.00	1.07	2.17	1.62	0.84	1.92	1.38	1.04	1.94	1.49	0.98	2.01	1.50	Yes		6.20	7.30	6.00	7.20	5.80	6.90	6.00	7.13
10m After Bridge	23.44	23.45	10.00	2.44	1.62	2.03	4.91	3.02	3.97	4.95	3.37	4.16	4.10	2.67	3.39	Yes	Yes	7.60	14.50	8.00	16.00	8.00	17.20	7.87	15.90
	23.45	23.46	10.00	4.06	3.3	3.68	1.87	2.15	2.01	1.56	2.29	1.93	2.50	2.58	2.54	Yes		5.90	12.20	6.60	11.60	6.50	12.10	6.33	11.97
	23.46	23.47	10.00	3.38	4.61	3.99	3.11	5.02	4.07	3.03	4.99	4.01	3.17	4.87	4.02	Yes	Yes	6.60	11.60	6.60	12.30	7.00	13.70	6.73	12.53
	23.47	23.48	10.00	1.83	4.17	3	1.85	5.29	3.57	3.19	7.81	5.5	2.29	5.76	4.02	Yes	Yes	7.20	9.00	8.00	9.50	11.20	15.90	8.80	11.47
	23.48	23.49	10.00	6.25	10.3	8.28	5.69	9.28	7.49	4.03	6.39	5.21	5.32	8.66	6.99	Yes	Yes	4.70	10.00	6.90	11.30	13.90	17.50	8.50	12.93
	23.49	23.5	10.00	3.01	4.01	3.51	3.27	5.42	4.35	2.44	5.73	4.08	2.91	5.05	3.98	Yes	Yes	3.60	10.20	7.60	16.10	11.60	19.30	7.60	15.20
	23.5	23.51	10.00	4.08	8.37	6.22	4.55	8.47	6.51	5.88	10.6	8.23	4.84	9.14	6.99	Yes	Yes	3.50	12.00	3.20	6.10	4.00	9.40	3.57	9.17
	23.51	23.52	10.00	6.29	5.11	5.7	5.61	4.67	5.14	4.5	3.58	4.04	5.47	4.45	4.96	Yes	Yes	0.00	1.30	0.70	5.30	1.20	4.50	0.63	3.70
	23.52	23.53	10.00	6.68	9.85	8.27	7.55	11.8	9.65	8.45	12.7	10.6	7.56	11.44	9.50	Yes	Yes	0.00	1.90	0.20	2.00	3.30	6.00	1.17	3.30
	23.53	23.54	10.00	6.96	8.46	7.71	5.86	7.87	6.87	4.51	6.23	5.37	5.78	7.52	6.65	Yes	Yes	1.50	4.30	2.50	11.70	8.90	21.10	4.30	12.37
	23.54	23.55	10.00	3.26	8.65	5.96	5.1	12.9	8.98	5.11	13.5	9.31	4.49	11.67	8.08	Yes	Yes	15.30	21.40	11.70	18.20	13.50	22.40	13.50	20.67
	23.55	23.56	10.00	5.65	11.1	8.36	3.7	6.18	4.94	3.62	4.9	4.26	4.32	7.39	5.85	Yes	Yes	4.50	20.60	1.80	8.30	4.70	9.60	3.67	12.83
	23.56	23.57	10.00	2.4	3.73	3.06	2.2	3.19	2.7	1.95	3.31	2.63	2.18	3.41	2.80	Yes		8.20	10.90	6.00	9.00	6.30	9.90	6.83	9.93
	23.57	23.58	10.00	2.04	3.27	2.66	2.7	3.8	3.25	2.98	3.47	3.23	2.57	3.51	3.05	Yes	Yes	7.70	10.60	7.40	12.90	8.70	13.30	7.93	12.27
	23.58	23.59	10.00	4.11	4.04	4.08	4.42	4.29	4.35	4.24	5.27	4.76	4.26	4.53	4.40	Yes	Yes	14.10	18.40	8.90	15.60	8.30	16.20	10.43	16.73
	23.59	23.6	10.00	3.94	7.51	5.72	7.14	10.4	8.76	7.27	13	10.1	6.12	10.29	8.20	Yes	Yes	11.00	28.20	11.80	27.90	17.10	35.50	13.30	30.53
	23.6	23.61	10.00	5.86	12.6	9.21	2.52	12.6	7.53	2.79	9.74	6.27	3.72	11.61	7.67	Yes	Yes	26.10	38.40	22.90	35.40	20.30	33.70	23.10	35.83
	23.61	23.62	10.00	3.42	7.05	5.24	3.85	5.76	4.8	3.18	5.05	4.11	3.48	5.95	4.72	Yes	Yes	13.30	23.30	12.00	22.10	10.80	17.10	12.03	20.83
	23.62	23.63	10.00	1.67	2.98	2.32	1.56	3.08	2.32	1.74	2.76	2.25	1.66	2.94	2.30	Yes		11.20	13.60	12.00	16.10	12.40	16.50	11.87	15.40
	23.63	23.64	10.00	1.81	1.71	1.76	2.35	2.05	2.2	2.87	5.08	3.97	2.34	2.95	2.64	Yes		12.40	16.80	12.40	18.00	14.00	25.10	12.93	19.97
	23.64	23.65	10.00	5.38	15.9	10.6	5.3	17	11.2	5.35	14.6	10	5.34	15.85	10.60	Yes	Yes	19.20	25.10	19.10	24.80	19.00	25.00	19.10	24.97
	23.65	23.66	10.00	4.77	4.25	4.51	5.08	4.23	4.65	4.61	5.8	5.21	4.82	4.76	4.79	Yes	Yes	17.90	22.80	17.60	20.70	19.50	25.60	18.33	23.03
	23.66	23.67	10.00	2.53	8.31	5.42	2.27	7.92	5.1	2.45	8.06	5.26	2.42	8.10	5.26	Yes	Yes	20.00	23.60	22.40	25.30	24.70	29.30	22.37	26.07



Testing commenced approximately 90 m from intersection with Route 134 to Park exit

Section Description / Exclusion	Station (km)		Interval (m)	IRI Data (mm/m)												Rutting Data (mm)									
	From	To		Run 1			Run 2			Run 3			Average			Localized Roughness >1.40	Compulsory Repair >3.00	Run 1		Run 2		Run 3		Average	
				IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG IRI	IRI 1	IRI 2	AVG	IRI 1	IRI 2	AVG IRI			AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT	AVG RUT	MAX RUT
	Average IRI (mm/m)			3.29	4.26	3.77	3.32	4.24	3.78	3.32	4.28	3.80	3.31	4.26	3.79										

Number of 10 m Segments > 1.40mm/m (Localized Roughness) 2189  
Number of 10 m Segments > 3.00mm/m (Compulsory Repair) 1343



Test No.	Route ID	Direction	LaneNo	Test Date	Station (m)	Test Type	Stress (kPa)	D <sub>1</sub> (μ)	D <sub>2</sub> (μ)	D <sub>3</sub> (μ)	D <sub>4</sub> (μ)	D <sub>5</sub> (μ)	D <sub>6</sub> (μ)	D <sub>7</sub> (μ)	D <sub>8</sub> (μ)	D <sub>9</sub> (μ)	MR (MPa)	SN <sub>Eff</sub>	AC Thickness (mm)	Base Thickness (mm)
TEST 1	117_N1_1	N	1	11/20/14	50	FAvg	1,158	356	195	160	125	79	51	34	26	200	57	36.2	130	0
TEST 2	117_N1_1	N	1	11/20/14	151	FAvg	1,226	230	137	117	96	65	45	31	23	139	64	54.9	150	0
TEST 3	117_N1_1	N	1	11/20/14	256	FAvg	1,193	260	162	141	117	81	54	35	22	164	55	55.0	150	0
TEST 4	117_N1_1	N	1	11/20/14	351	FAvg	1,221	209	129	113	95	69	49	34	24	128	58	66.4	150	0
TEST 5	117_N1_1	N	1	11/20/14	454	FAvg	1,191	204	126	110	94	67	47	33	23	126	60	66.1	150	0
TEST 6	117_N1_1	N	1	11/20/14	554	FAvg	1,149	253	158	136	113	78	53	36	26	157	54	64.6	130	100
TEST 7	117_N1_1	N	1	11/20/14	653	FAvg	1,196	168	106	93	79	56	40	27	19	107	72	78.4	130	100
TEST 8	117_N1_1	N	1	11/20/14	751	FAvg	1,187	156	96	84	70	49	33	22	15	97	88	75.4	130	100
TEST 9	117_N1_1	N	1	11/20/14	851	FAvg	1,163	163	102	90	75	54	37	25	18	105	78	77.6	130	100
TEST 10	117_N1_1	N	1	11/20/14	962	FAvg	1,135	172	105	90	75	53	37	27	20	105	75	75.5	130	100
TEST 11	117_N1_1	N	1	11/20/14	1052	FAvg	1,107	198	120	103	86	60	42	30	23	122	67	75.4	130	130
TEST 12	117_N1_1	N	1	11/20/14	1151	FAvg	1,108	223	135	116	96	66	46	31	23	137	63	70.7	130	130
TEST 13	117_N1_1	N	1	11/20/14	1251	FAvg	1,120	171	106	92	77	55	39	28	21	106	72	81.7	130	130
TEST 14	117_N1_1	N	1	11/20/14	1351	FAvg	1,029	334	189	155	122	77	49	30	21	180	62	53.2	130	130
TEST 15	117_N1_1	N	1	11/20/14	1451	FAvg	1,085	221	134	114	93	64	44	31	22	132	65	70.1	130	130
TEST 16	117_N1_1	N	1	11/20/14	1562	FAvg	1,079	245	142	118	93	58	37	25	20	145	77	60.7	130	130
TEST 17	117_N1_1	N	1	11/20/14	1653	FAvg	1,089	197	121	105	87	61	43	30	23	124	66	67.0	110	70
TEST 18	117_N1_1	N	1	11/20/14	1752	FAvg	1,084	225	145	127	108	77	54	37	25	146	53	67.1	110	70
TEST 19	117_N1_1	N	1	11/20/14	1853	FAvg	1,058	247	153	133	109	75	49	32	22	156	60	57.1	110	70
TEST 20	117_N1_1	N	1	11/20/14	1959	FAvg	1,058	254	160	139	115	79	53	35	25	162	55	58.2	110	70
TEST 21	117_N1_1	N	1	11/20/14	2059	FAvg	1,076	238	141	119	96	64	42	28	21	142	68	54.3	110	70
TEST 22	117_N1_1	N	1	11/20/14	2152	FAvg	997	339	206	176	145	98	65	43	31	215	45	58.0	110	140
TEST 23	117_N1_1	N	1	11/20/14	2248	FAvg	1,057	290	180	157	133	95	66	45	33	185	43	66.8	110	140
TEST 24	117_N1_1	N	1	11/20/14	2363	FAvg	990	356	208	176	144	100	69	48	35	212	41	58.1	110	140
TEST 25	117_N1_1	N	1	11/20/14	2455	FAvg	893	528	229	192	155	104	69	46	33	241	42	43.3	110	140
TEST 26	117_N1_1	N	1	11/20/14	2558	FAvg	964	454	256	213	171	111	71	44	28	289	43	47.8	110	140
TEST 27	117_N1_1	N	1	11/20/14	2669	FAvg	976	359	215	184	151	105	71	44	28	215	43	47.6	110	50
TEST 28	117_N1_1	N	1	11/20/14	2766	FAvg	1,004	349	206	173	140	93	61	41	30	221	47	46.0	110	50
TEST 29	117_N1_1	N	1	11/20/14	2852	FAvg	1,005	338	192	161	131	87	58	36	23	199	52	44.4	110	50
TEST 30	117_N1_1	N	1	11/20/14	2952	FAvg	990	309	183	156	128	86	57	36	24	191	52	48.3	110	50
TEST 31	117_N1_1	N	1	11/20/14	3059	FAvg	991	283	177	154	130	91	61	39	24	180	49	55.3	110	50



Test No.	Route ID	Direction	LaneNo	Test Date	Station (m)	Test Type	Stress (kPa)	D <sub>1</sub> (μ)	D <sub>2</sub> (μ)	D <sub>3</sub> (μ)	D <sub>4</sub> (μ)	D <sub>5</sub> (μ)	D <sub>6</sub> (μ)	D <sub>7</sub> (μ)	D <sub>8</sub> (μ)	D <sub>9</sub> (μ)	MR (MPa)	SN <sub>Eff</sub>	AC Thickness (mm)	Base Thickness (mm)
TEST 32	117_N1_1	N	1	11/20/14	3188	FAvg	1,001	366	224	194	164	116	79	50	34	239	38	53.0	110	80
TEST 33	117_N1_1	N	1	11/20/14	3304	FAvg	995	253	156	136	116	85	63	48	37	157	43	70.2	110	80
TEST 34	117_N1_1	N	1	11/20/14	3346	FAvg	942	387	232	196	160	107	71	48	37	232	40	48.8	110	80
TEST 35	117_N1_1	N	1	11/20/14	3465	FAvg	1,004	355	212	180	148	100	67	45	35	217	43	50.9	110	80
TEST 36	117_N1_1	N	1	11/20/14	3534	FAvg	999	244	147	126	106	77	58	44	35	150	47	68.8	110	80
TEST 37	117_N1_1	N	1	11/20/14	3587	FAvg	1,015	252	141	116	92	60	41	29	24	146	68	53.2	110	80
TEST 38	117_N1_1	N	1	11/20/14	3696	FAvg	902	649	356	289	222	131	78	46	34	356	40	31.4	110	80
TEST 39	117_N1_1	N	1	11/20/14	3801	FAvg	993	336	190	155	122	79	54	38	30	203	52	48.0	110	80
TEST 40	117_N1_1	N	1	11/20/14	3884	FAvg	981	384	210	170	133	88	64	48	38	215	43	47.7	110	80
TEST 41	117_N1_1	N	1	11/20/14	3995	FAvg	1,024	442	257	215	174	114	72	44	30	268	42	42.1	110	80
TEST 42	117_N1_1	N	1	11/20/14	4101	FAvg	939	609	357	292	231	141	80	45	29	356	40	39.1	110	130
TEST 43	117_N1_1	N	1	11/20/14	4151	FAvg	940	559	314	257	197	118	75	54	44	327	37	42.6	110	130
TEST 44	117_N1_1	N	1	11/20/14	4251	FAvg	951	437	231	183	138	83	54	39	30	243	52	44.7	110	130
TEST 45	117_N1_1	N	1	11/20/14	4355	FAvg	953	493	256	208	163	105	70	50	39	265	40	45.3	110	130
TEST 46	117_N1_1	N	1	11/20/14	4463	FAvg	968	373	200	165	131	83	55	38	29	203	52	50.1	110	130
TEST 47	117_N1_1	N	1	11/20/14	4580	FAvg	956	382	203	163	125	77	51	37	28	207	55	46.7	130	100
TEST 48	117_N1_1	N	1	11/20/14	4659	FAvg	950	336	192	159	127	82	55	38	29	196	52	52.6	130	100
TEST 49	117_N1_1	N	1	11/20/14	4755	FAvg	952	391	218	180	142	91	60	41	31	222	48	48.7	130	100
TEST 50	117_N1_1	N	1	11/20/14	4854	FAvg	950	274	165	141	115	78	54	38	29	170	52	62.2	130	100
TEST 51	117_N1_1	N	1	11/20/14	4945	FAvg	940	351	204	171	138	90	58	38	28	206	50	51.8	130	100
TEST 52	117_N1_1	N	1	11/20/14	5056	FAvg	929	405	210	168	130	77	45	27	17	215	69	44.3	150	100
TEST 53	117_N1_1	N	1	11/20/14	5162	FAvg	946	348	195	159	125	78	52	37	28	202	54	53.1	150	100
TEST 54	117_N1_1	N	1	11/20/14	5256	FAvg	922	393	227	190	152	97	61	39	30	227	49	50.6	150	100
TEST 55	117_N1_1	N	1	11/20/14	5363	FAvg	962	293	164	134	106	69	47	33	25	163	60	57.6	150	100
TEST 56	117_N1_1	N	1	11/20/14	5458	FAvg	983	243	137	113	88	56	37	26	20	138	76	73.8	150	100
TEST 57	117_N1_1	N	1	11/20/14	5553	FAvg	950	251	143	118	95	64	44	31	25	147	64	77.9	150	100
TEST 58	117_N1_1	N	1	11/20/14	5654	FAvg	942	266	148	122	97	63	43	30	23	151	66	73.2	150	100
TEST 59	117_N1_1	N	1	11/20/14	5760	FAvg	936	258	151	126	103	69	48	34	27	152	58	79.5	150	100
TEST 60	117_N1_1	N	1	11/20/14	5875	FAvg	918	290	166	139	112	75	51	36	27	168	55	74.4	150	100
TEST 61	117_N1_1	N	1	11/20/14	5954	FAvg	922	282	158	129	101	65	44	32	25	160	63	71.3	150	100
TEST 62	117_N1_1	N	1	11/20/14	6063	FAvg	931	269	155	130	106	71	49	34	25	156	59	69.2	110	80



Test No.	Route ID	Direction	LaneNo	Test Date	Station (m)	Test Type	Stress (kPa)	D <sub>1</sub> (μ)	D <sub>2</sub> (μ)	D <sub>3</sub> (μ)	D <sub>4</sub> (μ)	D <sub>5</sub> (μ)	D <sub>6</sub> (μ)	D <sub>7</sub> (μ)	D <sub>8</sub> (μ)	D <sub>9</sub> (μ)	MR (MPa)	SN <sub>Eff</sub>	AC Thickness (mm)	Base Thickness (mm)
TEST 63	117_N1_1	N	1	11/20/14	6153	FAvg	913	371	222	188	152	99	64	41	29	226	47	58.9	110	80
TEST 64	117_N1_1	N	1	11/20/14	6249	FAvg	917	407	210	169	130	88	59	40	31	220	49	52.6	110	80
TEST 65	117_N1_1	N	1	11/20/14	6347	FAvg	923	329	193	161	130	87	59	40	31	198	49	64.0	110	80
TEST 66	117_N1_1	N	1	11/20/14	6453	FAvg	920	384	216	180	145	97	67	47	35	227	43	60.2	110	80
TEST 67	117_N1_1	N	1	11/20/14	6553	FAvg	923	350	184	147	114	74	51	36	28	191	55	52.4	130	0
TEST 68	117_N1_1	N	1	11/20/14	6664	FAvg	910	347	184	148	115	73	49	36	28	189	57	51.6	130	0
TEST 69	117_N1_1	N	1	11/20/14	6761	FAvg	949	304	172	137	104	66	44	31	23	174	64	54.2	130	0
TEST 70	117_N1_1	N	1	11/20/14	6853	FAvg	900	387	205	167	130	81	54	37	28	212	53	48.2	130	0
TEST 71	117_N1_1	N	1	11/20/14	6959	FAvg	898	289	167	137	107	68	46	32	25	169	62	58.8	130	0
TEST 72	117_N1_1	N	1	11/20/14	7057	FAvg	872	349	208	176	141	92	60	40	28	214	49	58.7	150	0
TEST 73	117_N1_1	N	1	11/20/14	7185	FAvg	943	568	265	196	145	88	59	38	28	273	50	34.8	150	0
TEST 74	117_N1_1	N	1	11/20/14	7267	FAvg	963	356	194	153	119	77	52	36	26	210	55	52.6	150	0
TEST 75	117_N1_1	N	1	11/20/14	7365	FAvg	919	410	222	181	141	90	59	41	32	222	48	50.2	150	0
TEST 76	117_N1_1	N	1	11/20/14	7454	FAvg	897	370	210	172	135	87	57	39	30	215	50	54.2	150	0
TEST 77	117_N1_1	N	1	11/20/14	7556	FAvg	909	410	226	184	144	91	57	38	30	230	51	45.4	110	0
TEST 78	117_N1_1	N	1	11/20/14	7657	FAvg	897	432	225	179	134	80	52	37	29	228	54	40.8	110	0
TEST 79	117_N1_1	N	1	11/20/14	7753	FAvg	879	354	200	169	133	86	57	39	29	200	51	53.9	110	0
TEST 80	117_N1_1	N	1	11/20/14	7851	FAvg	908	484	250	201	154	95	64	47	37	257	43	43.1	110	0
TEST 81	117_N1_1	N	1	11/20/14	7952	FAvg	919	370	201	163	126	78	51	35	28	210	56	47.5	110	0
TEST 82	117_N1_1	N	1	11/20/14	8058	FAvg	885	440	229	183	140	87	59	44	36	231	47	45.0	110	0
TEST 83	117_N1_1	N	1	11/20/14	8151	FAvg	874	428	236	194	154	88	59	41	32	234	48	45.5	110	0
TEST 84	117_N1_1	N	1	11/20/14	8255	FAvg	901	429	221	178	138	88	59	42	32	227	48	45.7	110	0
TEST 85	117_N1_1	N	1	11/20/14	8351	FAvg	906	308	170	139	109	69	46	32	25	172	62	54.1	110	0
TEST 86	117_N1_1	N	1	11/20/14	8454	FAvg	884	242	146	123	100	67	45	32	25	145	62	70.0	110	0
TEST 87	117_N1_1	N	1	11/20/14	8551	FAvg	899	320	182	153	122	81	54	37	28	184	53	59.5	130	0
TEST 88	117_N1_1	N	1	11/20/14	8654	FAvg	890	371	204	168	133	87	60	43	35	205	46	55.8	130	0
TEST 89	117_N1_1	N	1	11/20/14	8751	FAvg	901	400	224	185	146	92	59	40	33	227	49	49.6	130	0
TEST 90	117_N1_1	N	1	11/20/14	8851	FAvg	914	327	165	127	96	60	42	30	23	166	67	48.5	130	0
TEST 91	117_N1_1	N	1	11/20/14	8964	FAvg	903	315	163	130	100	64	44	31	24	161	64	52.2	130	0
TEST 92	117_N1_1	N	1	11/20/14	9082	FAvg	880	448	242	198	154	98	65	44	33	250	44	47.2	130	0
TEST 93	117_N1_1	N	1	11/20/14	9232	FAvg	926	344	184	150	119	76	52	36	27	188	55	53.3	130	0



Test No.	Route ID	Direction	LaneNo	Test Date	Station (m)	Test Type	Stress (kPa)	D <sub>1</sub> (μ)	D <sub>2</sub> (μ)	D <sub>3</sub> (μ)	D <sub>4</sub> (μ)	D <sub>5</sub> (μ)	D <sub>6</sub> (μ)	D <sub>7</sub> (μ)	D <sub>8</sub> (μ)	D <sub>9</sub> (μ)	MR (MPa)	SN <sub>Eff</sub>	AC Thickness (mm)	Base Thickness (mm)
TEST 94	117_N1_1	N	1	11/20/14	9291	FAvg	891	379	226	187	149	97	64	44	33	222	44	56.3	130	0
TEST 95	117_N1_1	N	1	11/20/14	9424	FAvg	884	443	226	180	134	78	49	35	28	225	57	39.2	130	0
TEST 96	117_N1_1	N	1	11/20/14	9464	FAvg	899	440	216	166	121	69	44	32	25	215	63	36.6	130	0
TEST 97	117_N1_1	N	1	11/20/14	9551	FAvg	897	446	212	163	120	70	45	32	26	217	62	36.5	130	0
TEST 98	117_N1_1	N	1	11/20/14	9655	FAvg	885	283	165	139	112	75	51	36	28	172	55	65.7	130	0
TEST 99	117_N1_1	N	1	11/20/14	9753	FAvg	894	240	142	122	101	70	48	33	27	141	59	57.8	130	0
TEST 100	117_N1_1	N	1	11/20/14	9857	FAvg	893	211	123	104	83	55	38	27	21	123	73	56.5	130	0
TEST 101	117_N1_1	N	1	11/20/14	9953	FAvg	873	363	203	166	129	81	52	36	28	201	55	38.8	130	0
TEST 102	117_N1_1	N	1	11/20/14	10055	FAvg	890	261	149	125	102	70	50	36	28	151	55	55.5	130	0
TEST 103	117_N1_1	N	1	11/20/14	10157	FAvg	874	346	199	167	137	101	67	48	41	207	42	50.3	130	0
TEST 104	117_N1_1	N	1	11/20/14	10267	FAvg	869	440	234	188	145	89	62	46	38	245	45	36.9	130	0
TEST 105	117_N1_1	N	1	11/20/14	10354	FAvg	883	389	247	215	178	118	73	44	30	247	42	44.2	130	0
TEST 106	117_N1_1	N	1	11/20/14	10451	FAvg	892	582	281	224	169	109	78	58	46	291	35	32.5	130	0
TEST 107	117_N1_1	N	1	11/20/14	10551	FAvg	855	645	297	236	179	113	77	56	44	308	36	28.4	130	0
TEST 108	117_N1_1	N	1	11/20/14	10651	FAvg	876	392	220	183	147	98	69	51	41	228	40	45.5	130	0
TEST 109	117_N1_1	N	1	11/20/14	10753	FAvg	868	333	188	155	122	81	58	44	36	190	47	48.2	130	0
TEST 110	117_N1_1	N	1	11/20/14	10855	FAvg	830	374	227	193	157	105	70	48	37	226	41	47.1	130	0
TEST 111	117_N1_1	N	1	11/20/14	10951	FAvg	926	111	72	68	63	54	46	38	31	76	57	129.4	130	0
TEST 112	117_N1_1	N	1	11/20/14	11057	FAvg	844	585	351	295	239	160	109	78	61	345	26	42.0	150	0
TEST 113	117_N1_1	N	1	11/20/14	11252	FAvg	883	459	262	223	182	129	92	66	51	279	30	48.2	150	0
TEST 114	117_N1_1	N	1	11/20/14	11367	FAvg	873	286	179	156	132	95	69	51	38	187	40	64.5	150	0
TEST 115	117_N1_1	N	1	11/20/14	11471	FAvg	854	356	233	211	185	141	103	71	47	252	28	66.2	150	0
TEST 116	117_N1_1	N	1	11/20/14	11584	FAvg	858	365	229	202	172	126	90	63	46	237	31	59.0	140	0
TEST 117	117_N1_1	N	1	11/20/14	11665	FAvg	865	509	311	266	217	150	108	76	56	307	26	47.4	140	0
TEST 118	117_N1_1	N	1	11/20/14	11763	FAvg	847	307	188	166	141	101	72	51	37	190	39	60.4	140	0
TEST 119	117_N1_1	N	1	11/20/14	11861	FAvg	839	366	225	196	164	115	77	51	36	276	38	50.9	140	0
TEST 120	117_N1_1	N	1	11/20/14	11965	FAvg	834	356	234	209	181	136	99	70	51	231	28	64.0	140	0
TEST 121	117_N1_1	N	1	11/20/14	12052	FAvg	842	407	242	205	167	112	73	48	35	247	40	43.7	140	0
TEST 122	117_N1_1	N	1	11/20/14	12167	FAvg	857	519	300	254	207	139	93	60	41	300	32	39.7	140	0
TEST 123	117_N1_1	N	1	11/20/14	12253	FAvg	807	###	454	387	312	207	132	85	58	455	22	13.3	140	0
TEST 124	117_N1_1	N	1	11/20/14	12356	FAvg	864	370	234	204	169	118	80	53	37	232	37	51.5	140	0



Test No.	Route ID	Direction	LaneNo	Test Date	Station (m)	Test Type	Stress (kPa)	D <sub>1</sub> (μ)	D <sub>2</sub> (μ)	D <sub>3</sub> (μ)	D <sub>4</sub> (μ)	D <sub>5</sub> (μ)	D <sub>6</sub> (μ)	D <sub>7</sub> (μ)	D <sub>8</sub> (μ)	D <sub>9</sub> (μ)	MR (MPa)	SN <sub>Eff</sub>	AC Thickness (mm)	Base Thickness (mm)
TEST 125	117_N1_1	N	1	11/20/14	12453	FAvg	856	461	287	246	202	136	91	58	41	287	33	44.2	140	0
TEST 126	117_N1_1	N	1	11/20/14	12578	FAvg	869	410	248	214	176	120	79	51	35	255	37	45.5	140	0
TEST 127	117_N1_1	N	1	11/20/14	12700	FAvg	871	372	224	192	159	111	76	52	37	235	38	50.1	140	0
TEST 128	117_N1_1	N	1	11/20/14	12796	FAvg	903	275	177	155	132	94	65	44	32	176	44	61.6	140	0
TEST 129	117_N1_1	N	1	11/20/14	12902	FAvg	847	455	286	249	207	144	98	64	43	290	30	47.6	140	0
TEST 130	117_N1_1	N	1	11/20/14	12945	FAvg	863	388	239	207	174	125	88	61	43	245	32	53.4	140	0
TEST 131	117_N1_1	N	1	11/20/14	13051	FAvg	854	391	228	193	157	107	72	48	34	230	40	45.2	140	0
TEST 132	117_N1_1	N	1	11/20/14	13151	FAvg	860	233	155	140	122	93	69	50	37	154	40	78.0	140	0
TEST 133	117_N1_1	N	1	11/20/14	13251	FAvg	857	345	228	204	177	133	95	64	45	218	31	63.0	140	0
TEST 134	117_N1_1	N	1	11/20/14	13399	FAvg	839	820	361	309	260	186	131	79	53	336	23	30.7	140	0
TEST 135	117_N1_1	N	1	11/20/14	13479	FAvg	853	362	236	209	178	129	90	62	44	248	32	58.4	140	0
TEST 136	117_N1_1	N	1	11/20/14	13580	FAvg	850	373	240	212	180	129	91	63	46	244	31	59.0	180	0
TEST 137	117_N1_1	N	1	11/20/14	13658	FAvg	848	238	154	138	119	89	65	46	34	154	43	74.3	180	0
TEST 138	117_N1_1	N	1	11/20/14	13736	FAvg	838	300	159	129	101	62	39	25	19	162	76	42.3	180	0
TEST 139	117_N1_1	N	1	11/20/14	13851	FAvg	848	156	107	100	91	76	62	47	37	107	44	111.9	180	0
TEST 140	117_N1_1	N	1	11/20/14	13958	FAvg	848	272	182	165	145	111	82	57	40	183	35	75.1	180	0
TEST 141	117_N1_1	N	1	11/20/14	14051	FAvg	856	135	93	87	80	67	54	43	33	94	49	119.0	180	0
TEST 142	117_N1_1	N	1	11/20/14	14161	FAvg	846	191	123	111	97	74	57	42	32	124	48	86.1	190	0
TEST 143	117_N1_1	N	1	11/20/14	14275	FAvg	883	276	153	132	113	84	61	44	33	159	46	62.9	190	0
TEST 144	117_N1_1	N	1	11/20/14	14360	FAvg	845	227	147	132	115	88	66	49	38	148	41	80.5	190	0
TEST 145	117_N1_1	N	1	11/20/14	14458	FAvg	839	439	264	227	188	132	93	64	47	271	31	51.8	190	0
TEST 146	117_N1_1	N	1	11/20/14	14555	FAvg	835	356	246	226	203	161	126	95	67	262	22	77.5	140	0
TEST 147	117_N1_1	N	1	11/20/14	14672	FAvg	847	232	159	144	128	99	75	53	38	159	38	82.1	140	0
TEST 148	117_N1_1	N	1	11/20/14	14800	FAvg	841	356	222	192	161	115	81	56	37	222	35	55.0	140	0
TEST 149	117_N1_1	N	1	11/20/14	14895	FAvg	833	309	194	168	141	98	68	46	32	197	42	56.0	140	0
TEST 150	117_N1_1	N	1	11/20/14	14956	FAvg	812	256	164	145	124	91	66	47	34	167	42	67.9	140	0
TEST 151	117_N1_1	N	1	11/20/14	15052	FAvg	808	261	164	143	122	86	61	42	29	162	47	63.8	170	0
TEST 152	117_N1_1	N	1	11/20/14	15153	FAvg	820	317	202	178	151	109	78	53	37	202	37	61.6	170	0
TEST 153	117_N1_1	N	1	11/20/14	15252	FAvg	833	381	250	221	191	140	99	66	43	250	30	59.4	170	0
TEST 154	117_N1_1	N	1	11/20/14	15363	FAvg	800	642	378	317	255	165	104	63	37	381	29	35.7	170	0
TEST 155	117_N1_1	N	1	11/20/14	15495	FAvg	800	###	378	314	248	157	96	59	38	403	32	21.4	170	0



Test No.	Route ID	Direction	LaneNo	Test Date	Station (m)	Test Type	Stress (kPa)	D <sub>1</sub> (μ)	D <sub>2</sub> (μ)	D <sub>3</sub> (μ)	D <sub>4</sub> (μ)	D <sub>5</sub> (μ)	D <sub>6</sub> (μ)	D <sub>7</sub> (μ)	D <sub>8</sub> (μ)	D <sub>9</sub> (μ)	MR (MPa)	SN <sub>Eff</sub>	AC Thickness (mm)	Base Thickness (mm)
TEST 156	117_N1_1	N	1	11/20/14	15566	FAvg	840	386	246	214	180	129	92	65	49	248	31	56.4	150	0
TEST 157	117_N1_1	N	1	11/20/14	15651	FAvg	847	276	185	168	147	112	82	58	40	189	34	73.4	150	0
TEST 158	117_N1_1	N	1	11/20/14	15754	FAvg	860	306	212	191	167	125	89	59	39	214	33	68.3	150	0
TEST 159	117_N1_1	N	1	11/20/14	15868	FAvg	829	373	247	219	186	132	90	58	37	248	33	55.6	150	0
TEST 160	117_N1_1	N	1	11/20/14	15955	FAvg	825	365	239	213	183	135	95	64	43	244	30	60.0	150	0
TEST 161	117_N1_1	N	1	11/20/14	16067	FAvg	838	296	193	171	147	107	77	52	36	197	38	64.0	140	0
TEST 162	117_N1_1	N	1	11/20/14	16163	FAvg	836	333	220	195	169	125	91	63	42	223	31	64.2	140	0
TEST 163	117_N1_1	N	1	11/20/14	16266	FAvg	828	445	272	234	196	139	94	59	42	270	32	46.8	140	0
TEST 164	117_N1_1	N	1	11/20/14	16379	FAvg	837	252	164	144	124	92	67	48	34	164	42	70.0	140	0
TEST 165	117_N1_1	N	1	11/20/14	16469	FAvg	827	266	170	149	127	92	65	45	31	174	44	63.8	140	0
TEST 166	117_N1_1	N	1	11/20/14	16557	FAvg	829	283	186	165	141	102	72	49	34	191	40	63.8	130	0
TEST 167	117_N1_1	N	1	11/20/14	16662	FAvg	877	###	227	209	187	146	108	76	52	212	26	17.9	130	0
TEST 168	117_N1_1	N	1	11/20/14	16763	FAvg	848	238	154	137	118	87	63	44	33	159	45	70.6	130	0
TEST 169	117_N1_1	N	1	11/20/14	16859	FAvg	831	223	143	126	107	78	57	40	30	147	50	70.2	130	0
TEST 170	117_N1_1	N	1	11/20/14	16953	FAvg	816	200	135	123	109	84	64	47	34	135	43	86.2	130	0
TEST 171	117_N1_1	N	1	11/20/14	17060	FAvg	811	299	205	187	166	130	99	72	51	203	28	78.2	170	0
TEST 172	117_N1_1	N	1	11/20/14	17154	FAvg	823	404	256	223	189	134	93	62	43	262	31	53.8	170	0
TEST 173	117_N1_1	N	1	11/20/14	17263	FAvg	791	###	356	307	256	182	124	81	51	395	24	25.7	170	0
TEST 174	117_N1_1	N	1	11/20/14	17352	FAvg	819	343	227	202	175	129	93	65	45	232	31	64.3	170	0
TEST 175	117_N1_1	N	1	11/20/14	17454	FAvg	834	313	208	187	163	123	90	64	45	210	31	69.5	170	0
TEST 176	117_N1_1	N	1	11/20/14	17553	FAvg	825	296	188	165	141	104	75	53	38	191	37	65.9	180	0
TEST 177	117_N1_1	N	1	11/20/14	17659	FAvg	825	197	133	122	110	87	69	52	39	131	40	94.7	180	0
TEST 178	117_N1_1	N	1	11/20/14	17751	FAvg	820	409	260	228	193	138	97	65	44	258	30	55.5	180	0
TEST 179	117_N1_1	N	1	11/20/14	17857	FAvg	837	242	163	148	131	101	76	54	38	164	37	80.9	180	0
TEST 180	117_N1_1	N	1	11/20/14	17954	FAvg	835	271	189	176	162	136	53	37	24	186	53	57.3	180	0
TEST 181	117_N1_1	N	1	11/20/14	18066	FAvg	685	###	401	346	295	216	153	103	66	418	19	14.0	200	0
TEST 182	117_N1_1	N	1	11/20/14	18152	FAvg	806	507	319	279	233	162	108	68	44	334	28	48.6	200	0
TEST 183	117_N1_1	N	1	11/20/14	18251	FAvg	801	549	344	302	258	185	128	84	55	379	23	50.6	200	0
TEST 184	117_N1_1	N	1	11/20/14	18368	FAvg	849	264	182	169	153	122	94	68	49	182	29	87.0	200	0
TEST 185	117_N1_1	N	1	11/20/14	18454	FAvg	819	344	226	202	175	131	94	65	45	224	30	66.5	200	0
TEST 186	117_N1_1	N	1	11/20/14	18551	FAvg	827	282	195	180	163	132	104	75	51	193	27	86.3	190	0



Test No.	Route ID	Direction	LaneNo	Test Date	Station (m)	Test Type	Stress (kPa)	D <sub>1</sub> (μ)	D <sub>2</sub> (μ)	D <sub>3</sub> (μ)	D <sub>4</sub> (μ)	D <sub>5</sub> (μ)	D <sub>6</sub> (μ)	D <sub>7</sub> (μ)	D <sub>8</sub> (μ)	D <sub>9</sub> (μ)	MR (MPa)	SN <sub>Eff</sub>	AC Thickness (mm)	Base Thickness (mm)
TEST 187	117_N1_1	N	1	11/20/14	18652	FAvg	815	398	254	222	188	132	88	55	35	265	34	53.2	190	0
TEST 188	117_N1_1	N	1	11/20/14	18756	FAvg	827	341	226	205	179	135	99	69	48	228	29	68.9	190	0
TEST 189	117_N1_1	N	1	11/20/14	18860	FAvg	763	###	459	415	361	269	187	120	36	450	16	25.7	190	0
TEST 190	117_N1_1	N	1	11/20/14	18952	FAvg	812	235	154	139	122	93	70	51	37	156	40	79.8	190	0
TEST 191	117_N1_1	N	1	11/20/14	19052	FAvg	817	201	136	124	110	86	67	50	38	136	41	89.7	150	0
TEST 192	117_N1_1	N	1	11/20/14	19156	FAvg	765	344	285	158	136	100	72	50	35	208	40	53.0	150	0
TEST 192	117_N1_1	N	1	11/20/14	19159	FAvg	826	214	141	128	112	86	65	47	34	146	42	82.1	150	0
TEST 193	117_N1_1	N	1	11/20/14	19257	FAvg	819	244	156	138	118	86	63	44	31	158	45	69.0	150	0
TEST 194	117_N1_1	N	1	11/20/14	19352	FAvg	816	660	400	340	273	181	122	78	52	410	24	38.0	150	0
TEST 195	117_N1_1	N	1	11/20/14	19452	FAvg	828	324	211	185	157	113	81	54	37	214	36	60.4	150	0
TEST 196	117_N1_1	N	1	11/20/14	19553	FAvg	818	326	214	192	168	128	96	69	49	218	29	70.4	180	0
TEST 197	117_N1_1	N	1	11/20/14	19660	FAvg	839	303	175	152	127	90	62	42	29	185	47	55.9	180	0
TEST 198	117_N1_1	N	1	11/20/14	19766	FAvg	825	331	218	197	171	130	97	68	47	228	29	69.0	180	0
TEST 199	117_N1_1	N	1	11/20/14	19872	FAvg	808	376	243	215	185	136	96	66	45	256	30	60.5	180	0
TEST 200	117_N1_1	N	1	11/20/14	19954	FAvg	827	322	210	187	160	116	80	52	33	211	37	61.4	180	0
TEST 201	117_N1_1	N	1	11/20/14	20052	FAvg	850	200	136	125	111	87	65	46	34	137	43	88.4	180	0
TEST 202	117_N1_1	N	1	11/20/14	20154	FAvg	861	180	122	113	102	82	63	46	32	125	44	96.6	180	0
TEST 203	117_N1_1	N	1	11/20/14	20261	FAvg	838	298	195	174	150	111	78	52	34	198	37	65.7	180	0
TEST 204	117_N1_1	N	1	11/20/14	20359	FAvg	820	241	165	150	133	103	77	54	38	170	37	81.5	180	0
TEST 205	117_N1_1	N	1	11/20/14	20459	FAvg	816	368	230	199	165	114	76	49	31	235	39	52.1	180	0
TEST 206	117_N1_1	N	1	11/20/14	20553	FAvg	830	306	196	172	149	107	72	45	32	189	42	59.3	180	0
TEST 207	117_N1_1	N	1	11/20/14	20659	FAvg	697	###	282	253	216	157	109	73	48	291	27	9.7	150	0
TEST 208	117_N1_1	N	1	11/20/14	20758	FAvg	813	175	118	110	98	78	61	45	33	118	45	96.2	150	0
TEST 209	117_N1_1	N	1	11/20/14	20857	FAvg	810	163	109	100	90	71	56	43	34	109	48	99.6	150	0
TEST 210	117_N1_1	N	1	11/20/14	20957	FAvg	803	209	140	126	112	86	66	49	37	139	41	85.4	150	0
TEST 211	117_N1_1	N	1	11/20/14	21065	FAvg	824	205	138	126	111	86	65	47	35	141	43	84.5	110	0
TEST 212	117_N1_1	N	1	11/20/14	21197	FAvg	828	257	166	145	123	88	62	41	28	171	47	61.9	110	0
TEST 213	117_N1_1	N	1	11/20/14	21266	FAvg	827	321	224	202	176	133	96	67	45	222	30	68.8	110	0
TEST 214	117_N1_1	N	1	11/20/14	21364	FAvg	809	344	227	200	170	120	82	54	36	240	36	56.0	110	0
TEST 215	117_N1_1	N	1	11/20/14	21453	FAvg	819	333	225	202	174	127	88	61	42	214	32	62.0	110	0
TEST 216	117_N1_1	N	1	11/20/14	21552	FAvg	822	486	301	263	219	156	110	76	52	315	26	54.3	220	0



Test No.	Route ID	Direction	LaneNo	Test Date	Station (m)	Test Type	Stress (kPa)	D <sub>1</sub> (μ)	D <sub>2</sub> (μ)	D <sub>3</sub> (μ)	D <sub>4</sub> (μ)	D <sub>5</sub> (μ)	D <sub>6</sub> (μ)	D <sub>7</sub> (μ)	D <sub>8</sub> (μ)	D <sub>9</sub> (μ)	MR (MPa)	SN <sub>Eff</sub>	AC Thickness (mm)	Base Thickness (mm)
TEST 217	117_N1_1	N	1	11/20/14	21653	FAvg	815	473	293	257	217	155	108	73	50	305	27	54.8	220	0
TEST 218	117_N1_1	N	1	11/20/14	21752	FAvg	827	312	212	194	173	134	98	72	53	208	28	77.7	220	0
TEST 219	117_N1_1	N	1	11/20/14	21855	FAvg	809	373	269	257	247	136	104	78	57	252	26	68.5	220	0
TEST 220	117_N1_1	N	1	11/20/14	21975	FAvg	827	271	176	158	137	103	75	54	38	177	37	74.8	220	0
TEST 221	117_N1_1	N	1	11/20/14	22056	FAvg	835	271	175	156	135	101	73	50	35	174	39	72.8	220	0
TEST 222	117_N1_1	N	1	11/20/14	22152	FAvg	803	489	284	245	206	148	102	67	45	389	29	51.2	220	0
TEST 223	117_N1_1	N	1	11/20/14	22264	FAvg	850	153	104	97	88	73	58	44	34	104	47	111.5	220	0
TEST 224	117_N1_1	N	1	11/20/14	22358	FAvg	809	284	178	156	135	99	71	49	34	178	40	68.7	220	0
TEST 225	117_N1_1	N	1	11/20/14	22466	FAvg	820	323	205	181	153	109	75	49	33	209	39	62.3	220	0
TEST 226	117_N1_1	N	1	11/20/14	22557	FAvg	821	297	189	168	145	105	74	49	33	194	40	80.0	330	0
TEST 227	117_N1_1	N	1	11/20/14	22661	FAvg	814	440	265	227	187	123	76	52	36	252	37	62.7	330	0
TEST 228	117_N1_1	N	1	11/20/14	22764	FAvg	792	239	152	138	121	93	70	50	37	152	40	93.0	330	0
TEST 229	117_N1_1	N	1	11/20/14	22973	FAvg	807	333	214	194	171	132	97	69	48	213	29	83.1	330	0
TEST 230	117_N1_1	N	1	11/20/14	23058	FAvg	817	297	200	181	160	124	93	66	46	201	30	74.2	140	0
TEST 231	117_N1_1	N	1	11/20/14	23099	FAvg	821	301	204	183	162	124	92	64	45	205	31	71.9	140	0
TEST 232	117_N1_1	N	1	11/20/14	23156	FAvg	814	442	274	240	204	146	103	69	47	349	28	51.6	140	0
TEST 233	117_N1_1	N	1	11/20/14	23231	FAvg	823	264	182	167	148	117	90	66	48	184	31	82.6	140	0
TEST 234	117_N1_1	N	1	11/20/14	23271	FAvg	808	302	204	185	162	122	89	61	42	201	32	69.8	140	0
TEST 235	117_N1_1	N	1	11/20/14	23311	FAvg	817	262	183	169	152	122	93	67	47	183	30	84.6	140	0
TEST 236	117_N1_1	N	1	11/20/14	23352	FAvg	789	###	249	221	188	135	94	62	42	249	31	13.0	140	0
TEST 237	117_N1_1	N	1	11/20/14	23412	FAvg	812	377	238	207	173	121	82	53	35	241	36	51.0	140	0
TEST 238	117_N1_1	N	1	11/20/14	23452	FAvg	818	314	203	180	151	109	75	50	35	213	39	58.5	140	0
TEST 239	117_N1_1	N	1	11/20/14	23550	FAvg	822	148	103	95	87	72	58	45	35	103	46	112.8	140	0
TEST 240	117_N1_1	N	1	11/20/14	23598	FAvg	822	162	114	107	98	81	66	51	39	114	41	111.5	140	0
TEST 241	117_N1_1	N	1	11/20/14	23668	FAvg	795	233	154	139	122	93	69	49	34	157	41	77.0	140	0
TEST 242	117_N1_1	N	1	11/20/14	23730	FAvg	810	215	143	130	114	86	64	45	32	142	44	79.1	140	0
TEST 243	117_N1_1	N	1	11/20/14	23753	FAvg	817	287	187	166	143	104	74	51	35	191	39	64.6	140	0
TEST 244	117_N1_1	N	1	11/20/14	23831	FAvg	818	992	424	285	173	95	66	52	44	451	40	17.3	140	0
TEST 245	117_N1_1	N	1	11/20/14	23872	FAvg	822	682	339	266	199	117	74	55	43	360	37	26.5	140	0
TEST 246	117_N1_1	N	1	11/20/14	23919	FAvg	833	270	186	170	151	115	84	58	38	190	34	75.1	140	0
TEST 247	117_N1_1	N	1	11/20/14	23951	FAvg	811	312	205	182	155	112	77	50	33	211	38	59.6	140	0



Test No.	Route ID	Direction	LaneNo	Test Date	Station (m)	Test Type	Stress (kPa)	D <sub>1</sub> (μ)	D <sub>2</sub> (μ)	D <sub>3</sub> (μ)	D <sub>4</sub> (μ)	D <sub>5</sub> (μ)	D <sub>6</sub> (μ)	D <sub>7</sub> (μ)	D <sub>8</sub> (μ)	D <sub>9</sub> (μ)	MR (MPa)	SN <sub>Eff</sub>	AC Thickness (mm)	Base Thickness (mm)
TEST 248	117_N1_1	N	1	11/20/14	23996	FAvg	793	###	368	320	270	195	133	84	48	360	23	21.2	140	0
TEST 249	117_N1_1	N	1	11/20/14	24007	FAvg	813	###	418	363	308	217	151	99	65	384	19	23.1	140	0
TEST 250	117_N1_1	N	1	11/20/14	24015	FAvg	791	653	387	334	279	194	132	84	53	443	23	40.1	140	0
TEST 251	117_N1_2	N	1	11/20/14	24026	FAvg	823	394	257	231	202	152	111	78	56	264	25	62.4	140	0
TEST 252	117_N1_2	N	1	11/20/14	24043	FAvg	805	556	363	321	277	207	146	98	65	356	20	51.9	140	0
TEST 253	117_N1_2	N	1	11/20/14	24059	FAvg	793	772	472	401	330	223	144	93	66	435	21	36.0	140	0
TEST 254	117_N1_2	N	1	11/20/14	24079	FAvg	803	589	358	308	260	184	127	84	55	365	23	44.2	140	0
TEST 257	117_S2_2	S	1	11/21/14	47	FAvg	849	669	302	225	161	89	54	36	27	316	54	19.7	130	0
TEST 256	117_S2_2	S	1	11/21/14	53	FAvg	860	719	342	255	179	93	56	40	31	357	50	19.2	130	0
TEST 255	117_S2_2	S	1	11/21/14	102	FAvg	842	427	207	168	132	84	54	36	27	215	53	34.4	150	0
TEST 254	117_S2_2	S	1	11/21/14	193	FAvg	832	324	198	173	147	106	75	51	36	199	38	57.7	150	0
TEST 253	117_S2_2	S	1	11/21/14	300	FAvg	817	560	312	257	204	129	83	54	39	326	35	34.6	150	0
TEST 252	117_S2_2	S	1	11/21/14	320	FAvg	823	514	293	244	197	130	85	55	37	300	35	38.3	150	0
TEST 251	117_S2_2	S	1	11/21/14	366	FAvg	827	289	178	156	133	94	67	46	33	181	43	60.3	150	0
TEST 250	117_S2_2	S	1	11/21/14	392	FAvg	831	249	154	133	112	79	55	38	27	154	52	61.1	150	0
TEST 249	117_S2_2	S	1	11/21/14	436	FAvg	833	286	177	155	131	91	60	39	26	171	49	55.2	150	0
TEST 248	117_S2_2	S	1	11/21/14	501	FAvg	847	364	223	193	163	116	79	53	35	230	37	53.0	150	0
TEST 247	117_S2_2	S	1	11/21/14	598	FAvg	870	###	226	194	160	111	76	50	33	220	39	18.9	130	100
TEST 246	117_S2_2	S	1	11/21/14	700	FAvg	857	228	145	128	110	81	57	39	26	147	50	74.7	130	100
TEST 245	117_S2_2	S	1	11/21/14	786	FAvg	854	246	157	140	120	88	62	41	27	161	47	72.3	130	100
TEST 244	117_S2_2	S	1	11/21/14	836	FAvg	828	277	178	158	135	95	60	41	28	177	48	64.8	130	100
TEST 243	117_S2_2	S	1	11/21/14	900	FAvg	835	338	216	190	160	114	78	51	33	211	38	62.0	130	100
TEST 242	117_S2_2	S	1	11/21/14	999	FAvg	837	275	169	148	124	88	61	41	29	172	48	65.5	130	100
TEST 241	117_S2_2	S	1	11/21/14	1091	FAvg	838	280	169	145	120	84	58	39	28	173	50	66.6	130	130
TEST 240	117_S2_2	S	1	11/21/14	1199	FAvg	842	297	191	169	144	103	71	47	33	193	41	69.7	130	130
TEST 239	117_S2_2	S	1	11/21/14	1282	FAvg	845	280	173	150	124	87	60	40	29	176	48	67.7	130	130
TEST 238	117_S2_2	S	1	11/21/14	1352	FAvg	843	320	197	169	142	101	70	47	33	195	41	65.5	130	130
TEST 237	117_S2_2	S	1	11/21/14	1407	FAvg	857	290	176	153	127	88	59	38	26	181	51	64.5	130	130
TEST 236	117_S2_2	S	1	11/21/14	1501	FAvg	840	322	191	163	133	91	61	40	28	193	48	60.9	130	130
TEST 235	117_S2_2	S	1	11/21/14	1598	FAvg	868	219	132	115	95	66	45	30	22	134	64	62.6	110	70
TEST 234	117_S2_2	S	1	11/21/14	1697	FAvg	876	229	146	130	112	85	63	45	32	146	45	75.6	110	70



Test No.	Route ID	Direction	LaneNo	Test Date	Station (m)	Test Type	Stress (kPa)	D <sub>1</sub> (μ)	D <sub>2</sub> (μ)	D <sub>3</sub> (μ)	D <sub>4</sub> (μ)	D <sub>5</sub> (μ)	D <sub>6</sub> (μ)	D <sub>7</sub> (μ)	D <sub>8</sub> (μ)	D <sub>9</sub> (μ)	MR (MPa)	SN <sub>Eff</sub>	AC Thickness (mm)	Base Thickness (mm)
TEST 233	117_S2_2	S	1	11/21/14	1800	FAvg	869	310	188	163	137	97	68	45	30	187	43	57.8	110	70
TEST 232	117_S2_2	S	1	11/21/14	1898	FAvg	859	305	192	169	144	104	73	49	33	198	40	61.7	110	70
TEST 231	117_S2_2	S	1	11/21/14	1972	FAvg	836	378	216	182	147	99	67	44	31	225	44	47.1	110	70
TEST 230	117_S2_2	S	1	11/21/14	2094	FAvg	869	165	103	93	80	61	46	33	25	103	61	91.8	110	140
TEST 229	117_S2_2	S	1	11/21/14	2199	FAvg	856	179	112	99	86	64	48	34	25	112	58	87.4	110	140
TEST 228	117_S2_2	S	1	11/21/14	2262	FAvg	860	183	113	100	87	65	48	34	26	114	59	85.8	110	140
TEST 227	117_S2_2	S	1	11/21/14	2313	FAvg	856	219	139	124	109	83	63	47	36	139	43	86.0	110	140
TEST 226	117_S2_2	S	1	11/21/14	2398	FAvg	832	330	191	163	135	93	65	46	36	197	43	61.3	110	140
TEST 225	117_S2_2	S	1	11/21/14	2494	FAvg	828	362	200	165	133	87	58	38	27	198	51	53.4	110	140
TEST 224	117_S2_2	S	1	11/21/14	2598	FAvg	887	###	202	169	135	89	58	38	26	199	50	11.7	110	50
TEST 223	117_S2_2	S	1	11/21/14	2700	FAvg	902	439	244	198	157	104	69	44	28	239	43	39.5	110	50
TEST 222	117_S2_2	S	1	11/21/14	2800	FAvg	844	684	250	210	171	113	71	44	31	254	42	26.1	110	50
TEST 221	117_S2_2	S	1	11/21/14	2889	FAvg	841	388	234	201	168	116	77	48	30	244	39	47.7	110	50
TEST 220	117_S2_2	S	1	11/21/14	2996	FAvg	846	345	210	181	151	105	70	44	27	214	43	50.7	110	50
TEST 219	117_S2_2	S	1	11/21/14	3099	FAvg	741	###	186	164	138	101	70	45	29	176	42	13.7	110	80
TEST 218	117_S2_2	S	1	11/21/14	3200	FAvg	823	301	192	171	149	111	81	58	42	193	35	68.7	110	80
TEST 217	117_S2_2	S	1	11/21/14	3299	FAvg	826	258	168	151	133	102	77	56	40	168	36	77.6	110	80
TEST 216	117_S2_2	S	1	11/21/14	3402	FAvg	826	302	184	160	136	97	69	48	34	184	41	61.3	110	80
TEST 215	117_S2_2	S	1	11/21/14	3500	FAvg	833	332	185	156	128	89	63	45	35	192	44	54.0	110	80
TEST 214	117_S2_2	S	1	11/21/14	3599	FAvg	842	386	201	163	129	84	58	44	36	218	47	45.4	110	80
TEST 213	117_S2_2	S	1	11/21/14	3701	FAvg	865	331	197	168	140	99	68	46	33	194	42	55.6	110	80
TEST 212	117_S2_2	S	1	11/21/14	3730	FAvg	868	707	283	225	178	104	72	50	38	283	39	29.8	110	80
TEST 211	117_S2_2	S	1	11/21/14	3829	FAvg	858	291	172	146	121	84	58	40	29	174	49	57.1	110	80
TEST 210	117_S2_2	S	1	11/21/14	3900	FAvg	843	389	197	162	127	82	58	44	36	200	47	45.2	110	80
TEST 209	117_S2_2	S	1	11/21/14	3999	FAvg	828	599	292	229	175	109	76	55	43	304	37	35.2	110	80
TEST 208	117_S2_2	S	1	11/21/14	4100	FAvg	823	507	282	232	183	115	70	42	27	291	44	43.1	110	130
TEST 207	117_S2_2	S	1	11/21/14	4199	FAvg	847	600	292	229	172	103	67	48	39	300	41	39.2	110	130
TEST 206	117_S2_2	S	1	11/21/14	4300	FAvg	870	269	159	136	113	79	56	39	30	162	51	65.7	110	130
TEST 205	117_S2_2	S	1	11/21/14	4396	FAvg	861	578	290	230	176	109	71	51	41	304	40	40.9	110	130
TEST 204	117_S2_2	S	1	11/21/14	4499	FAvg	848	471	263	218	174	113	79	55	42	267	36	49.4	110	130
TEST 203	117_S2_2	S	1	11/21/14	4600	FAvg	861	393	224	190	157	107	72	49	35	232	40	53.1	130	100



Test No.	Route ID	Direction	LaneNo	Test Date	Station (m)	Test Type	Stress (kPa)	D <sub>1</sub> (μ)	D <sub>2</sub> (μ)	D <sub>3</sub> (μ)	D <sub>4</sub> (μ)	D <sub>5</sub> (μ)	D <sub>6</sub> (μ)	D <sub>7</sub> (μ)	D <sub>8</sub> (μ)	D <sub>9</sub> (μ)	MR (MPa)	SN <sub>Eff</sub>	AC Thickness (mm)	Base Thickness (mm)
TEST 202	117_S2_2	S	1	11/21/14	4701	FAvg	865	334	198	171	143	100	70	48	33	203	41	60.0	130	100
TEST 201	117_S2_2	S	1	11/21/14	4810	FAvg	847	686	348	282	217	132	81	52	39	374	37	36.1	130	100
TEST 200	117_S2_2	S	1	11/21/14	4895	FAvg	854	331	202	176	148	105	75	51	36	203	38	62.4	130	100
TEST 199	117_S2_2	S	1	11/21/14	5000	FAvg	847	476	265	220	177	115	73	44	28	276	42	44.6	130	100
TEST 198	117_S2_2	S	1	11/21/14	5099	FAvg	949	393	225	180	137	80	45	25	17	229	71	45.0	150	100
TEST 197	117_S2_2	S	1	11/21/14	5197	FAvg	886	432	184	141	107	66	45	34	26	186	61	44.4	150	100
TEST 196	117_S2_2	S	1	11/21/14	5294	FAvg	851	241	143	123	103	72	50	34	25	147	57	69.1	150	100
TEST 195	117_S2_2	S	1	11/21/14	5399	FAvg	877	197	116	100	84	60	43	31	23	117	65	76.5	150	100
TEST 194	117_S2_2	S	1	11/21/14	5500	FAvg	868	335	184	154	124	82	54	37	27	186	53	55.4	150	100
TEST 193	117_S2_2	S	1	11/21/14	5574	FAvg	808	###	202	165	130	89	62	43	34	209	46	26.2	150	100
TEST 192	117_S2_2	S	1	11/21/14	5700	FAvg	902	354	174	137	103	65	46	32	25	180	62	50.3	150	100
TEST 191	117_S2_2	S	1	11/21/14	5800	FAvg	883	297	173	152	127	90	63	44	33	171	45	65.4	150	100
TEST 190	117_S2_2	S	1	11/21/14	5901	FAvg	853	330	199	172	143	97	64	43	32	198	45	60.1	150	100
TEST 189	117_S2_2	S	1	11/21/14	6000	FAvg	853	426	232	192	157	106	72	48	35	241	40	52.1	150	100
TEST 188	117_S2_2	S	1	11/21/14	6098	FAvg	854	362	210	180	150	105	74	52	38	219	38	54.2	110	80
TEST 187	117_S2_2	S	1	11/21/14	6189	FAvg	860	419	234	195	158	105	71	48	34	241	41	45.5	110	80
TEST 186	117_S2_2	S	1	11/21/14	6292	FAvg	851	432	239	200	151	95	63	44	33	233	45	42.1	110	80
TEST 185	117_S2_2	S	1	11/21/14	6393	FAvg	887	442	236	192	149	93	61	41	33	252	47	40.1	110	80
TEST 184	117_S2_2	S	1	11/21/14	6490	FAvg	854	426	238	195	155	103	72	51	38	243	39	45.9	110	80
TEST 183	117_S2_2	S	1	11/21/14	6553	FAvg	872	399	216	171	126	73	45	30	23	216	64	30.3	130	0
TEST 182	117_S2_2	S	1	11/21/14	6700	FAvg	753	###	243	208	173	120	83	57	41	248	34	8.5	130	0
TEST 181	117_S2_2	S	1	11/21/14	6800	FAvg	864	314	186	160	134	95	66	46	33	193	43	54.1	130	0
TEST 180	117_S2_2	S	1	11/21/14	6899	FAvg	845	254	148	125	102	69	47	32	24	151	62	52.1	130	0
TEST 179	117_S2_2	S	1	11/21/14	6999	FAvg	840	410	221	183	146	91	56	35	25	235	54	34.0	130	0
TEST 178	117_S2_2	S	1	11/21/14	7096	FAvg	854	272	158	135	112	76	51	34	25	160	57	52.6	150	0
TEST 177	117_S2_2	S	1	11/21/14	7199	FAvg	864	460	246	199	156	99	60	38	28	248	50	33.5	150	0
TEST 176	117_S2_2	S	1	11/21/14	7299	FAvg	877	339	184	152	122	81	56	39	29	190	51	45.0	150	0
TEST 175	117_S2_2	S	1	11/21/14	7400	FAvg	860	395	208	171	136	88	61	43	33	209	46	41.3	150	0
TEST 174	117_S2_2	S	1	11/21/14	7499	FAvg	899	387	206	168	134	88	60	43	34	215	47	41.9	150	0
TEST 173	117_S2_2	S	1	11/21/14	7600	FAvg	887	330	186	153	123	81	55	37	29	193	53	43.3	110	0
TEST 172	117_S2_2	S	1	11/21/14	7698	FAvg	889	424	213	170	133	84	55	38	30	228	52	32.5	110	0



Test No.	Route ID	Direction	LaneNo	Test Date	Station (m)	Test Type	Stress (kPa)	D <sub>1</sub> (μ)	D <sub>2</sub> (μ)	D <sub>3</sub> (μ)	D <sub>4</sub> (μ)	D <sub>5</sub> (μ)	D <sub>6</sub> (μ)	D <sub>7</sub> (μ)	D <sub>8</sub> (μ)	D <sub>9</sub> (μ)	MR (MPa)	SN <sub>Eff</sub>	AC Thickness (mm)	Base Thickness (mm)
TEST 171	117_S2_2	S	1	11/21/14	7800	FAvg	871	335	201	173	146	106	74	51	37	221	38	54.5	110	0
TEST 170	117_S2_2	S	1	11/21/14	7898	FAvg	887	399	218	176	138	87	57	40	32	230	50	36.3	110	0
TEST 169	117_S2_2	S	1	11/21/14	8002	FAvg	897	684	295	225	164	94	60	43	33	305	47	19.2	110	0
TEST 168	117_S2_2	S	1	11/21/14	8099	FAvg	858	569	322	273	219	148	100	66	42	309	29	37.5	110	0
TEST 167	117_S2_2	S	1	11/21/14	8199	FAvg	878	722	317	242	186	126	90	58	42	312	33	25.3	110	0
TEST 166	117_S2_2	S	1	11/21/14	8302	FAvg	892	303	182	152	123	81	54	38	29	180	53	47.6	110	0
TEST 165	117_S2_2	S	1	11/21/14	8403	FAvg	859	###	270	202	149	86	55	39	31	289	51	10.5	110	0
TEST 164	117_S2_2	S	1	11/21/14	8498	FAvg	892	321	182	153	122	80	53	36	27	189	54	43.6	110	0
TEST 163	117_S2_2	S	1	11/21/14	8588	FAvg	874	442	258	225	186	132	92	63	46	246	31	47.6	130	0
TEST 162	117_S2_2	S	1	11/21/14	8700	FAvg	896	284	167	143	117	79	54	39	33	170	52	52.6	130	0
TEST 161	117_S2_2	S	1	11/21/14	8794	FAvg	902	329	176	145	118	79	54	39	30	179	51	45.1	130	0
TEST 160	117_S2_2	S	1	11/21/14	8899	FAvg	926	417	192	153	118	77	54	41	33	202	50	35.2	130	0
TEST 159	117_S2_2	S	1	11/21/14	9001	FAvg	922	209	113	95	78	55	41	30	24	115	67	60.2	130	0
TEST 158	117_S2_2	S	1	11/21/14	9100	FAvg	911	245	131	110	89	61	44	32	26	134	63	53.5	130	0
TEST 157	117_S2_2	S	1	11/21/14	9196	FAvg	926	241	138	116	95	64	43	29	22	139	67	51.9	130	0
TEST 156	117_S2_2	S	1	11/21/14	9289	FAvg	931	224	126	106	87	61	43	31	23	129	65	57.2	130	0
TEST 155	117_S2_2	S	1	11/21/14	9300	FAvg	890	230	130	110	91	63	46	34	27	130	60	59.0	130	0
TEST 154	117_S2_2	S	1	11/21/14	9400	FAvg	905	223	123	105	86	59	41	29	22	126	69	55.3	130	0
TEST 153	117_S2_2	S	1	11/21/14	9499	FAvg	903	338	174	139	107	66	44	31	24	175	64	36.8	130	0
TEST 152	117_S2_2	S	1	11/21/14	9600	FAvg	898	372	188	150	117	74	49	35	27	190	57	36.0	130	0
TEST 151	117_S2_2	S	1	11/21/14	9700	FAvg	914	200	116	97	80	55	38	27	21	116	74	58.7	130	0
TEST 150	117_S2_2	S	1	11/21/14	9800	FAvg	752	###	232	180	135	86	56	39	30	206	51	7.2	130	0
TEST 149	117_S2_2	S	1	11/21/14	9899	FAvg	891	333	188	157	126	83	56	40	31	199	50	45.4	130	0
TEST 148	117_S2_2	S	1	11/21/14	10000	FAvg	910	295	173	147	122	83	57	39	29	176	50	51.7	130	0
TEST 147	117_S2_2	S	1	11/21/14	10097	FAvg	907	426	241	204	167	116	81	57	41	240	35	45.4	130	0
TEST 146	117_S2_2	S	1	11/21/14	10148	FAvg	903	372	196	160	127	82	55	37	28	202	52	38.7	130	0
TEST 145	117_S2_2	S	1	11/21/14	10225	FAvg	901	344	203	172	140	95	63	42	30	206	46	46.5	130	0
TEST 144	117_S2_2	S	1	11/21/14	10298	FAvg	884	320	177	146	116	76	52	36	28	179	55	44.2	130	0
TEST 143	117_S2_2	S	1	11/21/14	10400	FAvg	896	365	197	164	130	85	56	38	32	201	52	40.0	130	0
TEST 142	117_S2_2	S	1	11/21/14	10500	FAvg	901	371	219	188	156	108	74	53	42	228	38	49.7	130	0
TEST 141	117_S2_2	S	1	11/21/14	10599	FAvg	920	307	185	160	134	94	67	46	34	184	42	55.9	130	0



Test No.	Route ID	Direction	LaneNo	Test Date	Station (m)	Test Type	Stress (kPa)	D <sub>1</sub> (μ)	D <sub>2</sub> (μ)	D <sub>3</sub> (μ)	D <sub>4</sub> (μ)	D <sub>5</sub> (μ)	D <sub>6</sub> (μ)	D <sub>7</sub> (μ)	D <sub>8</sub> (μ)	D <sub>9</sub> (μ)	MR (MPa)	SN <sub>Eff</sub>	AC Thickness (mm)	Base Thickness (mm)
TEST 140	117_S2_2	S	1	11/21/14	10699	FAvg	937	327	189	162	132	91	64	46	36	196	44	51.3	130	0
TEST 139	117_S2_2	S	1	11/21/14	10799	FAvg	901	299	186	161	136	99	73	54	42	185	38	62.6	130	0
TEST 138	117_S2_2	S	1	11/21/14	10899	FAvg	922	326	195	169	142	105	78	59	45	197	35	60.7	130	0
TEST 137	117_S2_2	S	1	11/21/14	10973	FAvg	961	107	74	72	67	59	51	42	35	71	51	129.4	130	0
TEST 136	117_S2_2	S	1	11/21/14	11063	FAvg	950	169	108	96	83	63	47	35	26	110	59	83.6	150	0
TEST 135	117_S2_2	S	1	11/21/14	11101	FAvg	911	434	243	200	158	100	66	44	34	260	44	38.8	150	0
TEST 134	117_S2_2	S	1	11/21/14	11200	FAvg	957	207	137	126	112	87	69	53	41	138	39	90.2	150	0
TEST 133	117_S2_2	S	1	11/21/14	11300	FAvg	927	279	180	161	140	106	79	57	43	186	35	71.3	150	0
TEST 132	117_S2_2	S	1	11/21/14	11399	FAvg	924	210	139	127	109	79	56	38	27	130	52	73.1	150	0
TEST 131	117_S2_2	S	1	11/21/14	11499	FAvg	838	462	279	245	208	148	93	61	46	282	31	46.0	150	0
TEST 130	117_S2_2	S	1	11/21/14	11599	FAvg	911	271	168	147	125	90	64	45	34	172	44	62.7	140	0
TEST 129	117_S2_2	S	1	11/21/14	11695	FAvg	957	285	182	162	140	104	76	54	40	191	37	67.0	140	0
TEST 128	117_S2_2	S	1	11/21/14	11800	FAvg	996	225	153	139	123	95	71	50	36	154	40	81.3	140	0
TEST 127	117_S2_2	S	1	11/21/14	11900	FAvg	929	329	215	194	169	127	93	65	45	217	30	66.2	140	0
TEST 126	117_S2_2	S	1	11/21/14	11999	FAvg	995	415	288	258	222	158	106	71	51	256	27	56.3	140	0
TEST 125	117_S2_2	S	1	11/21/14	12099	FAvg	958	257	157	138	116	83	57	38	28	163	51	59.8	140	0
TEST 124	117_S2_2	S	1	11/21/14	12199	FAvg	970	236	155	141	124	96	73	53	38	159	38	79.9	140	0
TEST 123	117_S2_2	S	1	11/21/14	12295	FAvg	937	277	174	154	131	95	67	47	34	173	42	63.0	140	0
TEST 122	117_S2_2	S	1	11/21/14	12401	FAvg	959	244	153	137	118	87	63	43	30	159	46	67.9	140	0
TEST 121	117_S2_2	S	1	11/21/14	12495	FAvg	977	229	146	131	113	84	61	42	31	146	47	71.5	140	0
TEST 120	117_S2_2	S	1	11/21/14	12601	FAvg	1,020	272	173	153	132	98	72	50	36	174	40	67.2	140	0
TEST 119	117_S2_2	S	1	11/21/14	12700	FAvg	991	223	139	123	106	78	59	44	33	142	46	73.9	140	0
TEST 118	117_S2_2	S	1	11/21/14	12798	FAvg	962	294	182	159	134	96	66	43	31	182	45	56.9	140	0
TEST 117	117_S2_2	S	1	11/21/14	12893	FAvg	959	284	185	166	142	104	75	53	37	183	38	66.2	140	0
TEST 116	117_S2_2	S	1	11/21/14	12991	FAvg	963	272	171	151	130	95	66	44	31	174	44	62.3	140	0
TEST 115	117_S2_2	S	1	11/21/14	13099	FAvg	970	403	238	198	158	106	69	44	30	217	43	41.7	140	0
TEST 114	117_S2_2	S	1	11/21/14	13199	FAvg	992	257	164	147	129	98	72	50	36	165	39	71.5	140	0
TEST 113	117_S2_2	S	1	11/21/14	13299	FAvg	984	352	223	195	166	120	83	55	38	227	35	56.1	140	0
TEST 112	117_S2_2	S	1	11/21/14	13395	FAvg	987	206	129	114	98	72	51	35	24	129	56	69.9	140	0
TEST 111	117_S2_2	S	1	11/21/14	13501	FAvg	1,000	173	110	99	87	67	50	36	26	112	56	83.9	140	0
TEST 110	117_S2_2	S	1	11/21/14	13608	FAvg	977	257	162	144	124	92	67	47	35	165	42	69.9	180	0



Test No.	Route ID	Direction	LaneNo	Test Date	Station (m)	Test Type	Stress (kPa)	D <sub>1</sub> (μ)	D <sub>2</sub> (μ)	D <sub>3</sub> (μ)	D <sub>4</sub> (μ)	D <sub>5</sub> (μ)	D <sub>6</sub> (μ)	D <sub>7</sub> (μ)	D <sub>8</sub> (μ)	D <sub>9</sub> (μ)	MR (MPa)	SN <sub>Eff</sub>	AC Thickness (mm)	Base Thickness (mm)
TEST 109	117_S2_2	S	1	11/21/14	13696	FAvg	988	309	195	174	150	111	80	54	37	198	36	64.5	180	0
TEST 108	117_S2_2	S	1	11/21/14	13772	FAvg	980	294	186	163	137	96	62	40	30	181	48	56.8	180	0
TEST 107	117_S2_2	S	1	11/21/14	13823	FAvg	989	280	172	152	130	93	64	41	27	181	47	60.3	180	0
TEST 106	117_S2_2	S	1	11/21/14	13899	FAvg	991	282	180	161	138	101	71	48	33	182	40	65.8	180	0
TEST 105	117_S2_2	S	1	11/21/14	14000	FAvg	1,003	294	187	167	144	108	76	51	35	209	38	65.6	180	0
TEST 104	117_S2_2	S	1	11/21/14	14100	FAvg	999	279	177	157	136	101	72	50	35	184	39	68.0	190	0
TEST 103	117_S2_2	S	1	11/21/14	14199	FAvg	989	347	189	162	136	96	67	44	33	198	44	52.1	190	0
TEST 102	117_S2_2	S	1	11/21/14	14304	FAvg	1,008	248	158	140	121	92	69	52	39	156	39	76.4	190	0
TEST 101	117_S2_2	S	1	11/21/14	14396	FAvg	1,017	224	144	129	111	83	61	44	32	145	46	76.5	190	0
TEST 100	117_S2_2	S	1	11/21/14	14483	FAvg	1,038	227	155	142	126	99	76	57	43	157	36	88.1	190	0
TEST 99	117_S2_2	S	1	11/21/14	14596	FAvg	1,001	267	175	156	136	94	65	44	32	170	44	63.4	140	0
TEST 98	117_S2_2	S	1	11/21/14	14700	FAvg	1,036	175	117	107	95	75	57	42	31	118	48	92.2	140	0
TEST 97	117_S2_2	S	1	11/21/14	14797	FAvg	1,051	219	142	127	111	83	60	42	30	143	47	74.4	140	0
TEST 96	117_S2_2	S	1	11/21/14	14898	FAvg	1,021	279	169	148	126	93	67	47	33	192	42	62.6	140	0
TEST 95	117_S2_2	S	1	11/21/14	14990	FAvg	1,135	87	62	60	56	48	41	33	27	62	64	138.2	140	0
TEST 94	117_S2_2	S	1	11/21/14	15099	FAvg	1,105	103	71	67	62	52	44	34	27	71	61	135.6	170	0
TEST 93	117_S2_2	S	1	11/21/14	15199	FAvg	1,049	294	192	174	154	120	90	64	44	197	31	74.0	170	0
TEST 92	117_S2_2	S	1	11/21/14	15299	FAvg	1,061	308	197	174	151	114	84	59	41	199	34	67.1	170	0
TEST 91	117_S2_2	S	1	11/21/14	15399	FAvg	1,078	287	184	166	144	109	80	55	39	190	36	69.5	170	0
TEST 90	117_S2_2	S	1	11/21/14	15499	FAvg	1,090	258	168	151	132	100	73	50	34	170	39	72.5	170	0
TEST 89	117_S2_2	S	1	11/21/14	15602	FAvg	1,059	302	190	167	141	101	70	47	30	193	41	58.7	150	0
TEST 88	117_S2_2	S	1	11/21/14	15693	FAvg	904	###	267	226	186	127	82	51	33	324	37	10.6	150	0
TEST 87	117_S2_2	S	1	11/21/14	15799	FAvg	1,067	387	236	202	162	108	73	48	31	227	40	46.3	150	0
TEST 86	117_S2_2	S	1	11/21/14	15899	FAvg	1,112	267	165	145	125	91	65	44	30	169	44	63.6	150	0
TEST 85	117_S2_2	S	1	11/21/14	16000	FAvg	1,121	250	161	144	125	92	66	45	32	162	43	69.3	150	0
TEST 84	117_S2_2	S	1	11/21/14	16098	FAvg	1,140	177	117	106	93	72	55	40	29	118	50	88.6	140	0
TEST 83	117_S2_2	S	1	11/21/14	16198	FAvg	1,171	170	113	101	90	70	54	40	30	112	51	92.1	140	0
TEST 82	117_S2_2	S	1	11/21/14	16293	FAvg	1,167	209	139	125	109	84	61	43	31	141	47	78.4	140	0
TEST 81	117_S2_2	S	1	11/21/14	16402	FAvg	1,161	250	161	144	124	94	70	50	34	164	40	72.4	140	0
TEST 80	117_S2_2	S	1	11/21/14	16499	FAvg	1,222	192	127	115	99	76	57	41	30	131	49	83.3	140	0
TEST 79	117_S2_2	S	1	11/21/14	16600	FAvg	1,201	230	145	127	108	78	55	38	27	147	52	66.2	140	0



Test No.	Route ID	Direction	LaneNo	Test Date	Station (m)	Test Type	Stress (kPa)	D <sub>1</sub> (μ)	D <sub>2</sub> (μ)	D <sub>3</sub> (μ)	D <sub>4</sub> (μ)	D <sub>5</sub> (μ)	D <sub>6</sub> (μ)	D <sub>7</sub> (μ)	D <sub>8</sub> (μ)	D <sub>9</sub> (μ)	MR (MPa)	SN <sub>Eff</sub>	AC Thickness (mm)	Base Thickness (mm)
TEST 78	117_S2_2	S	1	11/21/14	16697	FAvg	1,211	186	120	107	94	72	54	39	28	123	52	82.1	140	0
TEST 77	117_S2_2	S	1	11/21/14	16816	FAvg	1,231	154	98	84	75	55	33	23	15	97	86	70.2	140	0
TEST 76	117_S2_1	S	1	11/20/14	16818	FAvg	815	277	205	200	76	52	35	25	19	160	81	50.6	130	0
TEST 75	117_S2_1	S	1	11/20/14	16890	FAvg	817	283	181	160	135	97	68	48	35	184	42	79.9	130	0
TEST 74	117_S2_1	S	1	11/20/14	16994	FAvg	804	364	238	211	179	129	89	59	39	245	33	73.1	130	0
TEST 73	117_S2_1	S	1	11/20/14	17088	FAvg	797	468	292	251	209	145	97	62	39	298	31	61.3	170	0
TEST 72	117_S2_1	S	1	11/20/14	17197	FAvg	805	543	325	276	225	152	101	65	42	327	29	54.2	170	0
TEST 71	117_S2_1	S	1	11/20/14	17295	FAvg	808	375	241	213	182	131	91	61	42	239	32	74.2	170	0
TEST 70	117_S2_1	S	1	11/20/14	17405	FAvg	814	452	293	260	224	166	122	86	61	296	23	76.4	170	0
TEST 69	117_S2_1	S	1	11/20/14	17483	FAvg	832	263	176	161	144	113	87	63	45	182	32	105.0	170	0
TEST 68	117_S2_1	S	1	11/20/14	17580	FAvg	821	295	197	181	160	124	93	66	48	202	30	98.5	180	0
TEST 67	117_S2_1	S	1	11/20/14	17700	FAvg	800	838	438	386	325	234	162	109	75	518	18	49.7	180	0
TEST 66	117_S2_1	S	1	11/20/14	17798	FAvg	807	346	210	183	154	110	78	54	39	213	36	74.4	180	0
TEST 65	117_S2_1	S	1	11/20/14	17875	FAvg	824	279	180	161	140	105	77	55	39	180	36	92.0	180	0
TEST 64	117_S2_1	S	1	11/20/14	18003	FAvg	781	281	190	175	157	122	92	66	47	190	31	102.7	180	0
TEST 63	117_S2_1	S	1	11/20/14	18091	FAvg	812	369	240	216	190	143	105	74	52	242	27	86.6	200	0
TEST 62	117_S2_1	S	1	11/20/14	18187	FAvg	804	419	275	243	208	149	105	68	43	269	28	74.5	200	0
TEST 61	117_S2_1	S	1	11/20/14	18294	FAvg	778	876	483	407	298	215	139	88	60	502	21	43.9	200	0
TEST 60	117_S2_1	S	1	11/20/14	18393	FAvg	799	269	174	157	139	106	78	55	39	176	36	97.5	200	0
TEST 59	117_S2_1	S	1	11/20/14	18487	FAvg	802	340	213	187	158	112	77	51	36	211	38	75.3	200	0
TEST 58	117_S2_1	S	1	11/20/14	18588	FAvg	791	566	334	290	244	175	123	86	61	350	23	62.4	190	0
TEST 56	117_S2_1	S	1	11/20/14	18681	FAvg	821	413	253	219	183	125	82	51	32	252	37	62.9	190	0
TEST 55	117_S2_1	S	1	11/20/14	18798	FAvg	795	593	352	301	252	179	124	82	53	360	24	58.9	190	0
TEST 54	117_S2_1	S	1	11/20/14	18833	FAvg	788	601	364	312	261	183	123	77	49	383	24	56.7	190	0
TEST 53	117_S2_1	S	1	11/20/14	18987	FAvg	813	324	209	187	162	121	88	61	43	210	32	86.7	190	0
TEST 52	117_S2_1	S	1	11/20/14	19104	FAvg	811	328	221	200	177	137	102	73	51	221	28	92.4	150	0
TEST 51	117_S2_1	S	1	11/20/14	19201	FAvg	831	317	208	186	161	119	86	59	42	210	33	84.2	150	0
TEST 50	117_S2_1	S	1	11/20/14	19300	FAvg	801	730	453	389	318	216	118	74	47	451	26	43.1	150	0
TEST 49	117_S2_1	S	1	11/20/14	19393	FAvg	813	885	301	251	201	135	93	67	52	424	30	31.5	150	0
TEST 48	117_S2_1	S	1	11/20/14	19496	FAvg	795	897	492	400	313	198	127	82	54	500	23	37.1	150	0
TEST 47	117_S2_1	S	1	11/20/14	19589	FAvg	804	662	383	328	274	191	131	87	58	390	22	54.2	180	0



Test No.	Route ID	Direction	LaneNo	Test Date	Station (m)	Test Type	Stress (kPa)	D <sub>1</sub> (μ)	D <sub>2</sub> (μ)	D <sub>3</sub> (μ)	D <sub>4</sub> (μ)	D <sub>5</sub> (μ)	D <sub>6</sub> (μ)	D <sub>7</sub> (μ)	D <sub>8</sub> (μ)	D <sub>9</sub> (μ)	MR (MPa)	SN <sub>Eff</sub>	AC Thickness (mm)	Base Thickness (mm)
TEST 46	117_S2_1	S	1	11/20/14	19685	FAvg	818	342	198	165	132	85	53	36	26	201	55	58.2	180	0
TEST 45	117_S2_1	S	1	11/20/14	19797	FAvg	808	666	356	290	229	149	98	67	47	369	29	45.3	180	0
TEST 44	117_S2_1	S	1	11/20/14	19891	FAvg	799	448	267	225	183	123	84	57	41	271	34	60.2	180	0
TEST 43	117_S2_1	S	1	11/20/14	19995	FAvg	810	392	236	196	158	99	61	38	27	238	49	42.5	180	0
TEST 42	117_S2_1	S	1	11/20/14	20095	FAvg	805	402	231	195	160	105	66	40	27	236	47	42.8	180	0
TEST 41	117_S2_1	S	1	11/20/14	20197	FAvg	794	411	248	215	183	132	92	62	42	244	31	53.6	180	0
TEST 40	117_S2_1	S	1	11/20/14	20304	FAvg	796	212	130	115	99	74	53	37	26	133	53	72.5	180	0
TEST 39	117_S2_1	S	1	11/20/14	20397	FAvg	795	332	191	162	134	90	58	36	22	196	52	47.9	180	0
TEST 38	117_S2_1	S	1	11/20/14	20498	FAvg	813	272	166	144	122	87	61	40	27	173	48	60.8	180	0
TEST 37	117_S2_1	S	1	11/20/14	20598	FAvg	813	359	219	189	159	115	83	60	45	214	33	58.5	180	0
TEST 36	117_S2_1	S	1	11/20/14	20697	FAvg	803	373	237	209	179	132	94	65	44	240	30	58.7	150	0
TEST 35	117_S2_1	S	1	11/20/14	20798	FAvg	785	748	538	455	373	261	182	118	77	449	16	44.4	150	0
TEST 34	117_S2_1	S	1	11/20/14	20898	FAvg	822	381	265	243	216	168	125	88	61	267	23	70.3	150	0
TEST 33	117_S2_1	S	1	11/20/14	21000	FAvg	837	219	150	137	122	95	73	54	40	150	37	87.3	150	0
TEST 32	117_S2_1	S	1	11/20/14	21098	FAvg	961	615	407	359	308	227	162	108	66	392	18	49.6	110	0
TEST 31	117_S2_1	S	1	11/20/14	21195	FAvg	815	286	188	166	143	107	76	52	37	191	37	65.6	110	0
TEST 30	117_S2_1	S	1	11/20/14	21297	FAvg	816	256	165	146	124	91	64	44	30	169	44	65.0	110	0
TEST 29	117_S2_1	S	1	11/20/14	21396	FAvg	812	369	248	221	189	134	78	52	35	241	37	50.0	110	0
TEST 28	117_S2_1	S	1	11/20/14	21500	FAvg	804	411	257	220	182	123	82	54	37	262	36	46.1	110	0
TEST 27	117_S2_1	S	1	11/20/14	21597	FAvg	820	319	204	181	157	117	86	60	42	206	33	69.0	220	0
TEST 26	117_S2_1	S	1	11/20/14	21694	FAvg	791	583	366	316	264	183	126	84	58	366	23	49.4	220	0
TEST 25	117_S2_1	S	1	11/20/14	21799	FAvg	814	376	229	194	160	108	73	48	34	228	40	53.8	220	0
TEST 24	117_S2_1	S	1	11/20/14	21897	FAvg	802	252	160	142	122	90	65	46	34	163	43	73.6	220	0
TEST 23	117_S2_1	S	1	11/20/14	22000	FAvg	814	235	151	135	117	85	60	42	30	151	47	74.1	220	0
TEST 22	117_S2_1	S	1	11/20/14	22053	FAvg	811	267	168	150	129	95	68	47	34	170	42	71.0	220	0
TEST 21	117_S2_1	S	1	11/20/14	22200	FAvg	816	372	237	208	177	126	87	60	42	238	33	60.4	220	0
TEST 20	117_S2_1	S	1	11/20/14	22300	FAvg	814	413	255	220	183	125	85	57	39	254	34	54.0	220	0
TEST 19	117_S2_1	S	1	11/20/14	22398	FAvg	800	453	174	152	130	93	67	46	32	249	43	44.8	220	0
TEST 18	117_S2_1	S	1	11/20/14	22499	FAvg	806	441	305	241	188	118	73	45	29	256	41	46.4	220	0
TEST 17	117_S2_1	S	1	11/20/14	22588	FAvg	806	367	215	183	151	102	68	45	30	234	43	67.5	330	0
TEST 16	117_S2_1	S	1	11/20/14	22692	FAvg	840	229	150	137	123	97	75	55	40	152	37	99.3	330	0



Test No.	Route ID	Direction	LaneNo	Test Date	Station (m)	Test Type	Stress (kPa)	D <sub>1</sub> (μ)	D <sub>2</sub> (μ)	D <sub>3</sub> (μ)	D <sub>4</sub> (μ)	D <sub>5</sub> (μ)	D <sub>6</sub> (μ)	D <sub>7</sub> (μ)	D <sub>8</sub> (μ)	D <sub>9</sub> (μ)	MR (MPa)	SN <sub>Eff</sub>	AC Thickness (mm)	Base Thickness (mm)
TEST 15	117_S2_1	S	1	11/20/14	22795	FAvg	852	172	115	107	97	79	63	47	35	114	43	115.9	330	0
TEST 14	117_S2_1	S	1	11/20/14	22901	FAvg	792	509	323	284	241	175	125	87	60	357	23	67.1	330	0
TEST 13	117_S2_1	S	1	11/20/14	23004	FAvg	806	278	184	168	148	114	86	62	45	177	32	90.6	330	0
TEST 12	117_S2_1	S	1	11/20/14	23099	FAvg	779	316	208	187	163	123	91	64	45	208	31	68.1	140	0
TEST 11	117_S2_1	S	1	11/20/14	23197	FAvg	814	466	294	255	213	147	99	65	43	304	29	47.2	140	0
TEST 10	117_S2_1	S	1	11/20/14	23297	FAvg	809	264	172	152	130	94	68	47	35	171	42	66.7	140	0
TEST 9	117_S2_1	S	1	11/20/14	23395	FAvg	810	336	221	197	169	120	75	51	35	217	38	55.0	140	0
TEST 8	117_S2_1	S	1	11/20/14	23497	FAvg	812	264	168	146	124	88	60	41	28	172	48	60.8	140	0
TEST 7	117_S2_1	S	1	11/20/14	23600	FAvg	815	302	208	190	169	131	98	69	47	209	29	75.3	140	0
TEST 6	117_S2_1	S	1	11/20/14	23700	FAvg	807	516	343	302	255	174	112	69	42	335	27	45.0	140	0
TEST 5	117_S2_1	S	1	11/20/14	23802	FAvg	827	362	230	201	168	117	81	57	42	235	35	54.6	140	0
TEST 4	117_S2_1	S	1	11/20/14	23909	FAvg	796	924	479	373	269	145	87	63	50	487	32	21.3	140	0
TEST 3	117_S2_1	S	1	11/20/14	24000	FAvg	802	401	256	227	194	141	99	67	46	271	29	55.7	140	0
TEST 2	117_S2_1	S	1	11/20/14	24050	FAvg	807	463	288	245	200	131	82	48	35	289	38	39.4	140	0
TEST 1	117_S2_1	S	1	11/20/14	24075	FAvg	658	###	491	391	301	182	112	73	53	569	26	8.3	140	0