
Public Works and Government Services Canada	E0208-152057/A Basement Repairs Residential House, Last Mountain Lake Wildlife Area, Simpson, Saskatchewan	Addendum No. 1 Page 1 of 1
Project No.: R.052967.001		April 24, 2015

The following changes to the tender documents are effective immediately and will form part of the contract documents:

TECHNICAL SPECIFICATIONS:

Delete Section 01 35 29.06 – Health and Safety Requirements and all references. The requirements of this section are included elsewhere.

Section 07 46 46 Siding & Parging

Revise

1.3.2.1 Submit manufacturer's instructions, printed product literature, data sheets **and proposed installation details** for siding and required appurtenances and include product characteristics, performance criteria, physical size, finish and limitations.

Revise

1.3.3.1 Submit a verification sample of siding and trim board specified to the **Departmental Representative** prior to installation. Minimum size: 100 x 150mm; representing actual product, colour and surface pattern.

Revise

2.1.1.1 Horizontal plank lap type **pre-finished** fiber cement siding to ASTM C1189 Type A Grade II, sloped top, bevelled drip edge and nailing line; wood grain exterior finish, 184mm width with 152mm exposure.

Revise

2.1.2.1 Sheet steel: Formed from **pre-finished** zinc coated steel, to ASTM A446 Grade A, with minimum coating designation Z275(G90) galvanized to ASTM A525.

Revise

3.6.7 Install sill flashings, wood starter strips, inside corner flashings, **butt-joint flashings**, edgings and flashings over openings.

Revise

3.7.3 Install flashings where shown and as required. Caulk joints for water-tightness.

- end -