

NOTES:

1. ALL DIMENSIONS IN MILLIMETERS.
2. ALL ELEVATIONS IN METERS.
3. DO NOT SCALE FROM DRAWINGS, USE DIMENSIONS SPECIFIED.
4. LOCATION OF CLEATS, LIGHT POLES, ELECTRICAL PEDESTALS AND LADDERS ARE TO BE CONSIDERED APPROXIMATE. CONFIRM ACTUAL LOCATION IN THE FIELD WITH DEPARTMENTAL REPRESENTATIVE.
5. DURING CRIBSEAT EXCAVATION, THE CONTRACTOR IS TO TAKE MEASURES TO PREVENT UNDERMINING OF EXISTING CRIBS ADJACENT TO NEW WORK.
6. CONTRACTOR TO EXCAVATE IN SUCH A MANNER AS TO ENSURE STABILITY OF SLOPES PRIOR TO AND DURING CRIB CONSTRUCTION.
7. REMOVE CLASS 'B' MATERIAL TO APPROXIMATELY 1000 mm TO THE REFUSAL LAYER DEFINED BY THE PROBING INFORMATION PROVIDED ON THE PARTIAL PLAN SHOWN ON SHEET C3. CONTRACTOR TO ENSURE FULL AND CONTINUOUS SUPPORT IS TO BE ACHIEVED BY SCRIBING THE UNDERSIDE OF CRIBS TIMBERS AS NECESSARY. SCRIBING OF CRIBS TO BE COMPLETED TO APPROVAL OF DEPARTMENTAL REPRESENTATIVE.
8. CONTRACTOR TO ENSURE THAT THE FINAL POSITION OF TYPE 'A' CLEATS – MASS BLOCK STYLE BE SUCH THAT THEY DO NOT INTERFERE WITH VERTICAL CRIB TIMBERS.
9. CONTRACTOR SHALL COORDINATE LOCATION OF CONTROL JOINTS WITH DEPARTMENTAL REPRESENTATIVE IN THE FIELD.
10. CLEAT PEDESTALS AND JIB CRANE BASE(S) SHALL BE POURED MONOLITHIC WITH THE DECK.
11. IF GEOTECHNICAL CONDITIONS DIFFER FROM THOSE INDICATED, ADVISE DEPARTMENTAL REPRESENTATIVE IMMEDIATELY.
12. SPACING BETWEEN LADDERS SHALL IN NO CASE EXCEED 12.2 m o.c.

GENERAL LEGEND

.....	GRADE TRANSITION
--CJ--	CONTROL JOINT
—IJ—	ISOLATION JOINT
FS----FS	FIRE STOP
2.60	FINISHED DECK ELEVATION
SL	DIRECTION OF SLOPE INDICATOR
	HYDRO POLE & PROTECTIVE BOLLARDS
	JIB CRANE LOCATION
	NEW TYPE "A" CLEAT – STANDARD BLOCK PEDESTAL
	NEW TYPE "A" CLEAT – MASS BLOCK PEDESTAL
	ELECTRICAL PEDESTAL (TYP.)
	NEW LADDER

Public Works and Government Services Canada / Travaux Publics et Services gouvernementaux Canada

STAMP: REGISTERED PROFESSIONAL ENGINEER – PEGNL – Newfoundland and Labrador – LEE M. BENNETT – 15/03/23 – NEWFOUNDLAND & LABRADOR

PROVINCE OF NEWFOUNDLAND AND LABRADOR
PEGNL Newfoundland and Labrador
PERMIT HOLDER
This Permit Allows
Meridian Engineering Inc.
To practice Professional Engineering in Newfoundland and Labrador.
Permit No. as issued by PEG N0453
which is valid for the year 2015.

E	RE–ISSUED FOR TENDER	23/03/15
D	ISSUED FOR TENDER	23/12/10
C	ISSUED FOR 99% REVIEW	06/02/10
B	ISSUED FOR 66% REVIEW	04/08/10
A	ISSUED FOR 33% REVIEW	02/03/10
revisions		date

project / projet
WHARF CONSTRUCTION SUMMERVILLE, NL

drawing / dessin
NEW FINGER PIER PLAN AND ELEVATIONS

designed / conçu: L. BENNETT – date: JANUARY 2010
drawn / dessiné: C. HOBBS – date: JANUARY 2010
approved / approuvé – date:
Tender / Soumission
PWGSC Project Manager / Administrateur de projets TPSGC
project number / no. du projet: R.032512.001
drawing no. / no. du dessin: C4 OF 9

PWGSC B1 (2004)
E–DRM/GDD–E: 513843