

**RETURN BIDS TO:**  
**RETOURNER LES SOUMISSIONS À:**  
Travaux publics et Services gouvernementaux  
Canada  
Place Bonaventure, portail Sud-Est  
800, rue de La Gauchetière Ouest  
7 ième étage  
Montréal  
Québec  
H5A 1L6

**SOLICITATION AMENDMENT  
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

**Comments - Commentaires**

**Vendor/Firm Name and Address**  
**Raison sociale et adresse du  
fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**  
Travaux publics et Services gouvernementaux Canada  
Place Bonaventure, portail Sud-Est  
800, rue de La Gauchetière Ouest  
7 ième étage  
Montréal  
Québec  
H5A 1L6

<b>Title - Sujet</b> Extension RMHC Archambault	
<b>Solicitation No. - N° de l'invitation</b> EF236-152430/A	<b>Amendment No. - N° modif.</b> 007
<b>Client Reference No. - N° de référence du client</b> R.064010.800	<b>Date</b> 2015-05-25
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$MTC-250-13208	
<b>File No. - N° de dossier</b> MTC-4-37400 (250)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2015-06-09</b>	<b>Time Zone</b> Fuseau horaire Heure Avancée de l'Est HAE
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Cyr, Nicolas	<b>Buyer Id - Id de l'acheteur</b> mtc250
<b>Telephone No. - N° de téléphone</b> (514) 496-3389 ( )	<b>FAX No. - N° de FAX</b> (514) 496-3822
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b> Établissement Archambault 242 Montée Gagnon Ste-Anne-des-Plaines QC J0N 1H0	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm (type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

Solicitation No. - N° de l'invitation

EF236-152430/A

Client Ref. No. - N° de réf. du client

R.064010.800

Amd. No. - N° de la modif.

007

File No. - N° du dossier

MTC-4-37400

Buyer ID - Id de l'acheteur

mtc250

CCC No./N° CCC - FMS No/ N° VME

---

**THIS INVITATION TO TENDER IS, HEREBY, MODIFIED AS FOLLOW**

See additional questions and answers to this day in document that follows

**ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED**

RECEIVED QUESTIONS :

**Q :** In reference with section 01 35 29.06, article **1.13 - Health and safety Coordonnateur** : Please confirm if the health and safety coordinator must be on site full time for all 15 months of work (between august 2015 and octobre 2016)?

Also, specify if this person must be distinct from other administrative or worksite supervision employee?

**A:** The requirement regarding the presence of a health and safety coordinator is cancelled. Section 01 35 29.06 will be re-issued in addendum.

**Q:** Please specify a product for the transition trims required at article 2.1.6 of section 09 58 00 ?

**A:** No, specifications must remain generic.

The trim must receive the gypsum board and be used as support for application of the joint compound. A difference of 8mm in level can be considered for the two different ceilings.

**Q:** Can you specify dimension and position of the acces doors specified at article 2.3 and 2.4 of section 092116 ? Are they applicable to the current project ? If so, can you indicate where they are required?

**A:** 2.3 - Refer to mechanical and electrical plans for required acces doors in fire-rated separations.

2.4 - Position and dimensions of the acces doors are clearly shown in the documents.

**Q:** At article 2.1.2 of section 092216, flange height of 50mm or 75mm are specified for floor and ceiling tracks. We usually use 32mm flanges for floor tracks and 64mm for top tracks. Can you confirm that we can use these dimensions in our tender?

**A :** Minimum height of 50mm must .

**Q:** In detail 19/A305, there is a contradiction between the wall description, asking for 152mm studs, and legend 3.01, asking for de 92mm. Can you please clarify wich dimension must be used?

**A:** Cancel the reference for wall composition 3.01 for that instance, and use composition as per description in detail.

**Q:** Can you confirm that exterior wall composition at ground floor on detail 6/A301 is M-1.1 and not M-1 ?

**A:** Confirmed

**Q:** Is cement board specified at article 2.1.5 of section 092116 applicable to current project? If so, please specify where?

**A:** In rooms SM-163 and SM-213, for ceramic support.

**Q:** Does typical wall 3.4 require a fire-separation rating?

**A:** Required fire-separation ratings for walls are shown on plans A100 et A110, on the wall type reference tags.