


KEY PLAN
SCALE 1:500

MAIN IT ROOM IN THE ELIJAH SMITH BUILDING (300 MAIN STREET)

TENANT SPACE IT ROOM

DATA / VOICE BOARD




NOTES:

1. MAIN TEL/DATA ENTRANCE TO THE BUILDING IS EXISTING IN THE BASEMENT IT ROOM.
2. ALL CROSS-CONNECT AND TERMINATIONS BY SSC CONTRACTOR, DIV.26 TO CARRY THE COST OF SSC CONTRACTOR IN THE BID PRICE.
3. CABLES TO BE RUN THROUGH EXISTING CONDUITS FROM THE BASEMENT TO THE IT CLOSET.
4. CONTRACTOR TO RUN 1" EMT CONDUIT FROM EACH DATA OUTLET TO THE CEILING SPACE, USE CABLE D-RINGS TO RUN TO IT CLOSET. I
5. CONTRACT TO PROVIDE SURGE PROTECTION ON BOTH SIDES OF CAT3 CABLE.
6. PROVIDE BOOSTERS FOR THE CAT6 CABLES WHERE THE RUN WILL EXCEED 90 METERS, ALLOW FOR THE BOOSTERS IN THE BID PRICE.




GENERAL NOTE:
CONTRACTOR TO CARRY THE COST OF SHARED SERVICES CANADA (SSC) CERTIFIED CONTRACTOR TO DO ALL THE TEL/DATA STRUCTURAL WIRING, MAIN TERMINATIONS, CROSS CONNECT, PATCH PANELS AND ALL RELATED WORK IN THE BID PRICE. ONLY SSC CONTRACTOR IS ALLOWED TO DO THE STRUCTURAL WIRING AND TEL/DATA CABLEING WORK AND THE TERMINATIONS IN THE RENOVATED SPACE. ALLOW FOR NEW TEL/DATA PLUGS INSIDE THE SPACE IN THE BID PRICE FOR COMPLETE OPERATIONAL SYSTEM. EXISTING EMPTY CONDUITS AND BOXES ONLY ALLOWED TO BE RE-USED FOR THE NEW TEL/DATA SYSTEM. INSTALL NEW CABLES AND ALL ACCESSORIES FOR THE NEW LOCATIONS AS SHOWN.

EXISTING EMPTY CONDUITS, WIRING, AND BOXES ARE ALLOWED TO BE RE-USED FOR THE NEW POWER SYSTEM. INSTALL NEW CABLES AND ALL ACCESSORIES FOR THE NEW LOCATIONS AS SHOWN. SPLICES EXISTING WIRING INSIDE JUNCTION BOXES AND EXTEND TO NEW LOCATION. RE-USE CIRCUITS AS SHOWN.



- EXISTING :**
1. 120/208V, 3 PHASE DISTRIBUTION PANEL 2R1.
 2. 347/600V, 3 PHASE DISTRIBUTION PANEL AND LIGHTING RELAY PANEL.
 3. 600-120/208V TRANSFORMER
 4. MAIN SECOND FLOOR IT ROOM INCLUDING MAIN FEED FROM THE BUILDING MAIN ELECTRICAL ROOM.
 5. PATCH PANEL LOCATION FEEDS RENOVATED SPACES.

NEW POWER, TEL/DATA EXTRA CIRCUITS
SCALE 1:50



| Revision/ | Description/Description | Date/Date |
|-----------|-------------------------|------------|
| 4 | ISSUED FOR TENDER | 14-05-2015 |
| 3 | REVISED 90% SUBMISSION | 17-04-2015 |
| 2 | 90% SUBMISSION | 07-04-2015 |
| 1 | 60% SUBMISSION | 27-03-2015 |

CAN-NOR and PUBLIC WORKS & GOVERNMENT SERVICES

800 BURREAD ST.
VANCOUVER, BC

Project title/Titre du projet
2nd & 4th Floor - 300 Main Street
Whitehorse, YT

CAN-NOR Relocation Consolidated

Consultant Signature Only

Designed by/Concept par
AD

Drawn by/Dessine par
AD

PWGSC Project Manager/Administrateur de Projets TPSGC
Cyndi Oster

PWGSC Architectural and Engineering Resources Manager/
Ressources Architectural et de Directeur d'ingénierie, TPSGC
Preetipal Paul

Client/client
CAN-NOR

Drawing title/Titre du dessin
**2nd FLOOR TENANT IMPROVEMENT
POWER AND TEL/DATA LAYOUT**

| | | |
|--|--------------------------------------|---|
| Project No./No. du projet R.072738.001 | Sheet/ Feuille E3 of 07 | Revision no./ La Révision no. 0 |
|--|--------------------------------------|---|