

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving - PWGSC / Réception des soumissions
- TPSGC
11 Laurier St./11, rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

**Revision to a Request for Supply
Arrangement - Révision à une demande
pour un arrangement en matière
d'approvisionnement**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Furniture Division/Division des produits de
l'ameublement
11 Laurier St. / 11, rue Laurier
6B1, Place du Portage
Gatineau
Québec
K1A 0S5

Title - Sujet Furniture for Work Spaces	
Solicitation No. - N° de l'invitation E60PQ-140003/A	Date 2015-06-16
Client Reference No. - N° de référence du client E60PQ-140003	Amendment No. - N° modif. 015
File No. - N° de dossier pq416.E60PQ-140003	CCC No./N° CCC - FMS No./N° VME
GETS Reference No. - N° de référence de SEAG PW-\$\$PQ-416-66821	
Date of Original Request for Supply Arrangement 2015-02-19 Date de demande pour un arrangement en matière d'app. originale	
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2015-06-29	Time Zone Fuseau horaire Eastern Daylight Saving Time EDT
Address Enquiries to: - Adresser toutes questions à: Clouthier, Chantal	Buyer Id - Id de l'acheteur pq416
Telephone No. - N° de téléphone (819) 956-7184 ()	FAX No. - N° de FAX () -
Delivery Required - Livraison exigée	
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	
Security - Sécurité This revision does not change the security requirements of the solicitation. Cette révision ne change pas les besoins en matière de sécurité de l'invitation.	

Instructions: See Herein

Instructions: Voir aux présentes

Acknowledgement copy required	Yes - Oui	No - Non
Accusé de réception requis	<input type="checkbox"/>	<input type="checkbox"/>
The Offeror hereby acknowledges this revision to its Offer. Le proposant constate, par la présente, cette révision à son offre.		
Signature	Date	
Name and title of person authorized to sign on behalf of offeror. (type or print) Nom et titre de la personne autorisée à signer au nom du proposant. (taper ou écrire en caractères d'imprimerie)		
For the Minister - Pour le Ministre		

Solicitation No. - N° de l'invitation

E60PQ-140003/A

Client Ref. No. - N° de réf. du client

E60PQ-140003

Amd. No. - N° de la modif.

015

File No. - N° du dossier

pq416E60PQ-140003

Buyer ID - Id de l'acheteur

pq416

CCC No./N° CCC - FMS No/ N° VME

See next page;

This amendment 015 is raised to answer questions and modify the solicitation as follows :

1- QUESTIONS / ANSWERS :

Q.197:

In Annex B-1 Category 2 – Freestanding Height Adjustable Desk/Table Products, there is no option listed to bid on for a “height adjustable table - frame only”.

Are Retrofit-able height adjustable frames (AKA, Frame Only) going to be added to the SA as a option in Category 2?

A significant number of our sales of electric height adjustable tables are for the frame only, which is then retro fitted onto existing work surfaces.

This makes the total purchase less expensive, requires less installation time, and doesn't alter the interior design or décor because it used the existing surfaces.

I would suggest adding a “Frame Only” submission option for Category 2. Any table supplier can easily retrofit a height adjustable frame onto an existing table top. So all SA suppliers will benefit from this addition, as well, it will make it easier for the Federal Government to purchase frames only, which is a less expensive and more efficient way of converting workstations into height adjustable workstations.

A.197:

There will be no changes made at this time.

Q.198:

In Amendment #7 modification B to section 6.3 states, “all base panels must provide access to power and data below the work surface” but V3 of catalogue 1b lines 13-20 request power at the work surface for base height panels.

Why are lines 13-20 still present

A.198:

Line items 13-20 which are represented by the below GoCuid codes will be deleted from category 1a at the stage of the SA for the Products Catalogue 1a; no changes to the catalogue 1a version 3; See Section 2 – Modifications, modification (I).

PAFRBHPW18
PAFRBHPW24
PAFRBHPW30
PAFRBHPW36
PAFRBHPW42
PAFRBHPW48
PAFRBHPW54
PAFRBHPW60

Q.199:

In the Catalog, Category 3 lines 35 to 76 you have eliminated all 18” deep closed storage.

Although you have noted these as “wardrobes” the majority of these unites are used for general storage of supplies etc.

In eliminating all 18” deep units, you no longer have closed storage that matches the standard 18” lateral file units.

18” closed storage unites should not be eliminated but perhaps renamed.

A.199:

There will be no changes made at this time.

Q.200:

In Category 4, Wood Veneer, Freestanding product:

- Overall height of the Low Storage (Credenza Units)?

A.200:

Please refer to Annex A1 Specifications for Workspaces, Low Storage/Credenza Units for the height.

Q.201:

In Category 4, Wood Veneer, Freestanding product:

- Are the items between rows 1039 and 1126 repeated on rows 1127 – 1214? They look like the same items.

A.201:

Line items 1127-1214 which are represented by the below GoCuid codes will be deleted from category 4 at the stage of the SA for the Products Catalogue 4; no changes to the catalogue 4 version 3; see Section 2 – Modifications, modification (J).

SPLSCOS0508OA0610xxxx
SPLSCOS0508OA0762xxxx
SPLSCOS0508OA0914xxxx
SPLSCOS0508OA1067xxxx
SPLSCOS0508OA1219xxxx
SPLSCOS0508OA1372xxxx
SPLSCOS0508OA1524xxxx
SPLSCOS0508OA1676xxxx
SPLSCOS0508OA1830xxxx
SPLSCOS0508OA1981xxxx
SPLSCOS0508OA2134xxxx
SPLSCOS0508CH0610xxxx
SPLSCOS0508CH0762xxxx
SPLSCOS0508CH0914xxxx
SPLSCOS0508CH1067xxxx
SPLSCOS0508CH1219xxxx
SPLSCOS0508CH1372xxxx
SPLSCOS0508CH1524xxxx
SPLSCOS0508CH1676xxxx
SPLSCOS0508CH1830xxxx
SPLSCOS0508CH1981xxxx
SPLSCOS0508CH2134xxxx
SPLSCOS0508WA0610xxxx
SPLSCOS0508WA0762xxxx

SPLSCOS0508WA0914xxxx
SPLSCOS0508WA1067xxxx
SPLSCOS0508WA1219xxxx
SPLSCOS0508WA1372xxxx
SPLSCOS0508WA1524xxxx
SPLSCOS0508WA1676xxxx
SPLSCOS0508WA1830xxxx
SPLSCOS0508WA1981xxxx
SPLSCOS0508WA2134xxxx
SPLSCOS0508MA0610xxxx
SPLSCOS0508MA0762xxxx
SPLSCOS0508MA0914xxxx
SPLSCOS0508MA1067xxxx
SPLSCOS0508MA1219xxxx
SPLSCOS0508MA1372xxxx
SPLSCOS0508MA1524xxxx
SPLSCOS0508MA1676xxxx
SPLSCOS0508MA1830xxxx
SPLSCOS0508MA1981xxxx
SPLSCOS0508MA2134xxxx
SPLSCOSC508OA0610xxxx
SPLSCOSC508OA0762xxxx
SPLSCOSC508OA0914xxxx
SPLSCOSC508OA1067xxxx
SPLSCOSC508OA1219xxxx
SPLSCOSC508OA1372xxxx
SPLSCOSC508OA1524xxxx
SPLSCOSC508OA1676xxxx
SPLSCOSC508OA1830xxxx
SPLSCOSC508OA1981xxxx
SPLSCOSC508OA2134xxxx
SPLSCOSC508CH0610xxxx
SPLSCOSC508CH0762xxxx
SPLSCOSC508CH0914xxxx
SPLSCOSC508CH1067xxxx
SPLSCOSC508CH1219xxxx
SPLSCOSC508CH1372xxxx
SPLSCOSC508CH1524xxxx
SPLSCOSC508CH1676xxxx
SPLSCOSC508CH1830xxxx
SPLSCOSC508CH1981xxxx

SPLSCOSC508CH2134xxxx
SPLSCOSC508WA0610xxxx
SPLSCOSC508WA0762xxxx
SPLSCOSC508WA0914xxxx
SPLSCOSC508WA1067xxxx
SPLSCOSC508WA1219xxxx
SPLSCOSC508WA1372xxxx
SPLSCOSC508WA1524xxxx
SPLSCOSC508WA1676xxxx
SPLSCOSC508WA1830xxxx
SPLSCOSC508WA1981xxxx
SPLSCOSC508WA2134xxxx
SPLSCOSC508MA0610xxxx
SPLSCOSC508MA0762xxxx
SPLSCOSC508MA0914xxxx
SPLSCOSC508MA1067xxxx
SPLSCOSC508MA1219xxxx
SPLSCOSC508MA1372xxxx
SPLSCOSC508MA1524xxxx
SPLSCOSC508MA1676xxxx
SPLSCOSC508MA1830xxxx
SPLSCOSC508MA1981xxxx
SPLSCOSC508MA2134xxxx

Q.202:

In Category 4, Wood Veneer, Freestanding product:

- Height of High or Add-on Units?

A.202:

There is no height restrictions, supplier to provide the Manufacturer's standard offering; also refer to amendment 9 Modification (A).

Q.203:

In Category 4, Wood Veneer, Freestanding product:

- Should "High or Add-on Units" open, closed and open & closed have task lights under the cabinets? Our hutches come standard with task lights & tackboards.

A.203:

Line items 2391-2430 which are represented by the below GoCuid codes will be deleted from category 4 at the stage of the SA for the Products Catalogue 4; no changes to the catalogue 4 version 3; See Section 2 – Modifications, modification (K).

SPHITL305xxOA0762xxxx
SPHITL305xxOA0914xxxx
SPHITL305xxOA1067xxxx
SPHITL305xxOA1219xxxx
SPHITL305xxOA1372xxxx
SPHITL305xxOA1524xxxx
SPHITL305xxOA1676xxxx
SPHITL305xxOA1830xxxx
SPHITL305xxOA1981xxxx
SPHITL305xxOA2134xxxx
SPHITL305xxCH0762xxxx
SPHITL305xxCH0914xxxx
SPHITL305xxCH1067xxxx
SPHITL305xxCH1219xxxx
SPHITL305xxCH1372xxxx
SPHITL305xxCH1524xxxx
SPHITL305xxCH1676xxxx
SPHITL305xxCH1830xxxx
SPHITL305xxCH1981xxxx
SPHITL305xxCH2134xxxx
SPHITL305xxWA0762xxxx
SPHITL305xxWA0914xxxx
SPHITL305xxWA1067xxxx
SPHITL305xxWA1219xxxx
SPHITL305xxWA1372xxxx
SPHITL305xxWA1524xxxx
SPHITL305xxWA1676xxxx
SPHITL305xxWA1830xxxx
SPHITL305xxWA1981xxxx
SPHITL305xxWA2134xxxx
SPHITL305xxMA0762xxxx
SPHITL305xxMA0914xxxx

SPHITL305xxMA1067xxxx
SPHITL305xxMA1219xxxx
SPHITL305xxMA1372xxxx
SPHITL305xxMA1524xxxx
SPHITL305xxMA1676xxxx
SPHITL305xxMA1830xxxx
SPHITL305xxMA1981xxxx
SPHITL305xxMA2134xxxx

Q.204:

In Category 4, Wood Veneer, Freestanding product:

- Should the “High Or Add-On, Task Lights” units have open or closed doors, or a combination?

A.204:

The open and closed High or Add-On combinations are outlined and defined in the Product Catalogue.

Q.205:

In Category 4, Wood Veneer, Freestanding product:

- Our standard hutches are 15.75” deep – would that be acceptable for the 15” deep “High or Add-on” units?

A.205:

Yes because the acceptable depth ranges from 381mm(15 in.) to 610mm(24 in.) please refer to ANNEX A-1, article 7.7.3.

Q.206:

In Category 4, Wood Veneer, Freestanding product:

- Overall height of Wardrobe units?

A.206:

There is no height restriction, supplier to provide the Manufacturer's standard offering; also refer to Annex A-1, article 7.9.

Q.207:

In Category 4, Wood Veneer, Freestanding product:

- "Rectangular, One full and one half gable & Modesty panel" and "Rectangular, Two Half Gable & Modesty Panel" units - should the grain direction be the same as the main work surface, or opposite of it. On our standard product, grain direction runs lengthwise on desks and credenzas and up and down on returns and linking units.

A.207:

The grain direction is to be at the Manufacturer's standard manufacturing process.

Q.208:

In Category 4, Wood Veneer, Freestanding product:

- "Pedestals, Freestanding, 24" or 30" deep" and "Pedestals, Work Surface Supporting, 24" or 30" deep" – are the Box/File pedestals to be the same height as the Box/Box/File and File/File pedestals?

A.208:

Refer to revised Category 4 Product Catalogue.

Q.209:

In Category 4, Wood Veneer, Freestanding product:

- Are the "Pedestals, Work Surface Supporting, 24" or 30" deep" to have finished backs?

A.209:

Please refer to Amendment 005, Modification (C).

Q.210:

In Category 4, Wood Veneer, Freestanding product:

- Our standard 20" deep wardrobes use coat hooks. Would this be acceptable?

A.210:

Coat hooks are not acceptable.

Q.211:

In Category 4, Wood Veneer, Freestanding product:

- On Round, Four post legs meeting tables – are the legs to be wood or metal? Round or square?

A.211:

Refer to ANNEX A-1, article 7.12.1. and 7.12.2. Round or square legs are acceptable.

Q.212:

In Category 4, Wood Veneer, Freestanding product:

- On Square, four post legs meeting tables – are the legs to be wood or metal? Round or square?

A.212:

Refer to answer A.211

Q.213:

The revised Annex B1, Category 1a, items 13 to 20 lists - Base Height Frames Powered at Work Surface. This contradicts the revision to Annex A-1 in amendment 7. Please delete these items.

A.214:

Refer to A.198.

Q.215:

The revised Annex B1, Category 1a, items 77 to 84 lists - Base Height Elements with Face Mounted Power and Data on Fabric. Is it acceptable to mount power and data in the base?

A.215:

No it is not acceptable .Please refer to ANNEX A-1, section 3.0 TERMINOLOGY, article 3.16.

Q.216:

In Annex B1, Category 2, there is no indication of the height range required – sit/stand and/or seated. Yet paragraph 8.2 of Annex A-1 states that “Continuous height adjustable work surfaces must be seated or sit/stand range. Please amend Annex B1, Category 2 to reflect the two different ranges.

A.216:

Refer to CAN/CGSB-44.227-2008 article 4.2 for height of Seated Range and to ANNEX A-1, article 8.5 for Sit/Stand Range.

Q.217:

Paragraph 6.1 and 6.2 of Annex A-1 describe stackable panels. Is it mandatory that a stack-on be used to increase in height from Work Surface Privacy to Seated Privacy or can a stack-on be used to increase in height from Base Panel Height to Seated Privacy Height. This impacts how to complete Annex B1, Category 1a.

For example, items 29 to 44 require Seated Privacy Height Add-on Frames. This could be completed in two ways:

- As a single unit frame increasing the panel height from Base Height to Seated Privacy Height
- Or as two add-on frames increasing the panel height from Base Height to Work Surface Privacy Height with one add-on and then to Seated Privacy Height with the other.

This also applies to the elements for Seated Privacy Height. Are both of these options acceptable?

A.217:

A) . Yes, it is mandatory that a stack-on be used to increase in height from Work Surface Privacy to Seated Privacy

B) No, a stack-on can not be used to increase in height from Base Panel Height to Seated Privacy Height

Option A) is acceptable , Option B) is not acceptable.

Q.218:

Height Adjustable tables in Category 2 of the SA submission.

A) Will there be any indication as to the desired or required frame configuration or specs of the electric height adjustable tables in Annex B-1 Category 2 – Freestanding Height Adjustable Desk/Table Products?

Right now, there is no description of the frame at all: i.e number of legs (single leg/pedestal style – 2 leg frame – 3 leg/L shape frame), weight capacity, adjustment speed, memory position settings, etc.

B) Also, will L-Shaped, or Corner height adjustable tables be added to Category 2?

A.218:

A) The frame configuration for all Category 2- Freestanding Height Adjustable Desk/Table Products is to be at the Manufacturer's standard and must meet the technical criteria in Annex A-1 .For testing requirements please refer to Annex A-1, 2.0 - Publication and Testing Requirements.

B) L -Shaped, or Corner height adjustable tables will not be added to Category 2 at this time.

Q.219:

I noticed when filling in the table catalog 5 (ergo accessories) that the same keyboard part number and description is repeated 4 times.

Is this intentional? Are we to offer multiple versions of the same products?

A.219:

Modification to the Products Catalogue Category 5 will be published shortly.

2- MODIFICATION(S) :

A) At Part 5:

DELETE: article **5.1.3. Product Conformance**, in it's entirety.

INSERT: article **5.1.3. Product Conformance**

The Supplier certifies that all the products offered will conform to all specifications of, and meet the testing requirements detailed in Annex A – Requirement by no later than date of arrangement in response to the RFSA.

Supplier's Signature

Date

B) At Part 6A:

DELETE: **6A.9.2 – Product Conformance Certification**, in it's entirety.

INSERT: **6A.9.2 – Product Conformance Certification**

The Supplier warrants that the Product Conformance Certification submitted by the Supplier with its arrangement is accurate and complete, and that the products provided under any Contract under the SA are in accordance with the Supplier's SA and in particular with Annex A. The Supplier must keep proper records and documentation relating to the product conformance and the testing requirements in Annex A. The Supplier must not, without obtaining the prior written consent of the SAA, dispose of any such records or documentation until the expiration of the Contract or the expiry date of the Warranty, whichever is later. All such records and documentation must at all times during the retention period be open to audit, inspection and examination by the representatives of Canada, who may make copies and take extracts.

In addition, the Supplier must provide representatives of the SAA access to all locations where any part of the Work is being performed at any time during working hours. Representatives of the SAA may examine and test the Work as they see fit. The Supplier must provide all assistance and access to facilities, test pieces, samples and documentation that the representatives of the SAA may reasonably require for the carrying out of the inspection, which may also include the submission of test reporting documentation as listed in Annex A. The Supplier must forward such test pieces, samples and/or documentation that

may also include letters of certification from the laboratories to such person or location as the representatives of the SAA specifies.

Nothing in this clause must be interpreted as limiting the rights and remedies which Canada may otherwise have pursuant to any Contract resulting from the SA.

C) At Part 6A, article 15.1.5:

DELETE: "...section 13.1.4."

INSERT: "...section 6A.14.5."

D) At Part 6B, article 4.1:

DELETE: "Product Related Services cannot be combined with Product Category requirements".

E) At Part 6B, article 4.2, for Tier 2 and 3 :

INSERT: Product Related Services cannot be combined with Product Category requirements.

F) At Annex A-1 :

DELETE: article 1.2, in it's entirety.

INSERT: article 1.2

These specifications must be read in conjunction with article 2.0 of this annex. All products must meet the latest publications and testing requirements in effect at date of arrangement in response to the RFSA , with the exception of CAN/CGSB-44.227-2008 Free-standing Office Desk Products and Components paragraph 6.5.3 - Usable Space and of CAN/CGSB-44.229-2008 Interconnecting Panel Systems and Supported Components paragraph 6.6.3 - Usable Space.

G) At Annex A-1:

DELETE : article 2.2.11, in it's entirety.
article 2.2.12, in it's entirety.

INSERT: articles:

2.2.11 Revised Test Standard(s): Reference is made to the testing Standards listed within this annex and to the requirement that all products offered in the SA have successfully passed the referenced testing Standards. If the referenced test Standards change, the products must successfully pass the revised test Standard(s). Only the tests that have been revised must be performed, and, this testing must occur within nine months from the date of the revised test Standard(s).

2.2.12 Product Changes: When physical changes are made to products already tested against the above referenced test Standards, the changed product(s) must also be tested within nine months from the date of the product change. The applicable tests and the applicable test Standards will be those deemed by an Acceptable Test Facility.

H) At Annex v2 annex e rfb.docx, Annex A, article 2.2:

DELETE: "Refer to Annex A article 3.2 of the SA for Site inspection and Documentation instructions after contract award" (delete twice in article 2.2).

INSERT: "Refer to Annex A article 4 of the SA for Site inspection and Documentation instructions after contract award" (delete twice in article 2.2).

I) At Annex B – Products Catalogue category 1a :

DELETE:

PAFRBHPW18
PAFRBHPW24
PAFRBHPW30

PAFRBHPW36
PAFRBHPW42
PAFRBHPW48
PAFRBHPW54
PAFRBHPW60

J) At Annex B – Products Catalogue category 4:

DELETE :

SPLSCOS0508OA0610xxxx
SPLSCOS0508OA0762xxxx
SPLSCOS0508OA0914xxxx
SPLSCOS0508OA1067xxxx
SPLSCOS0508OA1219xxxx
SPLSCOS0508OA1372xxxx
SPLSCOS0508OA1524xxxx
SPLSCOS0508OA1676xxxx
SPLSCOS0508OA1830xxxx
SPLSCOS0508OA1981xxxx
SPLSCOS0508OA2134xxxx
SPLSCOS0508CH0610xxxx
SPLSCOS0508CH0762xxxx
SPLSCOS0508CH0914xxxx
SPLSCOS0508CH1067xxxx
SPLSCOS0508CH1219xxxx
SPLSCOS0508CH1372xxxx
SPLSCOS0508CH1524xxxx
SPLSCOS0508CH1676xxxx
SPLSCOS0508CH1830xxxx
SPLSCOS0508CH1981xxxx
SPLSCOS0508CH2134xxxx
SPLSCOS0508WA0610xxxx

SPLSCOS0508WA0762xxxx
SPLSCOS0508WA0914xxxx
SPLSCOS0508WA1067xxxx
SPLSCOS0508WA1219xxxx
SPLSCOS0508WA1372xxxx
SPLSCOS0508WA1524xxxx
SPLSCOS0508WA1676xxxx
SPLSCOS0508WA1830xxxx
SPLSCOS0508WA1981xxxx
SPLSCOS0508WA2134xxxx
SPLSCOS0508MA0610xxxx
SPLSCOS0508MA0762xxxx
SPLSCOS0508MA0914xxxx
SPLSCOS0508MA1067xxxx
SPLSCOS0508MA1219xxxx
SPLSCOS0508MA1372xxxx
SPLSCOS0508MA1524xxxx
SPLSCOS0508MA1676xxxx
SPLSCOS0508MA1830xxxx
SPLSCOS0508MA1981xxxx
SPLSCOS0508MA2134xxxx
SPLSCOSC508OA0610xxxx
SPLSCOSC508OA0762xxxx
SPLSCOSC508OA0914xxxx
SPLSCOSC508OA1067xxxx
SPLSCOSC508OA1219xxxx
SPLSCOSC508OA1372xxxx
SPLSCOSC508OA1524xxxx
SPLSCOSC508OA1676xxxx
SPLSCOSC508OA1830xxxx
SPLSCOSC508OA1981xxxx
SPLSCOSC508OA2134xxxx
SPLSCOSC508CH0610xxxx
SPLSCOSC508CH0762xxxx
SPLSCOSC508CH0914xxxx
SPLSCOSC508CH1067xxxx
SPLSCOSC508CH1219xxxx
SPLSCOSC508CH1372xxxx
SPLSCOSC508CH1524xxxx
SPLSCOSC508CH1676xxxx
SPLSCOSC508CH1830xxxx

SPLSCOSC508CH1981xxxx
SPLSCOSC508CH2134xxxx
SPLSCOSC508WA0610xxxx
SPLSCOSC508WA0762xxxx
SPLSCOSC508WA0914xxxx
SPLSCOSC508WA1067xxxx
SPLSCOSC508WA1219xxxx
SPLSCOSC508WA1372xxxx
SPLSCOSC508WA1524xxxx
SPLSCOSC508WA1676xxxx
SPLSCOSC508WA1830xxxx
SPLSCOSC508WA1981xxxx
SPLSCOSC508WA2134xxxx
SPLSCOSC508MA0610xxxx
SPLSCOSC508MA0762xxxx
SPLSCOSC508MA0914xxxx
SPLSCOSC508MA1067xxxx
SPLSCOSC508MA1219xxxx
SPLSCOSC508MA1372xxxx
SPLSCOSC508MA1524xxxx
SPLSCOSC508MA1676xxxx
SPLSCOSC508MA1830xxxx
SPLSCOSC508MA1981xxxx
SPLSCOSC508MA2134xxxx

K) At Annex B – Products Catalogue category 4:

DELETE:

SPHITL305xxOA0762xxxx
SPHITL305xxOA0914xxxx
SPHITL305xxOA1067xxxx
SPHITL305xxOA1219xxxx
SPHITL305xxOA1372xxxx
SPHITL305xxOA1524xxxx
SPHITL305xxOA1676xxxx
SPHITL305xxOA1830xxxx
SPHITL305xxOA1981xxxx

Solicitation No. - N° de l'invitation
E60PQ-140003/B

Amd. No. - N° de la modif.
015

Buyer ID - Id de l'acheteur
pq416

Client Ref. No. - N° de réf. du client
E60PQ-140003
140003

File No. - N° du dossier
pq416.E60PQ-

CCC No./N° CCC - FMS No./N° VME

SPHITL305xxOA2134xxxx
SPHITL305xxCH0762xxxx
SPHITL305xxCH0914xxxx
SPHITL305xxCH1067xxxx
SPHITL305xxCH1219xxxx
SPHITL305xxCH1372xxxx
SPHITL305xxCH1524xxxx
SPHITL305xxCH1676xxxx
SPHITL305xxCH1830xxxx
SPHITL305xxCH1981xxxx
SPHITL305xxCH2134xxxx
SPHITL305xxWA0762xxxx
SPHITL305xxWA0914xxxx
SPHITL305xxWA1067xxxx
SPHITL305xxWA1219xxxx
SPHITL305xxWA1372xxxx
SPHITL305xxWA1524xxxx
SPHITL305xxWA1676xxxx
SPHITL305xxWA1830xxxx
SPHITL305xxWA1981xxxx
SPHITL305xxWA2134xxxx
SPHITL305xxMA0762xxxx
SPHITL305xxMA0914xxxx
SPHITL305xxMA1067xxxx
SPHITL305xxMA1219xxxx
SPHITL305xxMA1372xxxx
SPHITL305xxMA1524xxxx
SPHITL305xxMA1676xxxx
SPHITL305xxMA1830xxxx
SPHITL305xxMA1981xxxx
SPHITL305xxMA2134xxxx

All other terms and conditions remain unchanged.