

Part 1 GENERAL**1.1 RELATED REQUIREMENTS**

- .1 Section 31 23 33.01 Excavation, Trenching and Backfill.

1.2 ADMINISTRATIVE REQUIREMENTS

- .1 Pre-Installation Meetings: conduct pre-installation meeting to verify project requirements, installation instructions and warranty requirements.
- .2 Scheduling:
 - .1 Schedule hydraulic seeding to coincide with preparation of soil surface.
 - .2 Schedule hydraulic seeding using grass mixtures and rate of application of mixtures recommended by Parks Canada and /or Regional Agricultural Department.

1.3 REFERENCES

- .1 Nova Scotia Transportation and Infrastructural Renewal (NSTIR) Standard Specification for Highway Construction and Maintenance

1.4 ACTION AND INFORMATIONAL SUBMITTALS

- .1 Submit in accordance with Section 01 33 00 - Submittal Procedures.
- .2 Product Data:
 - .1 Seed: "Canada pedigreed grade" in accordance with Government of Canada Seeds Act and Regulations.
Mixture composition:
 - .1 40% Creeping Red Fescue
 - .2 20% Hard Fescue
 - .3 15% Canada Blue Grass
 - .4 10% Alsike or White Clover
 - .5 10% Annual Rye Grass
 - .6 5% Red Top
 - .2 Submit manufacturer's instructions, printed product literature and data sheets for seed, mulch, tackifier, fertilizer, liquid soil amendments and micronutrients.
 - .3 Submit 2 copies of WHMIS MSDS in accordance with Section 01 35 29 - Health and Safety Requirements.

1.5 DELIVERY, STORAGE AND HANDLING

- .1 Delivery and Acceptance Requirements:
 - .1 Labelled bags of fertilizer identifying mass in kg, mix components and percentages, date of bagging, supplier's name and lot number.
 - .2 Inoculant containers to be tagged with expiry date.
- .2 Storage and Handling Requirements:
 - .1 Store fertilizer off ground in dry location and in accordance with manufacturer's recommendations in clean, dry, well-ventilated area.
 - .2 Replace defective or damaged materials with new.

1.6 WARRANTY

- .1 For seeding, 12 months warranty period is extended to 1 full growing season.
- .2 End-of-warranty inspection will be conducted by Departmental Representative.

Part 2 EXECUTION**2.1 EXAMINATION**

- .1 Verification of Conditions: verify conditions of substrate previously installed under other Sections or Contracts are acceptable for hydraulic seeding in accordance with manufacturer's written instructions.
 - .1 Visually inspect substrate.
 - .2 Inform Departmental Representative of unacceptable conditions immediately upon discovery.
 - .3 Proceed with installation only after unacceptable conditions have been remedied approval to proceed from Departmental Representative.

2.2 INSTALLERS

- .1 Use installer members in Good Standing of Horticultural Trades Association.

2.3 PREPARATION OF AND APPLICATION TO SURFACES

- .1 Do not perform work under adverse field conditions such as wind speeds over 10 km/h, frozen ground or ground covered with snow, ice or standing water.
- .2 Fine grade areas to be seeded free of humps and hollows.
 - .1 Ensure areas are free of deleterious and refuse materials.
- .3 Cultivated areas identified as requiring cultivation to depth of 25 mm.
- .4 Ensure areas to be seeded are moist to depth of 150 mm before seeding.
- .5 Obtain Departmental Representative's approval of grade before starting to seed.

- .6 Re-apply where application is not uniform.
- .7 Remove slurry from items and areas not designated to be sprayed.

2.4 CLEANING

- .1 Progress Cleaning: clean in accordance with Section 01 74 11 - Cleaning.
 - .1 Leave Work area clean at end of each day.
 - .2 Keep pavement and area adjacent to site clean and free from mud, dirt, and debris at all times.
- .2 Final Cleaning: upon completion remove surplus materials, rubbish, tools and equipment in accordance with Section 01 74 11 – Cleaning.
 - .1 Clean and reinstate areas affected by Work.
- .3 Waste Management: separate waste materials for reuse or recycling where possible
 - .1 Remove recycling containers and bins from site and dispose of materials at appropriate facility.
 - .2 Divert unused fertilizer from landfill to official hazardous material collections site approved by Departmental Representative.

2.5 PROTECTION

- .1 Protect seeded areas from trespass until plants are established.
- .2 Remove protection devices as directed by Departmental Representative.

2.6 ACCEPTANCE

- .1 Seeded areas will be accepted by Departmental Representative provided that:
 - .1 Seeded areas are free of rutted, eroded, bare or dead spots.

END OF SECTION