



GENERAL NOTES

CONTRACTOR TO VERIFY ALL DIMENSIONS & ACTUAL CONDITIONS ON SITE PRIOR TO COMMENCING WORK.

REVIEW ALL EXISTING WOOD BLOCKING, EXISTING ROOF SLAB & ALL EXISTING CURBS FOR ANY DAMAGE & DETERIORATED AREAS PRIOR TO INSTALLING ROOF MEMBRANE, REPLACE AS REQUIRED, TO MATCH EXISTING.

EXISTING CONCRETE ROOF SLAB IS SLOPED TO DRAINS.

SYMBOL LEGEND

RD ROOF DRAIN
REMOVE AND REPLACE EXISTING ROOF DRAINS WITH NEW AT SAME LOCATION. SEE DETAIL D1/A-102

VS VENT STACK
REPLACE STACK FLASHING ON ALL VENT PIPE PENETRATIONS. SEE DETAIL D2/A-102

EF EXHAUST FAN
EXISTING EXHAUST FAN TO BE REMOVED AND REINSTALLED ON NEW RAISED CURB. PROVIDE ELECTRICAL DISCONNECTION AND RECONNECTION TO ACCOMMODATE TEMPORARY REMOVAL OF UNITS. SEE DETAIL D3/A-102

FA FALL ARREST ANCHORS
EXISTING ROOF ANCHORS. SEE DETAIL C4/A-102

CAP EXISTING CAPPED ROOF OPENINGS AND UPSTAND TO BE REMOVED AND DECKED OVER. SEE DETAIL A3 / A-102

EXISTING PAINTED FLASHING, TO BE REMOVED AND REPLACED WITH NEW
FL1 →

EXISTING LEAD COPPER FLASHING TO BE REMOVED CAREFULLY AND REINSTALLED ON NEW ROOF
FL2 →

EXISTING ALUMINUM FLASHING TO BE REMOVED AND REPLACED WITH NEW
FL3 →

TYPICAL 2 PLY MODIFIED BITUMEN NEW ROOF CONSTRUCTION

- ROOFING CAP SHEET
- 13mm FIBREBOARD W/ FACTORY LAMINATED BASE SHEET
- R30 RIGID INSULATION
- VAPOUR BARRIER
- EXISTING SLOPED CONCRETE ROOF DECK

NOTE 1
COMMUNICATIONS ANTENNA TOWER CABLING WILL REQUIRE TEMPORARY SUPPORTS BETWEEN ANTENNA TOWER AND SERVICE MAST TO ALLOW FOR ROOF REPLACEMENT. UPON COMPLETION OF ROOF, CABLING SHALL BE PROPERLY INSTALLED ON GALVANIZED STEEL SUPPORT CHANNELS AND SUPPORTED AT APPROPRIATE INTERVALS TO MEET CANADIAN ELECTRICAL CODE REQUIREMENTS. CONTRACTOR TO COORDINATE WITH BUILDING OWNER / TENANT.

NOTE 2
COMMUNICATIONS ANTENNA TO BE TEMPORARILY SUPPORTED OFF ROOF MEMBRANE DURING DEMOLITION AND REPLACED IN ORIGINAL POSITION AFTER CONSTRUCTION. CONTRACTOR TO COORDINATE WITH OWNER

NOTE 3
EXISTING MODIFIED BITUMEN ROOFING SYSTEM TO BE CUT TO ALLOW INSTALLATION OF NEW WOOD SLEEPERS TO SUPPORT EXISTING STAIR. REPAIR ROOFING WITH MATERIALS TO MATCH EXISTING.

Public Works and
Government Services
Canada

Travaux Publics et
Services gouvernementaux
Canada


ARCHITECTURE

49

1640 Market Street
Halifax, NS, B3J 2C8
T+1.902.429.5490
F+1.902.429.2632
www.architecture49.com

22183

CERTIFICATE OF PRACTICE



F. Joseph Zoratti
Architect/Architecte
Inc.

PROFESSIONAL ASSOCIATION OF NEW BRUNSWICK

revisions	date

project

ROOF AND PENTHOUSE
REHABILITATION

MONCTON GOCB
1081 MAIN STREET

drawing	desain

designed RT

conçu

date

drawn LD

dessiné

date

approved

approuvé

date

Tender

Submission

PWSC Project Manager

Administrateur de projets TPSCG

project number

R.063297.001

no. du projet

drawing no.

A-101

no. du dessin

E-DRM/GDD-E 490125