

GENERAL NOTES

CONTRACTOR TO VERIFY ALL DIMENSIONS & ACTUAL CONDITIONS ON SITE PRIOR TO COMMENCING WORK.

REVIEW ALL EXISTING WOOD BLOCKING, EXISTING ROOF SLAB & ALL EXISTING CURBS FOR ANY DAMAGE & DETERIORATED AREAS PRIOR TO INSTALLING ROOF MEMBRANE, REPLACE AS REQUIRED, TO MATCH EXISTING.

EXISTING CONCRETE ROOF SLAB IS SLOPED TO DRAINS.

SYMBOL LEGEND

- RD **ROOF DRAIN**
REMOVE AND REPLACE EXISTING ROOF DRAINS WITH NEW AT SAME LOCATION. SEE DETAIL D1/A-102
- VS **VENT STACK**
REPLACE STACK FLASHING ON ALL VENT PIPE PENETRATIONS. SEE DETAIL D2/A-102
- EF **EXHAUST FAN**
EXISTING EXHAUST FAN TO BE REMOVED AND REINSTALLED ON NEW RAISED CURB. PROVIDE ELECTRICAL DISCONNECTION AND RECONNECTION TO ACCOMMODATE TEMPORARY REMOVAL OF UNITS. SEE DETAIL D3/A-102
- FA **FALL ARREST ANCHORS**
EXISTING ROOF ANCHORS. SEE DETAIL C4/A-102
- CAP **EXISTING CAPPED ROOF OPENINGS AND UPSTAND** TO BE REMOVED AND DECKED OVER. SEE DETAIL A3 / A-102
- EXISTING PAINTED FLASHING, TO BE REMOVED AND REPLACED WITH NEW
- EXISTING LEAD COPPER FLASHING TO BE REMOVED CAREFULLY AND REINSTALLED ON NEW ROOF
- EXISTING ALUMINUM FLASHING TO BE REMOVED AND REPLACED WITH NEW

TYPICAL 2 PLY MODIFIED BITUMEN

- NEW ROOF CONSTRUCTION**
- ROOFING CAP SHEET
 - 13mm FIBREBOARD w/ FACTORY LAMINATED BASE SHEET
 - R30 RIGID INSULATION
 - VAPOUR BARRIER
 - EXISTING SLOPED CONCRETE ROOF DECK


NOTE 1
COMMUNICATIONS ANTENNA TOWER CABLING WILL REQUIRE TEMPORARY SUPPORTS BETWEEN ANTENNA TOWER AND SERVICE MAST TO ALLOW FOR ROOF REPLACEMENT. UPON COMPLETION OF ROOF, CABLING SHALL BE PROPERLY INSTALLED ON GALVANIZED STEEL SUPPORT CHANNELS AND SUPPORTED AT APPROPRIATE INTERVALS TO MEET CANADIAN ELECTRICAL CODE REQUIREMENTS. CONTRACTOR TO COORDINATE WITH BUILDING OWNER / TENANT.

NOTE 2
COMMUNICATIONS ANTENNA TO BE TEMPORARILY SUPPORTED OFF ROOF MEMBRANE DURING DEMOLITION AND REPLACED IN ORIGINAL POSITION AFTER CONSTRUCTION. CONTRACTOR TO COORDINATE WITH OWNER

NOTE 3
EXISTING MODIFIED BITUMEN ROOFING SYSTEM TO BE CUT TO ALLOW INSTALLATION OF NEW WOOD SLEEPERS TO SUPPORT EXISTING STAIR. REPAIR ROOFING WITH MATERIALS TO MATCH EXISTING.

ARCHITECTURE 49

1640 Market Street
Halifax, NS, B3J 2C8
T+1.902.429.5490
F+1.902.429.2632
www.architecture49.com



revisions		date	
project	ROOF AND PENTHOUSE REHABILITATION		
	MONCTON GOBC 1081 MAIN STREET		
drawing	EXISTING ROOF PLAN		
designed	RT / JimW	conçu	
date			
drawn	LD	dessiné	
date			
approved		approuvé	
date			
Tender	Soumission		
PWOSC Project Manager	Administrateur de projets TPSCC		
project number	R.063297.001		
drawing no.	A-100		