



NOTE:  
CONTRACTOR TO VERIFY ALL DIMENSIONS IN FIELD  
PRIOR TO FABRICATION TO ENSURE CONFORMITY  
WITH CRIBS, FLOAT WHARVES, & WALKWAYS



## NOTES:

1. DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED
2. CONTRACTOR TO SUPPLY YELLOW REFLECTIVE SAFETY TAPE AND INSTALL ON END OF WALKWAY
3. CONTRACTOR TO SUPPLY AND PAINT ALL STEEL HARDWARE WITH 1 COAT OF RED RUST INHIBITOR PAINT
4. CONTRACTOR TO SUPPLY ALL HARDWARE FOR ALUMINUM WALKWAY CONNECTION
5. PRIOR TO FABRICATION ENSURE CONFORMITY TO CRIBS, FLOAT WHARVES, AND WALKWAYS
6. PIPE SLIDER - FLOAT WHARF CONNECTION:  
  
19.5 GALV. CHAIN TO EACH CROSBY SHACKLE  
LENGTH OF CHAIN TO ALLOW FOR FREE  
MOVEMENT BETWEEN FLOAT WHARF AND  
PIPE SLIDER - SHACKLE TO BE FASTENED WITH NUT  
AND COTTER PIN

REVISIONS:		DATE:
0	ISSUED FOR TENDER	JUNE 1, 2015

SCALE:	CLASS:
AS SHOWN	

PROJECT:

HARBOUR REVITALIZATION

DESCRIPTION:

DETAILS – FLOAT AND WALKWAY CONNECTIONS

DRAWN:  S.C.H.	APPROVED:  S.C.H.
DATE:  JUNE 2015	DATE:  JUNE 2015

LOCATION:

DAUPHIN RIVER, MB

DRAWING NO.:	LOCATOR CODE:
DR-8 OF 11	5513