



Materiel and Procurement Services
200 Kent Street, Station 9W079
Ottawa, Ontario
K1A 0E6

FP802-150053

June 23, 2015

Subject: Invitation to Tender: FP802-150053

Title: Lighthouse Restoration, Cape Spear, Newfoundland

ADDENDUM: NO. 01

Further to the above mentioned Invitation to Tender documentation previously posted on the Government Electronic Tendering Site (GETS), BuyandSell.gc.ca, Addendum (#01) is hereby issued.

Department of Fisheries and Oceans

Bid Closing Date: Monday, June 29, 2015

Time: 14:00 Hours (2:00 pm) Eastern Daylight Time (EDT)

RFP File No: FP802-150053

Please **ADD and insert** to the “SPECIFICATION DOCUMENT”, under **Section 01 10 10** – General Instructions, Page 3, at **Part 1.2, Description of work**, after the last sub-section **.7** the following:

- .8** Re-painting of the exterior aluminum enclosure around the lantern room. General requirements will include a light abrasive blasting to achieve an anchor profile of 1.5 mils (rough sandpaper finish). Prime surface by applying 2 coats of Amerlock 2 Surface Tolerant Epoxy Coating (or approved equivalent) at 5-7 mils dry film thickness per coat. Apply one coat of Amershield High Solids Polyurethane coating (or approved equivalent) at 3-5 mils dry film thickness.

All other Terms and Conditions for this requirement remain unchanged.

Yours truly,

Lynda Coulombe

Senior Procurement Officer

Tel: (613) 993-2839

E-mail: Lynda.Coulombe@dfo-mpo.gc.ca