

NOTE:
KEMPER LIQUID ROOF SYSTEM TO BE USED FOR ALL ROOF PENETRATIONS.

SECTION THROUGH SKYLIGHT

A | A5 | A8

SCALE: 1:5

0mm 100mm 200mm 300mm 400mm 500mm



NOTE:
KEMPER LIQUID ROOF SYSTEM TO BE USED FOR ALL ROOF PENETRATIONS.

SECTION THROUGH SKYLIGHT

B | A5 | A8

SCALE: 1:5

0mm 100mm 200mm 300mm 400mm 500mm



SECTION THROUGH TOP OF LID

C | A2 | A8

SCALE: 1:5

0mm 100mm 200mm 300mm 400mm 500mm



SKYLIGHT ROOF PLAN

1 | A5 | A8

SCALE : 1:10

0mm 100 200 300 400 500 600 700 800 900 1000mm

NOTE:
KEMPER LIQUID ROOF SYSTEM TO BE USED FOR ALL ROOF PENETRATIONS.

NOTE:
1. INSTALL MAIN T-BAR BEAMS PARALLEL (UP/DOWN THE INCLINE) THE SLOPE.
2. MAXIMUM CEILING SLOPE SHALL NOT EXCEED 30°.
3. INSTALL CEILING TILE WITH HOLD DOWN CLIPS.
3. IF NEEDED PLACE SHIMS BETWEEN THE PANEL EDGE AND THE WEB OF THE CROSS TEE AT THE LOWER EDGE OF EACH PANEL TO CENTER THE PANEL IN THE SUSPENSION SYSTEM OPENING.
4. IF RIGID BRACING FOR HANGER WIRES IS USED, IT SHALL REMAIN VERTICAL AND SPLAY WIRES SHALL BE INSTALLED AT A MAXIMUM OF 45° TO THE HORIZONTAL.
5. PERIMETER WALL MOLDINGS AT THE TOP AND BOTTOM OF THE SLOPE SHOULD BE RE-BENT TO CORRECT THE ANGLE BY THE CONTRACTOR. A 50mm WALL ANGLE SHOULD BE USED.



SECTION THROUGH GRID LINE B BULKHEAD AT SLOPED CEILING

D | A7 | A8

SCALE : 1:10

0mm 100 200 300 400 500 600 700 800 900 1000mm

C
0 10 20mm 40 60 80 100 120 140 160 180 200mm

PWGSC B1 (2004)

Public Works and Government Services Canada / Travaux Publics et Services gouvernementaux Canada

FOWLER BAULD & MITCHELL
architecture
Fowler Bauld & Mitchell Ltd.
PO Box 514, Suite 102
1660 Hollis Street
Halifax, Nova Scotia B3J 2R7
Tel: 902 429 4100
Fax: 902 423 3043
architects@fbm.ns.ca
www.fbm.ns.ca

CBCL LIMITED
Consulting Engineers
ISO 9001 CERTIFIED

LICENSED ARCHITECT
GEORGE A COTARAS
NOVA SCOTIA ASSOCIATION OF ARCHITECTS

revisions		date
1	ISSUED FOR TENDER	JUN. 4 2015

project / projet

ARGO BUILDING
BEDFORD INSTITUTE OF OCEANOGRAPHY

Dartmouth, NS

drawing / dessin

SECTION DETAILS

designed / conçu	SM
date	MARCH 2015
drawn / dessiné	CFH
date	MARCH 2015
approved / approuvé	
date	
Tender / Soumission	NS
PWGSC Project Manager / Administrateur de projets TPSGC	
project number / no. du projet	R.069793.001
drawing no. / no. du dessin	A8

E-DRM/GDD-E: 508077