

DATE	ISSUED FOR	REV
2015-06-08	TENDER	0

- WALL AND PARTITION NOTES:**
- 1 - RATED INTERIOR WALL**
 - 1 HOUR ULC W453
 - 15.9 TYPE "X" GWB
 - 92 STEEL STUDS @ 400 o/c
 - 15.9 TYPE "X" GWB
 - WALL TO U/S OF STRUCTURE
 - 2 - INTERIOR WALL**
 - 13 GWB
 - 92 STEEL STUDS @ 400 o/c
 - 13 CEMENT BOARD
 - 9 FRP PANEL TO 1800 AFF
 - 3 - RATED INTERIOR WALL**
 - ULC W453
 - 15.9 TYPE "X" GWB
 - 92 STEEL STUDS @ 400 o/c
 - 15.9 TYPE "X" GWB
 - 13 CEMENT BOARD
 - 9 FRP PANEL TO 1800 AFF
 - 4 - TYPICAL INTERIOR WALL U.N.O.**
 - 13 GWB
 - 92 STEEL STUDS
 - 13 GWB
 - 5 - EXTERIOR WALL**
 - 9 FRP PANEL TO 1800 AFF
 - 13 GWB
 - 64 STEEL STUDS
 - 6 - INTERIOR WALL**
 - FRP PANEL TO 1800 AFF
 - 13 GWB
 - 92 STEEL STUDS @ 400 o/c
 - MINERAL WOOL INSULATION
 - 13 CEMENT BOARD
 - 9 FRP PANEL TO 1800 AFF
 - 7 - RATED INTERIOR WALL**
 - 1 HOUR ULC 453
 - 9 FRP PANEL TO 1800 AFF
 - 15.9 TYPE "X" GWB
 - 92 STEEL STUDS @ 400 o/c
 - 15.9 TYPE "X" GWB
 - WALL TO U/S OF STRUCTURE
 - 8 - RATED INTERIOR WALL**
 - 1 HOUR ULC 453
 - 15.9 TYPE "X" GWB
 - 140 STEEL STUDS @ 400 o/c
 - 15.9 TYPE "X" GWB
 - SOUND BATT. INSULATION
 - WALL TO U/S OF STRUCTURE
 - 9 - INTERIOR WALL**
 - ULC X513
 - 2 LAYERS 15.9 TYPE "X" GWB
 - 64 STEEL STUDS @ 400 o/c
 - FIRESTOP TOP AND BOTTOM
 - STUDS TIGHT TO STRUCTURE
 - 10 - INTERIOR WALL**
 - 9 FRP PANEL TO 1800 AFF
 - 13 CEMENT BOARD
 - 64 STEEL STUDS @ 400 o/c
 - 11 - INTERIOR WALL**
 - 13 GWB
 - 92 STEEL STUDS @ 400 o/c
 - 13 CEMENT BOARD
- ALL EXTERIOR WALLS U.N.O.**
- 64 STEEL STUDS @ 600 o/c
 - 13 GWB

- DOOR NOTES:**
- ALL INTERIOR DOORS TO BE COMPLETE WITH PRESSED STEEL FRAME EXCEPT DOOR 12 WHICH WILL BE ALUMINUM.
 - ALL INTERIOR DOORS TO BE PREPARED FOR FULL MORTISE HARDWARE SCHLAGE GRADE 1 L SERIES F-13 FUNCTION OR APPROVED ALTERNATIVE.
 - ALL STEEL DOORS TO BE c/w WELDED SEAMS.
 - ALL HINGES TO BE BALL BEARING.
 - ALL CLOSERS TO BE 4040XP LCN.

- D1 - EXISTING**
-ENSURE EXISTING DOOR IS c/w LATCHING PANIC EXIT HARDWARE
- D2 - RATED METAL DOOR 900x2134**
-RATED 45 MIN
-3 HINGES
-1 PUSH - STAINLESS STEEL
-1 PULL - STAINLESS STEEL
-1 OVERHEAD CLOSER AND STOP
-1 KICKPLATE 200x300 - STAINLESS STEEL
- D3 - METAL DOOR 800x2134**
-3 HINGES
-1 FLOOR STOP
-1 LOCKSET
- D4 - METAL DOOR 800x2134**
-3 HINGES
-1 KICKPLATE
-1 LOCKSET
-1 OVERHEAD CLOSER AND STOP
- D5 - METAL DOOR 900x2134**
-3 HINGES
-1 OVERHEAD CLOSER AND STOP
- D6 - RATED METAL DOOR 900x2134**
-RATED 45 MIN
-3 HINGES
-1 CLOSER AND STOP
-1 KICKPLATE
-1 DEAD BOLT
-1 PASSAGE
- D7 - METAL DOOR 900x2134**
-3 HINGES
-1 KICKPLATE - STAINLESS STEEL
-1 CLOSER AND STOP
-1 PUSH - STAINLESS STEEL
-1 PULL - STAINLESS STEEL
-1 LATCHING PANIC EXIT HARDWARE
- D8 - METAL DOOR 900x2134**
-3 HINGES
-1 KICKPLATE - STAINLESS STEEL
-1 CLOSER AND STOP
-1 PUSH - STAINLESS STEEL
-1 PULL - STAINLESS STEEL
-1 LATCHING PANIC EXIT HARDWARE
- D9 - EXISTING**
-ENSURE EXISTING DOOR IS c/w LATCHING PANIC EXIT HARDWARE
- D10 - EXISTING**
- D11 - EXISTING**
- D12 - ALUMINUM DOOR w/ ALUMINUM PANEL 900x2134**
-3 HINGES
-1 CLOSER
-1 PASSAGE SET
-1 DEADBOLT

A - EPOXY PAINTED COLUMN TO U/S OF CEILING

- FINISH NOTES:**
- LINO TO BE EITHER POLYSAFE VERONA OR ALTRO WALKWAY; PROVIDE SEPARATE PRICE FOR EACH FROM STANDARD MANUFACTURER COLOUR.
 - ALL EPOXY FLOORING TO BE RETURNED UP WALL 100mm MIN.
 - ALL FLOOR FINISHED WITH LINO TO BE c/w RUBBER BASE FROM STANDARD COLOUR.

This drawing has been prepared solely for the use of the CLIENT and there are no representations of any kind made by NORR Architects Engineers Planners to any party with whom NORR Architects Engineers Planners has not entered into a contract. This drawing shall not be used for construction purposes until the seal appearing hereon is signed and dated by the Architect or Engineer.

Project Component

PROJECT No. NCCA 14-0204-00
QUONSET FIT-UP
TENANT IMPROVEMENT
RCMP TRAINING ACADEMY, INNISFAIR, AB
GOVERNMENT OF CANADA
P. O. BOX 6500, REGINA, SASKATCHEWEN
ISSUED FOR BUILDING PERMIT

North Arrow

Detail Symbol

Symbol not to scale

Consultants

Civil:
Landscape:
Architectural:
Structural:
Mechanical:
Electrical:

Seal(s)

FOR STRUCTURAL ONLY

NORR
ARCHITECTS ENGINEERS PLANNERS
An Ingenium Group Company
221-10 Ave SE,
Suite 100,
Calgary, Alberta, Canada T2G 0V9
www.norr.com

A Partnership of Limited Companies
Architects: D. Anderson, A.A.A., A.S.A., M.A.S.C.
Engineers: R. B. B. Architects, A.A.A., M.A.S.C.
Structural: C. M. Architects, A.A.A., M.A.S.C.
Mechanical: A. S. Architects, A.A.A., M.A.S.C.
Electrical: P. S. Architects, A.A.A., M.A.S.C.

Project Manager	D. ANDERSON
Project Leader	Checked
D.HIDER	A.TODEILA
Client	GOVERNMENT OF CANADA

Project

QUONSET FITUP


Drawing Title

ARCHITECTURAL FLOOR PLAN

Check Scale (may be photo reduced)

Project No. NCCA-140204

Drawing No. A20-01



PLOT DATE: June 8, 2015 TIME: 4:54 PM FULL PATH AND FILENAME: C:\D:\TIMSDATA\NCCA 140204\300-DELIV\A20-01.DWG PLOTSYLE TABLE: Ingenium.ctb