NOTES:

1. REBAR ON EXTERIOR FACING OF PLAN VIEW NOT SHOWN FOR CLARITY.
2. MAINTAIN 75mm COVER ON REBAR.
3. ANCHOR BOLT TO BE 25mm ø x 900mm LONG c/w 100mm LEG (GALVANIZED)
4. CLEAT PEDESTAL TO BE POURED CONTINUOUS WITH CONCRETE DECK.



PLAN



SECTION

TYPE "A" CLEAT BLOCK DETAIL 1

SCALE : 1:20

0mm 500mm 1000mm 1500mm 2000mm 2500mm



PLAN



FRONT ELEV.



SIDE ELEV.

TYPE "A" CLEAT 2

SCALE : 1:10

0mm 100 200 300 400 500 600 700 800 900 1000mm



TYPICAL CONTROL JOINT DETAIL 3

SCALE : 1:20

0mm 500mm 1000mm 1500mm 2000mm 2500mm



WHEELGUARD SECTION 4

SCALE: 1:5

0mm 100mm 200mm 300mm 400mm 500mm



NOTE:
FENDERING OMITTED FOR CLARITY.

WHEELGUARD AND COPING DETAIL 5

SCALE : 1:20

0mm 500mm 1000mm 1500mm 2000mm 2500mm



END OF WHARF BLOCKING DETAIL 6

SCALE : 1:20

0mm 500mm 1000mm 1500mm 2000mm 2500mm



ELEVATION

LADDER DETAIL – AREA WITH DOUBLE HORZ. FENDER 7

SCALE : 1:20

0mm 500mm 1000mm 1500mm 2000mm 2500mm



SLAB ON GRADE 8

SCALE : 1:10

0mm 100 200 300 400 500 600 700 800 900 1000mm



NOTE:

1. ALL LONGITUDINAL STEEL PERPENDICULAR TO CROSS-TIES AND PLACED ON TOP UPPER LAYER AND BOTTOM LOWER LAYER.

STRUCTURAL DECK 9

SCALE : 1:10

0mm 100 200 300 400 500 600 700 800 900 1000mm



NOTE:

1. 2 BEADS OF SILICONE FIRESTOPPING SEALANT ARE TO BE PLACED BETWEEN EACH TIMBER JOINT FOR THE FULL WIDTH & HEIGHT OF THE FIRE SEPARATOR AS SPECIFIED. SEALANT TO BE SUITED FOR USE ON WOOD IN A WET ENVIRONMENT WITH 4 HOUR FIRE RATING.

FIRE SEPARATOR 10

SCALE : 1:20

0mm 500mm 1000mm 1500mm 2000mm 2500mm



SECTION AT NEW MARGINAL 11

SCALE: 1:40

0mm 1mm 2mm 3mm 4mm 5mm

Public Works and Government Services Canada / Travaux Publics et Services gouvernementaux Canada

PROVINCE OF NEWFOUNDLAND
PERMIT HOLDER
This Permit Allows
AFN ENGINEERING INC.
To practice Professional Engineering in Newfoundland and Labrador.
Permit No. as issued by APEGNL F0292
which is valid for the year 2015.

STAMP
PROFESSIONAL ENGINEERS
NEIL C. HUNT
SIGNATURE
6/5/15
DATE
NEWFOUNDLAND & LABRADOR

revisions		date
B	ISSUED FOR TENDER	6/5/15
A	ISSUED FOR 33% REVIEW	28/12/14

project / projet

HARBOUR DEVELOPMENT

JOE BATTS ARM, NL

drawing / dessin

DETAILS

designed N.H. / conçu
date JUNE 5, 2015
drawn P.H. / dessiné
date JUNE 5, 2015
approved / approuvé
date
Tender / Soumission
PWGSC Project Manager / Administrateur de projets TPSGC
16 Feb, 2015
project number / no. du projet
R.077427.001
drawing no. / no. du dessin
C7 OF 8

PWGSC B1 (2004)

E-DRM/GDD-E: 521899 Version 1