

RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving - PWGSC / Réception des soumissions
- TPSGC
11 Laurier St. / 11, rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

Revision to a Request for a Standing Offer

Révision à une demande d'offre à commandes

National Master Standing Offer (NMSO)

Offre à commandes principale et nationale (OCPN)

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Offer remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'offre demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Fuel & Construction Products Division
11 Laurier St./11, rue Laurier
7A2, Place du Portage, Phase III
Gatineau, Québec K1A 0S5

Title - Sujet MARINE FUELS	
Solicitation No. - N° de l'invitation E60HL-150051/F	Date 2015-07-21
Client Reference No. - N° de référence du client E60HL-150051	Amendment No. - N° modif. 001
File No. - N° de dossier hl601.E60HL-150051	CCC No./N° CCC - FMS No./N° VME
GETS Reference No. - N° de référence de SEAG PW-\$\$HL-601-67648	
Date of Original Request for Standing Offer 2015-07-10	
Date de la demande de l'offre à commandes originale	
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2015-08-24	
Time Zone Fuseau horaire Eastern Daylight Saving Time EDT	
Address Enquiries to: - Adresser toutes questions à: Lemieux, Johanna	Buyer Id - Id de l'acheteur hl601
Telephone No. - N° de téléphone (819) 956-0177 ()	FAX No. - N° de FAX () -
Delivery Required - Livraison exigée	
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: As indicated at Annex "A"	
Security - Sécurité This revision does not change the security requirements of the Offer. Cette révision ne change pas les besoins en matière de sécurité de la présente offre.	

Instructions: See Herein

Instructions: Voir aux présentes

Acknowledgement copy required Accusé de réception requis	Yes - Oui <input type="checkbox"/>	No - Non <input type="checkbox"/>
The Offeror hereby acknowledges this revision to its Offer. Le proposant constate, par la présente, cette révision à son offre.		
Signature	Date	
Name and title of person authorized to sign on behalf of offeror. (type or print) Nom et titre de la personne autorisée à signer au nom du proposant. (taper ou écrire en caractères d'imprimerie)		
For the Minister - Pour le Ministre		

Solicitation No. - N° de l'invitation

E60HL-150051/F

Amd. No. - N° de la modif.

001

Buyer ID - Id de l'acheteur

hl601

Client Ref. No. - N° de réf. du client

E60HL-150051

File No. - N° du dossier

hl601E60HL-150051

CCC No./N° CCC - FMS No/ N° VME

“This page has been intentionally left blank”

Amendment 001 to Request for Standing Offer (RFSO) E60HL-150051/F which closes on August 24, 2015 at 2:00 p.m. is raised to:

- 1) **Provide the attached Product Specifications for Marine Diesel, ISO.8217:2012, DMZ**
- 2) **At PART 3 - OFFER PREPARATION INSTRUCTIONS, Section I: Technical Offer,**

INSERT: B. Alternate Product

i) For “**Marine Diesel-ISO.8217:2012, DMZ**” in **Zones NS041** and **NL201** as stated in Appendix “A”, Canada, at its sole discretion, may consider, but is not bound to accept, offers for the following alternate product:

Naval Distillate Fuel in accordance with CGSB Standard 3.11-2010 (latest issue), except Kinematic Viscosity at 40°C min. 2.5 mm²/s, sulphur min. 500ppm and max. 1000ppm, and lubricity max. 520 µm at 60°C.

If applicable, the Offeror must insert the alternate product description and unit price in Appendix “A”.

- 3) **At PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION, 4.1 Evaluation Procedures, 4.1.1 Technical Evaluation,**

INSERT: 4.1.1.2 Alternate Product

i) As stated in Part 3, for “**Marine Diesel-ISO.8217:2012, DMZ**” in **Zones NS041** and **NL201** as indicated in Appendix “A”, Canada, at its sole discretion, may consider, but is not bound to accept, offers for the following alternate product:

Naval Distillate Fuel in accordance with CGSB Standard 3.11-2010 (latest issue), except Kinematic Viscosity at 40°C min. 2.5 mm²/s, sulphur min. 500ppm and max. 1000ppm, and lubricity max. 520 µm at 60°C.

The Alternate Product will only be considered if no responsive offer is received for the requested Product.

All other terms and conditions of the Request for Standing Offers remain unchanged.

Product Specifications

Marine Diesel Fuel (MDO)

Specification ISO 8217-2012 DMZ

Control Tests	Min	Max	Test Method
Density @15 C, kg/m3		< 890	ISO 3675/ISO 12185
Flash Point, 0C	60		ISO 2719
Hydrogen Sulphide @ 60 -C, ppm		2	IP 570
Kinematic Viscosity, cSt @ 40C	3	6	ISO 3104
Pour Point 0C		0	ISO 3016
Sulphur, m%	.05(500 ppm)	.1(1000 ppm)	ISO 8754 or 14596
AS PER STATUATORY REQUIREMENTS			
Water % volume		0	ISO 3733
Total Sediment by hot filtration, m%		0	ISO 10307-1
Oxidation Stability g/m3		25	ISO 12205
Ash, m%		0.010	ISO 6245
Carbon Residue: micro method on the 10% volume distillation residue mass%		.30	ISO 10370
Carbon residue: micro method mass%		0	
Cloud Point 0C		0	ISO 3015
Acid Number mg KOH/g		.5	ASTM D664
Cetane Index	40		ISO4264
Appearance	clear and bright		
Lubricity, corrected wear scar diameter (wsd 1,4) at 60 degree c um		520	ISO 12156-1