

**GENERAL NOTES:**

1. Do not scale drawing; verify dimensions on site.
2. Drawings to be read as a set.
3. Dimensions are in mm unless otherwise noted.
4. All areas damaged during construction are to be made good.
5. Where noted existing walls to be modified to meet specified fire rating.
6. Floor assembly above premises to maintain 45 minute fire-rating, apply fire-proofing to underside of deck where required to achieve continuous fire separation above.

**DEMOLITION NOTES**

1. Remove all partitions, doors, window coverings and millwork, where noted.
2. Remove all flooring throughout except Storage Room B22, make good floor slab to receive new flooring.
3. Retain and reuse existing ceiling grid where possible.
4. All card access equipment to be kept for reuse where applicable.




**LEGEND:**


- WALL TO BE REMOVED
- █ NEW WALLS
- ===== FIRE RATED WALL - 45 MIN.
- ===== FIRE RATED WALL - 1 HR.
- (218A) DOOR NUMBER
- ① WALL TYPE INDICATOR
- [S1] INTERIOR SCREEN NUMBER
- ① KEYED NOTE INDICATOR

**PARTITION TYPE SCHEDULE**



**NOTES FOR INTERNAL WALL TYPES**

1. REFER TO FINISH SCHEDULE FOR WALL FINISHES AND WALL BASE TYPE.
2. THIS DRAWING SHOULD BE READ IN CONJUNCTION WITH FINISHES SCHEDULE.
3. REFER TO FLOOR PLANS FOR WALL TYPE LOCATIONS.
4. SOUND BATTS WILL BE 92mm THICKNESS UNLESS NOTED OTHERWISE.

TYPE	INTERNAL WALL TYPE DESCRIPTION	STC	FIRE RATING
1	 <p>16 FIRE RESISTANT GYPSUM BOARD ON BOTH SIDES TO U/S STRUCTURE</p> <p>92 STUDS WITH SOUND BATTS IN CAVITY TO U/S STRUCTURE</p>	STC 47 BASED ON WALL TYPE S4b NBC 2010	45 MIN. BASED ON ULC DESIGN W-453
1C	 <p>CERAMIC WALL TILE</p> <p>16 FIRE RESISTANT GYPSUM BOARD ON BOTH SIDES TO U/S STRUCTURE</p> <p>92 STUDS WITH SOUND BATTS IN CAVITY TO U/S STRUCTURE</p>	STC 47 BASED ON WALL TYPE S4b NBC 2010	45 MIN. BASED ON ULC DESIGN W-453
2	 <p>16 GYPSUM BOARD ON BOTH SIDES TO U/S STRUCTURE</p> <p>92 STUDS WITH SOUND BATTS IN CAVITY TO U/S STRUCTURE</p>	STC 47 BASED ON WALL TYPE S4b NBC 2010	
2C	 <p>CERAMIC WALL TILE</p> <p>16 GYPSUM BOARD ON BOTH SIDES TO U/S STRUCTURE</p> <p>92 STUDS WITH SOUND BATTS IN CAVITY TO U/S STRUCTURE</p>	STC 47 BASED ON WALL TYPE S4b NBC 2010	
3	 <p>16 FIRE RESISTANT GYPSUM BOARD ON BOTH SIDES TO U/S STRUCTURE</p> <p>92 STUDS WITH SOUND BATTS IN CAVITY TO U/S STRUCTURE</p>	STC 47 BASED ON WALL TYPE S4b NBC 2010	45 MIN. BASED ON ULC DESIGN W-453
3C	 <p>CERAMIC TILE</p> <p>16 FIRE RESISTANT GYPSUM BOARD ON BOTH SIDES TO U/S STRUCTURE</p> <p>92 STUDS WITH SOUND BATTS IN CAVITY TO U/S STRUCTURE</p>	STC 47 BASED ON WALL TYPE S4b NBC 2010	45 MIN. BASED ON ULC DESIGN W-453
4	 <p>16 FIRE RESISTANT GYPSUM BOARD ON BOTH SIDES TO U/S STRUCTURE</p> <p>92 STUDS WITH SOUND BATTS IN CAVITY TO U/S STRUCTURE</p>	STC 47 BASED ON WALL TYPE S4b NBC 2010	1 HR. BASED ON ULC DESIGN W-453
4C	 <p>CERAMIC TILE</p> <p>16 FIRE RESISTANT GYPSUM BOARD ON BOTH SIDES TO U/S STRUCTURE</p> <p>92 STUDS WITH SOUND BATTS IN CAVITY TO U/S STRUCTURE</p>	STC 47 BASED ON WALL TYPE S4b NBC 2010	1 HR. BASED ON ULC DESIGN W-453



**1**  
**A-1**  
**EXISTING/DEMOLITION PLAN**  
SCALE : 1:100



Public Works and Government Services Canada / Travaux Publics et Services gouvernementaux Canada

**Mackay-Lyons Sweetapple Architects Limited**

2188 Gottingen Street  
Halifax Nova Scotia Canada  
B3K 3B4

T 902.429.1867  
F 902.429.6276  
www.mlsarchitects.ca



revisions	date
3	ISSUED FOR TENDER 05.26.15
2	99% REVIEW SUBMISSION 04.10.15
1	50% REVIEW SUBMISSION 00.10.14

project  
**WOODSTOCK CFIA FIT-UP GOCB**  
680 MAIN STREET WOODSTOCK, NB

drawing design

**DEMOLITION PLAN, PARTITION TYPE SCHEDULE**

designed DEC conçu  
date 10.10.14  
drawn DEC dessiné  
date 10.10.14  
approved approuvé

date  
Tender Submission  
PWGSC Project Manager 2015/06/24 Administrateur de projets TPSGC

project number no. du projet  
**R.067717.001**

drawing no. no. du dessin  
**A-1**