

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving - PWGSC / Réception des soumissions
- TPSGC
11 Laurier St. / 11, rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Vehicles & Industrial Products Division
11 Laurier St./11, rue Laurier
7A2, Place du Portage, Phase III
Gatineau, Québec K1A 0S5

Title - Sujet DIAPHRAGM,ACTUATOR VALVE,SPECIAL	
Solicitation No. - N° de l'invitation W8482-167927/A	Amendment No. - N° modif. 001
Client Reference No. - N° de référence du client W8482-167927	Date 2015-07-29
GETS Reference No. - N° de référence de SEAG PW-\$\$HP-926-67717	
File No. - N° de dossier hp926.W8482-167927	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2015-09-08	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Palmer, Mitchell	Buyer Id - Id de l'acheteur hp926
Telephone No. - N° de téléphone (819) 956-3942 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim. Révisée	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
2	<p>NSN - NNO: 4820-21-913-4789</p> <p>DIAPHRAGM,ACTUATOR VALVE,SPECI AL SHAPED</p> <p>Part No. : 175-0061</p> <p>NSCM/CAGE : 38881</p> <p>Montreal Bronze</p> <ul style="list-style-type: none"> • (or equivalent) • <p>Radius: 1.000 Inches Nominal</p> <p>Overall Height: 0.325 Inches Nominal</p> <p>Material Thickness: 0.190 Inches Minimum and 0.210 Inches Maximum</p> <p>Center to Center Distance Between Bolt Holes Along Width: 1.432 Inches Minimum and 1.442 Inches Maximum</p> <p>Center to Center Distance Between Bolt Holes Along Length: 1.307 Inches Minimum and 1.317 Inches Maximum</p>	Total		20	20	Each	\$	XXXXXXXXXXXX			



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim.	Revised Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
2	Bolt Hole Quality: 4 Special Features: Rienforced with Nylon Cloth Style Designator: 69 Special Shaped • Your offer: • Part No. offered: _____ • • NSCM/CAGE offered : _____ NSCM/CAGE - COF/CAGE: 38881 Part No. - N° de la partie: 175-0061										



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim. Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
3	<p>NSN - NNO: 4820-21-913-4789</p> <p>DIAPHRAGM,ACTUATOR VALVE,SPECI AL SHAPED</p> <p>Part No. : 175-0061</p> <p>NSCM/CAGE : 38881</p> <p>Montreal Bronze</p> <ul style="list-style-type: none"> • (or equivalent) • <p>Radius: 1.000 Inches Nominal</p> <p>Overall Height: 0.325 Inches Nominal</p> <p>Material Thickness: 0.190 Inches Minimum and 0.210 Inches Maximum</p> <p>Center to Center Distance Between Bolt Holes Along Width: 1.432 Inches Minimum and 1.442 Inches Maximum</p> <p>Center to Center Distance Between Bolt Holes Along Length: 1.307 Inches Minimum and 1.317 Inches Maximum</p>	Total		30	30	Each	\$	XXXXXXXXXXXX		



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim.	Revised Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
3	Bolt Hole Quality: 4 Special Features: Rienforced with Nylon Cloth Style Designator: 69 Special Shaped • Your offer: • Part No. offered: _____ • • NSCM/CAGE offered : _____ NSCM/CAGE - COF/CAGE: 38881 Part No. - N° de la partie: 175-0061										



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim. Révisée Révisée	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
4	<p>NSN - NNO: 4820-21-913-4790</p> <p>DIAPHRAGM,ACTUATOR VALVE,SPECI AL SHAPED</p> <p>Part No. : 175-0063</p> <p>NSCM/CAGE : 38881</p> <p>Montreal Bronze</p> <p>• (or equivalent)</p> <p>• Hole Diameter: 0.375 Inches Nominal</p> <p>Outside Corner Radius: 0.375 Inches Nominal</p> <p>Center to Center Distance</p> <p>Between Holes Along Width: 1.817 Inches Nominal</p> <p>Center to Center Distance</p> <p>Between Holes Along Length: 2.130 Inches Nominal</p> <p>Bolt Hole Quantity: 4</p> <p>Style Designation: 69 Special Shaped</p> <p>•</p>	Total		20	20	Each	\$		XXXXXXXXXXXX		

Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim. Révisée Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
4	• Your offer: • Part No. offered: _____ • • NSCM/CAGE offered : _____ NSCM/CAGE - COF/CAGE: 38881 Part No. - N° de la partie: 175-0063								



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim. Révisée Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM	Destination	Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
5	<p>NSN - NNO: 4820-21-913-4790</p> <p>DIAPHRAGM,ACTUATOR VALVE,SPECI AL SHAPED</p> <p>Part No. : 175-0063</p> <p>NSCM/CAGE : 38881</p> <p>Montreal Bronze</p> <p>• (or equivalent)</p> <p>•</p> <p>Hole Diameter: 0.375 Inches Nominal</p> <p>Outside Corner Radius: 0.375 Inches Nominal</p> <p>Center to Center Distance Between Holes Along Width: 1.817 Inches Nominal</p> <p>Center to Center Distance Between Holes Along Length: 2.130 Inches Nominal</p> <p>Bolt Hole Quantity: 4</p> <p>Style Designation: 69 Special Shaped</p> <p>•</p>	Total		20	20	Each	\$		XXXXXXXXXXXX		

Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim. Révisée Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM	Destination Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
5	• Your offer: • Part No. offered: _____ • • NSCM/CAGE offered : _____ NSCM/CAGE - COF/CAGE: 38881 Part No. - N° de la partie: 175-0063									



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim. Révisée Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM	Destination	Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
6	<p>NSN - NNO: 4820-21-913-4793</p> <p>DIAPHRAGM,ACTUATOR VALVE,SPECI AL SHAPED</p> <p>Part No. : 175-0032</p> <p>NSCM/CAGE : 38881</p> <p>Montreal Bronze</p> <ul style="list-style-type: none"> • (or equivalent) • <p>Hole Diameter: 0.562 Inches</p> <p>Nominal</p> <p>Radius: 2.750 Inches Nominal</p> <p>Overall Height: 0.920 Inches</p> <p>Nominal</p> <p>Material Thickness: 0.230</p> <p>Inches Minimum and 0.260</p> <p>Inches maximum</p> <p>Center to Center Distance</p> <p>Between Bolt Holes Along</p> <p>Width: 3.995 Inches Minimum</p> <p>and 4.005 Inches Maximum</p> <p>Center to Center Distance</p> <p>Between Bolt Holes Along</p>	Total		50	50	Each	\$		XXXXXXXXXXXX		



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim.	Revised Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
6	Length: 3.745 Inches Minimum and 3.755 Inches Maximum Bolt Hole Quantity: 4 Special Features: Reinforced with Nylon Cloth, Furnished with Moulded In Pan Head Screw Style Designation: 69 Special Shaped • Your offer: • Part No. offered: _____ • • NSCM/CAGE offered : _____ NSCM/CAGE - COF/CAGE: 38881 Part No. - N° de la partie: 175-0032										



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim. Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM	Del. Req. Liv. Req.	Del. Offered Liv. offerte
7	NSN - NNO: 4820-21-913-4793 DIAPHRAGM,ACTUATOR VALVE,SPECI AL SHAPED Part No. : 175-0032 NSCM/CAGE : 38881 Montreal Bronze • (or equivalent) • Hole Diameter: 0.562 Inches Nominal Radius: 2.750 Inches Nominal Overall Height: 0.920 Inches Nominal Material Thickness: 0.230 Inches Minimum and 0.260 Inches maximum Center to Center Distance Between Bolt Holes Along Width: 3.995 Inches Minimum and 4.005 Inches Maximum Center to Center Distance Between Bolt Holes Along	Total		20	20	Each	\$		XXXXXXXXXXXX

Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim. Révisée Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Del. Req. Liv. Req.	Del. Offered Liv. offerte
7	Length: 3.745 Inches Minimum and 3.755 Inches Maximum Bolt Hole Quantity: 4 Special Features: Reinforced with Nylon Cloth, Furnished with Moulded In Pan Head Screw Style Designation: 69 Special Shaped • • Your offer: • Part No. offered: _____ • • NSCM/CAGE offered : _____ NSCM/CAGE - COF/CAGE: 38881 Part No. - N° de la partie: 175-0032								



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Quantity - Quantité		U. of I. U. de D.	Unit Price/Prix unitaire		Del. Req. Liv. Req.	Del. Offered Liv. offerte
				Current Courant	Inc./Dec. Augm/dim.		Revised Révisée	FOB/FAM Plant/Usine		
8	NSN - NNO: 4820-21-913-4794 DIAPHRAGM,ACTUATOR VALVE,SPECI AL SHAPED Part No. : 175-0033 NSCM/CAGE : 38881 Montreal Bronze • (or equivalent) • Hole Diameter: 0.531 inches Nominal Radius: 2.380 Inches Nominal Overall Height: 0.870 Inches Nominal Material Thickness: 0.240 Inches Nominal Outside Corner Radius: 0.590 Inches Nominal Center to Center Distance Between Bolt Holes Along Width: 3.250 Inches Nominal Center to Center Distance Between Bolt Holes Along	Total		20	20	Each	\$	XXXXXXXXXXXX		

Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim. Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM	Del. Req. Liv. Req.	Del. Offered Liv. offerte
8	Length: 3.062 Inches Nominal Bolt Hole Quantity: 4 Special Features: Furnished with Moulded in Pan Head Screw as Center Stud Style Designation: 69 Special Shaped • • Your offer: • Part No. offered: _____ • • NSCM/CAGE offered : _____ NSCM/CAGE - COF/CAGE: 38881 Part No. - N° de la partie: 175-0033								



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Quantity - Quantité		U. of I. U. de D.	Unit Price/Prix unitaire		Del. Req. Liv. Req.	Del. Offered Liv. offerte
				Current Courant	Inc./Dec. Augm/dim.		Revised Révisée	FOB/FAM Plant/Usine		
9	NSN - NNO: 4820-21-913-4794 DIAPHRAGM,ACTUATOR VALVE,SPECI AL SHAPED Part No. : 175-0033 NSCM/CAGE : 38881 Montreal Bronze • (or equivalent) • Hole Diameter: 0.531 inches Nominal Radius: 2.380 Inches Nominal Overall Height: 0.870 Inches Nominal Material Thickness: 0.240 Inches Nominal Outside Corner Radius: 0.590 Inches Nominal Center to Center Distance Between Bolt Holes Along Width: 3.250 Inches Nominal Center to Center Distance Between Bolt Holes Along	Total		20	20	Each	\$	XXXXXXXXXXXX		



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim.	Revised Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
9	Length: 3.062 Inches Nominal Bolt Hole Quantity: 4 Special Features: Furnished with Moulded in Pan Head Screw as Center Stud Style Designation: 69 Special Shaped • • • Your offer: • Part No. offered: _____ • • NSCM/CAGE offered : _____ NSCM/CAGE - COF/CAGE: 38881 Part No. - N° de la partie: 175-0033										



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim. Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM	Del. Req. Liv. Req.	Del. Offered Liv. offerte
							Destination		
									Plant/Usine
10	NSN - NNO: 4820-21-913-4795 DIAPHRAGM,ACTUATOR VALVE,SPECI AL SHAPED Part No. : 175-0065 NSCM/CAGE : 38881 Montreal Bronze • (or equivalent) • Hole Diameter: 0.531 Inches Nominal Radius: 1.750 Inches Nominal Overall Height: 0.565 Inches Nominal Material Thickness: 0.240 Inches Nominal Outside Corner Radius: 0.432 Inches Nominal Center to Center Distance Between Bolt Holes Along Width: 2.385 Inches Nominal Center to Center Distance Between Bolt Holes Along	Total		80	80	Each	\$		XXXXXXXXXXXX

Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim. Révisée Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM	Destination	Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
10	Length: 2.625 Inches Nominal Center Hole Diameter: 0.750 Inches Nominal Bolt Hole Quantity: 4 Special Features: Furnished with Moulded in Pan Head Screw as Center Stud Style Designation: 69 Special Shaped • • Your offer: • Part No. offered: _____ • • NSCM/CAGE offered : _____ NSCM/CAGE - COF/CAGE: 38881 Part No. - N° de la partie: 175-0065										



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim. Révisée Révisée	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
11	<p>NSN - NNO: 4820-21-913-4795</p> <p>DIAPHRAGM,ACTUATOR VALVE,SPECI AL SHAPED</p> <p>Part No. : 175-0065</p> <p>NSCM/CAGE : 38881</p> <p>Montreal Bronze</p> <ul style="list-style-type: none"> • (or equivalent) • <p>Hole Diameter: 0.531 Inches Nominal</p> <p>Radius: 1.750 Inches Nominal</p> <p>Overall Height: 0.565 Inches Nominal</p> <p>Material Thickness: 0.240 Inches Nominal</p> <p>Outside Corner Radius: 0.432 Inches Nominal</p> <p>Center to Center Distance Between Bolt Holes Along Width: 2.385 Inches Nominal</p> <p>Center to Center Distance Between Bolt Holes Along</p>	Total		20	20	Each	\$		XXXXXXXXXXXX		



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim.	Revised Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
11	Length: 2.625 Inches Nominal Center Hole Diameter: 0.750 Inches Nominal Bolt Hole Quantity: 4 Special Features: Furnished with Moulded in Pan Head Screw as Center Stud Style Designation: 69 Special Shaped • • Your offer: • Part No. offered: _____ • • NSCM/CAGE offered : _____ NSCM/CAGE - COF/CAGE: 38881 Part No. - N° de la partie: 175-0065										



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim. Révisée Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM	Destination	Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
12	NSN - NNO: 4820-21-913-4796 DIAPHRAGM,ACTUATOR VALVE,SPECI AL SHAPED Part No. : 175-0045 NSCM/CAGE : 38881 Montreal Bronze • (or equivalent) • Hole Diameter: 0.687 Inches Nominal Radius: 3.620 Inches Nominal Overall Height: 1.000 Inches Nominal Material Thickness: 0.280 Inches Nominal Outside Corner Radius: 0.880 Inches Nominal Center to Center Distance Between Bolt Holes Along Width: 4.500 Inches Nominal Center to Center Distance Between Bolt Holes Along	Total		15	15	Each		\$	XXXXXXXXXXXX		



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim.	Revised Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
12	Length: 5.00 Inches Nominal Center Hole Diameter: 1.250 Inches Nominal Bolt Hole Quantity: 4 Special Features: Furnished with Moulded in Pan Head Screw as Center Stud Style Designation: 69 Special Shaped • • Your offer: • Part No. offered: _____ • • NSCM/CAGE offered : _____ NSCM/CAGE - COF/CAGE: 38881 Part No. - N° de la partie: 175-0045										



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Quantity - Quantité		U. of I. U. de D.	Unit Price/Prix unitaire		Del. Req. Liv. Req.	Del. Offered Liv. offerte
				Current Courant	Inc./Dec. Augm/dim.		Revised Révisée	FOB/FAM Plant/Usine		
13	NSN - NNO: 4820-21-913-4796 DIAPHRAGM,ACTUATOR VALVE,SPECI AL SHAPED Part No. : 175-0045 NSCM/CAGE : 38881 Montreal Bronze • (or equivalent) • Hole Diameter: 0.687 Inches Nominal Radius: 3.620 Inches Nominal Overall Height: 1.000 Inches Nominal Material Thickness: 0.280 Inches Nominal Outside Corner Radius: 0.880 Inches Nominal Center to Center Distance Between Bolt Holes Along Width: 4.500 Inches Nominal Center to Center Distance Between Bolt Holes Along	Total		10	10	Each	\$	XXXXXXXXXXXX		



Item Art.	Description	Dest. Code Dest.	Inv. Code Fact.	Current Courant	Quantity - Quantité Inc./Dec. Augm/dim.	Revised Révisée	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Del. Req. Liv. Req.	Del. Offered Liv. offerte
13	Length: 5.00 Inches Nominal Center Hole Diameter: 1.250 Inches Nominal Bolt Hole Quantity: 4 Special Features: Furnished with Moulded in Pan Head Screw as Center Stud • • Your offer: • Part No. offered: _____ • • NSCM/CAGE offered : _____ NSCM/CAGE - COF/CAGE: 38881 Part No. - N° de la partie: 175-0045										

Solicitation No. - N° de l'invitation

W8482-167927/A

Client Ref. No. - N° de réf. du client

W8482-167927

Amd. No. - N° de la modif.

001

File No. - N° du dossier

hp926W8482-167927

Buyer ID - Id de l'acheteur

hp926

CCC No./N° CCC - FMS No/ N° VME

This page has been intentionally left blank.

Solicitation No. - N° de l'invitation
W8482-167927/A
Client Ref. No. - N° de réf. du client
W8482-167927

Amd. No. - N° de la modif.
001
File No. - N° du dossier
hp926W8482-167927

Buyer ID - Id de l'acheteur
hp926
CCC No./N° CCC - FMS No./N° VME

This solicitation amendment #001 is raised to add the item specifications to the Line Item Detail.

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.