

**Part 1 General****1.1 REFERENCES**

- .1 Canadian Standards Association (CSA International).
  - .1 CSA B67-1976 (R1996), Lead Service Pipe, Waste Pipe, Traps, Bends and Accessories.
  - .2 CAN/CSA-B70-2012, Cast Iron Soil Pipe, Fittings and Means of Joining.

**1.2 ACTION AND INFORMATIONAL SUBMITTALS**

- .1 Provide submittals in accordance with Section 01 33 00 - Submittal Procedures.
- .2 Product Data:
  - .1 Provide manufacturer's printed product literature and datasheets for adhesives, and include product characteristics, performance criteria, physical size, finish and limitations.

**1.3 DELIVERY, STORAGE AND HANDLING**

- .1 Deliver, store and handle in accordance with manufacturer's written instructions.

**Part 2 Products****2.1 CAST IRON PIPING AND FITTINGS**

- .1 Above ground storm and vent: to CAN/CSA-B70.
  - .1 Joints:
    - .1 Hub and spigot:
      - .1 Caulking lead: to CSA B67.
    - .2 Mechanical joints:
      - .1 Neoprene or butyl rubber compression gaskets with stainless steel clamps.

**Part 3 Execution****3.1 APPLICATION**

- .1 Manufacturer's Instructions: comply with manufacturer's written recommendations, including product technical bulletins, handling, storage and installation instructions, and datasheets.

**3.2 INSTALLATION**

- .1 Install in accordance with Provincial Plumbing Code.

**3.3 PERFORMANCE VERIFICATION**

- .1 Storm water drainage:
  - .1 Verify domes are secure.
  - .2 Verify provisions for movement of roof system.

**3.4 CLEANING**

- .1 Clean in accordance with Section 01 74 11 - Cleaning.
- .2 Waste Management: separate waste materials for recycling in accordance with Section 01 74 21 - Construction/Demolition Waste Management and Disposal.

**END OF SECTION**