



**RETURN BIDS TO:
RETOURNER LES SOUMISSIONS A :**

Bid Receiving/Réception des sousmissions
RCMP - F Division
Procurement & Contracting Services
c/o Commissionaires, F Division
6101 Dewdney Ave
Regina, SK S4P 3K7

Fax No. - N° de FAX:
(306) 780-5232

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les memes.

Comments: - Commentaries :

Title – Sujet: Utility Terrain Vehicle		Date August 17, 2015
Solicitation No. – N° de l'invitation M5000-6-0753/A		Amendment No. - No modif.: 003
GETS Reference No.-No de Référence du SEAG PW-15-00690410		
Solicitation Closes – L'invitation prend fin		
At /à :	2 :00 pm	Central Standard Time (CST) HNC (Heure Normale du Centre)
On / le :	August 26, 2015	
F.O.B. – F.A.B Destination	GST – TPS See herein — Voir aux présentes	Duty – Droits See herein — Voir aux présentes
Destination of Goods and Services – Destinations des biens et services See herein — Voir aux présentes		
Instructions See herein — Voir aux présentes		
Address Inquiries to – Adresser toute demande de renseignements à Tania Sentes		
Telephone No. – No. de téléphone 306-780-5216		Facsimile No. – No. de télécopieur 306-780-5232

Delivery Required – Livraison exigée See herein — Voir aux présentes	Delivery Offered – Livraison proposée See Herein Voir aux présentes
Vendor/Firm Name, Address and Representative – Raison sociale, adresse et représentant du fournisseur/de l'entrepreneur:	
Telephone No. – No. de téléphone	Facsimile No. – No. de télécopieur
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) – Nom et titre de la personne autorisée à signer au nom du fournisseur/de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date



This amendment is raised to answer questions and make changes as follows:

Questions and Answers:

Q1: Is the windshield wiper or the tip-out polycarbonate windshield mandatory? These two cannot be combined together in one unit

A1: The tip-out polycarbonate windshield requirement has been removed.

This amendment is raised to revise the solicitation accordingly.

On page three (3)

DELETE:

PART 1 – GENERAL INFORMATION

1.2 Statement of Requirement:

To supply, deliver and provide service, as required, for three (3) new (most current manufacturer model year still in production) Utility Terrain Vehicles (UTV) to be delivered to Big River, Pierceland and Onion Lake SK, in accordance with the requirements specifications, terms and conditions detailed herein.

INSERT:

PART 1 – GENERAL INFORMATION

1.2 Statement of Requirement:

The Work to be performed is detailed under Annex A of the resulting contract clauses.

On page six (6),

DELETE:

4.1.2 Financial Evaluation

1 + 2 + 3 = Total Evaluated Price

Refer to Annex B, Basis of Payment. A price must be entered for each item.

The price of the bid will be evaluated in Canadian dollars, the Goods and Services Tax or the Harmonized Sales Tax excluded, Incoterms 2000 "DDP Delivered Duty Paid", Canadian customs duties and excise taxes included.

INSERT

4.1.2 Financial Evaluation

The price of the bid will be evaluated in Canadian dollars, the Goods and Services Tax or the Harmonized Sales Tax excluded, Incoterms 2000 "DDP Delivered Duty Paid", Canadian customs duties and excise taxes included.



On page nine (9),

DELETE:

PART 6 – RESULTING CONTRACT CLAUSES

6.2 Statement of Requirement:

To supply, deliver and provide service, as required, for three (3) new (most current manufacturer model year still in production) Utility Terrain Vehicles (UTV) to be delivered to Big River, Pierceland and Onion Lake SK, in accordance with the requirements specifications, terms and conditions detailed herein.

INSERT:

PART 6 – RESULTING CONTRACT CLAUSES

6.2 Statement of Requirement:

The Work to be performed is detailed under Annex A of the resulting contract clauses.

DELETE:

6.4 Term of Contract

6.4.1 Delivery Date

While delivery is requested to be within six (6) weeks from award of contract, the best delivery that could be offered is _____ Big River, _____ Pierceland and _____ Onion Lake, SK.

INSERT

6.4 Term of Contract

6.4.1 Delivery Date

While delivery is requested to be within six (6) weeks from award of contract, the best delivery that could be offered is _____ .

On page thirteen (13),

DELETE:

6.14 Shipping Instructions – Delivered Duty Paid

Goods must be consigned and delivered to the destination specified in the contract:

Incoterms 2000 "DDP Delivered Duty Paid" to Big River, SK, Pierceland, SK and Onion Lake, SK.

Big River Detachment

525 Forbes Street
Big River, SK S0J 0E0

Pierceland Detachment

256 Main Street
Pierceland, SK S0M 2K0



Onion Lake Detachment

101 Skyline Road
Onion Lake, SK S0M 2E0

INSERT

6.14 Shipping Instructions – Delivered Duty Paid

Goods must be consigned and delivered to the destination specified in the contract:

Incoterms 2000 "DDP Delivered Duty Paid" to 5600 – 11th Avenue, Regina, SK S4P 3K7

DELETE :

ANNEX "A" Statement of Requirement in its entirety

INSERT:

**ANNEX "A"
STATEMENT OF REQUIREMENT**

To supply, deliver and provide service, as required, for five (5) new (most current manufacturer model year available) Utility Terrain Vehicles (UTV) to be delivered to Regina, SK, in accordance with the requirements specifications, terms and conditions detailed herein.

The following specifications must be met:

- Must be new, most current manufacturer model year available from a manufacturer who has demonstrated acceptability by manufacturing and selling this type and size class of vehicle for at least five (5) years;
- Conform to all applicable laws, regulations and industrial standards governing manufactures, safety, noise levels and pollution in effect in Canada at the time of manufacture; and

Engine

- 4 Stroke – Minimum
- Gas
- Liquid Cooled
- 850cc to 1000cc Displacement
- Electric Start
- Fuel Injection
- Automatic Transmission including High, Low, Neutral, Reverse gears with selectable 2WD and 4WD - Minimum

Dimensions / Capabilities

- 114 inch or greater Length
- 58 inch or greater Width
- 72 inch to 79 inch Height
- 75 inch or greater Wheelbase
- 10 inch or greater Ground Clearance
- 30 L Fuel Tank Capacity or greater
- 400 lb Cargo Box Capacity or greater
- 1500 lb towing capacity or greater



- 2 inch ball hitch
- 3000 lb or greater winch capacity, with installed roller fairlead

Tires

- 12 inch to 14 inch Tire Rim Diameter

Suspension

- Standard Front and Rear Suspension with 7 inch travel or greater
- Steering wheel, with power steering

Brakes

- Front and Rear Disc or Drum Hydraulic Brakes

Battery

- Twelve (12) Volt Battery tender
- One (1) amp or greater
- Step and rapid charging capability, including over voltage protection, short circuit protection, overload protection and thermal protection.
- One (1) battery tender to be supplied with each machine.

Instrumentation

- Speedometer and Odometer – Manufacturer Standard
- Tachometer – Manufacturer Standard
- Trip and Hour Meter – Manufacturer Standard
- Fuel Gauge – Manufacturer Standard
- Temperature and Oil Light – Manufacturer Standard
- Battery Voltmeter – Manufacturer Standard
- Transmission/Gear Indicator – Manufacturer Standard
- Twelve (12) Volt Outlet – Manufacturer Standard

Interior/ Exterior

- Two (2) person side by side seating
- One (1) Windshield Wiper

Occupational Health and Safety

- Safety glass windshield
- Front and rear bumpers
- Roll cage protection with steel roof
- Underbody Protection that covers the front, middle, sides, rear and all A-Arm's – Minimum
- Front and rear bush guards to protect lights
- Two (2) Dual beam headlights (Hi/Low) – Minimum
- Two (2) Brake/ Tail Lights – Minimum
- Left and Right side mirrors

Additional Features

Cover: All Weather Factory Cover with the capability to cover entire machine and attach to a transportation trailer

PDI: Pre-delivery inspections as per Industry Standard



Manuals: Must include Operators and Service Manuals in either hard copy or CD. The Standard Manufacturer's Warranty and Parts Manual can be either hard copy, CD or online. All manuals to be provided in English.

Keys: Two (2) sets of keys – Minimum

Shipping/Crating: Shipped fully assembled

Identification: Each machine must have an Identification Plate permanently marked and in an inconspicuous and protected location containing the following information: Manufacturer; model; model year; serial number; Gross Vehicle Weight Rating (GVWR), and Contract number.

Warranty: The warranty period will be twelve (12) months after delivery and acceptance of the unit or the length of the Contractor's or manufacturer's standard warranty period, whichever is longer. All costs related to warranty work must be included in price, non-warranty maintenance and after sales service are to be charged separately.

Service: Service/warranty and regular maintenance work must be performed within a 400 km radius of each Big River, Pierceland, Onion Lake, Blaine Lake and Creighton, SK, by an authorized service dealer and/or agent. The authorized service dealer and/or agent must have ready access to regular maintenance and service parts and be able to access all parts not normally stocked from an authorized parts dealer.



DELETE:

ANNEX B Basis of Payment in its entirety

INSERT:

**ANNEX B
Basis of Payment**

Firm unit prices, in Canadian dollars, the Goods and Services Tax or the Harmonized Sales Tax is extra, Incoterms 2000 "DDP Delivered Duty Paid", delivery, unloading charges, Canadian customs duties and excise taxes included.

Annex "B" must be completed in its entirety or the bid will be considered non-responsive and will not be evaluated.

	Description	Quantity (a)	Unit of Issue	Price per Unit (b)	Total (a) x (b)
1	Utility Terrain Vehicle, in accordance with Annex A to be shipped to Regina, SK	5	Each	\$	\$

Manufacturer: _____

Model: _____

Year: _____



DELETE:

ANNEX C Mandatory Technical Criteria in its entirety.

INSERT:

ANNEX C

Mandatory Technical Criteria

Bidders are required to indicate whether or not they comply with the mandatory specifications. Bidders must include two (2) copies of descriptive literature of the make and model of the items offered in sufficient detail to clearly indicate compliance with each of the individual requirements in the specifications and cross reference where this specification is located within the descriptive literature.

Where weight, dimensions or other characteristics are shown as minimum or maximum, the bidder must indicate the manufacturer's figures.

The Royal Canadian Mounted Police is under no obligation to seek clarification of the bid(s) or the supporting technical documentation provided.

Failure to meet any of the following specifications will render your proposal non-compliant and will be given no further consideration.

BIDDER MUST SUBMIT WITH THEIR BID PROOF OF BEING AN AUTHORIZED MANUFACTURER OR RESELLER FOR THE UNIT OFFERED PRIOR TO AWARD OF CONTRACT.

The following specifications must be met:

No.	Specification	Compliance		Comments(s)/ Cross Reference
		Yes	No	
	Must be new, most current manufacturer model year available;			
	Conform to all applicable laws, regulations and industrial standards governing manufactures, safety, noise levels and pollution in effect in Canada at the time of manufacture			
A.	Engine			
1.	4-Stroke - Minimum			
2.	Gas			
3.	Liquid cooled			
4.	850 cc to 1000 cc Displacement			
5.	Electric Start			
6.	Fuel Injection			
7.	Automatic Transmission including High, Low, Neutral, Reverse gears with selectable 2WD and 4WD - Minimum			
B.	Dimensions / Capabilities			
1.	114 inch or greater Length			



2.	58 inch or greater Width			
3.	72 inch to 79 inch Height			
4.	75 inch or greater Wheelbase			
5.	10 inch or greater Ground Clearance			
6.	30 L Fuel Tank Capacity or greater			
7.	400 lb Cargo Box Capacity or greater			
8.	1500 lb towing capacity or greater			
9.	2 inch ball hitch			
10.	3000 lb or greater winch capacity, with installed roller fairlead			
C. Tires				
1.	12 inch to 14 inch			
D. Suspension				
1.	Standard Front and Rear Suspension with 7 inch travel or greater			
2.	Steering wheel, with power steering			
E. Brakes				
1.	Front and Rear Disc or Drum Hydraulic Brakes.			
F. Battery				
1.	Twelve (12) Volt Battery tender			
2.	One (1) amp or greater			
3.	Step and rapid charging capability, including over voltage protection, short circuit protection, overload protection and thermal protection.			
4.	One (1) battery tender to be supplied with each machine.			
G. Instrumentation				
1.	Speedometer & Odometer - Manufacturer Standard			
2.	Tachometer – Manufacturer Standard			
3.	Trip and Hour Meter – Manufacturer Standard			
4.	Fuel Gauge – Manufacturer Standard			
5.	Temperature and Oil Light – Manufacturer Standard			
6.	Battery Voltmeter – Manufacturer Standard			
7.	Transmission/Gear Indicator – Manufacturer Standard			
8.	Twelve (12) Volt Outlet – Manufacturer Standard			
H. Interior/Exterior Cab				
1.	Two (2) person side by side seating			
2.	One (1) Windshield Wiper			
I. Occupational Health & Safety				
1.	Safety glass windshield			
2.	Front and rear bumpers			



3.	Roll cage protection with steel roof			
4.	Underbody Protection that covers the front, middle, sides, rear and all A-Arm's – Minimum			
5.	Front and rear bush guards to protect lights			
6.	Two (2) Dual beam headlights (Hi/Low) – Minimum			
7.	Two (2) Brake/ Tail Lights – Minimum			
8.	Left and Right side mirrors			
J.	Additional Features			
1.	Cover: All Weather Factory Cover with the capability to cover entire machine and attach to a transportation trailer.			
2.	PDI: Pre-delivery inspections as per Industry Standard			
3.	Manuals: Must include Operators and Service Manuals in either hard copy or CD. The Standard Manufacturer's Warranty and Parts Manual can be either hard copy, CD or online. All manuals to be provided in English.			
4.	Keys: Two (2) sets of keys – Minimum			
5.	Shipping/Crating: Shipped fully assembled			
6.	Identification: Each machine must have an Identification Plate permanently marked and in an inconspicuous and protected location containing the following information: Manufacturer; model; model year; serial number; Gross Vehicle Weight Rating (GVWR), and Contract number.			
7.	Service: Service/warranty and regular maintenance work must be performed within a 400 km radius of each Big River, Pierceland, Onion Lake, Blaine Lake and Creighton, SK, by an authorized service dealer and/or agent. The authorized service dealer and/or agent must have ready access to regular maintenance and service parts and be able to access all parts not normally stocked from an authorized parts dealer. The authorized service dealer and/or agent must provide after sales service, maintenance, warranty repairs, and a full range of repair parts for the utility vehicle offered. The Bidder must confirm that there is an authorized service dealer within a 400 km radius of the locations mentioned above, by completing the following table.			



	Big River, SK		Distance between the delivery location and the service dealer and/or agent: _____ km Name: _____ _____ Address: _____ _____ Telephone: _____
	Pierceland, SK		Distance between the delivery location and the service dealer and/or agent: _____ km Name: _____ _____ Address: _____ _____ Telephone: _____
	Onion Lake, SK		Distance between the delivery location and the service dealer and/or agent: _____ km Name: _____ _____ Address: _____ _____ Telephone: _____
	Blaine Lake, SK		Distance between the delivery location and the service dealer and/or agent: _____ km Name: _____ _____ Address: _____ _____ Telephone: _____



	Creighton, SK		Distance between the delivery location and the service dealer and/or agent: _____ km Name: _____ _____ Address: _____ _____ Telephone: _____
--	----------------------	--	---

ALL OTHER TERMS AND CONDITIONS REMAIN THE SAME