

The following change(s) to the tender documents are effective immediately, and will form part of the contract documents:

1. GENERAL

| | |
|-----|--|
| 1.1 | The Bidding Documents are amended as noted in this Addendum, which consists of 2 pages. |
| 1.2 | This Addendum is issued prior to bid closing to incorporate revisions noted herein. Include in the Bid price all such revisions which will become part of the Work. Perform all such Work in accordance with the Contract Documents. |
| 1.3 | All affected drawings, schedules and panel changes shall be reflected in final as-built and manual submissions. |

2. CHANGES TO PREVIOUS ADDENDA

| | |
|-----|-----|
| 2.1 | N/A |
|-----|-----|

3. CLARIFICATIONS

| | |
|-----|-----|
| 3.1 | N/A |
|-----|-----|

4. SPECIFICATIONS

| | |
|------|---|
| 4.1. | <p><u>Refer to Section 07 84 00 Fire Stopping:</u></p> <p>Add Article 2.1.11:</p> <p>Intumescent fire stop systems to be installed where plastic pipe penetrates fire rated fire rated separations as per NBC 2010 Article 3.1.9.4., coordinate with section 22 13 18 PLUMBING – DWV PIPING – PLASTIC.</p> |
| 4.2. | <p><u>Refer to Section 08 71 00 DOOR HARDWARE</u></p> <p>1. Paragraph 2.2.5.1.1 - Door Viewers > Acceptable Products - Only the ASD DS238 should be listed.</p> <p>2. Paragraph 2.4 - Keying - Delete 2.4.1, 2.4.2, 2.4.3, 2.4.4 and 2.4.6. - 2.4.5 should read "Supply construction cores as per hardware schedule in Appendix 2."</p> <p>3. Paragraph 3.4 Demonstration - Delete 3.4.1 entirely. - Delete 3.4.2.1.2 entirely.</p> |
| 4.3. | <p><u>Refer to Appendix 2 Hardware Schedule</u></p> <p>Add SDS-55DU-630 electric strike to Hardware Group 2 (Door D101A)</p> |

5. DRAWINGS

| | |
|------|-----|
| 5.1. | N/A |
|------|-----|

End of Addendum No.1.