





- 1 EXPOSED CONDUIT NOT ACCEPTED
- 2 ALL WELDS GROUND SMOOTH
- 3 ALL CORNERS ROUNDED
- 4 ALL STEEL TO BE HOT-DIPPED  
GALVANIZED AFTER FABRICATION  
ZINC COATING NOT LESS THAN 610 G/SM
- 5 114 O.D. G.I. POSTS AT SLIDING  
GATE TRUCK HANGER SUPPORTS
- 6 SITE WELDS TO BE FINISHED WITH  
- ZINC RICH PRIMER (SPRAYON S00740)  
- SPRAY FINISH PAINT COAT (KRYLON  
INDUSTRIAL SILVER ZINC)
- 7 REMOVE EXISTING ASPHALT AS NECESSARY  
TO COMPLETE THE WORK AND REPLACE WITH  
NEW ASPHALT AS PER DETAIL 4/A1.1
- 8 NEW CONCRETE COLUMN, WAISTCOAT & CORNICE  
TO BE PAINTED TO MATCH EXISTING.
- 9 EXISTING PAINTED SURFACES DAMAGED BY THIS  
CONTRACT TO BE PATCHED & MADE GOOD.



1	ISSUED FOR TENDER	14/09/16

VISIONS	DESCRIPTION	DATE
	A detail number number du detail	
	B source drawing no. de dessin no.	
	C detail on drawing no. detail sur dessin no.	

project title	titre du projet
<b>SALLYPORT GATE AND FENCE REPAIRS</b>	

**SOUTH SALLYPORT  
EXTERIOR GATE/  
PLAN, ELEVATION & SECTION**

designed by	conçu par
<b>DRC</b>	

drawn by **DRC & TG** dessiné par

approved by	approuvé par
-------------	--------------

WGSC Project Manager	Administrateur de Projets TPSGC
----------------------	---------------------------------

LINDA KAMINSKI			
code	echelle	sheet	feuille

AS NOTED		A12
project no.	project no.	

R.058018.001		AT.2	
pin	date	OF	XX