



ADDENDA / ADDENDUM N° 3

**« Réaménagement des clôtures déterminant les zones
d'opérations »**
“Reorganization of fences separating the operation zones”

**ÉTABLISSEMENT CENTRE FÉDÉRAL DE FORMATION/
FEDERAL TRAINING CENTER INSTITUTION**

N° de dossier / File # : 21301-16-2210542

Section 32 31 13

2.1 OSSATURE MÉTALLIQUE

2.1.1.10.3 Les cadres constitués de tuyaux galvanisés de 73 mm de diamètre extérieur pesant 3,4 kg/m, soudés et drainés.

REPLACÉ PAR

2.1.1.10.3 Les cadres constitués de tuyaux galvanisés de **42.2 mm de diamètre** extérieur **pesant 3,4 kg/m**, soudés et drainés.

2.1.1.11.3 Les cadres constitués de tuyaux galvanisés de 73 mm de diamètre extérieur pesant 8.6 kg/m, soudés et drainés.

REPLACÉ PAR

2.1.1.11.3 Les cadres constitués de tuyaux galvanisés de **60.3 mm de diamètre** extérieur **pesant 8.6 kg/m**, soudés et drainés.

2.1.1.12.2 Les cadres constitués de tuyaux galvanisés de 73 mm de diamètre extérieur pesant 8.6 kg/m, soudés et drainés.

REPLACÉ PAR

2.1.1.12.2 Les cadres constitués de tuyaux galvanisés de **60.3 mm de diamètre** extérieur **pesant 8.6 kg/m**, soudés et drainés.

Toutes autres clauses et conditions demeurent inchangées.



Section 32 31 13

2.1 METALLIC FRAMEWORK

2.1.1.10.3 The frames must be built of galvanized pipe with an outside diameter of 73 mm, weighing 3.4 kg/m, welded and drained.

REPLACED BY

*.1.10.3 The frames must be built of galvanized pipe with an outside **diameter of 42.2 mm, weighing 3.4 kg/m, welded and drained.***

2.1.1.11.3 Frames must be built of welded, drained, galvanized pipe weighing 8.6 kg/m with an outside diameter of 73 mm.

REPLACED BY

*2.1.1.11.3 Frames must be built of welded, drained, galvanized pipe **weighing 8.6 kg/m** with an outside **diameter of 60.3 mm.***

2.1.1.12.2 Frames must be built of welded, drained, galvanized pipe weighing 8.6 kg/m with an outside diameter of 73 mm.

REPLACED BY

*2.1.1.12.2 Frames must be built of welded, drained, galvanized pipe **weighing 8.6 kg/m** with an outside **diameter of 60.3 mm.***

All other terms and conditions remain unchanged.