



EAST ELEVATION — RENOVATED LIFT STATION BUILDING

SCALE : 1:30
0mm 500mm 1000mm 1500mm 2000mm 2500mm 3000mm
SCALE: 1:30




EAST ELEVATION — RENOVATED LIFT STATION BUILDING

SCALE : 1:30
0mm 500mm 1000mm 1500mm 2000mm 2500mm 3000mm



NORTH ELEVATION — RENOVATED LIFT STATION BUILDING


SCALE : 1:30
0mm 500mm 1000mm 1500mm 2000mm 2500mm 3000mm




SOUTH ELEVATION — RENOVATED LIFT STATION BUILDING

SCALE : 1:30
0mm 500mm 1000mm 1500mm 2000mm 2500mm 3000mm

DOOR TYPE ①



FRAME TYPE ①



145 dp. THERMALLY
BROKEN FRAME
(BATT INSUL.)

NOTE:
1. DOOR SUPPLIER SHALL PROVIDE DOOR HARDWARE SCHEDULE FOR HOLLOW
METAL AND FOR OWNERS APPROVAL.

HARDWARE TYPES

TYPE 1				
6 PR. BUTT HINGES	FBB191	114x101	NRP	C26D
1 LOCKSET	OWNER SUPPLIED			
1 DOOR CLOSER	350-P3			EN
1 OVERHEAD STOP	598H			C26D
1 ASTRAGAL	835S			AL
2 SURFACE BOLTS	276D	305		C26D
1 WEATHERSTRIPPING SET	W-15(+W-21@ASTRAGAL)			AL
2 DOOR SWEEPS	W-245			AL
2 KICKPLATES	190S	305		C28

NOTES:

1. SEE DRAWING A01 FOR GENERAL NOTES.

revisions	project	date
O	ISSUED FOR TENDER	JULY 27 2015
B	ISSUED FOR 80% REVIEW	JULY 20 2015
A	ISSUED FOR RS2 REVIEW	JUNE 26 2015

PARKS CANADA
CAVENDISH/BRACKLEY
SEWAGE PUMP STATION
UPGRADES

BRACKLEY SEWAGE PUMP
STATION UPGRADE
ELEVATIONS & DETAILS

designed	P.SCOTT	conçu
date	MAY 2015	
drawn	P.SCOTT	dessiné
date	JUNE 2015	
approved		approuvé
date		
Tender	TIM CHANDLER	Sourmission
PWGSC Project Manager	Administrateur de projets TPSCG	
project number	R.075015.001	no. du projet
drawing no.	A02	no. du dessin

DOOR, FRAME & HARDWARE SCHEDULE

DOOR, FRAME & HARDWARE SCHEDULE																
DOOR No.	ROOM NAME	DOOR						DOOR No.	FIRE RATING	FRAME					COMMENTS	
		TYPE	MATERIAL	GLASS	SIZE	FINISH	HARDWARE			TYPE	MATERIAL	GLASS	DETAIL	FINISH		
101	LIFT STATION BLDG.	1	PS/IN	—	2-900 x 2150 x 45	P	1	101	—	1	TB/PS	—		P	LEFT HAND DOOR ACTIVE	
LEGEND																
HMD = HOLLOW METAL DOOR		PS = PRESSED STEEL DOOR			TB/PS = THERMALLY BROKEN PRESSED STEEL											
N = NATURAL WOOD FINISH		SCW = SOLID CORE WOOD DOOR			IN = INSULATED											
P = PAINT		SW = SOLID WOOD			HCW = HOLLOW CORE WOOD DOOR PAINT GRADE -											
VC = VINYL CLAD					6 PANEL											