

**RETURN BIDS TO:**  
**RETOURNER LES SOUMISSIONS À:**  
**Public Works and Government Services Canada**  
**ATB Place North Tower**  
**10025 Jasper Ave./10025 ave. Jaspe**  
**5th floor/5e étage**  
**Edmonton**  
**Alberta**  
**T5J 1S6**  
**Bid Fax: (780) 497-3510**

**SOLICITATION AMENDMENT**  
**MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

**Comments - Commentaires**

**Vendor/Firm Name and Address**  
**Raison sociale et adresse du**  
**fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**  
**Public Works and Government Services Canada**  
**ATB Place North Tower**  
**10025 Jasper Ave./10025 ave Jasper**  
**5th floor/5e étage**  
**Edmonton**  
**Alberta**  
**T5J 1S6**

<b>Title - Sujet</b> Personal Storage Cabinets	
<b>Solicitation No. - N° de l'invitation</b> EW038-160523/A	<b>Amendment No. - N° modif.</b> 001
<b>Client Reference No. - N° de référence du client</b> EW038-160523	<b>Date</b> 2015-09-03
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$EDM-206-10548	
<b>File No. - N° de dossier</b> EDM-5-38109 (206)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2015-10-13</b>	<b>Time Zone</b> <b>Fuseau horaire</b> Mountain Daylight Saving Time MDT
<b>F.O.B. - F.A.B.</b> Specified Herein - Précisé dans les présentes <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input type="checkbox"/> <b>Other-Autre:</b> <input checked="" type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Peters, Brent	<b>Buyer Id - Id de l'acheteur</b> edm206
<b>Telephone No. - N° de téléphone</b> (780) 235-8279 ( )	<b>FAX No. - N° de FAX</b> (780) 497-3510
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

Solicitation No. - N° de l'invitation

EW038-160523/A

Amd. No. - N° de la modif.

001

Buyer ID - Id de l'acheteur

edm206

Client Ref. No. - N° de réf. du client

EW038-160523

File No. - N° du dossier

EDM-5-38109

CCC No./N° CCC - FMS No/ N° VME

---

**THIS PAGE IS INTENTIONALLY LEFT BLANK**

---

**This Amendment #001 is raised to make a change to the required specifications of the personal storage cabinets.**

**DELETE** "ANNEX A – REQUIREMENT in its entirety and replace with the following:

## **ANNEX A – REQUIREMENT**

### **Detailed Requirements for Personal Storage Cabinets**

#### **1. Scope**

Personal storage cabinets meeting this purchase description and must meet all of the mandatory requirements detailed herein.

#### **2. Applicable publications**

The following publications are applicable:

##### **2.1 American Society for Testing and Materials (ASTM)**

ASTM D3359 - Standard Test Method for Measuring Adhesion by Tape Test

ASTM D3363 - Standard Test Method for Film Hardness by Pencil Test

##### **2.2 American National Standards Institute (ANSI)**

ANSI/BIFMA X 5.9 American National Standard for Office Furnishings – Storage Units – Tests

##### **2.3 American Association of Textile Chemists and Colorists (AATCC)**

EP1 - Grey Scale for Color Change – Instructions

##### **2.4 Canadian General Standards Board (CGSB)**

CAN/CGSB 44.227 – Free-standing Office Desk Products and Components

1-GP-71 – Methods of Testing Paints and Pigments: No. 120.1 – Colour Stability –Fading by Light

2.5 Reference to the above publications, or test methods therein, is to the latest issue.

#### **3. Terminology**

Personal Storage Cabinet: Multi-Functional cabinets that contain a combination of two or more of the following: drawers, doors, shelves and provides storage for personal wardrobe items and day-to-day filing for an individual's workstation.

#### **4. General Requirements**

4.1 Personal storage cabinets must be manufactured from cold-rolled steel with a sheet thickness of 22 gauges to 20 gauges.

4.2 Workmanship - The finished cabinets must be uniform in quality, style, material and workmanship and must be clean and free from any defects that may affect appearance, serviceability or safety.

4.2.1 All edges with which the user, public or persons maintaining the cabinets may come in contact with, must have all corners and edges eased or radius.

4.2.2 Doors and drawers must fit squarely and evenly into the openings on all sides

4.3 Welds - All welds must be structurally sound, free from cracks and surface voids. They must be clean, smooth and uniform in appearance and free from scale, flux, trapped foreign matter or any other inclusions that may be detrimental to the application of the primer or final finish.

4.4 Recycled Material - No limit is imposed on the amount of recycled material used in the manufacture of new components and manufacturers are encouraged to use recyclable material whenever possible and applicable. The finished components must meet all of the requirements of this purchase description.

## **5. Detailed Requirements**

5.1 Personal Storage Cabinets must have a wardrobe located on one side (left or right side to be determined after contract award) and on the opposite side 2 file drawers located at bottom with open (to the front) cupboard above the drawers.

5.2 Dimensions - Personal Storage Cabinets must be 610mm (24 in.) wide x 610mm (24 in.) deep x 1219mm (48 in) to 1372mm (54 in.) high.

5.3 File Drawers and wardrobe all to lock and be keyed alike with the file drawers capable of being locked/unlocked independently of the door to the wardrobe section.

5.4 The wardrobe must have a compartment for personal belongings and clothing with a full height door and nominal width of 203-254 mm (8-10in.) including a side-to-side coat rod.

5.5 Cupboard portion to have 2 shelves included (one of which must be adjustable).

5.6 File drawer to accommodate hanging legal size folders (side-to-side) and hanging letter size folders (front-to-back) with integrated filing-file bars.

5.7 Must be equipped with 4 glides with a minimum vertical adjustment of 19mm (0.75 in.).

5.8 The suspension on all drawers must allow for the back of the drawer/filing compartment to extend beyond the face of the cabinet.

5.9 All drawer and door pulls must be operable with a closed fist for handicap access.

5.10 Each wardrobe door must have an opening door swing of a minimum of 110 degrees.

5.11 All drawers and doors must be provided with sound silencing bumpers.

5.12 Locks must be pin, tumbler and wafer type and must have a corrosion resistant finish.

5.13 Locks and cylinders must be capable of easy on site installation or replacement.

5.14 All cabinets must have an overall master keying system.

5.15 Provide four (4) keys per personal storage cabinet.

5.16 Provide two (2) master keys and lock cylinder removal tools.

5.17 All cabinets are must be permanently and legibly marked with the product code, manufacturer's trademark and traceable order information for warranty purpose.

5.18 Colour – To be determined at Contract award.

## **6. Detailed Requirements for Finishes**

6.1 Metal Finishes - The metal components must meet the following performance requirements:

6.1.1 Adhesion - The adhesion rating of the painted metal finish must be at least 4B when tested in accordance with ASTM D 3359, Method B.

6.1.2 Colour Stability - Color Stability - The finishes must not show a change in color greater than the colour match of existing elements of a scale 4 contrast when tested as per ANSI/NEMA LD-3 – Light Resistance section 3.3.2 or 3.3.3.

6.1.3 Scratch Resistance – The finish must meet the requirements of ASTM D3363 hardness H.

## 7. Testing Requirements

7.1 All personal storage cabinets offered under this solicitation must have successfully completed all tests to ANSI/BIFMA x5.9, as well as meet all of the requirements of this specification. Testing reports must establish that all the tests have been successfully undergone and the reports must be available upon request.

7.2 Age of Tests: Test reports must be not more than five (5) years old at closing date and time of solicitation.

7.3 Acceptable Test Facility: An independent testing laboratory or a company owned laboratory are acceptable provided that the laboratory has been accredited by a nationally recognized body such as Standards Council of Canada, A2LA (American Association for Laboratory Accreditation) or is listed on the Canadian General Standards Board (CGSB) Laboratory Acceptance Program.

## 8. Shop Drawing

8.1 The Bidder must submit a shop drawing that includes as a minimum, the dimensions (length, width, height) for the item being proposed at Annex B- Basis of Payment.

8.2 The Bidder must submit the shop drawing in hard copy along with the rest of their bid.

## 9. Quality Assurance

9.1 The Bidder must have a recognized quality management system in place at the manufacturing facility or conformance to ISO 9001:2008.

**All other terms and conditions remain the same.**