

**RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:**

**Bid Receiving - PWGSC / Réception des
soumissions - TPSGC**
11 Laurier St. / 11, rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Title - Sujet PRESSURE RELIEF VALVES	
Solicitation No. - N° de l'invitation 9F010-150294/A	Date 2015-09-03
Client Reference No. - N° de référence du client 9F010-150294	
GETS Reference No. - N° de référence de SEAG PW-\$\$HP-371-67931	
File No. - N° de dossier hp371.9F010-150294	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2015-09-24	
Time Zone Fuseau horaire Eastern Daylight Saving Time EDT	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Buck, Daniel	Buyer Id - Id de l'acheteur hp371
Telephone No. - N° de téléphone (819) 956-3528 ()	FAX No. - N° de FAX (819) 953-2953
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: CANADIAN SPACE AGENCY 3701 CARLING AVE BLDG 65 P.O.BOX 11490 H DAVID FLORIDA LABORATORY OTTAWA Ontario K2H8S2 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Vehicles & Industrial Products Division
11 Laurier St./11, rue Laurier
7A2, Place du Portage, Phase III
Gatineau, Québec K1A 0S5

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
1	CRYOGENIC RELIEF VALVE Style: Inline Brass Cracking Pressure: 285 Minimum Re-sealing Pressure: 90% of Cracking Pressure Seat Material: PCTFE or PTFE Minimum Temperature Range: -196 to 70 C Material: Brass Inlet Size: Male 1/2 NPT Outlet Size: Female 1/2 NPT Overall Length: 3.25" +/- 0.03" Minimum Orifice Area: 0.04 in2 Minimum Flow Rate 90 SCFM Mounting Ordination: Any CRN Required: Yes • Part No.: CRVP4-500B-K-285 NSCM/CAGE: (or equivalent) • Your offer: Part No. offered: _____ NSCM/CAGE offered: _____	9F010	9F010	25	Each	\$	XXXXXXXXXXXX	See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Del. Offered Liv. offerte
2	CRYOGENIC RELIEF VALVE Style: Inline Brass Cracking Pressure: 175 Minimum Re-sealing Pressure: 90% of Cracking Pressure Seat Material: PCTFE or PTFE Minimum Temperature Range: -196 to 70 C Material: Brass Inlet Size: Male 1/2 NPT Outlet Size: Female 1/2 NPT Overall Length: 3.25" +/- 0.03" Minimum Orifice Area: 0.04 in2 Minimum Flow Rate 90 SCFM Mounting Ordination: Any CRN Required: Yes • Part No.: CRVP4-500B-K-175 NSCM/CAGE: (or equivalent) • Your offer: Part No. offered: _____ NSCM/CAGE offered: _____	9F010	9F010	8	Each	\$	XXXXXXXXXXXX	See Herein



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
3	CRYOGENIC RELIEF VALVE Style: Inline Brass Cracking Pressure: 150 Minimum Re-sealing Pressure: 90% of Cracking Pressure Seat Material: PCTFE or PTFE Minimum Temperature Range: -196 to 70 C Material: Brass Inlet Size: Male 1/2 NPT Outlet Size: Female 1/2 NPT Overall Length: 3.25" +/- 0.03" Minimum Orifice Area: 0.04 in2 Minimum Flow Rate 90 SCFM Mounting Ordination: Any CRN Required: Yes • Part No.: CRVP4-500B-K-150 NSCM/CAGE: (or equivalent) • Your offer: Part No. offered: _____ NSCM/CAGE offered: _____	9F010	9F010	18	Each	\$	XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
4	CRYOGENIC RELIEF VALVE Style: Inline Brass Cracking Pressure: 125 Minimum Re-sealing Pressure: 90% of Cracking Pressure Seat Material: PCTFE or PTFE Minimum Temperature Range: -196 to 70 C Material: Brass Inlet Size: Male 1/2 NPT Outlet Size: Female 1/2 NPT Overall Length: 3.25" +/- 0.03" Minimum Orifice Area: 0.04 in2 Minimum Flow Rate 90 SCFM Mounting Ordination: Any CRN Required: Yes • Part No.: CRVP4-500B-K-125 NSCM/CAGE: (or equivalent) • Your offer: Part No. offered: _____ NSCM/CAGE offered: _____	9F010	9F010	8	Each	\$	XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
5	HIGH PRESSURE RELIEF VALVE Style: Inline Stainless Steel Cracking Pressure: 200 Minimum Re-sealing Pressure: 90% of Cracking Pressure Seat Material: PCTFE or PTFE Minimum Temperature Range: -196 to 70 C Material: Stainless Steel Inlet Size: Male 1/2 NPT Outlet Size: Female 1/2 NPT Overall Length: 4.16" +/- 0.03" Minimum Orifice Area: 0.20 in2 Minimum Flow Rate 90 SCFM Mounting Ordination: Any CRN Required: N/A • Part No.: HPRV-500S-T-200 NSCM/CAGE: (or equivalent) • Your offer: Part No. offered: _____ NSCM/CAGE offered: _____	9F010	9F010	6	Each	\$	XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Del. Offered Liv. offerte
6	HIGH PRESSURE RELIEF VALVE Style: Inline Stainless Steel Cracking Pressure: 170 Minimum Re-sealing Pressure: 90% of Cracking Pressure Seat Material: PCTFE or PTFE Minimum Temperature Range: -196 to 70 C Material: Stainless Steel Inlet Size: Male 1/2 NPT Outlet Size: Female 1/2 NPT Overall Length: 4.16" +/- 0.03" Minimum Orifice Area: 0.20 in2 Minimum Flow Rate 90 SCFM Mounting Ordination: Any CRN Required: N/A • Part No.: HPRV-500S-T-170 NSCM/CAGE: (or equivalent) • Your offer: Part No. offered: _____ NSCM/CAGE offered: _____	9F010	9F010	20	Each	\$	XXXXXXXXXXXX	See Herein



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
7	<p>HIGH PRESSURE RELIEF VALVE Style: Inline Stainless Steel Cracking Pressure: 150 Minimum Re-sealing Pressure: 90% of Cracking Pressure Seat Material: PCTFE or PTFE Minimum Temperature Range: -196 to 70 C Material: Stainless Steel Inlet Size: Male 1/2 NPT Outlet Size: Female 1/2 NPT Overall Length: 4.16" +/- 0.03" Minimum Orifice Area: 0.20 in2 Minimum Flow Rate 90 SCFM Mounting Ordination: Any CRN Required: N/A</p> <ul style="list-style-type: none"> • Part No.: HPRV-500S-T-150 NSCM/CAGE: (or equivalent) • Your offer: Part No. offered: _____ NSCM/CAGE offered: _____ 	9F010	9F010	20	Each	\$	XXXXXXXXXXXX	See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
8	<p>HIGH PRESSURE RELIEF VALVE Style: Inline Stainless Steel Cracking Pressure: 90 Minimum Re-sealing Pressure: 90% of Cracking Pressure Seat Material: PCTFE or PTFE Minimum Temperature Range: -196 to 70 C Material: Stainless Steel Inlet Size: Male 1/2 NPT Outlet Size: Female 1/2 NPT Overall Length: 4.16" +/- 0.03" Minimum Orifice Area: 0.20 in2 Minimum Flow Rate 90 SCFM Mounting Ordination: Any CRN Required: N/A</p> <ul style="list-style-type: none"> • Part No.: HPRV-500S-T-90 NSCM/CAGE: (or equivalent) • Your offer: Part No. offered: _____ NSCM/CAGE offered: _____ 	9F010	9F010	6	Each	\$	XXXXXXXXXXXX	See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
9	<p>HIGH PRESSURE RELIEF VALVE Style: Inline Stainless Steel Cracking Pressure: 75 Minimum Re-sealing Pressure: 90% of Cracking Pressure Seat Material: PCTFE or PTFE Minimum Temperature Range: -196 to 70 C Material: Stainless Steel Inlet Size: Male 1/2 NPT Outlet Size: Female 1/2 NPT Overall Length: 4.16" +/- 0.03" Minimum Orifice Area: 0.20 in2 Minimum Flow Rate 90 SCFM Mounting Ordination: Any CRN Required: N/A</p> <ul style="list-style-type: none"> • Part No.: HPRV-500S-T-75 NSCM/CAGE: (or equivalent) • Your offer: Part No. offered: _____ NSCM/CAGE offered: _____ 	9F010	9F010	8	Each	\$	XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
10	HIGH PRESSURE RELIEF VALVE Style: Inline Stainless Steel Pull Ring Cracking Pressure: 175 Minimum Re-sealing Pressure: 90% of Cracking Pressure Seat Material: PCTFE or PTFE Minimum Temperature Range: -196 to 70 C Material: Stainless Steel Inlet Size: Male 1/4 NPT Outlet Size: N/A Overall Length: 3.30" +/- 0.03" Minimum Orifice Area: 0.20 in2 Minimum Flow Rate 90 SCFM Mounting Ordination: Any CRN Required: N/A • Part No.: HPRVM-250S-T175X NSCM/CAGE: (or equivalent) • Your offer: Part No. offered: _____ NSCM/CAGE offered: _____	9F010	9F010	40	Each	\$	XXXXXXXXXXXX	See Herein	

Solicitation No. - N° de l'invitation

9F010-150294/A

Amd. No. - N° de la modif.

File No. - N° du dossier

hp3719F010-150294

Buyer ID - Id de l'acheteur

hp371

Client Ref. No. - N° de réf. du client

9F010-150294

CCC No./N° CCC - FMS No/ N° VME

See attached documents. Please note that the numbering is starting back at page one.

TABLE OF CONTENTS

TABLE OF CONTENTS	1
PART 1 - GENERAL INFORMATION	2
1.1 REQUIREMENT.....	2
1.2 DEBRIEFINGS	2
1.3 TRADE AGREEMENTS.....	2
PART 2 - BIDDER INSTRUCTIONS	3
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS	3
2.2 SUBMISSION OF BIDS	3
2.3 ENQUIRIES - BID SOLICITATION.....	3
2.4 APPLICABLE LAWS.....	3
2.5 ENVIRONMENTAL CONSIDERATIONS	4
PART 3 - BID PREPARATION INSTRUCTIONS.....	5
3.1 BID PREPARATION INSTRUCTIONS	5
PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION	8
4.1 EVALUATION PROCEDURES	8
4.2 BASIS OF SELECTION.....	8
PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION	9
5.1 CERTIFICATIONS REQUIRED WITH THE BID	9
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION	9
PART 6 - RESULTING CONTRACT CLAUSES.....	11
6.1 SECURITY REQUIREMENT.....	11
6.2 REQUIREMENT.....	11
6.3 STANDARD CLAUSES AND CONDITIONS.....	11
6.4 TERM OF CONTRACT.....	11
6.5. AUTHORITIES.....	12
6.6 PAYMENT	13
6.7 INVOICING INSTRUCTIONS	15
6.8. CERTIFICATIONS.....	15
6.9 APPLICABLE LAWS.....	15
6.10 PRIORITY OF DOCUMENTS	15
6.11 SACC MANUAL CLAUSES	15
6.12 SHIPPING INSTRUCTIONS - DDP DESTINATION	16
6.13 ENVIRONMENTAL CONSIDERATIONS.....	16

N° de l'invitation - Solicitation No.
9F010-150294/A
N° de réf. du client - Client Ref. No.
9F010-150294

N° de la modif - Amd. No.
File No. - N° du dossier
HP371.9F010-150294

Id de l'acheteur - Buyer ID
HP371
N° CCC / CCC No./ N° VME - FMS

PART 1 - GENERAL INFORMATION

1.1 Requirement

The requirement is detailed under the "Line Item Detail".

1.2 Debriefings

Bidders may request a debriefing on the results of the bid solicitation. Bidders should make the request to the Contracting Authority within 15 working days of receipt of notification that their bid was unsuccessful. The debriefing may be provided in writing, by telephone or in person.

1.3 Trade Agreements

The requirement is subject to the provisions of the Agreement on Internal Trade (AIT).

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the Standard Acquisition Clauses and Conditions [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) Manual issued by Public Works and Government Services Canada. Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract. The 2003 (2015-07-03) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Subsection 5.4 of 2003, Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: sixty (60) days

Insert: ninety (90) days

2.1.1 SACC Manual Clauses

B1000T	Condition of Material – Bid	2014-06-26
--------	-----------------------------	------------

2.2 Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than seven (7) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the questions or may request that the Bidder do so, so that the proprietary nature of the question is eliminated, and the enquiry can be answered to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

N° de l'invitation - Solicitation No.
9F010-150294/A
N° de réf. du client - Client Ref. No.
9F010-150294

N° de la modif - Amd. No.
File No. - N° du dossier
HP371.9F010-150294

Id de l'acheteur - Buyer ID
HP371
N° CCC / CCC No. / N° VME - FMS

2.5 Environmental Considerations

Canada is committed to greening its supply chain. In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to acquire products and services that have a lower impact on the environment than those traditionally acquired. Environmental performance considerations include, among other things: the reduction of greenhouse gas emissions and air contaminants; improved energy and water efficiency; reduced waste and support reuse and recycling; the use of renewable resources; reduced hazardous waste; and reduced toxic and hazardous substances. In accordance with the Policy on Green Procurement, for this solicitation:

The successful bidder will be requested, after contract award, to provide all correspondence including (but not limited to) documents, reports and invoices in electronic format unless otherwise specified by the Contracting Authority, the Technical Authority or the Procurement Authority, thereby reducing printed material.

Bidders should recycle (shred) unneeded copies of non-classified/secure documents (taking into consideration the Security Requirements).

Product components used in performing the services should be recyclable and/or reusable, whenever possible.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation;

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process Policy on Green Procurement (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, bidders should:

- 1) use paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section 1: Technical Bid

In their technical bid, bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

3.1.1 Equivalent Products

- 1. Products that are equivalent in form, fit, function and quality to the item(s) specified in the bid solicitation will be considered where the Bidder:
 - (a) designates the brand name and model and/or part number and NSCM/NCAGE of the substitute product;
- 2. Products offered as equivalent in form, fit, function and quality will not be considered if:
 - (a) the bid fails to provide all the information requested to allow the Contracting Authority to fully evaluate the equivalency of each substitute product; or
 - (b) the substitute product fails to meet or exceed the mandatory performance criteria specified in the bid solicitation for that item.
- 3. In conducting its evaluation of the bids, Canada may, but will have no obligation to, request bidders offering a substitute product to provide technical information demonstrating the equivalency (e.g. drawing, specifications, engineering reports and/or test reports, a sample of the product offered), or to demonstrate that the substitute product is equivalent to the item specified in the bid solicitation, at the sole cost of bidders, within three (3) business days (or other delay specified herein) of the request. If the bidder fails to provide the requested information within the specified delay, Canada may declare the bid non-responsive.

3.1.2 Substitute Products - Replaced Part Numbers from the OEM

1. Products that are replaced part number (superseded or obsolete) from the OEM must be equivalent in form, fit, function, quality and performance to the original item(s) specified in the bid solicitation and will be considered where the bidder provides upon request of the Contracting Authority:
 - a) proof by submitting a copy of a Certificate of Conformity from the Original Equipment Manufacturer (OEM) providing justification/explanation that the part numbers are a replacement of the OEM parts specified herein and are equivalent in form, fit, function, quality and performance to the OEM's parts specified herein; or
 - b) all required technical information (as detailed in Part 3, Section I, 1 Equivalent Product) to demonstrate their technical compliance and to confirm form, fit, function, quality and performance of these replaced part numbers.
2. In conducting its evaluation of the bids, Canada may, but will have no obligation to, request bidders offering a substitute product to demonstrate that the substitute product is equivalent to the item specified in the bid solicitation, at the sole cost of bidders, within three (3) business days (or other delay specified herein) of the request. If the bidder fails to provide the requested information within the specified delay, Canada may declare the bid non-responsive.

Section II: Financial Bid

3.1.3 Pricing

Bidders must submit their financial bid in accordance with the Basis of Payment specified in Part 6.

The Bidder must submit firm unit prices in "Line Item Detail". Prices should not be indicated in any other section of the bid.

3.1.3.1 Pricing - Multi-Item Bid Solicitation

Bidders do not have to quote a price for all items identified in the bid solicitation. However, Bidders must quote a price for all items with identical Nato Stock Numbers in order to be evaluated.

3.1.4 SACC Manual Clauses

Exchange Rate Fluctuation Risk Mitigation

1. The Bidder may request Canada to assume the risks and benefits of exchange rate fluctuations. If the Bidder claims for an exchange rate adjustment, this request must be clearly indicated in the bid at time of bidding. The Bidder must submit form [PWGSC-TPSGC 450](#), Claim for Exchange Rate Adjustments with its bid, indicating the Foreign Currency Component (FCC) in Canadian dollars for each line item for which an exchange rate adjustment is required.
2. The FCC is defined as the portion of the price or rate that will be directly affected by exchange rate fluctuations. The FCC should include all related taxes, duties and other costs paid by the Bidder and which are to be included in the adjustment amount.
3. The total price paid by Canada on each invoice will be adjusted at the time of payment, based on the FCC and the exchange rate fluctuation provision in the contract. The exchange rate adjustment will only be applied where the exchange rate fluctuation is greater than 2% (increase or decrease).

4. At time of bidding, the Bidder must complete columns (1) to (4) on form [PWGSC-TPSGC 450](#), for each line item where they want to invoke the exchange rate fluctuation provision. Where bids are evaluated in Canadian dollars, the dollar values provided in column (3) should also be in Canadian dollars, so that the adjustment amount is in the same currency as the payment.
5. Alternate rates or calculations proposed by the Bidder will not be accepted for the purposes of this exchange rate fluctuation provision.

Section III: Certifications

Bidders must submit the certifications required under Part 5.

Section IV: Additional Information

Canada requests that bidders submit the following information:

3.1.5 Delivery Date

While delivery is requested by October 30, 2015,

The best delivery that could be offered is:

- | | | |
|-----------|-------|---|
| Item 001: | _____ | Weeks/Calendar days from the effective date of the contract. |
| Item 002: | _____ | Weeks/Calendar days from the effective date of the contract. |
| Item 003: | _____ | Weeks/Calendar days from the effective date of the contract. |
| Item 004: | _____ | Weeks/Calendar days from the effective date of the contract. |
| Item 005: | _____ | Weeks/Calendar days from the effective date of the contract. |
| Item 006: | _____ | Weeks/Calendar days from the effective date of the contract. |
| Item 007: | _____ | Weeks/Calendar days from the effective date of the contract. |
| Item 008: | _____ | Weeks/Calendar days from the effective date of the contract. |
| Item 009: | _____ | Weeks/Calendar days from the effective date of the contract. |
| Item 010: | _____ | Weeks/Calendar days from the effective date of the contract. |

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Evaluation Criteria - Part Number and NSCM/CAGE

Bidders must indicate the Part Number and the NSCM/CAGE they are offering.

4.1.1.2 Mandatory Technical Evaluation Criteria - Equivalent and Substitute Products

Bidders proposing an Equivalent or a Substitute Product must indicate the brand name and model and/or Part Number and the NSCM/CAGE they are offering.

4.1.2. Financial Evaluation

4.1.2.1 Mandatory Financial Evaluation Criteria

The price of the bid must be in Canadian dollars, Delivered Duty Paid at destination, Incoterms 2000, Canadian Custom Duties and Excise Taxes included where applicable and Applicable Taxes extra.

Bidders must quote a price for all destinations with the same NATO Stock Number.

4.2 Basis of Selection

A bid must comply with all requirements of the bid solicitation to be declared responsive. The responsive bid with the lowest evaluated price on an item by item basis will be recommended for award of a contract.

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Declaration of Convicted Offences

As applicable, pursuant to subsection Declaration of Convicted Offences of section 01 of the Standard Instructions, the Bidder must provide with its bid, a completed [Declaration Form](#), to be given further consideration in the procurement process.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – List of Names

Bidders who are incorporated, including those bidding as a joint venture, must provide a complete list of names of all individuals who are currently directors of the Bidder.

Bidders bidding as sole proprietorship, as well as those bidding as a joint venture, must provide the name of the owner(s).

Bidders bidding as societies, firms or partnerships do not need to provide lists of names.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "[FCP Limited Eligibility to Bid](http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml)" list (http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml) available from [Employment and Social Development Canada \(ESDC\) - Labour's](#) website.

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "[FCP Limited Eligibility to Bid](#)" list at the time of contract award.

N° de l'invitation - Solicitation No.
9F010-150294/A
N° de réf. du client - Client Ref. No.
9F010-150294

N° de la modif - Amd. No.
File No. - N° du dossier
HP371.9F010-150294

Id de l'acheteur - Buyer ID
HP371
N° CCC / CCC No./ N° VME - FMS

5.2.3 Additional Certifications Precedent to Contract Award

The certifications listed below should be completed and submitted with the bid, but may be submitted afterwards. If any of these required certifications is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to comply with the request of the Contracting Authority and to provide the certifications within the time frame provided will render the bid non-responsive.

5.2.3.1 Substitute and Equivalent Products Conformance Certification

The Bidder certifies that all Equivalent Products and Substitute Products proposed conform to the requirement detailed under the "Line Item Detail".

This certification does not relieve the bid from meeting the requirement detailed in Part 3, Section I, Substitute Products.

Bidder's authorized representative Signature

Date

PART 6 - RESULTING CONTRACT CLAUSES

6.1 Security Requirement

There is no security requirement applicable to this contract.

6.2 Requirement

The Contractor must provide the items detailed under the "Line Item Detail".

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the Standard Acquisition Clauses and Conditions Manual [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

2010A (2015-07-03) General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

6.4 Term of Contract

6.4.1 Delivery Date

The Contractor must make the delivery as follows:

- Item 001: must be delivered on or before _____ (Date to be inserted by the Contracting Authority at time of contract award.)
- Item 002: must be delivered on or before _____ (Date to be inserted by the Contracting Authority at time of contract award.)
- Item 003: must be delivered on or before _____ (Date to be inserted by the Contracting Authority at time of contract award.)
- Item 004: must be delivered on or before _____ (Date to be inserted by the Contracting Authority at time of contract award.)
- Item 005: must be delivered on or before _____ (Date to be inserted by the Contracting Authority at time of contract award.)
- Item 006: must be delivered on or before _____ (Date to be inserted by the Contracting Authority at time of contract award.)
- Item 007: must be delivered on or before _____ (Date to be inserted by the Contracting Authority at time of contract award.)
- Item 008: must be delivered on or before _____ (Date to be inserted by the Contracting Authority at time of contract award.)

N° de l'invitation - Solicitation No.
9F010-150294/A
N° de réf. du client - Client Ref. No.
9F010-150294

N° de la modif - Amd. No.
File No. - N° du dossier
HP371.9F010-150294

Id de l'acheteur - Buyer ID
HP371
N° CCC / CCC No./ N° VME - FMS

Item 009: must be delivered on or before _____ (Date to be inserted by the Contracting Authority at time of contract award.)

Item 010: must be delivered on or before _____ (Date to be inserted by the Contracting Authority at time of contract award.)

6.5. Authorities

6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Daniel Buck
Title: Supply Officer
Public Works and Government Services Canada - Acquisitions Branch
LEFT Directorate, HP Division,
7A2, Place du Portage, Phase 3, 11 Laurier Street, Gatineau Quebec. K1A 0S5

Telephone: 819 956-3528
Facsimile: 819 953-2953
E-mail address: daniel.buck@pwgsc-tpsgc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Procurement Authority

The Procurement Authority for the Contract is:

Name: _____ (To be inserted by PWGSC at time of contract award.)
Title: _____
Organization: _____
Address: _____

Telephone: ____ - ____ - ____
Facsimile: ____ - ____ - ____
E-mail: _____

The Procurement Authority is the representative of the department or agency for whom the Work is being carried out under the Contract. The Procurement Authority is responsible for the implementation of tools and processes required for the administration of the Contract. The Contractor may discuss administrative matters identified in the Contract with the Procurement Authority however the Procurement Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of Work can only be made through a contract amendment issued by the Contracting Authority.

6.5.3 Technical Authority

The Technical Authority for the Contract is: (If applicable)

Name: _____ (To be inserted by PWGSC at time of contract award.)
Title: _____
Organization: _____
Address _____

Telephone: - - -
Facsimile: - - -
E-mail: _____

The Technical Authority named above is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Technical Authority, however the Technical Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.5.4 Contractor's Representative

Name and telephone number of the person responsible for :

General enquiries

Name: _____ (To be completed by the bidder.)
Title: _____
Telephone: - - -
Facsimile: - - -
E-mail: _____

Delivery follow-up

Name: _____ (To be completed by the bidder.)
Title: _____
Telephone: - - -
Facsimile: - - -
E-mail: _____

6.6 Payment

6.6.1 Basis of Payment - Firm Unit Prices

6.1.1.1 In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm unit price(s), as specified in "Line Item Detail".

6.1.1.2 All firm unit prices in Canadian dollars must be Delivery Duty Paid (DDP) at destination, Incoterms 2000, including Canadian Custom Duties and Excise taxes where applicable, and applicable Taxes are extra.

6.1.1.3 Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.6.2 SACC Manual Clauses

C2000C	Taxes - Foreign-based Contractor	2007-11-30
H1001C	Multiple Payments	2008-05-12

6.6.3 Exchange Rate Fluctuation Adjustment (if applicable)

1. The foreign currency component (FCC) is defined as the portion of the price or rate that will be directly affected by exchange rate fluctuation. The FCC should include all related taxes, duties and other costs paid by the Bidder and which are to be included in the adjustment amount.
2. For each line item where a FCC is identified, Canada assumes the risks and benefits for exchange rate fluctuation, as shown in the Basis of Payment. For such items, the exchange rate fluctuation amount is determined in accordance with the provision of this clause.
3. The total price paid by Canada on each invoice will be adjusted at the time of payment, based on the FCC and the exchange rate fluctuation provisions in the contract. The exchange rate adjustment amount will be calculated in accordance with the following formula:

$$\text{Adjustment} = \text{FCC} \times \text{Qty} \times (i_1 - i_0) / i_0$$

where formula variables correspond to:

FCC Foreign Currency Component (per unit)

i_0

Initial exchange rate (CAN\$ per unit of foreign currency [e.g. US\$1])

i_1

exchange rate for adjustments (CAN\$ per unit of foreign currency [e.g. US\$1])

Qty quantity of units

4. The initial exchange rate is typically set as the noon rate as published by the Bank of Canada on the solicitation closing date.
5. For goods, the exchange rate for adjustment will be the noon rate as published by the Bank of Canada on the date the goods were delivered. For services, the exchange rate for adjustment will be the noon rate on the last business day of the month for which the services were performed. For advance payments, the exchange rate for adjustment will be the noon rate on the date the payment was due. The most recent noon rate will be used for non-business days.
6. The Contractor must indicate the total exchange rate adjustment amount (either upward, downward or no change) as a separate item on each invoice or claim for payment submitted under the Contract. Where an adjustment applies, the Contractor must submit with their invoice form [PWGSC-TPSGC 450](#), Claim for Exchange Rate Adjustments.
7. The exchange rate adjustment will only be applied where the exchange rate fluctuation is greater than 2% (increase or decrease), calculated in accordance with column 8 of form [PWGSC-TPSGC 450](#) (i.e. $[i_1 - i_0] / i_0$).
8. Canada reserves the right to audit any revision to costs and prices under this clause.

6.7 Invoicing Instructions

The Contractor must submit invoices in accordance with the section entitled "Invoice submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

Invoices must be distributed as follows:

- a. The original and one (1) copy must be forwarded to the consignee for certification and payment;
- b. One (1) copy must be forwarded to the Contracting Authority identified under the section entitled "Authorities" of the Contract.

Note 1: Invoices of Delivered Duty Paid, Incoterms 2000 contract will not be submitted prior to shipment of materiel.

6.8. Certifications

6.8.1 Compliance

The continuous compliance with the certifications provided by the Contractor in its bid and the ongoing cooperation in providing additional information are conditions of the Contract. Certifications are subject to verification by Canada during the entire period of the Contract. If the Contractor does not comply with any certification, fails to provide the additional information, or if it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

6.9 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

6.10 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) 2010A (2015-07-03) General Conditions - Goods (Medium Complexity);
- (c) Line Item Detail;
- (d) the Contractor's bid dated _____

6.11 SACC Manual Clauses

G1005C	Insurance	2008-05-12
--------	-----------	------------

N° de l'invitation - Solicitation No.
9F010-150294/A
N° de réf. du client - Client Ref. No.
9F010-150294

N° de la modif - Amd. No.
File No. - N° du dossier
HP371.9F010-150294

Id de l'acheteur - Buyer ID
HP371
N° CCC / CCC No./ N° VME - FMS

6.12 Shipping Instructions - DDP Destination

Goods must be consigned and delivered to the destination specified in the contract:

Incoterms 2000 "DDP Delivered Duty Paid" (Ottawa, Ontario).

6.13 Environmental Considerations

Canada is committed to greening its supply chain. In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to acquire products and services that have a lower impact on the environment than those traditionally acquired. Environmental performance considerations include, among other things: the reduction of greenhouse gas emissions and air contaminants; improved energy and water efficiency; reduced waste and support reuse and recycling; the use of renewable resources; reduced hazardous waste; and reduced toxic and hazardous substances. In accordance with the Policy on Green Procurement:

The Contractor is requested to provide all correspondence including (but not limited to) documents and reports in electronic format unless otherwise specified by the Contracting Authority, the Technical Authority (I/A) or the Procurement Authority (I/A), thereby reducing printed material.

The Contractor should recycle (shred) unneeded copies of non-classified/secure documents (taking into consideration the Security Requirements).

Product components used in performing the services should be recyclable and/or reusable, whenever possible.