



MORTAR JOINT DETAIL
N.T.S.

NOTE :
IF MORTAR IS MISSING FROM JOINT BEYOND 75mm, CONTRACTOR TO FILL GAP WITH GROUT AFTER ALLOWING BACK POINTING TO CURE FOR 72 HOURS. ALLOW ANOTHER 72 HOURS, AFTER PLACING GROUT, BEFORE APPLYING FINISH COAT OF MORTAR.




EXPANSION JOINT DETAIL
N.T.S.

** 20mm THEORETICAL EXPANSION JOINT THICKNESS WAS USED FOR DESIGN PURPOSES.




SECTION A
106 1:30




TYPE B ANCHOR 1
N.T.S.

BREASTWALL REFACING



ELEVATION - TYPICAL STONE
1:10



STONE FINISH DETAILS

No.	Description	Dwn.By Des.Par	Date
1	ISSUED FOR TENDER	DMR	JULY 2015

NOTE :
Do not scale drawings.
Verify all dimensions and conditions on site and immediately notify the Departmental Representative of all discrepancies.

A Detail number
Numéro du détail
B Location dwg. number
Numéro sur dessin

Project title / Titre du projet
**RIDEAU CANAL
BLACK RAPIDS LOCK 13
UPGRADES 2015**

Drawing title / Titre du dessin
MASONRY REPAIRS III

Drawn by / Dessiné par
DAVID ROWAN
Designed by / Conçu par
LUC BÉRIALTY, P.Eng.
CZESLAW CUDOWSKI, P.Eng.
Approved by / Approuvé par
LUC BÉRIALTY, P.Eng.
Drawing Date / Date du dessin
JUNE 2015

Drawing Number/
Numéro du Dessin
106
PWGSC Project Number / Numéro du projet TPSGC
R.078218.001
Sheet
Feuille
7 of 21
du