

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
PWGSC/TPSGC Acquisitions
1045 Main Street
1st Floor, Lobby C
Unit 108
Moncton, NB E1C 1H1
Bid Fax: (506) 851-6759

Revision to a Request for a Standing Offer

Révision à une demande d'offre à commandes

Regional Individual Standing Offer (RISO)

Offre à commandes individuelle régionale (OCIR)

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Offer remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'offre demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

NB / PEI Division - Moncton Acquisitions Office
1045 Main Street
1st Floor, Lobby C
Unit 108
Moncton, NB E1C 1H1

Title - Sujet RISO Fabric, Coated/Weather Resist.	
Solicitation No. - N° de l'invitation 21C21-160026/A	Date 2015-09-21
Client Reference No. - N° de référence du client 21C21-160026	Amendment No. - N° modif. 001
File No. - N° de dossier MCT-5-38053 (011)	CCC No./N° CCC - FMS No./N° VME
GETS Reference No. - N° de référence de SEAG PW-\$MCT-011-5069	
Date of Original Request for Standing Offer Date de la demande de l'offre à commandes originale	
2015-09-21	
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2015-11-02	
Time Zone Fuseau horaire Atlantic Daylight Saving Time ADT	
Address Enquiries to: - Adresser toutes questions à: Sharpe, Charlene A.	Buyer Id - Id de l'acheteur mct011
Telephone No. - N° de téléphone (506) 851-3467 ()	FAX No. - N° de FAX (506) 851-6759
Delivery Required - Livraison exigée	
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	
Security - Sécurité This revision does not change the security requirements of the Offer. Cette révision ne change pas les besoins en matière de sécurité de la présente offre.	

Instructions: See Herein

Instructions: Voir aux présentes

Acknowledgement copy required	Yes - Oui	No - Non
Accusé de réception requis	<input type="checkbox"/>	<input type="checkbox"/>
The Offeror hereby acknowledges this revision to its Offer. Le proposant constate, par la présente, cette révision à son offre.		
Signature	Date	
Name and title of person authorized to sign on behalf of offeror. (type or print) Nom et titre de la personne autorisée à signer au nom du proposant. (taper ou écrire en caractères d'imprimerie)		
For the Minister - Pour le Ministre		

Solicitation No. - N° de l'invitation

21C21-160026/A

Client Ref. No. - N° de réf. du client

21C21-160026

Amd. No. - N° de la modif.

001

File No. - N° du dossier

MCT-5-38053

Buyer ID - Id de l'acheteur

mct011

CCC No./N° CCC - FMS No/ N° VME

Solicitation Amendment

Title **RISO - Fabric, Coated/Weather Resistant**

Solicitation Amendment No. **X001**

This solicitation is hereby amended to:

- (1) Reference: **Page 18 of 22, Annex C - Technical Evaluation Criteria**
DELETE Annex C - Technical Evaluation Criteria in its entirety; and
INSERT Annex C - Technical Evaluation Criteria (**revised September 21, 2015**)
attached.

If your bid has already been forwarded and you wish to revise same, this revision should be sent either in a sealed envelope and mailed to the above address or by facsimile (506) 851-6759 and reach the undersigned before the appropriate closing date. The solicitation number and the closing date are to be shown on the outside of the sealed envelope or on the facsimile transmission.

All other terms and conditions of the solicitation document remain unchanged.

All enquiries concerning this amendment are to be forwarded to:

Name Charlene Sharpe
Telephone No.: (506) 851-3467
Facsimile No: (506) 851-6759

(Derived from - Provenant de: XNB025D, 23/01/2008)

**ANNEX C – TECHNICAL EVALUATION CRITERIA
(Revised September 21, 2015)**

**Specification for Cloth, Coated, Waterproof, Weather Resistant
For TEMS, Waterproof Fly**

1. SCOPE

- 1.1. Scope. This specification covers the requirements for the cloth intended for use in the TEMS Rain Fly.

2. APPLICABLE DOCUMENTS

- 2.1. Government Documents. None
- 2.2. Other Publications. The following documents form part of this specification to the extent specified herein. Effective dates shall be those in effect on the date of manufacture. Sources are as shown.

CAN/CGSB-4.2 Textile Test Methods
Canadian General Standards Board
Gatineau, Quebec
K1A 1G6
Telephone:819-956-0425 or 1-800-665-2472
e-mail: ncr.cgsb-ongc@pwgsc.gc.ca
Website : <http://www.tpsgc-pwgsc.gc.ca/ongc-cgsb/index-eng.html>

ASTM International
P.O. Box C700
West Conshohocken, PA
19428-2959, USA
E-mail: service@astm.org
Website : www.astm.org

2.3 Sealed Patterns – Not Available

- 2.4 Order of Precedence. In the event of inconsistency within this specification, including any inconsistency between languages, The Technical Authority shall be contacted for clarification.

3. REQUIREMENTS

- 3.1. Workmanship. The material covered by this specification shall be free of imperfections or blemishes such as may adversely affect its appearance or serviceability. For inspection purposes, imperfections and blemishes shall be considered defects when clearly visible at a normal inspection distance of approximately 1 meter under good, preferably North Light, lighting conditions.
- 3.2. Materials
- 3.2.1. Base Cloth. The base cloth shall be such that when coated with PVC the resulting coated fabric shall meet the requirements in Table I.
- 3.2.2. Coated Fabric. The finished fabric shall be coated on both sides to a minimum usable width of 59 inches. The base cloth shall remain undisturbed with no crimps, kinks or other deformations.
- 3.2.2.1. The finished fabric shall not pose a risk to the health of personnel or the environment when used as intended.

- 3.2.3. Coatings. Coatings shall be uniformly applied, and shall be free of bubbles, pinholes, thin spots, delamination and any other coating defects. The pigments used shall be lightfast, resistant to hydrolysis and mildew, and uniformly distributed in the coating compound.
- 3.2.3.1. The coating compound shall contain an evenly dispersed flame inhibitor to meet the requirements in Table I.
- 3.2.4 Seams. Items made with this fabric will require seams to be welded and sewn. The physical appearance of all welds shall be neat and clean with no air bubbles, no excess plastic flow, and the base substrate shall not be crimped, kinked or otherwise disturbed.
- 3.2.5. Finish. Any finishes applied must not affect the fabric welding performance.
- 3.2.6. Colour Requirements. The colour shall be a military green such as Canadian Average Green, Olive Green or Olive Drab and must be acceptable to Technical Authority.
- 3.2.7. Selvedges. Selvedges shall be firm, and straight.
- 3.2.8. Length. The cloth shall be delivered in pieces of approx 100 metres with not more than two lengths per piece, the shorter piece shall not be less than 20 metres.
- 3.2.9. Piece Marking. Each piece of cloth shall have an identification label securely attached to the selvedge at one end. The label shall include the gross length, number of lengths per piece, Nomenclature, Colour, contract number.

4. QUALITY ASSURANCE PROVISIONS

- 4.1. The contractor is responsible for the performance of all inspection requirements. Contractors may utilize their own or any other inspection facility acceptable to the Government. The Government reserves the right to perform any of the inspection specified herein where such inspections are deemed necessary to ensure material and services conform to prescribed requirements. The contractor is responsible for ensuring that all material or services submitted to the Government for acceptance comply with all requirements of the contract.

5. PREPARATION FOR DELIVERY

- 5.1. Packaging and packing. Packaging, packing, delivery and marking of shipping containers shall be in accordance with the terms of the contract.
- 5.2. The rolls must be delivered on pallets, wrapped in plastic bags. **A compliance report must be provided at delivery. The cloth must be as per specification.**
- 5.3. Minimum quantity per call-up is 500 meters
- a) Delivery shall be Monday to Friday, 8:00 to 3:00 p.m.
 - b) Delivery date must be confirmed 1 day prior.
 - c) Delivery required: Within (14) calendar days of receipt of a call-up against the standing offer.

6. NOTES

6.1 The production of a product to this specification, or the evaluation of a product to this specification, may require the use of materials and or equipment that could be hazardous. This specification does not purport to address all safety, health and environmental concerns, if any associated with its use. It is the responsibility of the user of this specification to establish appropriate safety, health and environmental practices and to determine the applicability of regulatory limitation prior to use.

6.2 The Technical Authority for this specification is DCSEM 4-9,

6.3 Kim Schembri, 819-994-8359.

Table I – Finished Fabric

Property	Test Method	Requirement
Mass (g/m ²)	ASTM D 751-06 Section 10	Maximum: 340
Breaking Strength (N)	ASTM D 751-06 Section 12-15	Minimum, Warp: 565 Minimum, Weft: 485
Hydrostatic Resistance (kPa)	CAN/CSB-4.2 No 26.5	Initial, Minimum: 900
	After exposure to Cold Temperature: ASTM D751 (Para 61-64), 30 minutes @ -7° C then CAN/CSB-4.2 No 26.5	- 10 %
Welded Seam Strength * (N/25mm)	ASTM D 751-06 Section 66-71	Minimum: 300
Blocking (Heat)	ASTM D 751-06 Section 84-88	Face to Face: 1 Back to Face: 1 Cloth surfaces may adhere slightly
Flame Resistance	Must meet the requirements of CAN/ULC S109	
Gloss (Gloss unit)	ASTM D523, face side only	20 degree: 2.5 60 degree: 5.0 85 degree: 7.0

*For testing purposes, seams shall be welded in a face to back configuration. The width of the welded seam shall be 25.4 mm (1 inch). Welded seams for testing shall be provided by the end item manufacturer and shall be fully representative of end item production.

- **Bidders must provide two (2) samples in the specified colour, each at least one (1) meter X one (1) meter.**

- **Bidders must have available test results from a certified independent testing laboratory confirming that the fabric samples submitted with their bid meets the mandatory requirement. If the test results are available, please include with the bid. If these test results are not provided with the bid, the Contracting Authority will so inform the Bidder and provide the Bidder with a time frame within which to meet this requirement. Failure to comply with the request of the Contracting Authority and meet the requirement within that time period will render the bid non-responsive.**