

**RETURN BIDS TO:  
RETOURNER LES SOUMISSIONS À:**  
**Public Works Government Services Canada- Bid  
Receiving / Réception des soumissions**  
**189 Prince William Street**  
**Room 405**  
**Saint John**  
**New Brunswick**  
**E2L 2B9**

## **SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

### **Comments - Commentaires**

**Vendor/Firm Name and Address**  
**Raison sociale et adresse du  
fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**  
**Public Works Government Services Canada- Bid  
Receiving / Réception des soumissions**  
**189 Prince William Street**  
**Room 405**  
**Saint John**  
**New Bruns**  
**E2L 2B9**

<b>Title - Sujet</b> Alarm Sys. Repair-NB/PEI Armouries	
<b>Solicitation No. - N° de l'invitation</b> W0105-15E049/A	<b>Amendment No. - N° modif.</b> 002
<b>Client Reference No. - N° de référence du client</b> W0105-15E049	<b>Date</b> 2015-10-05
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$PWB-101-3682	
<b>File No. - N° de dossier</b> PWB-5-38036 (101)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2015-10-13</b>	<b>Time Zone</b> <b>Fuseau horaire</b> Atlantic Daylight Saving Time ADT
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Lomax, Sandra	<b>Buyer Id - Id de l'acheteur</b> pwb101
<b>Telephone No. - N° de téléphone</b> (506) 636-4362 ( )	<b>FAX No. - N° de FAX</b> (506) 636-4376
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm (type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>



Solicitation No. - N° de l'invitation

W0105-15E049/A

Client Ref. No. - N° de réf. du client

W0105-15E049

Amd. No. - N° de la modif.

002

File No. - N° du dossier

PWB-5-38036

Buyer ID - Id de l'acheteur

pwb101

CCC No./N° CCC - FMS No/ N° VME

---

This Solicitation Amendment No. Two (2) is raised to include the following Addendum No. Two (2).

The following Addendum to the tender is effective immediately. This addendum shall form part of the contract documents.

**All other terms and conditions remain the same.**

## **1. QUESTIONS AND ANSWERS**



**Question**

According to PART 1 - GENERAL INFORMATION, 1.2 Requirement “An Annual Preventative Maintenance Test and Inspection of the Intrusion Alarm Systems at all Armouries as per Annex A of the specification” does this mean we are to replace any defective parts during the annual preventative maintenance test(s)?

Are the parts and labor to be billed as extras?

**Answer**

Yes

Yes

**Question**

In order to properly estimate the time required for the work, could you provide a list of components for each location?

**Answer**

If you require the components in French please contact Sandra Lomax at 506-636-4362.



DND-69

## Subscriber Detail Report

Sep 03, 2015

## Subscriber Information

PROT 69 1 RNBR B COY  
FREDERICTON ARMOURIES  
3 CARLETON STREET  
FREDERICTON, NB E3B 3T1

Location: RM 142  
PH CLOSEST TO LCU  
460-7413

Password:

Account Type: WEAPONS VAULT (0)

Alarm Type: DSC

Permit Number:

Start Date: Aug 14, 2010

## Zone Definitions

Zone	Zone Description	Signal Code	Priority	Phonelist
1	RM 142 FRONT DOOR CONTACT SENSOR	BUR	2	General Alarm
2	RM 142 FRONT MOTION SENSOR	BUR	2	General Alarm
3	RM 142 BACK MOTION SENSOR	BUR	2	General Alarm
14	AC CABINET TAMPER	BUR	2	General Alarm
15	MAIN PANEL TAMPER	BUR	2	General Alarm
16	PHONE LINE TAMPER	BUR	2	General Alarm

&gt;&gt; End Of Report &lt;&lt;

Page 1



**DND-70****Subscriber Detail Report****Sep 03, 2015****Subscriber Information****PROT 70 89 FLD BTY****WOODSTOCK AMOURIES****107 CHAPEL ST****WOODSTOCK, NB E7M 1G6**

Location: RM 1

PH CLOSEST TO LCU 460-7413

Password:

Account Type: WEAPONS VAULT (0)

Alarm Type: DSC

Permit Number:

Start Date: Aug 14, 2010

**Zone Definitions**

<b>Zone</b>	<b>Zone Description</b>	<b>Signal Code</b>	<b>Priority</b>	<b>Phonelist</b>
1	WPNS VAULT FRONT DOOR CONTACT SENSOR	BUR	2	General Alarm
2	WPNS VAULT FRONT MOTION SENSOR	BUR	2	General Alarm
3	WPNS VAULT BACK MOTION SENSOR	BUR	2	General Alarm
14	AC CABINET TAMPER	BUR	2	General Alarm
15	MAIN PANEL TAMPER	BUR	2	General Alarm
16	PHONE LINE TAMPER	BUR	2	General Alarm

&gt;&gt; End Of Report &lt;&lt;

Page 1



DND-71

## Subscriber Detail Report

Sep 03, 2015

## Subscriber Information

PROT 71 1 RNBR A COY  
GRANDFALLS ARMOURIES  
576 MADAWASKA DR  
GRANDFALLS, NB E3Y 1A3  
Location: PH CLOSEST TO LCU

Password:  
Account Type: WAEPONS VAULT (0)  
Alarm Type: DSC  
Permit Number:  
Start Date: Aug 14, 2010

## Zone Definitions

Zone	Zone Description	Signal Code	Priority	Phonelist
1	WPNS VAULT FRONT DOOR CONTACT SENSOR	BUR	2	General Alarm
2	WPNS VAULT BACK MOTION SENSOR	BUR	2	General Alarm
14	AC CABINET TAMPER	BUR	2	General Alarm
15	MAIN PANEL TAMPER	BUR	2	General Alarm
16	PHONE LINE TAMPER	BUR	2	General Alarm

&gt;&gt; End Of Report &lt;&lt;

Page 1



DND-73

## Subscriber Detail Report

Sep 03, 2015

## Subscriber Information

PROT 73 1RNBR A COY ARMOURIES

145 MARTIN ST  
EDMUNDSTON, NB

Location:

Password:

Account Type: BLDG/WEAPONS VAULT (0)

Alarm Type: DSC

Permit Number:

Start Date: Jun 11, 2014

## Zone Definitions

Zone	Zone Description	Signal Code	Priority	Phonelist
15	PHONE LINE	BUR	2	General Alarm
16	MAIN PANEL TAMPER (AREA 1)	BUR	2	General Alarm
17	X117 MAIN DOOR SENSOR ( AREA 1)	BUR	2	General Alarm
18	X117 MOTION SENSOR (AREA 1)	BUR	2	General Alarm
19	X117 HALLWAY MOTION SENSOR (AREA 1)	BUR	2	General Alarm
20	FRONT DOOR MOTION SENSOR (AREA 1)	BUR	2	General Alarm
21	FRONT DOOR SENSOR (AREA 1)	BUR	2	General Alarm
22	X103 HALLWAY MOTION SENSOR (AREA 1)	BUR	2	General Alarm
23	HALLWAY MOTION 105 (AREA 1)	BUR	2	General Alarm
24	X103 MOTION SENSOR (AREA 1)	BUR	2	General Alarm
25	X103 DOOR SENSOR (AREA 1)	BUR	2	General Alarm
26	X109 DOOR SENSOR (AREA 1)	BUR	2	General Alarm
27	216 GYM SENSOR (AREA 1)	BUR	2	General Alarm
28	PENTHOUSE DOOR (AREA 1)	BUR	2	General Alarm
29	2ND FLOOR MOTION SENSOR (STAIRS) (AREA 1)	BUR	2	General Alarm
30	RM211 FRONT MOTION SENSOR (AREA 1)	BUR	2	General Alarm
31	MOTION SENSOR BY ELEVATOR (AREA 1)	BUR	2	General Alarm
32	GYM MOTION SENSOR SIDE (AREA 1)	BUR	2	General Alarm
33	RM 211 MOTION SENSOR SIDE (AREA 1)	BUR	2	General Alarm
34	X213A OVERHEAD DOOR SENSOR (AREA 1)	BUR	2	General Alarm
35	X213B GYM DOOR SENSOR (AREA 1)	BUR	2	General Alarm
36	X213B GYM MOTION SENSOR (AREA 1)	BUR	2	General Alarm
37	X213C GYM DOOR SENSOR (AREA 1)	BUR	2	General Alarm
38	X213 C DOOR SENSOR (AREA 1)	BUR	2	General Alarm
39	215A VAULT DOOR CONTACT SENSOR ( AREA 2)	BUR	2	General Alarm
40	215 A VAULT 360 MOTION SENSOR (AREA 2)	BUR	2	General Alarm

&gt;&gt; Continued On Next Page &lt;&lt;

Page 1



DND-256

## Subscriber Detail Report

Sep 09, 2015

## Subscriber Information

PROT 256 2 RNBR C COY

CAMPBELLTON ARMOURIES  
CAMPBELLTON, NB E3N 1B5

169 WATER ST

Location: CONTACT UNIT  
789-6300

Password:

Account Type: WEAPONS VAULT (0)

Alarm Type:

Permit Number:

Start Date: Aug 16, 2010

## Zone Definitions

Zone	Zone Description	Signal Code	Priority	Phonelist
1	WPNS VAULT FRONT DOOR SENSOR CONTACT	BUR	2	General Alarm
2	WPNS VAULT FRONT MOTION SENSOR	BUR	2	General Alarm
14	AC CABINET TAMPER	BUR	2	General Alarm
15	MAIN PANEL TAMPER	BUR	2	General Alarm
16	PHONE LINE TAMPER	BUR	2	General Alarm

&gt;&gt; Continued On Next Page &lt;&lt;

Page 5



DND-251

## Subscriber Detail Report

Sep 09, 2015

## Subscriber Information

PROT 251 2 RNBR

BATHURST ARMOURIES

1820 KING AVE

BATHURST, NB E2A 4Z7

Location: PH CLOSEST TO LCU

506-549-6006

506-549-6000

Password:

Account Type: WEAPONS VAULT (0)

Alarm Type: DSC

Permit Number:

Start Date: Aug 16, 2010

## Zone Definitions

Zone	Zone Description	Signal Code	Priority	Phonelist
1	WPNS VAULT FRONT DOOR SENSOR CONTACT	BUR	2	General Alarm
2	WPNS VAULT FRONT MOTION SENSOR	BUR	2	General Alarm
3	WPNS VAULT REAR MOTION SENSOR	BUR	2	General Alarm
14	AC CABINET TAMPER	BUR	2	General Alarm
15	MAIN PANEL TAMPER	BUR	2	General Alarm
16	PHONE LINE TAMPER	BUR	2	General Alarm

&gt;&gt; Continued On Next Page &lt;&lt;

Page 1



DND-252

## Subscriber Detail Report

Sep 09, 2015

## Subscriber Information

PROT 252 2RNBR

BATHURST ARMOURIES

1827 KING ST

BATHURST, NB E2A 2Z7

Location: PH CLOSEST TO LCU

506-549-6006

506-549-6000

Password:

Account Type: GARAGE (0)

Alarm Type: DSC

Permit Number:

Start Date: Aug 16, 2010

## Zone Definitions

Zone	Zone Description	Signal Code	Priority	Phonelist
1	DOOR SENSOR CONTACT RM151 MAIN DOOR	BUR	2	General Alarm
2	ROLL UP DOOR # 5 WASH BAY	BUR	2	General Alarm
3	ROLL UP DOOR OUTSIDE WASH BAY DOOR	BUR	2	General Alarm
4	ROLL UP DOOR # 1	BUR	2	General Alarm
5	ROLL UP DOOR #2	BUR	2	General Alarm
6	ROLL UP DOOR #3	BUR	2	General Alarm
7	ROLL UP DOOR #4	BUR	2	General Alarm
8	OUTSIDE DOOR # 152	BUR	2	General Alarm
9	INSIDE DOOR # 158	BUR	2	General Alarm
14	AC CABINET SENSOR TAMPER	BUR	2	General Alarm
15	MAIN PANEL TAMPER	BUR	2	General Alarm
16	PHONE LINE TAMPER	TAM	3	General Alarm

&gt;&gt; Continued On Next Page &lt;&lt;

Page 2



DND-253

## Subscriber Detail Report

Sep 09, 2015

## Subscriber Information

PROT 253 2 RNBR

BATHURST ARMOURIES  
BATHURST, NB E2A 4Z7

1820 KING AVE B

Password:

Account Type: PERIMETER (0)

Alarm Type:

Permit Number:

Start Date: Aug 16, 2010

Location: PH CLOSEST TO LCU  
506-549-6004  
506-549-6006/6000

## Zone Definitions

Zone	Zone Description	Signal Code	Priority	Phonelist
1	MAIN DOOR CONTACT SENSOR DOOR #101	BUR	2	General Alarm
2	LOBBY MOTION SENSOR	BUR	2	General Alarm
3	DOOR CONTACT SENSOR DOOR #124	BUR	2	General Alarm
4	DOOR CONTACT SENSOR DOOR #122	BUR	2	General Alarm
5	DOOR CONTACT SENSOR DOOR #121	BUR	2	General Alarm
6	OVERHEAD DOOR CONTACT SENSOR DRILL HALLB #1	BUR	2	General Alarm
7	DOOR CONTACT SENSOR DORR # 106	BUR	2	General Alarm
8	OVERHEAD DOOR CONTACT SENSOR DOOR #2 QM	BUR	2	General Alarm
9	DOOR CONTACT SENSOR DOOR #118	BUR	2	General Alarm
10	DOOR CONTACT SENSOR DOOR #120	BUR	2	General Alarm
11	DOOR CONTACT SENSOR DOOR #201	BUR	2	General Alarm
12	DOOR CONTACT SENSOR 2ND FL DOOR	BUR	2	General Alarm
13	DOOR CONTACT SENSOR PENTHOUSE DOOR	BUR	2	General Alarm
14	AC CABINET TAMPER	BUR	2	General Alarm
15	MAIN PANEL TAMPER	BUR	2	General Alarm
16	PHONE LINE TAMPER	BUR	2	General Alarm

&gt;&gt; Continued On Next Page &lt;&lt;

Page 3



DND-254

## Subscriber Detail Report

Sep 09, 2015

## Subscriber Information

PROT 254 2 RNBR

BATHURST ARMOURIES  
BATHURST, NB E2A 4Z7

1820 KING AVE B

Location: PH CLOSEST TO LCU  
506549-6004  
506-6006/6000

Password:

Account Type: PREM (GLASS BREAK) (0)

Alarm Type:

Permit Number:

Start Date: Aug 16, 2010

## Zone Definitions

Zone	Zone Description	Signal Code	Priority	Phonelist
1	GLASS BREAK SENSOR # 1 NEAR MAIN ENTRY	BUR	2	General Alarm
2	GLASS BREAK SENSOR #2 NEAR MAIN ENTRY	BUR	2	General Alarm
3	GLASS BREAK SENSOR #3 DRILL HALL	BUR	2	General Alarm
4	GLASS BREAK SENSOR #4	BUR	2	General Alarm
5	GLASS BREAK SENSOR #5	BUR	2	General Alarm
6	GLASS BREAK SENSOR #6	BUR	2	General Alarm
7	GLASS BREAK SENSOR #7	BUR	2	General Alarm
8	GLASS BREAK SENSOR #8	BUR	2	General Alarm
9	GLASS BREAK SENSOR #9	BUR	2	General Alarm
10	GLASS BREAK SENSOR #10	BUR	2	General Alarm
11	GLASS BREAK SENSOR #11	BUR	2	General Alarm
12	GLASS BREAK SENSOR #12	BUR	2	General Alarm
13	GLASS BREAK SENSOR #13 SAME AS #3	BUR	2	General Alarm
14	GLASS BREAK SENSOR #14 SAME AS #4	BUR	2	General Alarm
15	MAIN PANEL TAMPER	BUR	2	General Alarm
16	AC AND PHONE LINE TAMPER	BUR	2	General Alarm

&gt;&gt; Continued On Next Page &lt;&lt;

Page 4



DND-257

## Subscriber Detail Report

Sep 09, 2015

## Subscriber Information

PROT 257 2 RNBR A COY  
NEWCASTLE ARMOURIES  
MIRAMICHI, NB E1V2R7

305 GEORGE ST

Location: CONTACT UNIT  
1-506-627-2151  
1-506-627-2148/2322

Password:

Account Type: WEAPONS VAULT (0)

Alarm Type:

Permit Number:

Start Date: Aug 16, 2010

## Zone Definitions

Zone	Zone Description	Signal Code	Priority	Phonelist
1	WPNS VAULT DOOR SENSOR CONTACT	BUR	2	General Alarm
2	WPNS VAULT MOTION SENSOR	BUR	2	General Alarm
14	AC CABINET TAMPER	BUR	2	General Alarm
15	MAIN PANEL TAMPER	BUR	2	General Alarm
16	PHONE LINE TAMPER	BUR	2	General Alarm

&gt;&gt; End Of Report &lt;&lt;

Page 6



DND-117

## Subscriber Detail Report

Sep 03, 2015

*Ref 117*

## Subscriber Information

8 CH B SQN SUSSEX

SUSSEX ARMOURIES

9 LEONORD DRIVE

SUSSEX, NB E4E 2P8

Location: PHONE CLOSEST TO LCU

89-1-506-432-1044

OR CALL EXT 5500/5168

Password:

Account Type: WEAPONS VAULT (0)

Alarm Type:

Permit Number:

Start Date: Aug 15, 2010

## Zone Definitions

Zone	Zone Description	Signal Code	Priority	Phonelist
1	VAULT FRONT DOOR CONTACT SENSOR	BUR	2	General Alarm
2	VAULT FRONT MOTION SENSOR	BUR	2	General Alarm
3	VAULT REAR MOTION SENSOR	BUR	2	General Alarm
14	AC CABINET TAMPER	BUR	2	General Alarm
15	MAIN PANEL TAMPER	BUR	2	General Alarm
16	PHONE LINE TAMPER	BUR	2	General Alarm

&gt;&gt; End Of Report &lt;&lt;

Page 1



DND-153

## Subscriber Detail Report

Sep 09, 2015

## Subscriber Information

PROT 153 PEI REGIMENT B SQN

B SQN PEI REQIMENT

14 PARKWAY LANE

SUMMERSIDE, PEI C1N 1S5

Location: CONTACT UNIT

902432-6920 OR

902-368-0253/0105 OR

902-569-9511./368-0108

Password:

Account Type: WEAPONS VAULT (0)

Alarm Type:

Permit Number:

Start Date: Aug 16, 2010

## Zone Definitions

Zone	Zone Description	Signal Code	Priority	Phonelist
1	WPNS VAULT DOOR SENSOR CONTACT	BUR	2	General Alarm
2	WPNS VAULT FRONT MOTION SENSOR	BUR	2	General Alarm
3	WPNS VAULT BACK MOTION SENSOR	BUR	2	General Alarm
14	AC CABINET TAMPER	BUR	2	General Alarm
15	MAIN PANEL TAMPER	BUR	2	General Alarm
16	PHONE LINE TAMPER	BUR	2	General Alarm

&gt;&gt; Continued On Next Page &lt;&lt;

Page 3



DND-151

## Subscriber Detail Report

Sep 09, 2015

## Subscriber Information

PROT 151 721 COMM REGT  
QUEEN CHARLOTTE ARMOURIES  
3 HAVILAND STREET  
CHARLOTTETOWN, PEI C1A 1S7

Location: CONTACT UNIT  
902-368-0170 OR  
902-368-0161

Password:  
Account Type: WEAPONS VAULT (0)  
Alarm Type:  
Permit Number:  
Start Date: Aug 16, 2010

## Zone Definitions

Zone	Zone Description	Signal Code	Priority	Phonelist
1	WPNS VAULT DOOR CONTACT SENSOR	BUR	2	General Alarm
2	WPNS VAULT FRONT MOTION SENSOR	BUR	2	General Alarm
3	WPNS VAULT REAR MOTION SENSOR	BUR	2	General Alarm
13	JUNCTION BOX TAMPER	BUR	2	General Alarm
14	AC CABINET TAMPER	BUR	2	General Alarm
15	MAIN PANEL TAMPER	BUR	2	General Alarm
16	PHONE LINE TAMPER	BUR	2	General Alarm

&gt;&gt; Continued On Next Page &lt;&lt;

Page 1



DND-152

## Subscriber Detail Report

Sep 09, 2015

## Subscriber Information

PROT 152 PEI REG A SQN  
QUEEN CHARLOTTE ARMOURIES  
3 HAVILAND STREET  
CHARLOTTETOWN, PEI C1A 1S7

Location: CONTACT UNIT  
902-368-0125 OR  
902-368-0253/0180/0104  
902-368-0108

Password:  
Account Type: WEAPONS VAULT (0)  
Alarm Type:  
Permit Number:  
Start Date: Aug 16, 2010

## Zone Definitions

Zone	Zone Description	Signal Code	Priority	Phonelist
1	WPNS VAULT DOOR SENSOR CONTACT	BUR	2	General Alarm
2	WPNS VAULT FRONT MOTION SENSOR	BUR	2	General Alarm
3	WPNS VAULT BACK MOTION SENSOR	BUR	2	General Alarm
13	JUNCTION BOX TAMPER	BUR	2	General Alarm
14	AC CABINET TAMPER	BUR	2	General Alarm
15	MAIN PANEL TAMPER	BUR	2	General Alarm
16	PHONE LINE TAMPER	BUR	2	General Alarm

&gt;&gt; Continued On Next Page &lt;&lt;

Page 2



**DND-154****Subscriber Detail Report****Sep 09, 2015****Subscriber Information**

**PROT 154 721 COMMS REGT**  
**QUEEN CHARLOTTE ARMOURIES**  
**3 HAVILAND ST**  
**CHARLOTTETOWN, PEI C1A 3S7**

Location: CONTACT UNIT  
902-368-0156 OR  
902-368-0161/0151

Password:

Account Type: CRYPTO RM (0)

Alarm Type:

Permit Number:

Start Date: Aug 16, 2010

**Zone Definitions**

<b>Zone</b>	<b>Zone Description</b>	<b>Signal Code</b>	<b>Priority</b>	<b>Phonelist</b>
1	CRYPTO ROOM DOOR SENSOR CONTACT	BUR	2	General Alarm
2	CRYPTO ROOM MOTION SENSOR	BUR	2	General Alarm
14	AC CABINET TAMPER	BUR	2	General Alarm
15	MAIN PANEL TAMPER	BUR	2	General Alarm
16	PHONE LINE TAMPER	BUR	2	General Alarm

&gt;&gt; Continued On Next Page &lt;&lt;

**Page 4**



DND-155

## Subscriber Detail Report

Sep 09, 2015

## Subscriber Information

PROT 155 CHARLOTTETOWN DET  
CHARLOTTETOWN DETACHMENT  
88 WATTS AVE  
CHARLOTTETOWN, PEI C1E 2C1

Location: PH CLOSEST TO LCU  
89-1-902-368-0427,0461  
OR 0462

Password:

Account Type: PERIMETER (0)

Alarm Type:

Permit Number:

Start Date: Aug 16, 2010

## Zone Definitions

Zone	Zone Description	Signal Code	Priority	Phonelist
1	SIDE ENTRY DOOR SENSOR CONTACT	BUR	2	General Alarm
2	FRONT DOOR SENSOR CONTACT	BUR	2	General Alarm
3	STORES OVERHEAD DOOR SENSOR CONTACT	BUR	2	General Alarm
4	STORES MAIN DOOR SENSOR CONTACT	BUR	2	General Alarm
5	GARAGE SIDE MAIN DOOR SENSOR CONTACT	BUR	2	General Alarm
6	GARAGE OVERHEAD DOOR SENSOR CONTACT	BUR	2	General Alarm
7	STAIRWELL DOOR SENSOR CONTACT	BUR	2	General Alarm
8	NEVERSE OFFICE GLASSBREAK SENSOR	BUR	2	General Alarm
9	HALL TO GARAGE MOTION SENSOR	BUR	2	General Alarm
10	BACK GARAGE MOTION SENSOR	BUR	2	General Alarm
11	STORES MAIN FLOOR MOTION SENSOR	BUR	2	General Alarm
12	SECOND FLOOR STORES MOTION SENSOR	BUR	2	General Alarm
13	SECOND FLOOR OFFICE MOTION SENSOR	BUR	2	General Alarm
14	AC TAMPER SENSOR	BUR	2	General Alarm
15	MAIN PANEL TAMPER	BUR	2	General Alarm
16	TELEPHONE TAMPER	BUR	2	General Alarm
17	RM 104 GLASS BREAK SENSOR	BUR	2	General Alarm
18	RM 103A GLASS BREAK SENSOR	BUR	2	General Alarm
19	RM 103 GLASS BREAK SENSOR	BUR	2	General Alarm
20	LOBBY GLASS BREAK SENSOR	BUR	2	General Alarm
21	RM 121 GLASS BREAK	BUR	2	General Alarm
22	118D GLASS BREAK SENSOR	BUR	2	General Alarm

&gt;&gt; Continued On Next Page &lt;&lt;

Page 5



DND-159

## Subscriber Detail Report

Sep 09, 2015

## Subscriber Information

PROT 159 HMCS QUEEN CHARLOTTE  
HMCS QUEEN CHARLOTTE  
210 WATER ST PARKWAY  
CHARLOTTETOWN, PEI C1A 9M5

Location: CONTACT UNIT  
902-368-0414  
EXT 251/225 OR 297

Password:

Account Type: WEAPONS VAULT (0)

Alarm Type:

Permit Number:

Start Date: Aug 16, 2010

## Zone Definitions

Zone	Zone Description	Signal Code	Priority	Phonelist
1	WPNS VAULT DOOR SENSOR CONTACT RM 149	BUR	2	General Alarm
2	WPNS VAULT MOTION SENSOR	BUR	2	General Alarm
3	AMMO ROOM DOOR CONTACT SENSOR RM 162	BUR	2	General Alarm
4	MOTION SENSOR AMMO ROOM 162	BUR	2	General Alarm
14	AC CABINET TAMPER	BUR	2	General Alarm
15	MAIN PANEL TAMPER	BUR	2	General Alarm
16	PHONE LINE TAMPER	BUR	2	General Alarm

&gt;&gt; End Of Report &lt;&lt;

Page 1



**DND-157****Subscriber Detail Report****Sep 09, 2015****Subscriber Information****PROT 157 HMCS QUEEN CHARLOTTE****HMCS QUEEN CHARLOTTE  
210 WATER ST PARKWAY  
CHARLOTTETOWN, PEI C1A 9M5**Location: CONTACT UNIT  
902-368-0414  
EXT 251/235 OR 297

Password:

Account Type: PERIMETER (0)

Alarm Type:

Permit Number:

Start Date: Aug 16, 2010

**Zone Definitions**

Zone	Zone Description	Signal Code	Priority	Phonelist
1	LOADING BAY OVERHEAD DOOR SENSOR CONTACT	BUR	2	General Alarm
2	BACK DOOR SENSOR SMOKING AREA	BUR	2	General Alarm
3	CADET OFFICE DOOR SENSOR CONTACT	BUR	2	General Alarm
4	SUPPLY HALLWAY MOTION SENSOR	BUR	2	General Alarm
5	MAN DOOR SENSOR CONTACT BOAT MAINTENANCE	BUR	2	General Alarm
6	BOAT MAINT OVERHEAD DOOR SENSOR CONTACT	BUR	2	General Alarm
7	BOAT MAINT OVERHEAD DOOR SENSOR CONTACT	BUR	2	General Alarm
8	DESIAL TRAINOR DOOR SENSOR CONTACT	BUR	2	General Alarm
9	DOOR SENSOR ELECTRICALRM	BUR	2	General Alarm
10	DOOR SENSOR CONTACT BOILER RM	BUR	2	General Alarm
11	OVERHEAD DOOR SENSOR CONTACT DRILL DECK	BUR	2	General Alarm
12	MAN DOOR SENSOR CONTACT DRILL DECK	BUR	2	General Alarm
13	CPU TAMPER	BUR	2	General Alarm
14	AC SENSOR TAMPER	BUR	2	General Alarm
15	MAIN PANEL TAMPER	BUR	2	General Alarm
16	PHONE LINE TAMPER	BUR	2	General Alarm
17	DOOR SENSOR CONTACT MAIN ENTRANCE	BUR	2	General Alarm
18	DOOR SENSOR CONTACT MAIN ENTRANCE	BUR	2	General Alarm
19	MOTION SENSOR MAIN ENTRANCE	BUR	2	General Alarm
20	MOTION SENSOR WARDROOM	BUR	2	General Alarm
21	GLASSBREAK POOL AREA	BUR	2	General Alarm
22	GLASSBREAK POOL AREA	BUR	2	General Alarm
23	DOOR SENSOR POOL AREA	BUR	2	General Alarm
24	GLASSBREAK RM 244	BUR	2	General Alarm
25	DOOR SENSOR CONTACT UNDERAGE MESS	BUR	2	General Alarm
26	GLASS BREAK RM 244	BUR	2	General Alarm
27	GLASSBREAK RM 244	BUR	2	General Alarm
28	DOOR SENSOR CONTACT RM 244	BUR	2	General Alarm
29	GLASSBREAK RM 245	BUR	2	General Alarm
30	GLASSBREAK RM 255	BUR	2	General Alarm
31	DOOR SENSOR CONTACT RM 255	BUR	2	General Alarm
32	DOOR SENSOR CONTACT HALLWAY 2ND FLOOR	BUR	2	General Alarm
33	DOOR SENSOR CONTACT RM 255	BUR	2	General Alarm
34	DOR SENSOR CONTACT RM 245 WARDROOM	BUR	2	General Alarm
35	GLASSBREAK RM 245 WARDROOM	BUR	2	General Alarm

&gt;&gt; Continued On Next Page &lt;&lt;

Page 7



**DND-157****Subscriber Detail Report****Sep 09, 2015**

---

36	GLASSBREAK RM 245 WARDROOM	BUR	2	General Alarm
37	GLASSBREAK RM 245 WARDROOM	BUR	2	General Alarm
38	GLASSBREAK RM 245 WARDROOM	BUR	2	General Alarm
39	MOTION SENSOR SHIPS OFFICE	BUR	2	General Alarm
40	MOTION SENSOR WARDROOM	BUR	2	General Alarm
41	GLASSBREAK MS MESS	BUR	2	General Alarm
42	GLASSBREAK RM SHIP OFFICE	BUR	2	General Alarm
43	GLASSBREAK SHIPS OFFICE	BUR	2	General Alarm
44	DOOR SENSOR CONTACT FAN RM	BUR	2	General Alarm
45	4204 AC TAMPER	BUR	2	General Alarm

---

&gt;&gt; Continued On Next Page &lt;&lt;

Page 8




BARRACK GREEN ARMOURY

60 BROADVIEW AVE - SAINT JOHN

3 FLD REGT & 1 AMBR

PHONE 637-7736/7749/7755

101  
6



PROPER ROOM ORIENTATION

PRO  
66

JB TAMPER  
AC TAMPER

PHONE: (506) 648-3333

Updated 17-1




**BARRACK GREEN ARMORY**  
**60 BROADVIEW AVE - SAINT JOHN NB**  
**722 SQN & 31 SUC BN**

**PHONE: 637 731 / 7719 / 7708**

**101**

**PHC 67**



**ROOM ORIENTATION**

**JB TAMPER**  
**AC TAMPER**

**POLICE: (506) 648-3333**

**Updated 17-1**




722 COMM 30M

BARRACK GREEN ARMOURY

60 BROADVIEW AVE, SAINT JOHN NB

89-1-506-637-742/7739/7634/77

UNIT PAGER ( 506 ) 652-0300



10T 8

PRC 68

JB TAMPER  
JB TAMPER  
AC TAMPER  
DUAC AC FAIL

POLICE (506) 648-3333

Updated 17-



160 CHELSEY DRIVE, SAINT JOHN, NB

160 CHELSEY DRIVE, SAINT JOHN, NB

PHONE 89-1-506-637-7700/7769/7771/77

COMPUTER

SAFE

PIR  
PIR

ACT JBT

DOOR

PAGER: 9-1-(506) 652-0296

RO  
ORIENT

PHOT  
94

PHOT  
94

COMPUTERS

COMPUTER ROOM

ROOM 109

PHONE 9-1-(506) 652-0296


Updated 17-11





160 CHESLEY DRIVE, SAINT JOHN, NB

PHONE 89-1-506-637-7700/7789/7777  
PAGER 9-1-(506)652-0296 (1 ST)



PROT  
95


PROT  
95

9-1-1506-637-7700

Updated 17-11-




# MCS BRUNSWICKER - 160 CHESLEY DRIV PAINT JOHN



Updated 17-11







**HMC'S BRUNSWICKER**  
160 CHESLEY DRIVE, SAINT JOHN, NB

**PHONE 89-1-506 637-7700**  
**OR CALL 637-7769/7771/7762**

**PHOT**  
**98**

**PHOT**  
**98**

**BOAT HOUSE**

**CALL PAGER**

**(506) 652-0296**

**FIRST CALL PAGER THEN UNIT - POLICE**

- 1 = MAN DOOR
- 2 = MAN DOOR
- 3 = GARAGE DOOR
- 4 = GARAGE DOOR
- 5 = GARAGE DOOR

**WORKSHOP**

- 6 = JB TAM
- 7 = AC TAM


**POLICE: 89-1-(506) 648-3333**

**Updated 17-**



1 ESU MONTOM - BLDG 47 - RM 210  
PHONE UNIT: 5452 / 5427 / 5433

CHRE: 5411 OR 5287



PROT  
99

JB TAMPER  
AC TAMPER

Updated 17-1



# 4 AIR DEFENCE REGT

WINDYTON - BLDG 48 - RM112

PHONE 5027 OR 5045 / 5719

T		113		15 WPN 15 WPN		15 WPN 15 WPN		15	
CAB		T		112		112		15	
CAB									

JB TAMPER  
JB TAMPER  
AC TAMPER

POLICE: (506) 55-0768

Updated 18-11-03



8 CH MONITOR

BLDG 48 - RM 140

PHONE - 5500

RM 141 RM 140

		5		CAB	
ST	ST	ST	ST	ST	ST
15	15	15	15	15	15
T		T			

PROT  
110

JB TAMPE  
AC TAMPE

DUTY CHRE - 5267 OR 5411

ted 18-11-03

MONITOR BLDG - 5500