

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	LISTED PRODUCT					
				PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
1	BBRD-01 MPBB-01	Bulletin Board Hardwood Frame Tack board	<ul style="list-style-type: none"> - Size: 1194-1245mm (47-49") W x 889-940mm (35-37") H - Hardwood frame - Hardboard backing: 6-7mm (1/4") thickness - Frame width: maximum 51mm (2") - Frame thickness: 8mm (5/16") - Wood stain: medium walnut; sample to be approved by technical authority after contract award Tack board surface: <ul style="list-style-type: none"> - Linoleum, self-healing, minimum 6mm (1/4") thick - Permanent anti-bacterial properties - Tack board colour: Medium beige 	Tack board surface Forbo Bulletin Board Cork: 6.3mm (1/4") Hardboard backing: 6.3mm (1/4") Maple trim face: 8mm (5/16") Size: 1219mm (48") W x 914mm (36") H	Forbo Linoleum Inc.	Frame: Stained hardwood to match custom stain Tack board colour: Forbo 2182	78	Yes	No
2	BBD-02	Bulletin Board Aluminum Frame Tack board	<ul style="list-style-type: none"> - Size: 1194-1245mm (47-49") W x 889-940mm (35-37") H - Frame width: maximum 51mm (2") - Aluminum frame - Hardboard backing: 6-7mm (1/4") thickness - Aluminum: Satin anodized Tack board surface: <ul style="list-style-type: none"> - Linoleum, self-healing, minimum 6mm (1/4") thick - Permanent bacterial properties - Tack board colour: Medium beige 	Extruded Aluminum Trim with Satin Anodized Finish and Accessories Forbo Bulletin Board Cork: 6.3mm (1/4") Hardboard backing: 6.3mm (1/4") Factory-Built Trim Face: 8mm (5/16") Size: 1219mm (48") W x 914mm (36") H	Forbo Linoleum Inc.	Frame: Satin Anodized Aluminum Tack board colour: Forbo 2182	8	Yes	No
3	BBD-03	Bulletin Board Hardwood Frame Tack board	<ul style="list-style-type: none"> - Size: 1499-1550mm (59-61") W x 889-940mm (35-37") H - Hardwood frame - Frame width: maximum 51mm (2") - Hardboard backing: 6-7mm (1/4") thickness - Wood stain: medium walnut; sample to be approved by technical authority after contract award Tack board surface: <ul style="list-style-type: none"> - Linoleum, self-healing, minimum 6mm (1/4") thick - Permanent bacterial properties - Tack board colour: Medium beige 	Tack board Surface Forbo Bulletin Board Cork: 6.3mm (1/4") Hardboard backing: 6.3mm (1/4") Maple Trim face: 8mm (5/16") Size: 1524mm (60") W x 914mm (36") H	Forbo Linoleum Inc.	Frame: Stained wood to match Imperial Walnut Tack board colour: Forbo 2182	4	Yes	No
4	BNCH-01	Soft Seating Bench with Back	<ul style="list-style-type: none"> - Must be compatible with TABL-07 - Bench width: 1219mm (48") - Space-dividing back element (screen) height: 1270-1830mm (50-72") H - Seat height: 406-457mm (16-18") H - Seat, back, and back screen fully upholstered with fire retardant fabric - Legs to have adjustable glides - Legs finish: Chrome Finish: <ul style="list-style-type: none"> - Fabric Manufacturer: Bernhardt - Pattern Name: Prodigy - Colour Name: Chutney Screen Finish: <ul style="list-style-type: none"> - Fabric Manufacturer: DesignTex - Pattern Name: Rough & Ready - Colour Name & No: Persimmon - 3326 701 	BSSB48XX Bix Sectional Seating Straight Section with Back Screen	Coalesse North America	Bench : Fabric Manufacturer: Bernhardt Pattern Name: Prodigy Colour Name: Chutney Screen: Fabric Manufacturer: DesignTex Pattern Name : Rough & Ready Colour Name & No: Persimmon - 3326 701 Legs: Chrome	6	Yes	Yes

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	LISTED PRODUCT					
				PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
5	BNCH-02	Soft Seating Bench with Back	<ul style="list-style-type: none"> - Must have series that can accommodate all configurations indicated on installation plans - To be compatible with BNCH-03, BNCH-04, BNCH-05 and BNCH-07 - Size: 4496-4648mm (14'-9" to 15'-3") L x 686-737mm (27'-29") W - Two (2) seat with back (right/front) and two (2) bench - Must have clean contemporary shape - Pallets to be made of 38-51mm (1.5-2") particle board supported by 57-76mm (2.25-3") square, steel tubing with walnut veneer custom stain - Seat structure: mechanically fastened to the pallet; seat height 400-457mm (16-18") H; seat back 460-510mm (18"-20") H - Seat and back foam density: 36-44kg/cu.m. (2.25-2.75 pounds/cu.ft.) - Legs: metal blade style, 635-686mm (25-27") D x 229-254mm (9-10") H x 13mm (0.5") thick Bench finish: - Pallet: Walnut veneer - sample to be approved by technical authority after contract award Seat: - Fabric Manufacturer: Mayer - Fabric Type: Leather - Pattern Name: Amrillo - Colour Name: Medium grey Sample(s) to be approved by technical authority after contract award Legs: Polished Aluminum 	<p>Blok Lounge Series</p> <p>Two (2) seat with back (right/front) and two (2) bench</p> <p>BK-90P-WW 2285mm (90") Pallet</p> <p>Back & Seat: BK-305 762mm (30")</p> <p>Bench & Seat: BK-30B 762mm (30")</p> <p>End Legs: BK-50L-PA</p> <p>Connector Legs: BK-51L-PA</p>	Davis Furniture	<p>Pallet: Walnut veneer - sample to be approved by technical authority after contract award</p> <p>Seat:</p> <p>Fabric Manufacturer: Mayer</p> <p>Fabric Type: Leather</p> <p>Pattern Name: Amrillo</p> <p>Colour Name: Medium Grey</p> <p>Sample(s) to be approved by technical authority after contract award</p> <p>Legs: Polished Aluminum-</p>	4	Yes	Yes
6	BNCH-03	Soft Seating Bench with Back	<ul style="list-style-type: none"> - Must have series that accommodates all configurations indicated on installation plans - To be compatible with BNCH-02, BNCH-04, BNCH-05 and BNCH-07 - Size: 3734-3886mm (147-153") L x 635-686mm (25-27") W - Must have clean contemporary shape Unit consists of: - Upholstered 3-seat bench unit (no back), 737-787mm (29-31")W x 686-737mm (27-29")D x 102-152mm (4-7")H - Pallet base, 2235-2337mm (88-92")W x 635-686mm (25-27")D: 38-51mm (1.5-2") particle board supported by 57-76mm (2.25-3") square, steel tubing with walnut veneer custom stain. - Pallet base, 1473-1575mm (58-62")W x 635-686mm (25-27")D: 38-51mm (1.5-2") particle board supported by 57-76mm (2.25-3") square, steel tubing with walnut veneer custom stain. - Two (2) blade legs - 635-686mm (25-27") D x 229-254mm (9-10") H x 13mm (0.5") - Connector blade leg: 635-686mm (25-27") D x 229-254mm (9-10") H x 13mm (0.5") Bench finish: - Pallet: Walnut veneer - sample to be approved by technical authority after contract award Seat: - Fabric Manufacturer: Mayer - Fabric Type: Leather - Pattern Name: Amrillo - Colour Name: Medium Grey Sample(s) to be approved by technical authority after contract award Legs: Polished Aluminum 	<p>Blok Lounge Series</p> <p>Three (3) Seat with pallet</p> <p>BK-90P-WW 2286mm (90") Pallet</p> <p>BK-60P-WW 1525mm (60") Pallet</p> <p>Bench Seat: BK-30B, 30" (762mm)</p> <p>End Legs: BK-50L-PA</p> <p>Connector Legs: BK-51L-PA</p>	Davis Furniture	<p>Pallet: Walnut veneer - sample to be approved by technical authority after contract award</p> <p>Seat:</p> <p>Fabric Manufacturer: Mayer</p> <p>Fabric Type: Leather</p> <p>Pattern Name: Amrillo</p> <p>Colour Name: Medium Grey</p> <p>Sample(s) to be approved by technical authority after contract award</p> <p>Legs: Polished Aluminum</p>	9	Yes	Yes

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	LISTED PRODUCT					
				PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
7	BNCH-04	Soft Seating Bench with Back	<ul style="list-style-type: none"> - Must have series that accommodates all configurations indicated on installation plans. - To be compatible with BNCH-02, BNCH-03, BNCH-05 and BNCH-07 - Size: 2997-3099mm (118-122")W x 686-737mm (27-29")D - Must have clean contemporary shape - Upholstered 2-seat unit with back, 737-787mm (29-31")W x 686-737mm (27-29")D x 457-508mm (18-20")H. - Pallet base, 2997-3099mm (118-122")W x 635-686mm (25-27")D: 38-51mm (1.5-2") particle board supported by 57-76mm (2.25-3") square, steel tubing with walnut veneer custom stain. - Two (2) blade legs - 635-686mm (25-27") D x 229-254mm (9-10") H x 13mm (0.5") <p>Bench finish: Pallet: Walnut veneer - sample to be approved by technical authority after contract award</p> <p>Seat: - Fabric Manufacturer: Mayer - Fabric Type: Leather - Pattern Name: Amrillo - Colour Name: Medium Grey</p> <p>Sample(s) to be approved by technical authority after contract award</p> <p>Legs: Polished Aluminum</p>	<p>Blok Lounge Series Two (2) Seat with Pallet BK-120P-WW3050mm (120") Pallet Bench: BK-30B 762mm (30") End Legs: BK-50L-PA</p>	Davis Furniture	<p>Pallet: Walnut veneer - sample to be approved by technical authority after contract award</p> <p>Seat: Fabric Manufacturer: Mayer Fabric Type: Leather Pattern Name: Amrillo Colour Name: Medium Grey</p> <p>Sample(s) to be approved by technical authority after contract award</p> <p>Legs: Polished Aluminum</p>	8	Yes	Yes
8	BNCH-05	Soft Seating Bench with Back	<ul style="list-style-type: none"> - Must have series that accommodates all configurations indicated on installation plans. - To be compatible with BNCH-02, BNCH-03, BNCH-04 and BNCH-07 - Size: 2235-2337mm (88-92")W x 686-737mm (27-29")D - Must have clean contemporary shape - Two (2) Seat with back (right/back) and Two (2) Bench <p>Unit consists of: - Upholstered 2-seat unit with back, 737-787mm (29-31")W x 686-737mm (27-29")D x 457-508mm (18-20")H. (On right side of unit when viewed from the back).</p> <p>- Upholstered 2-seat bench unit (no back), 737-787mm (29-31")W x 686-737mm (27-29")D x 102-152mm (4-7")H</p> <p>- Pallet base, 2235-2337mm (88-92")W x 635-686mm (25-27")D: 38-51mm (1.5-2") particle board supported by 57-76mm (2.25-3") square, steel tubing with walnut veneer custom stain</p> <p>- Two (2) blade legs - 635-686mm (25-27") D x 229-254mm (9-10") H x 13mm (0.5")</p> <p>- Connector blade leg: 635-686mm (25-27") D x 229-254mm (9-10") H x 13mm (0.5")</p> <p>Bench finish: Pallet: Walnut veneer - sample to be approved by technical authority after contract award</p> <p>Seat: - Fabric Manufacturer: Mayer - Fabric Type: Leather - Pattern Name: Amrillo - Colour Name: Medium Grey</p> <p>Sample(s) to be approved by technical authority after contract award</p> <p>Legs: Polished Aluminum</p>	<p>Blok Lounge Series Two (2) Seat with back (right/back) and Two (2) Bench BK-90P-WW 2285mm(90")Pallet Back & Seat: BK-30S 762mm (30") Bench Seat: BK-30B 762mm (30") End Legs: BK-50L-PA Connector Legs: BK-51L-PA</p>	Davis Furniture	<p>Pallet: Walnut veneer - sample to be approved by technical authority after contract award</p> <p>Seat: Fabric Manufacturer: Mayer Fabric Type: Leather Pattern Name: Amrillo Colour Name: Medium Grey</p> <p>Sample(s) to be approved by technical authority after contract award</p> <p>Legs: Polished Aluminum</p>	10	Yes	Yes

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
				LISTED PRODUCT					
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
9	BNCH-07	Soft Seating Bench with Back	<ul style="list-style-type: none"> - Size: 2819-2972mm (111-117") W x 635-686mm (25-27") D - Must have series that accommodates all configurations indicated on installation plans. - To be compatible with BNCH-02, BNCH-03, BNCH-04, and BNCH-05 - Size: 2845-2946mm (112-116") W x 686-737mm (27-29")D - Must have clean contemporary shape - Unit consists of: <ul style="list-style-type: none"> - Upholstered 3-seat unit, 737-787mm (29-31")W x 686-737mm (27-29")D x 102-152mm (4-7")H - Pallet base, 2845-2946mm (112-116") W x 635-686mm (25-27") D: 38-51mm (1.5-2") particle board supported by 57-76mm (2.25-3") square, steel tubing with walnut veneer custom stain. - Two (2) metal blade legs - 635-686mm (25-27") D x 229-254mm (9-10") H x 13mm (0.5") - Connector blade leg: 635-686mm (25-27") D x 229-254mm (9-10") H x 13mm (0.5") - Seat units are mechanically mounted centred on the pallet, leaving 330-432mm (13-17)" of exposed pallet on either side. - Seat height: 406-457mm (16-18") H - Seat and back foam density: 36-44kg/cu.m. (2.25-2.75 pounds/cu.ft.) - Total size: 2819-2972mm (111-117") W x 686-737mm (27-29") W. - Rectilinear shape with no ornamentation. - Bench finish: <ul style="list-style-type: none"> - Pallet: Walnut veneer - sample to be approved by technical authority after contract award - Seat: <ul style="list-style-type: none"> - Fabric Manufacturer: Mayer - Fabric Type: Leather - Pattern Name: Amrillo - Colour Name: Medium Grey - Sample(s) to be approved by technical authority after contract award - Legs: Polished Aluminum 	<p>Blok Lounge Series</p> <p>Three (3) Seat</p> <p>BK-1001 2900mm (114")</p> <p>Bench: BK-308 30"</p> <p>End Legs: BK-50L-PA</p>	Davis Furniture	<p>Pallet: Walnut veneer - sample to be approved by technical authority after contract award</p> <p>Seat:</p> <p>Fabric Manufacturer: Mayer</p> <p>Fabric Type: Leather</p> <p>Pattern Name: Amrillo</p> <p>Colour Name: Medium Grey</p> <p>Sample(s) to be approved by technical authority after contract award</p> <p>Legs: Polished Aluminum</p>	4	Yes	Yes
10	BOOK-01	Bookcase with three (3) adjustable shelves	<ul style="list-style-type: none"> - To be from same manufacturer as CART-14 & NEWS-01 - Continuous wood top - Size: 914-965mm (36-38") W x 279-330mm (11-13") D x 889-940mm (35-37") H - Wood veneer back panel (MDF core), 6.4mm (1/4") thick plywood with select plain slice face veneer on exposed face(s) - Edge type: Flat - Mobile base - Shelves: Angled on hinge; including a starter and adder - Includes a starter unit, end unit, and continuous top - Finish: Maple or walnut veneer - Colour: Medium walnut (sample to be approved by technical authority after contract award) 	<p>Everest Series, single face shelving unit</p> <p>Starter unit: EV-SH-3612-36BC-VB-S-CT</p> <p>End unit: EV-SH-3612-36BC-VB-E-CT</p> <p>Continuous Top: EV-SH-1272CT-I</p> <p>Size: 36"W x 12"D x 36"H</p> <p>Shelves - Book Case, one shelf (1) per unit</p> <p>Top Style - continuous</p> <p>Back: Wood veneer</p> <p>Edge type A</p>	LIAT Furniture	Wood Veneer: Maple including back panel Veneer Colour: Medium Walnut (MWM)	2	Yes	Yes
11	CART-04	Cart - Stacking chairs (Snowball 1) - Ten (10) per cart SEE CHRS-01	<ul style="list-style-type: none"> - Must be compatible with CHRS-01 - Must fit within building elevator dimensions: 914mm (3'-0") W x 2134mm (7'-0") L x 1981mm (6'-6") H - Must fit through 914mm (36") wide doors - 44-57mm (1.75-2.25") dia. black casters - Casters (2) on push bar (handle) side of the cart to be swivel and other casters (2) to be fixed - All casters to be locking - Able to stack a minimum of 10 CHRS-01 - Colour: no specific colour required 	<p>1899</p> <p>Snowball 1 - (Dolly) with lockable casters</p> <p>To accommodate 10 Snowball chairs</p>	SPEC Furniture	Colour: Black	78	Yes	Yes

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
				LISTED PRODUCT					
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
12	CART-08	Cart - Folding Table - Six (6) round tables per cart SEE TABL-05	<ul style="list-style-type: none"> - Must be compatible with TABL-05 - Must fit within building elevator dimensions: 914mm (3'-0") W x 1981 2134mm (7'-0") L x and 1981mm (6'-6") H - Must fit through 914mm (36") wide doors - 146-159mm (5.75-6.25") dia. casters - Casters (2) on push bar (handle) side of the cart to be swivel and other casters (2) to be fixed - All casters to be locking - Able to carry a minimum of six (6) TABL-05 - Colour: No specific colour required 	CRTCT42-72BLK56 CT Cart-Edge Narrow with lockable casters	MityLite	Colour: Black	6	Yes	Yes
13	CART-09	Cart - Folding Table - Ten (10) rectangular tables per cart SEE TABL-04	<ul style="list-style-type: none"> - Must be compatible with TABL-04 - Must fit within building elevator dimensions: 914mm (3'-0") W x 2134mm (7'-0") L x and 1981mm (6'-6") H - Must fit through 914mm (36") wide doors - Able to carry a minimum of ten (10) TABL-04 - Casters (2) on push bar (handle) side of the cart to be swivel and other casters (2) to be fixed - All casters to be locking - Colour: No specific colour required 	CRT18-72EBLK2 RT Cart-Edge with lockable casters	MityLite	Colour: Black	14	Yes	Yes
14	CART-10	Cart - Bistro Table - Four (4) tables per cart SEE TABL-06	<ul style="list-style-type: none"> - Must be compatible with TABL-06 - Must fit within building elevator dimensions: 914mm (3'-0") W x 2134mm (7'-0") L x and 1981mm (6'-6") H - Must fit through 914mm (36") wide doors - Able to carry a minimum of four (4) TABL-06 - Casters (2) on push bar (handle) side of the cart to be swivel and other casters (2) to be fixed - All casters to be locking - Colour: No specific colour required 	TABLECART with lockable casters	SPEC Furniture	Colour: Black	25	Yes	Yes
15	CART-12	Beverage Cart - Mobile Bar	<ul style="list-style-type: none"> - Must fit within building elevator dimensions: 914mm (3'-0") W x 2134mm (7'-0") L x and 1981mm (6'-6") H - Contemporary in styling - Size: 1956-2007mm (77-79") W x 737-787mm (29-31") D x 1143-1194mm (45-47") H - Constructed of plywood with hardwood veneer - Stainless steel working countertop - Stainless steel lined interior and base - Stainless steel ice bin and drain - Three (3) bar rails - Vinyl corner protection - 102-152mm (4-6") dia. rubber casters (locking) - Protective cover that covers the entire unit Finish: <ul style="list-style-type: none"> - Beverage cart finish: medium walnut, satin finish - Countertop: Black Granite - Beverage cart and countertop finish sample(s) to be approved by technical authority after contract award - Protective cover colour: Black 	5779-6-X73 (Contemporary style) Accessories: 6055 - Vinyl corner protection 6150 - Lined interior base 6286lk - Black custom cover Mobile bar complete with 127mm (5") locking casters	Forbes Industries	Wood veneer: Satin Walnut Veneer finish: Satin Countertop: Black Galaxy Granite	8	Yes	Yes
16	CART-14	Cart-Book Double-faced wooden display book truck	<ul style="list-style-type: none"> - To be from same manufacturer and series as BOOK-01 & NEWS-01 - Size: 737-787mm (29-31") W x 432-483mm (17-19") D x 864-914mm (34-36") H - Includes two (2) sloped shelves and a flat bottom shelf - Double-faced display book truck - Edge Type: Flat - Locking casters - Rubber bumpers - To have a weight capacity of 34kg (75lbs) - Plywood construction with maple (or walnut) veneer - Finish : medium walnut, sample(s) to be approved by technical authority after contract award 	EV-BT-1830-35D-RB Everest Book Truck - EV-BT-01 Size: 762mm (30")W x 457mm (18")D x 870mm (34.25")H Includes two (2) sloped shelves and a flat bottom shelf Locking casters Rubber bumpers Capacity up to 34kg (75lbs) Edge Type: A	LIAT Furniture	Wood Veneer: Maple Veneer Colour: Medium Walnut (MWM)	2	Yes	Yes
17	CDNZ-01	Conference Wood Credenza	<ul style="list-style-type: none"> - To be from same manufacturer and series as CDNZ-02 - Contemporary in styling - Cabinet top and sides: walnut veneer - Doors: walnut veneer all sides and edges - Shelf finish to be walnut veneer all sides and edges - Four (4) Hinged Doors - Storage sections to have one wooden shelf which is height adjustable in increments of 32mm (1-1/4") - Size: 1778-1829mm (70-72") W x 483-533mm (19-21") D x 838-889mm (33-35") H - Medium walnut finish, sample(s) to be approved by technical authority after contract award 	518U72203511 NuVo Series - Conference Buffet Four (4) Hinged Doors	Krug	Walnut veneer - sample to be approved by technical authority after contract award	1	Yes	Yes

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	LISTED PRODUCT					
				PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
18	CDNZ-02	Conference Wood Credenza	<ul style="list-style-type: none"> - To be from same manufacturer and series as CDNZ-01 - Contemporary in styling - Cabinet top: walnut veneer - Doors: walnut veneer all sides and edges - Shelf finish to be walnut veneer all sides and edges - Three (3) Hinged Doors - Storage sections to have one wooden shelf which is height adjustable in increments of 32mm (1-1/4") - Size: 1346-1397mm (53-55") L x 483-533mm (19-21") W x 838-889mm (33-35") H - Medium walnut finish, sample(s) to be approved by technical authority after contract award 	51BU72203511 - Custom Size NuVo Series - Conference Buffet Three (3) Hinged Doors (similar to CDNZ-01) Custom Size: 1372mm (54")L x 508mm (20")W x 864mm (34")H	Krug	Walnut veneer - sample to be approved by technical authority after contract award	1	Yes	Yes
19	CDNZ-05	Conference Wood Credenza with IT Connection	<ul style="list-style-type: none"> - Mobile, complete with four (4) casters - Heavy-duty casters, minimum diameter 102mm (4") - Four (4) computer equipment rack compartments with racks installed - Four (4) quiet fans, maximum 40 db - Locking removable back - Hinged locking doors - To include cable management system - Size (all minimum dimensions): 2180mm (86") W x 660mm (26") D x 790mm (31") H Finish: <ul style="list-style-type: none"> - Laminate Manufacturer: Formica - Laminate Finish: Chestnut Woodline 5884-58 	CR-412 - Four (4)-Bay Credenza Four (4) 12RU Rack Compartments - Includes Racks Four (4) Quiet Fans Locking Removable Back Locking Doors Heavy Duty 102 (4") casters Cable Management system Constructed with Furniture grade Laminates and Edge Banding	Exact Furniture	Finish: <ul style="list-style-type: none"> - Laminate Manufacturer: Formica - Laminate Finish: Chestnut Woodline 5884-58 	1	Yes	Yes
20	CHRS-01	Stacking Chair Armless & without casters SEE CART-04	<ul style="list-style-type: none"> - To be compatible with CART-04 - Upholstered seat and back - No arms - No casters - Four (4) point base/ legs - Can stack a minimum of ten (10) high on dolly, six (6) without dolly - Size: seat height 406-457mm (16-18") H; seat width 445-483mm (17.5-19") W; total height 813-864mm (32-34") H; total width 559-584mm (22-23") W; depth 508-559mm (20-22") D. - Seating durability test to minimum 227kg (500lbs.) - Frame to be constructed of 14 gauge steel tube - All frame connections to be metal to metal Finish: <ul style="list-style-type: none"> - Frame: Black - Fabric Manufacturer: Maharam - Pattern Name & No: Waterfront 461690 - Colour Name & No: Raven 004 	1811 Snowball 1 - Four point (Without arms or casters)	SPEC Furniture	Frame: Black Fabric: Manufacturer: Maharam Pattern Name & No: Waterfront 461690 Colour Name & No: Raven 004	776	Yes	Yes
21	CHRS-02	Lounge Chair	<ul style="list-style-type: none"> - Size: overall depth 610-660mm (24-26") D; width 660-711mm (26-28") W; total height 737-787mm (29-31") H; seat height 406-457mm (16-18") H - Swivel (four) 4-star base - Fully upholstered - Flared arms and curved body - Felted glides - Total weight range: 22-24.5kg (48-54 lbs) Finish: <ul style="list-style-type: none"> - Frame finish: Polished aluminum - Fabric Manufacturer: Mayer Fabrics - Pattern Name & No: Volante - Colour: 609-023 Black Forest - Fabric Grade: COM - Abrasion resistance: minimum 100,000 double rubs - Sample(s) to be approved by technical authority after contract award 	231 Bob Chair Guest Swivel Chair	Coalesse North America	Base: Polished aluminum or chrome Fabric: Manufacturer: Mayer Fabrics Fabric Grade: COM Pattern Name: Volante Colour: 609-023 Black Forest Double Rubs: 100,000	8	Yes	Yes
22	CHRS-03	Cafeteria Chair Non Stacking & Armless	<ul style="list-style-type: none"> - Size: 610-660mm (24-26") D x 660-711mm (26-28") W x 737-775mm (29-30.5") H; total arm height 660-686mm (26-27") H; seat height 406-457mm (16-18") H. - Four (4) leg base - Fully upholstered - Arms and curved body - Felted glides - Total weight range: 15.5-17kg (34-37 lbs.) Finish: <ul style="list-style-type: none"> - Frame finish: Polished chrome - Fabric Manufacturer: Mayer Fabrics - Fabric Grade: COM - Pattern Name: Haberdash - Colour: 200-009 Curry - Abrasion resistance: minimum 295,000 double rubs - Sample(s) to be approved by technical authority after contract award 	COWRP4LEG Wrapp Side Four Leg Chair with side arms	Coalesse North America	Base: Polished Chrome Fabric: Manufacturer: Mayer Fabrics Fabric Grade: COM Pattern Name: Haberdash Colour: 200-009 Curry	80	Yes	Yes

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
				LISTED PRODUCT					
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
23	CHRS-04	Kitchen Stacking Chair	<ul style="list-style-type: none"> - Stackable chair - Four (4) legs - With arms - Solid plastic perforated contour seat & back - Size: 559-584mm (22-23") W x 559-610mm (22-24") D x 787-838mm (31-33") H; seat height 432-457mm (17-18"); arm height 660-711mm (26-28") Finish: <ul style="list-style-type: none"> - Frame finish: Silver and/or grey - Seat & back colour: Orange - Sample(s) to be approved by technical authority after contract award 	<p>3513-PC00-40</p> <p>Also Chair</p> <p>Four (4) Leg stacking arm chair</p> <p>Perforated Contour Seat & Back</p>	Keilhauer	<p>Shell colour: Cantaloupe-40</p> <p>Frame Finish: PC00 Nickel</p>	79	Yes	Yes
24	CHRS-05	Kitchen Stacking Chair	<ul style="list-style-type: none"> - Size: 483-533mm (19-21") W x 508-556mm (20-22") D x 762-813mm (30-32") H - Frame: metal tubular - Seat: 2-tone polyurethane shell Finish: <ul style="list-style-type: none"> - Frame finish: Polished Chrome - Seat & back colour: 2-tone orange and white. Back and underside to be orange. Front and seat to be white. - Sample(s) to be approved by technical authority after contract award 	<p>4501</p> <p>Gotham Side Chair</p>	Cape Furniture	<p>Frame: Metal Tubular</p> <p>Finish: Polished Chrome</p> <p>Seat: Two Tone Poly Shell</p> <p>Colour: White seat & Orange back</p>	49	Yes	Yes
25	CHRS-06	One-Seat Lounge Chair, Fully Upholstered	<ul style="list-style-type: none"> - One-seat lounge chair - Size: 686-787mm (27-31") W x 660-711mm (26-28") D x 838-889mm (33-35") H; seat height 406-457mm (16-18") H; arm height 635-686mm (25-27") H - Metallic legs with leveling capability - Removable and replaceable upholstery covers - Two (2) non-braking casters on the back, and two legs on the front Finish: <ul style="list-style-type: none"> - Frame finish: Silver and/or grey - Fabric Manufacturer: Momentum - Fabric Grade: COM - Pattern Name: Bloc - Colour Name: Slate - Abrasion resistance: minimum 100,000 double rubs - Flame resistance: Class 1 NFPA 260 - Sample(s) to be approved by technical authority after contract award 	<p>ZOL3 F1113</p> <p>Zola Lounge Chair</p> <p>Two (2) Arms</p> <p>Two (2) Front Standard Legs</p> <p>Two (2) Rear Casters</p>	Krug	<p>Legs: Silver Metallic</p> <p>Fabric:</p> <p>Manufacturer: Momentum</p> <p>Fabric Grade: COM</p> <p>Pattern Name: Bloc</p> <p>Colour Name: Slate</p>	12	Yes	Yes
26	CHRS-07	One-Seat Lounge Chair, Fully Upholstered	<ul style="list-style-type: none"> - Swivel lounge chair - Size: 737-838mm (29-33") H x 622-787mm (24.5-31") W x 635-686mm (25-27") D x 419-457mm (16.5-18") H; seat height 406-457mm (16-18") H - Rotates -45° to 45°, swivel return to 0° - Steel column base with nylon glides - Fully upholstered - Fabric upholstery finish on high-density block foam: 36-44kg/cu.m. (2.25-2.75 pounds/cu.ft.) - Minimum weight capacity: 113.3kg (250 lb) - Maximum weight of chair: 45kg (99 lb) Finish: <ul style="list-style-type: none"> - Frame finish: Silver and/or grey - Upholstery: light acid green (linen look) - Abrasion resistance: minimum 80,000 double rubs - Flame resistance: Class 1 NFPA 260 - Sample(s) to be approved by technical authority after contract award 	<p>NVBS-A-C</p> <p>Vignette Soft Seating</p> <p>Swivel Lounge Chair (A)</p>	Teknion	<p>Legs: Chrome (C)</p> <p>Fabric:</p> <p>Manufacturer: Designtex</p> <p>Pattern Name: Salon</p> <p>Colour Name & No: 2797-501</p>	50	Yes	Yes
27	CHRS-08	One-Seat Library Lounge Chair, Fully Upholstered	<ul style="list-style-type: none"> - Upholstered seat and back - Frame construction: bent stainless steel (polished) - Loop legs - Size: 559-610mm (22-24") W x 584-625mm (23-25") D x 762-813mm (30-32") H; seat height 406-4470mm (16-18.5"); arm height 610-660mm (24-26") Finish: <ul style="list-style-type: none"> - Frame finish: Silver / polished - Seat & back colour: medium tone grey leather - Leather: uncorrected natural full grain leather with slight protective top - Hide size range: 4.5-5.1 sq.m. (50-55 sq.ft.) - Sample(s) to be approved by technical authority after contract award 	<p>1526</p> <p>Celon - Lievore Altherr Molina</p> <p>With Arms and Sled Base</p>	Bernhardt Design	<p>Frame: Polished Stainless Steel</p> <p>Fabric:</p> <p>Manufacturer: Bernhardt</p> <p>Fabric: Leather</p> <p>Fabric Grade: 8</p> <p>Pattern Name: Finesse</p> <p>Colour Name & No: Putty 3100-311</p>	24	Yes	Yes

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
				LISTED PRODUCT					
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
28	CHRS-09	One-Seat Lounge Chair on Legs, Fully Upholstered	<ul style="list-style-type: none"> - Must have clean contemporary shape - Fully upholstered lounge chair - Size: 762-813mm (30-32") W x 762-813mm (30-32") D x 737-825mm (29-32.5") H; seat height 406-457mm (16-18"); arm height 508-559mm (20-22") - Frame: plywood/hardwood construction with webbed suspension - Seat & Back: cut soft polyurethane foam core wrapped in polyester - Base: square tubular cast aluminum legs Finish: <ul style="list-style-type: none"> - Frame finish: Silver/ polished - Seat & back colour: medium tone grey leather - Leather: uncorrected natural full grain leather with slight protective top - Hide size range: 4.5-5.1 sq.m. (50-55 sq.ft.) - Sample(s) to be approved by technical authority after contract award 	12431CAL Tuxedo Classic Lounge Chair Low Arm on Square Tubular Legs	Neinkamper	Legs: Cast Aluminium Polished Fabric: Manufacturer: Bernhardt Fabric: Leather Fabric Grade: COL Pattern Name & No: Finesse Colour Name & No: Putty 3100-311	12	Yes	Yes
29	CHRS-11	One-Seat Lounge Chair, Fully Upholstered	<ul style="list-style-type: none"> - One-seat lounge chair - Size: 686-787mm (27-31") W x 660-711mm (26-28") D x 838-889mm (33-35") H; seat height 432-483mm (17-19"); arm height 660-700mm (26-27.5") - Metallic legs with leveling capability - Removable and replaceable upholstery covers - Two (2) non-braking casters on the back, and two legs on the front Finish: <ul style="list-style-type: none"> - Frame finish: Silver Metallic - Fabric Manufacturer: Momentum - Fabric Grade: COM - Pattern Name: Bloc - Colour Name: Slate - Abrasion resistance: minimum 100,000 double rubs - Flame resistance: Class 1 NFPA 260 - Sample(s) to be approved by technical authority after contract award 	ZOL3 F1113 Zola Lounge Chair Two (2) arms Two (2) front Standard Legs Two (2) Rear Casters	Krug	Legs: Silver Metallic Fabric: Manufacturer: Momentum Fabric Grade: COM Pattern Name: Bloc Colour Name: Slate	8	Yes	Yes
30	CLOC-01	Wall-mounted round battery powered clock, quartz movement	<ul style="list-style-type: none"> - Size: 330-381mm (13-15") diameter, 64-89mm (2.5-3.5") D - Acrylic cover - Battery powered (batteries included) - 12 hour quartz battery movement - Face style: Options to be provided to technical authority for approval after contract award Finish: <ul style="list-style-type: none"> - Black housing and bezel - Acrylic cover - Red sweep second hand 	#501 356 mm (14") Diameter Clock 12 hour Quartz Battery movement (batteries included) Face Style: 14	Peter Pepper Products	Colour: Black Cover: Acrylic Red sweep second hand	71	Yes	No
31	CLOC-02	Wall-mounted round plug-in electric clock, quartz movement	<ul style="list-style-type: none"> - Size: 330-381mm (13-15") diameter, 64-89mm (2.5-3.5") D - Acrylic cover - 12-hour electric movement - Plug-in electric connection - Face style: Options to be provided to technical authority for approval after contract award - Must fit flush to the wall Finish: <ul style="list-style-type: none"> - Black housing and bezel - Acrylic cover - Red sweep second hand 	#501 356mm (14") diameter clock 12-hour electric movement Plug-in electric connection Face style: 14 Must fit flush to the wall	Peter Pepper Products	Colour: Black Cover: Acrylic Red sweep second hand	20	Yes	No
32	EASL-01	Easel - Tripod Free-standing SEE EASL-02	<ul style="list-style-type: none"> - To be compatible with EASL-02 - 1829mm to 2134mm (6 to 7 ft.) extension legs - Straight collapsible legs - Complete with fold-out chart holders permanently hinged to the legs at minimum three (3) heights - Made of aluminum - Colour: Black 	132EH4K Tripod easel 1829mm to 2134mm (6 to 7 ft.) extension legs	Visual Planning Group of Companies	Colour: Black	40	Yes	NO
33	EASL-02	Easel Velcro board SEE EASL-01	<ul style="list-style-type: none"> - To be compatible with EASL-01 - Velcro over cork, smooth, black surface finish - Bulletin board panel accepts pins, tacks, etc. - Black aluminum mitered frame with brushed edge and polished face - Size: 584-635mm (23-25") W x 787-838mm (31-33") H 	0675B 2432 Magicboard Velcro over Cork Decorator Frame Board: Option B	Visual Planning Group of Companies	Frame: Aluminium; mitered brushed edge and polished face Colour: Black	10	Yes	No

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
				LISTED PRODUCT					
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
34	EASL-03	Whiteboard/Flip Chart Free-standing Presentation Easel	<ul style="list-style-type: none"> - Adjustable 1676-1727mm (66-68") high easel - Smooth whiteboard writing surface - Includes a flip chart holder - Writing surface dimensions: 635-686mm (25-27") W x 864-914mm (34-36") H - Easel height adjusts from 1016-1727mm (40-68") H - Collapses to compactly store and transport easel - Built-in accessory tray - To include one (1) dry-erase marker, one (1) eraser / cleaning cloth Finish: Frame: Black Material: Metal Whiteboard Surface Type: Melamine	351900 Quartet Futura Height-adjustable from 1016-1702mm (40-67") Folding built-in accessory tray and one (1) Quartet dry-erase marker included	Quartet Manufacturing	Frame: Metal Colour: Black Whiteboard Surface: Melamine	53	Yes	No
35	FILE-08	In-Out Mail Holder Wall mounted, clear plexiglass double tray holder	<ul style="list-style-type: none"> - One (1) in-out mail holder unit complete with two trays (stacked) for mail delivery and pickup. - Left side of both holders to be closed and right side of both holders to be open. - Wall mount - Aluminum standoffs for wall mounting - Two (2) 178mm (7") high holders (one for incoming mail, one for outgoing mail) - Size: 356-381mm (14-15") W x 356mm (14") high - Holder dimension (quantity of two): 356-381mm (14-15") W x 165-191mm (6.5-7.5") H x 38-64mm (1.5-2.5") D at bottom x 76-102mm (3-4") D at top - Clear plexiglas construction - Finish: clear To include signage: - First holder to read "In/Entrée" and second holder to read "Out/Sortie" - Location of text to be centered at top of each holder - Type: Vinyl applied lettering - Text Style: Helvetica - Color: Black - Size: 3/8" high REFER TO ATTACHED SKETCH IN FLOOR LAYOUTS		EurOptimum	Colour: Clear	70	Yes	No
36	LECT-01	Mobile	<ul style="list-style-type: none"> - Locking casters - Power and data module to include: two (2) simplex receptacles, two (2) data ports, four (4) cable grommets, 2972-3124mm (9'-9" to 10'-3") power cord. - Slide-out shelf (right side only) - Fixed upper shelf w/ pull out drawer - Fixed lower shelf - Light w/ dimmer - 3-pin XLR microphone connector - Bottom of lectern includes cable egress grommet - Size: 686-737mm (27-29") W x 533-584mm (21-23") D x 1118-1168mm (44-46") H Finish: - Overall: Walnut veneer; - sample to be approved by technical authority after contract award - Other elements: Black	AVCL-2845-CP High-tech column lectern with locking casters and: Power and data module (CP) Slide-out shelf (SS) right side only Fixed upper shelf w/ pull-out drawer (FSUPD) Fixed lower shelf (FSL) Light w/ dimmer (LT) 3-pin XLR microphone connector	Nucraft Furniture	Wood Veneer: 5470 G35 Marron Walnut - G 2235 Gloss Finish Legs: Metallic Power coat - A44 Black Shelf: Paint - S44 Black	13	Yes	Yes
37	MRCH-01	Multipurpose Chair	<ul style="list-style-type: none"> - Swivel Base, height adjustable - Mesh back and seat - 5-star base - Ribbon arms - Hard casters - One-piece upholstery between outer composite polymer frames - Anti-corrosive aluminum base - Size: 610-660mm (24-26") W, 368-406mm (14.5-16") D, 914-965mm (36-38") fixed height; 470mm (18-1/2") fixed seat height; - seat width 457-508mm (18-20"). Finish: - Frame: Charcoal or Black - Mesh colour: Charcoal or Black - Base: Polished Chrome - Casters: Charcoal or Black - Sample(s) to be approved by technical authority after contract award	CQ51MA-G1-SY-BB-NNN- 4W31 Setu multipurpose chair	Herman Miller	Frame: G1 FR - Graphite Fabric: Lyriss 2 Mesh Back and Seat Colour: Graphite 4W31 Arms: Ribbon Arm Base: Five-Star Base Finish: SY Semi-Polished	496	Yes	Yes

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
				LISTED PRODUCT					
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
38	NEWS-01	Free-standing magazine rack	<ul style="list-style-type: none"> - To be from same manufacturer as BOOK-01 & CART-14 - One (1) Starter unit, one (1) End unit, and one (1) continuous top are combined to create one (1) NEWS-01 - Starter unit size: 914-965mm (36-38") W x 483-533mm (19-21") D x 889-940mm (35-37") H - End unit size: 889-940mm (35-37") W x 483-533mm (19-21") D x 889-940mm (35-37") H - Magazine shelf (flip-up) & flat shelf full depth: 483-533mm (19-21") - Continuous wood top - Wood veneer back panel (MDF core), minimum 6.35mm (1/4") thick plywood with flat cut veneer on exposed face(s) - Edge Type: Flat - Mobile base - Finish: <ul style="list-style-type: none"> - Plywood construction with maple (or walnut) veneer - Medium walnut finish - Sample(s) to be approved by technical authority after contract award 	<p>Everest Series, single face shelving unit</p> <p>Starter unit: EV-SH-3620-37MG-VB-S-CT-FB (qty. 1)</p> <p>Adder unit: EV-SH-3620-37MG-VB-A-CT-FB (qty. 2)</p> <p>End unit: EV-SH-3620-37MG-VB-E-CT-FB (qty. 1)</p> <p>Continuous Top: EV-SH-2072CT-I (qty. 2)</p> <p>One (1) Starter unit, two (2) Adder units, one (1) End unit, and two (2) Continuous Tops are combined to create one (1) NEWS-01</p> <p>Shelf type: Magazine</p> <p>Upgrade: Finished Back (FB)</p> <p>Size: 914mm (36") W x 508mm (20") D x 914mm (36") H</p> <p>Modifications: Unit depth 508mm (20")</p> <p>Flat shelf full depth, magazine shelf (flip-up) standard depth</p>	LIAT Furniture	Wood Veneer: Maple including back panel Veneer Colour: Medium Walnut (MWM)	2	Yes	Yes
39	NEWS-02	Wall-mounted pamphlet holder	<ul style="list-style-type: none"> - Backboard: Stainless steel stand-offs and continuous vertical rods fastened to wall. - Pamphlet holders: continuous horizontal rods to hold pamphlets in place; one (1) per row - Acrylic backboard with min. three (3) continuous acrylic ledges for pamphlets to rest. - Size: 1145-1525mm (45-50") W x max. 304mm (12") D x 1675-1828mm (66-72") H - Finish: <ul style="list-style-type: none"> - Clear acrylic construction with stainless steel or aluminum rod mounting device and stainless steel or aluminum rod holders 	<p>Wall Mounted acrylic ledge brochure display</p> <p>Stainless steel stand-offs and continuous vertical rods system.</p> <p>Four (4) to five (5) continuous horizontal rods to hold pamphlets in place</p> <p>Acrylic backboard with minimum three (3) continuous acrylic ledges for pamphlets to rest.</p>	EurOptimum	Rods: Stainless Steel or Aluminum Holder: Clear Acrylic	1	Yes	No
40	PBRD-01	Presentation Cabinet Whiteboard/Tackboard Cabinet	<ul style="list-style-type: none"> - Two (2) anodized aluminum rails (easily mounted to the wall) - One (1) rear fixed panel, 889-940mm (35-37") H x 1194-1245mm (47-49") W - Two (2) intermediate moveable panels, 940-991mm (37-39") H x 584-635mm (23-25") W - Two (2) exterior moveable panels, 1041-1092mm (41-43") H x 584-635mm (23-25") W - All panels are framed with aluminum trim, clear anodized finish - Tack surface is a self-healing grey material - Positive stops for panel placement - White vinyl projection surface coated and heat embossed with a bi-directional pattern - Intermediate panels – moveable, tack panel - Rear panel – fixed, laminate writing surface - Size: 2413-2464mm (95-97") W x 76-102mm (3-4") D x 1067-1118mm (42-44") H - Finish: <ul style="list-style-type: none"> - Veneered Exterior Panels: Flat cut walnut veneer - Intermediate Panel: Grey - Rear Fixed Panel: White vinyl projection surface coated and heat embossed with a bi-directional pattern, allowing virtually no image fall-off - Sample(s) to be approved by technical authority after contract award. - Rail: Anodized Aluminum 	<p>23493/2</p> <p>Vox Presentation - Option 3</p> <p>Intermediate Panels: Tack Panel, Self-Healing</p> <p>Rear Panel: Laminate Writing Surface</p>	Neinkamper	Exterior Panels: Flat cut Walnut Veneer to match sample provided by designer. Intermediate Panels: Grey colour Rail: Anodized Aluminum AL-01	11	Yes	No
41	POST-02	Mail Unit Open Bench Unit with Forty (40) Mail Slots	<ul style="list-style-type: none"> - Bench Size: 1499-1549mm (59-61") W x 737-787mm (29-31") D x 1753-1803mm (69-71") H - Forty (40) mail slots - Finish: <ul style="list-style-type: none"> - Bench Unit Colour: Grey - Label Colour: White 	<p>SP55 - 1524mm (60") W x 762mm (30") D x 1778mm (70") H</p> <p>Silverstream Open Bench Unit with Sorting Station;</p> <p>Compartment Labels - Quick Change Model - forty (40) qty. Required</p>	Secure Mailing Systems Inc.	Bench Unit Colour: Grey Label Colour: White	3	Yes	Yes
42	POST-03	Packing Bench with Cutter Bar & Table	<ul style="list-style-type: none"> - Size: 1549-1600mm (61-63") W x 737-787mm (29-31") D x 889-940mm (35-37") H - To come with cutter bar and packing roll - Manufactured steel construction - Fitted with adjustable feet - Colour: Grey, sample to be approved by technical authority after contract award - Sample to be approved by technical authority after contract award. 	<p>SPB3 - 62"w x 30"d x 36"h</p> <p>Silverstream packing bench</p> <p>No shelf or compartments required</p>	Secure Mailing Systems Inc.	Colour: Grey Glace - 4142	1	Yes	Yes

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
				LISTED PRODUCT					
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
43	RMDV-01	Mobile room divider	<ul style="list-style-type: none"> -1956-2007mm(77-79") H x 1905-1956mm(75-77") W - Lockable casters - Interior of main frame to be divided in 6 individual frames that house 2 sizes of panels - Three (3) 584-635mm (23-25") x 584-635mm (23-25") panels; and three (3) 584-635mm (23-25") x 1194-1245mm (47-49") panels Finish: <ul style="list-style-type: none"> - Panel Finish: Black Plastic Laminate: C.O.M. - Frame Finish: Matte Black 	LW61-FH-BP03-Black02-CS-22/24-Black02 <ul style="list-style-type: none"> - Full height - Lockable caster base set - Combination of small and large panels 82/24 	LoftWall	Frame Finish: Black02Matte Base: BP03 Panel Manufacturer: BauschLinnemann Type: TecoFoil V30 Weight: 60 grams Pattern: Black Stipple Paper	20	Yes	Yes
44	Intentionally left blank.								
45	STOL-03	Mesh Work Stool	<ul style="list-style-type: none"> - Mesh back and seat - Fully Adjustable arms - Complete with footing - Footing mechanism that allows the user to adjust the height of the footing from a seated position - Five (5) star base - Pneumatic seat height adjustment - Tilt limiter that allows the user to select the tilt range to limite the amount of recline - Back support options and an adjustable lumbar support - Adjustable seat height range of 622-737mm (24-1/2"-29") - Size: 660-711mm (26-28") W x 483-533mm (19-21") seat width x 406-457mm (16-18") D; 1327mm (52-1/4") max. height Finish: <ul style="list-style-type: none"> - Base / frame: Black - Arm pads: Black - Seat & Back colour: Black mesh fabric 	AE712AWB-G1-PJ-NN-C7-BK-3D01 Aeron Work Stool (B Width)	Herman Miller	Base / frame: Graphite G1 Arm pads: Black BK Seat & Back: Pellicle Classic mesh Colour: Carbon 3D01	10	Yes	Yes
46	SURF-01	Computer Table - Adjustable Height	<ul style="list-style-type: none"> - To be compatible with CART-02 - Top and bottom surface formed from high impact minimum 1.3mm (0.05") thick ABS plastic permanently bonded to internal wood laminate core - Edge thickness of table to be 16-25mm (5/8"-1") and to accept standard industry skirting clips - Table top edge radius to be approximately 48mm (3/16") - Table bottom edge radius to be approximately 2mm (5/64") - Inner wood frame to be constructed of hardwood such as Alder or Whitewood, or wood laminates of equivalent strength and performance, and to be 16-25mm (5/8"-1") thick - Frame to consist of cross members at 102-127mm (4-5") intervals and a perimeter apron, minimum 57mm (2-1/4") high - Table to have a "runner" on each side, minimum 57mm (2-1/4") high - Framework to be fastened together with 32mm (1/4") pneumatically driven staples - Cross members to be 76-102mm (3-4") and 25-51mm (1-2") wide, with a minimum of four (4) of the wider cross members in each table - Internal Wood Laminate Core: 2.5mm- 3.6mm (0.10"-0.14") thick wood laminate layer permanently bonded to both outer shells of plastic where they come in contact with each other - All corners to have an external corner-reinforcing component. - Trim extrusion to be chemically welded to entire perimeter of each table, welding top shell to the bottom shell. - Trim extrusion to provide an aesthetic, finished edge. To be minimum 1.75mm (.070") thick and 11mm (7/16") wide - Welding of trim component to be continuous, sealing perimeter of the table and making it impervious to moisture. 	RT-2448-SGB-1 Mity Lite Wide ABS Folding Table Short Adjustable Leg: 30SA	MityLite	Top finish: Smooth ABS finish Top colour: Speckled Grey Frame finish: Black Sand Leg colour: Black	1	Yes	Yes

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
				LISTED PRODUCT					
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
			<ul style="list-style-type: none"> - Ends of legs to have nylon or steel closures for floor protection. - Leg assemblies mounted using 16 gauge minimum thickness steel tube clamps. - Folding braces attached with 16 gauge minimum thickness steel brackets. - Table to withstand temperatures up to 71°C (160°F) for up to 10 minutes. - Meets American National Standard Institute's stability standard: ANSI-x5.5-1989 - Lightweight, 18-20kg (40-44 lbs) - Foldable - Supports minimum 909kg (2,000 lbs) - Adjustable height leg from 483mm to 813mm (19" to 32") - Conference "T" legs constructed of powder-coated steel - Size: 1194-1245mm (47-49") L x 584-635mm (23-25") W x 711-737mm (28-29") H Colour: <ul style="list-style-type: none"> - Top: speckled grey top, smooth finish - black frame, black legs 						
47	TABL-03	ABS Rectangular Table SEE CART-02	<ul style="list-style-type: none"> - To be compatible with CART-02 - Top and bottom surface formed from high impact minimum 1.3mm (0.05") thick ABS plastic permanently bonded to internal wood laminate core. - Edge thickness of table to be 16-25mm (5/8"-1") and to accept standard industry skirting clips. - Table top edge radius to be approximately 48mm (3/16"). - Table bottom edge radius to be approximately 2mm (5/64"). - Inner wood frame to be constructed of hardwood such as Alder or Whitewood, or wood laminates of equivalent strength and performance, and to be 16-25mm (5/8"-1") thick. - Frame to consist of cross members at 102-127mm (4-5") intervals and a perimeter apron, minimum 57mm (2-1/4") high. - Table to have a "runner" on each side, minimum 57mm (2-1/4") high. - Framework to be fastened together with 32mm (1/4") pneumatically driven staples. - Cross members to be 76-102mm (3-4") and 25-51mm (1-2") wide, with a minimum of four (4) of the wider cross members in each table - Internal Wood Laminate Core: 2.5mm- 3.6mm (0.10"-0.14") thick wood laminate layer permanently bonded to both outer shells of plastic where they come in contact with each other 	RT30485GB1 Mity Lite Wide ABS Folding Table Table Leg: Black Wishbone Leg (30W)	MityLite	Top finish: Smooth ABS finish Top colour: Speckled Grey Frame finish: Black Sand Leg colour: Black	10	Yes	Yes
			<ul style="list-style-type: none"> - All corners to have an external corner-reinforcing component. - Trim extrusion to be chemically welded to entire perimeter of each table, welding top shell to the bottom shell - Trim extrusion to provide an aesthetic, finished edge. To be minimum 1.75mm (.070") thick and 11mm (7/16") wide - Welding of trim component to be continuous, sealing perimeter of the table and making it impervious to moisture - Ends of legs to have nylon or steel closures for floor protection - Leg assemblies mounted using 16 gauge minimum thickness steel tube clamps - Folding braces attached with 16 gauge minimum thickness steel brackets. - Table to withstand temperatures up to 71°C (160°F) for up to 10 minutes. - Meets American National Standard Institute's stability standard: ANSI-x5.5-1989 - Lightweight, 18-20kg (40-44 lbs) - Foldable - Supports minimum 909kg (2,000 lbs) - Conference "T" legs constructed of powder-coated steel - Size: 1194-1245mm (47-49") L x 737-787mm (29-31") W x 711-737mm (28-29") H Colour: <ul style="list-style-type: none"> - Top: speckled grey top, smooth finish - black frame, black legs 						

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
				LISTED PRODUCT					
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
48	TABL-04	ABS Rectangular Table SEE CART-09	<ul style="list-style-type: none"> - To be compatible with CART-09 - Top and bottom surface formed from high-impact minimum 1.3mm (0.05") thick ABS plastic permanently bonded to internal wood laminate core - Edge thickness of table to be 16-25mm (5/8"-1") and to accept standard industry skirting clips - Table top edge radius to be approximately 48mm (3/16") - Table bottom edge radius to be approximately 2mm (5/64") - Inner wood frame to be constructed of hardwood such as Alder or Whitewood, or wood laminates of equivalent strength and performance, and to be 16-25mm (5/8"-1") thick - Frame to consist of cross members at approximately 102-127mm (4-5") intervals and a perimeter apron, minimum 57mm (2 1/4") high. - Table to have a "runner" on each side, minimum 57mm (2-1/4") high - Framework to be fastened together with 32mm (1/4") pneumatically driven staples - Cross members to be 76-102mm (3-4") and 25-51mm (1-2") wide, with a minimum of four (4) of the wider cross members in each table - Internal Wood Laminate Core: 2.5mm-3.6mm (0.10"-0.14")thick wood laminate layer permanently bonded to both outer shells of plastic where they come in contact with each other 	RT30725GB1 Mity Lite Wide ABS Folding Table Table Leg: Black Conference T-leg (30C)	MityLite	Top finish: Smooth ABS finish Top colour: Speckled Grey Frame finish: Black Sand Leg colour: Black	152	Yes	Yes
			<ul style="list-style-type: none"> - All corners to have an external corner-reinforcing component - Trim extrusion to be chemically welded to entire perimeter of each table, welding top shell to bottom shell - Trim extrusion to provide an aesthetic, finished edge. To be minimum 1.75mm (.070") thick and 11mm (7/16") wide - Welding trim component to be continuous, sealing perimeter of the table and making it impervious to moisture - Ends of legs to have nylon or steel closures for floor protection. - Leg assemblies to be mounted using 16 gauge minimum thickness steel tube clamps - Folding braces to be attached with 16 gauge minimum thickness steel brackets - Table to withstand temperatures up to 71°C (160°F) for up to 10 minutes. - Meets American National Standard Institute's stability standard: ANSI-x5.5-1989 - Lightweight, 18-20kg (40-44 lbs) - Foldable - Supports minimum 909kg (2,000 lbs) - Conference "T" leg point legs constructed of powder-coated steel - Size: 1803-1854mm (71-73") L x 762mm (30") W x 737mm (29") H Colour: - Top: speckled grey top, smooth finish - black frame, black legs 						
49	TABL-05	ABS Round Table SEE CART-08	<ul style="list-style-type: none"> - To be compatible with CART-08 - Top and bottom surface formed from high-impact minimum 1.3mm (0.05") thick ABS plastic permanently bonded to internal wood laminate core - Edge thickness of table to be 16-25mm (5/8"-1") and to accept standard industry skirting clips - Table top edge radius to be approximately 48mm (3/16") - Table bottom edge radius to be approximately 2mm (5/64") - Inner wood frame to be constructed of hardwood such as Alder or Whitewood, or wood laminates of equivalent strength and performance, and to be 16-25mm (5/8"-1") thick - Frame to consist of cross members at 102-127mm (4-5") intervals and a perimeter apron, minimum 57mm (2-1/4") high - Table to have a "runner" on each side, minimum 57mm (2-1/4") high. - Framework to be fastened together with 32mm (1/4") pneumatically driven staples - Cross members to be 76-102mm (3-4") and 25-51mm (1-2") wide, with a minimum of four (4) of the wider cross members in each table - Internal Wood Laminate Core: a 2.5mm- 3.6mm (0.10"-0.14")thick wood laminate layer permanently bonded to both outer shells of plastic where they come in contact with each other 	CT605GB1 Mity Lite ABS Folding Table Wishbone Leg	MityLite	Top finish: Smooth ABS finish Top colour: Speckled Grey Frame finish: Black Sand Leg colour: Black	35	Yes	Yes

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	LISTED PRODUCT					
				PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
			<ul style="list-style-type: none"> - All corners to have an external corner-reinforcing component. - Trim extrusion to be chemically welded to entire perimeter of each table, welding top shell to the bottom shell - Trim extrusion to provide an aesthetic, finished edge. To be minimum 1.75mm (.070") thick and 11mm (7/16") wide - Welding of the trim component to be continuous, sealing perimeter of the table and making it impervious to moisture - Ends of legs to have nylon or steel closures for floor protection - Leg assemblies to be mounted using 16 gauge minimum thickness steel tube clamps - Folding braces to be attached with 16 gauge minimum thickness steel brackets - Table to withstand temperatures up to 71°C (160°F) for up to 10 minutes - Table to meet the American National Standard Institute's stability standard: ANSI-x5.5-1989 - Lightweight, 18-20kg (40-44 lbs) - Foldable - Supports minimum 909 kg (2,000 lbs) - Wishbone/standard 4 point legs, constructed of powder-coated steel - Size: 1499-1549mm (59-61") dia. x 711-737mm (28-29") H Colour: <ul style="list-style-type: none"> - Top: speckled grey top, smooth finish - black frame, black legs 						
50	TABL-06	Flip-top Table - Bar Height SEE CART-10	<ul style="list-style-type: none"> - To be compatible with CART-10 - Flip-top mechanism - Locking casters - X base - Base column uprights constructed of 14 gauge minimum thickness seam-welded cold-rolled steel tube; column 38-64mm (1.5-2.5") outside diameter - Feet are minimum 6.3mm (1/4") thick solid steel plate formed to shape and supported by a minimum 4.7mm (3/16") thick vertical steel web - Size: 737-787mm (29-31") dia. x 965-1016mm (38-40") H Finish: <ul style="list-style-type: none"> - Table top laminate manufacturer: Nevemar - Table top laminate colour: Charcoal Matrix - MR6002T - Table top laminate finish: Textured with ARP - Edge trim: black - Edge colour: Black - Leg: Textured black, powder coated 	30D-MNX-PVF-FLIP TOP-BAR HEIGHT Manhattan Round Table X Base	SPEC Furniture	Laminate: Manufacturer: Nevemar Laminate Colour & No: Charcoal Matrix - MR6002 Edge trim: PVC Flat Edge colour: 9005 Black Leg: Black Textured - Powder Coated	97	Yes	Yes
51	TABL-07	Rectangular Table	<ul style="list-style-type: none"> - Must be compatible with BNCH-01 - Size: 1194-1245mm (47-49") L x 889-940mm (35-37") W x 660-711mm (26-28") H - Top: laminate with matching plastic edge - Two (2) base legs with disc-style foot. - Disc Base: textured paint - Table top laminate manufacturer: Formica - Colour: Dover White - Edge trim: White - Leg finish: paint. Colour: Textured dark grey - Sample(s) to be approved by technical authority after contract award 	BTW36483 Bix Table Includes Two (2) legs with disc-style foot at 685mm (27") H	Coalesse North America	Laminate: Manufacturer: Formica Laminate Colour: Dover White Edge profile: Plastic edge Edge colour: White Leg: Anthracite Textured 7197	3	Yes	Yes
52	TABL-08	Rectangular Table	Tapered table leg with adjustable foot: <ul style="list-style-type: none"> - Screw mounts to underside of table top - Leg tapers from 38mm to 19mm (1.5" to 0.75") - Static load rating per leg: approx. 100kg (220 lbs.) - Mounting plate attaches with M14 bolt - Adjustment range: maximum 12mm (1/2") - Height maximum: 710mm (28") - Diameter range: 25-50mm (1-2") - Material: Leg - tubular steel, Adjustment Foot - plastic, Mounting plate - Steel Table Top: <ul style="list-style-type: none"> - Size: 889-940mm (35-37") L x 889-940mm (35-37") W - Top: laminate with matching edge Finish: <ul style="list-style-type: none"> - Table top laminate manufacturer: Formica - Laminate colour: Dover white 7197-58 - Laminate Finish: Matte - Edge trim: Self edge, white - Leg: polished chrome - Sample(s) to be approved by technical authority after contract award 	Hafele Legs: 635.40.271 - Four (4) Tapered Table Legs Formica Top: Laminate Table Top & Self Edge to match	Hafele & Formica	Laminate: Manufacturer: Formica Laminate Colour: Dover White 7197-58 Laminate Finish: Matte Edge Trim: Self Edge Leg Finish: Polish chrome	4	Yes	Yes

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
				LISTED PRODUCT					
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
53	TABL-10	Square Table	Table Top: - Size: 889-940mm (35-37") L x 889-940mm (35-37") W - Top: laminate with self edge Base: - Trumpet style at 559-610mm (22-24") diameter; Column at 38-57mm (1.50-2.25") diameter - Height: 685-711mm (27-28") - Maximum fixed height 711mm (28") - Pressure fit assembly minimum 90kg (200 lbs) - Static vertical load rating per base - Plate mount to underside			Top Laminate to match: Manufacturer: Formica Laminate colour: Dover White 7197-58 Edge Trim: Self Edge Base: Polished aluminum with steel column Sample(s) to be approved by technical authority after contract award.	14	Yes	Yes
54	TABL-18	Rectangular Table	- Maximum fixed height 763mm (29") Table Top: - Size: 889-940mm (35-37") L x 889-940mm (35-37") W - Laminate finish Base: Single post with trumpet-style foot Finishes: - Table top colour: White - Edge trim: white - Base: polished silver or grey - Sample(s) to be approved by technical authority after contract award	Top: Cal series, custom Square Base: Cal series 6633 Trumpet base, 737mm (29")H	Keilhauer	Laminate Manufacturer: Formica Laminate colour & No: Dover White 7197-58 Edge Trim: Self Edge to match laminate Base: Polished Chrome	12	Yes	Yes
55	TABL-19	Rectangular Table - Folding with Manual Adjustable Heights	- Adjustable height legs from 635mm (25") to 965mm (38") in 25.4mm (1") increments - Top and bottom surface formed from high-impact minimum 1.3mm (0.05") thick ABS plastic permanently bonded to internal wood laminate core - Edge thickness of table to be 16-25mm (5/8"-1") and to accept standard industry skirting clips - Table top edge radius to be approximately 48mm (3/16") - Table bottom edge radius to be approximately 2mm (5/64") - Inner wood frame to be constructed of hardwood such as Alder or Whitewood, or wood laminates of equivalent strength and performance, and to be 16-25mm (5/8"-1") thick - Frame to consist of cross members at approximately 102-127mm (4-5") intervals and a perimeter apron, minimum 57mm (2-1/4") high. - Table to have a "runner" on each side, minimum 57mm (2-1/4") high - Framework to be fastened together with 32mm (1/4") pneumatically driven staples - Cross members: 76-102mm (3-4") and 25-51mm (1-2") wide; minimum of four (4) of wider cross members in each table	RT30725GB16 Mity Lite Wide ABS Folding Table Short Adjustable Leg: 30SA	MityLite	Top finish: Smooth ABS finish Top colour: Speckled Grey Frame finish: Black Sand Leg colour: Black	4	Yes	Yes
			- Internal Wood Laminate Core: a 2.5mm- 3.6mm (0.10"-0.14")thick wood laminate layer permanently bonded to both outer shells of plastic where they come in contact with each other - All corners to have an external corner-reinforcing component - Trim extrusion to be chemically welded to entire perimeter of each table, welding top shell to the bottom shell - Trim extrusion to provide an aesthetic, finished edge. To be minimum 1.75mm (.070") thick and 11mm (7/16") wide - Welding of trim component to be continuous, sealing perimeter of the table and making it impervious to moisture - Ends of legs to have nylon or steel closures for floor protection - Leg assemblies to be mounted using 16 gauge minimum thickness steel tube clamps - Folding braces to be attached with 16 gauge minimum thickness steel brackets - Table to withstand temperatures up to 71°C (160°F) for up to 10 minutes. - Table to meet American National Standard Institute's stability standard: ANSI-x5.5-1989 - Lightweight, 18-20kg (40-44 lbs) - Foldable - Supports minimum 909kg (2,000 lbs) - Legs constructed of powder-coated steel - Size: 1803-1854mm (71-73") D x 737-787mm (29-31") W x 686-737mm (27-29") H Colour: - Top: speckled grey top, smooth finish - black frame, black legs						

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	LISTED PRODUCT					
				PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
56	TABL-20	Rectangular Table	<ul style="list-style-type: none"> -Adjustable Height legs from 482.6mm (19") to 813mm (32") in 25.4mm (1") increments -Top and bottom surface is formed from a high impact minimum 1.3mm (1/2") thick ABS plastic and is permanently bonded to the internal wood laminate core -The edge thickness of the table to be 16-25mm (5/8"-1") and to accept standard industry skirting clips -The table top edge radius to be approximately 48mm (3/16") -The table bottom edge radius to be approximately 2mm (5/64") -The inner wood frame to be constructed of hardwood such as Alder or Whitewood, or wood laminates of equivalent strength and performance, and to be 16-25mm (5/8"-1") thick -The frame to consist of cross members at 102-127mm (4-5") intervals and a perimeter apron, minimum 57mm (2 1/4") high -Table to have a "runner" on each side, minimum 57mm (2-1/4") high -Framework to be fastened together with 32mm (1/4") pneumatically driven staples -Cross members to be 76-102mm (3-4") and 25-51mm (1-2") wide, with a minimum of four (4) of the wider cross members in each table 	RT30605GB12 Mity Lite Wide ABS Folding Table Short adjustable Leg Adjustable height leg from 483mm (19") to 813mm (32")	MityLite	Top finish: Smooth ABS finish Top colour: Speckled Grey Frame finish: Black Sand Leg colour: Black	3	Yes	Yes
			<ul style="list-style-type: none"> - Internal Wood Laminate Core: a 2.5mm- 3.6mm (0.10"-0.14") thick wood laminate layer permanently bonded to both outer shells of plastic where they come in contact with each other -All corners to have an external corner-reinforcing component -Trim extrusion to be chemically welded to entire perimeter of each table, welding top shell to the bottom shell -Trim extrusion to provide an aesthetic, finished edge. To be minimum 1.75mm (.070") thick and 11mm (7/16") wide -Welding of trim component to be continuous, sealing perimeter of the table and making it impervious to moisture -Ends of legs to have nylon or steel closures for floor protection -Leg assemblies to be mounted using 16 gauge minimum thickness steel tube clamps -Folding braces to be attached with 16 gauge minimum thickness steel brackets -Table to withstand temperatures up to 71°C (160°F) for up to 10 minutes. -Table to meet the American National Standard Institute's stability standard: ANSI-x5.5-1989 - Lightweight, 18-20kg (40-44 lbs) - Foldable - Supports minimum 909kg (2,000 lbs) -Constructed of powder-coated steel -Size: 1500-1549mm (59-61") D x 737-787mm (29-31") W x 686-737mm (27-29") H Colour: <ul style="list-style-type: none"> -Top: speckled grey top, smooth finish -black frame, black legs 						
57	TABL-27	Occasional Table - Square	<ul style="list-style-type: none"> - Free-standing table -Size: 432-483mm (17-19") L x 432-483mm (17-19") W x 533-584mm (21-23") H -19-32mm (0.75"-1.25") square stainless steel frame and legs, polished and sealed. All pits / fissures / cracks to be filled and polished -Square edge flush with base -Granite top Finish: <ul style="list-style-type: none"> - Legs: Polished Chrome -Granite Top: Dark brown granite / anorthosite consisting of medium-to-large unevenly shaped dark brown crystals, with some metallic mica reflections and thin veins -Sample(s) to be approved by technical authority after contract award 	Parsons Table - Stone Top 210M-1822 3/4" Square Edge (SE)	Prismatique	Granite Top: Antique Brown (Custom) Legs: Polished Chrome	11	Yes	Yes

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
				LISTED PRODUCT					
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
58	TABL-28	Occasional Table - Rectangular	<ul style="list-style-type: none"> - Free-standing table - Size: 991-1041mm (39-41") L x 584-635mm (23-25") W x 381-432mm (15-17") H - 19-32mm (0.75"-1.25") square stainless steel frame and legs, polished and sealed. All pits / fissures / cracks to be filled and polished - Square edge flush with base - Granite top Finish: <ul style="list-style-type: none"> - Legs: Polished Chrome - Granite Top: Dark brown granite / anorthosite consisting of medium-to-large unevenly shaped dark brown crystals, with some metallic mica reflections and thin veins - Sample(s) to be approved by technical authority after contract award 	Parsons Table - Stone Top 210M-4024 3/4" Square Edge (SE)	Krug	Granite Top: Antique Brown (Custom) Legs: Polished Chrome	12	Yes	Yes
59	TABL-29	Occasional Table - Rectangular	<ul style="list-style-type: none"> - Free-standing table with sides, height of sides 127mm-177mm (5"-7") H - Size: 1194-1245mm (47"-49") L x 584-635mm (23"-25") W x 356-406mm (14"-16") H - Four (4) silver metallic legs with leveling glides on each one - Pallet: solid colour top with wood veneer sides Finish: <ul style="list-style-type: none"> - Surface: Plastic laminate, to match Krug "Palette" finish; colour White - Sides: Wood, veneer, medium grain, walnut - Legs: Silver metallic - Sample(s) to be approved by technical authority after contract award 	ZOLA-482415 Zola Rectangle Table	Krug	<ul style="list-style-type: none"> Surface: White Pallet Side: Walnut veneer - sample to be approved by technical authority after contract award Legs: Silver metallic 	3	Yes	Yes
60	TABL-30	Occasional Table - Round	<ul style="list-style-type: none"> - Free-standing table with sides; height of sides 127mm-177mm (5"-7") H - Size: 737-787mm (29-31") diameter x 356-406mm (14-16") H - Four (4) silver metallic legs with leveling glides - Pallet solid colour top with wood veneer sides Finish: <ul style="list-style-type: none"> - Surface: Plastic laminate, to match Krug "Palette" finish; colour White - Sides: Wood, veneer, medium grain, walnut - Legs: Silver metallic - Sample(s) to be approved by technical authority after contract award 	ZOLA-30D15 Zola Round Table	Krug	<ul style="list-style-type: none"> Surface: White Pallet Side: Walnut veneer - sample to be approved by technical authority after contract award Legs: Silver metallic 	10	Yes	Yes
61	TABL-33	Rectangular Meeting Table	<ul style="list-style-type: none"> - Free-standing table - Size: 1499-1549mm (59-61") L x 737-787mm (29-31") W x 686-737mm (27-29") H - Four (4) polished chrome legs (tubular steel) - Wood table top Finish: <ul style="list-style-type: none"> - Table top: Walnut veneer, medium walnut finish - Legs: Polished chrome - Sample(s) to be approved by technical authority after contract award 	5801-6030 CAN CAN - Special	Krug	<ul style="list-style-type: none"> Top: Walnut veneer - sample to be approved by technical authority after contract award Legs: Polished Chrome 	1	Yes	Yes
62	TABL-35	Rectangular Table - Base only	<ul style="list-style-type: none"> - Base: Trumpet at 559-610mm (22-24") diameter; Column at 38-57mm (1.50-2.25") diameter - Height: 685-711mm (27-28") - Pressure-fit assembly - Static vertical load rating per base: minimum 90.9kg (200 lbs) - Plate mount Finish: <ul style="list-style-type: none"> - Base: Polished aluminum with steel column - Sample(s) to be approved by technical authority after contract award 			<ul style="list-style-type: none"> Base: Polished aluminum with steel column - Sample(s) to be approved by technical authority after contract award. 	20	Yes	Yes
63	TABL-36	Rectangular Occasional Table	<ul style="list-style-type: none"> - Free-standing table with sides; height of sides range 127mm-177mm (5"-7") H - Size: 432-483mm (17-19") L x 432-483mm (17-19") W x 356-406mm (14-16") H - Four (4) silver metallic legs with leveling glides - Pallet: solid colour top with wood veneer sides Finish: <ul style="list-style-type: none"> - Surface: Plastic laminate, to match Krug "Palette" finish; colour White - Sides: Wood, veneer, medium grain, walnut - Legs: Silver metallic - Sample(s) to be approved by technical authority after contract award 	ZOLA-181815 Zola Square Table	Krug	<ul style="list-style-type: none"> Surface: White Pallet Side: Walnut veneer - sample to be approved by technical authority after contract award Legs: Silver metallic 	2	Yes	Yes

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
				LISTED PRODUCT					
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
64	TABL-37	Rectangular Conference Table	<ul style="list-style-type: none"> - Must fit within building elevator dimensions: 914mm (3'-0") W x 1981 2134mm (7' 6'-6") L x and 1981mm (6'-6") H - Have the ability to incorporate a Crestron Unit (NIC) - Rectangular wood veneer top - Three (3) rectangular bases to accommodate length of table top - Table top size: 5309-5486mm (209-216") L x 1194-1245mm (47-49") W x 686-749mm (27-29.5") H - Provide one electrical/data module and wiremold under table - One (1) cut-out for "Crestron C2N-FTB-D" box (NIC) required, located on one side of the table (on opposite side of 80" TV location) Finish: <ul style="list-style-type: none"> - Table and base: Wood veneer - Veneer Finish: Walnut - Wire management colour: Stainless steel - Walnut stain: sample to be approved by technical authority after contract award 	FWGT-21648-PV Flow Series Conference Table 3 Rectangular Bases Connectivity: custom cut-out required for communications box: Crestron Unit (NIC) Size: 5486mm (216") L x 1219mm (48") W x 750mm (29-1/2") H	Nucraft Furniture	Wood Veneer: G35 Marron (to match walnut sample) Cove Finish: G35 Marron Walnut Beam Colour: A8006 Foil	2	Yes	No
65	TABL-38	Boat-shaped Conference Table with Wire Management	<ul style="list-style-type: none"> - Must fit within building elevator dimensions: 914mm (3'-0") W x 1981 2134mm (7' 6'-6") L x and 1981mm (6'-6") H - Table top to be boat-shaped, arc end and rounded corners - Table top size: 5309-5461mm 5182-5537mm (209-215"204-218") L x 1321-1372mm (52-54") W x 711-762mm (28-30") H - Center rectangular base size: 381-432mm (15-17") L x 381-432mm (15-17") W x 610-660mm (24-26") H - Two (2) panel base size: 508-559mm (20-22") L x 279-330mm (11-13") W x 610-660mm (24-26") H - Provide one electrical/data module and wiremold under table - Eight (8) cut-outs for "Extron Cable Cubby 800" boxes (NIC) required. Layout will be provided. Finish: <ul style="list-style-type: none"> - Table: Wood veneer - Veneer Finish: Medium walnut - Sample to be approved by technical authority after contract award 	NUVO Series - Conference Table Top: 5154-216-54-48 Panel Base: 5144-211255 (2x) Center Rectangular Base: 5143-161625 (1x) Connectivity: Requires eight (8) custom cut-out for communications box: Extron Cable Cubby 202 US (template required for cut-out) Cable Cubby 800" boxes Bases to include Wire Management Cavity	Krug	Edge profile: Fino Wood veneer: walnut- Sample to be approved by technical authority after contract award	1	Yes	No
66	TABL-39	Rectangular Table	<ul style="list-style-type: none"> - Free-standing table - Rectangular top, laminate finish on particle board - Size: 4115-4420mm (162-174") L x 1499-1549mm (59-61") W x 711-762mm (28-30") H - Three (3) bases, rectangular shaped: 533-584mm (21-23") W, walnut veneer finish. One (1) base to come with access door - Self edge laminate edge trim to match top - Provide one (1) electrical/data module and wiremold continuous under table top - Top of table colour: White - Edge trim: White - Leg: medium wood veneer with metal trim - Sample(s) to be approved by technical authority after contract award. 	Boardgames Top: 60168RE SE Base: 3-BGRE-L Rectangle	SPEC Furniture	Top: Laminate to match: Formica Colour & No: Dover White 7197-58 Edge Trim: Self edge to match laminate Base: Walnut wood veneer with extruded aluminum trim Sample(s) to be approved by technical authority after contract award	1	Yes	Yes
67	TASK-01	Standard Office Chair	<ul style="list-style-type: none"> - Multi-Function mechanism - Center Tilt, Lock - Adjustable lumbar - Adjustable arms in height/depth/width and pivot - Arms to have urethane pad - Sliding Seat Pan - Hard Casters (for soft surface) - Fully upholstered - Size: 572-622mm (22.5-24.5") W x 610-660mm (24-26") D x 1118-1168mm (44-46") H; seat width 457-508mm (18-20"); seat depth 432-457mm (17-18"); seat height 432-457mm (17-18"); arm height 678-673mm (25.5-26.5") Finish: Frame: Black Fabric: Black	DR-D-F-96-SS-LU Cylinder type = standard	ADI Art Design International	Fabric: Manufacturer: Momentum Fabric Pattern: Perk Fabric colour: Ebony Base: Black	386	Yes	Yes

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	LISTED PRODUCT					
				PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
68	TASK-02	24/7 Task Chair	<ul style="list-style-type: none"> - Mesh back and seat - Adjustable arms - Five (5) star base - Hard casters (for soft surfaces) - Pneumatic seat-height adjustment - Tilt limiter and seat angle - Back-support options and an adjustable lumbar support. - Size: 660-711mm (26-28") W x 483-533mm (19-21") seat width x 406-483mm (16-19") D x 1041-1092mm (41-43") max. height; 381mm-530mm (15"-20-7/8") seat height Finish: Base / frame: Black Arm pads: Black Seat & Back colour: Black 	AE113AWB-PJ-G1-C7-BK-3D01 Aeron Work Chair	Herman Miller	Base /Frame: Graphite B1 Arm Pads: Black Seat and Back: Black Mesh Colour: Carbon 3D1-(B)	116	Yes	Yes
69	WBRD-02	Rectangular Aluminum Frame With Magnetic Surface	<ul style="list-style-type: none"> - Aluminum frame marker board - Guaranteed-to-clean dry-erase surface that accepts magnetic accessories - Solid extruded aluminum frame, square corners - Full length aluminum marker tray - Wall-mountable - To include: four (4) markers, one (1) cleaning cloth / eraser, one (1) pen D87-D89mm (47-49") W x 889-940mm (35-37") H x 25-51mm (1-2") D - Square Corner Aluminum Frame - Finish: Clear Anodized 	ME54836 Square Corner Aluminum Frame Marker Board Four (4) Markers One (1) Egan Cloth One (1) Pen Tray Size: 1219mm (48") W x 914mm (36") H	Egan Visual Inc.	Frame : Clear anodized aluminum	1	Yes	No
70	WBRD-03	Rectangular Hardwood Frame With Magnetic Surface	<ul style="list-style-type: none"> - Bullnose solid wood frame complete with marker board - Guaranteed-to-clean dry-erase surface that accepts magnetic accessories. - To include: mounting bracket magnetic marker tray, dry-erase markers, assorted colours, one (1) eraser / cleaning cloth - Wall mountable - Size: 1219-1270mm (48-50") W x 914-965mm (36-38") H - Hardwood Finish: Walnut, sample(s) to be approved by technical authority after contract award 	MDMW-4836-WA Hardwood Frame Marker Board Egan Cloth: VJEC - Size 16" x 12" Egan Cloth Caddy: VJCC - Self Stick Size: 1219mm (48") W x 914mm (36") H	Egan Visual Inc.	Frame: Walnut (WA)	1	Yes	No
71	WBRD-04	Rectangular Aluminum Frame with Magnetic Surface - Includes Dry Erase Set	<ul style="list-style-type: none"> - Magnetic dry-erase board - Aluminum frame - Track hanging system for easy mounting in portrait or landscape orientation - To include: two (2) double-ended dry erase markers, two (2) bullet tip markers, one (1) magnetic eraser / cleaning cloth, six (6) magnets and one (1) 80mL bottle board cleaner - Size: 889-940mm (35-37") W x 584635mm (23-25") H x 13-25mm (0.5-1") D - Frame: Aluminum 	ELR-0488 - MessageStor Magnetic Dry-Erase Set Two (2) Double-Ended Dry Erase Markers Two (2) Bullet Tip Markers One (1) Magnetic Eraser Six (6) Magnets One (1) 80mL bottle Board Cleaner Size: 914mm (36") W x 610mm (24") H	Early Childhood Resources for Kids	Frame: Aluminum	12	Yes	No
72	DELETED								
73	DELETED								
74	WBRD-05	Rectangular Aluminum Frame With Magnetic Surface	<ul style="list-style-type: none"> - Aluminum Frame Markerboard - Guaranteed-to-clean dry-erase surface that accepts magnetic accessories - Solid extruded aluminum frame, clear anodized finish - Square corner aluminum frame - Full-length aluminum marker tray - Wall-mountable - To include: four (4) markers, one (1) eraser / cleaning cloth, one (1) pen tray - Size: 1194-1245mm (47-49") W x 1499-1549mm (59-61") H x 25-51mm (1-2") D - Square Corner Aluminum Frame - Finish: Clear Anodized 	ME56048 Square Corner Aluminum Frame Markerboard Four (4) Markers One (1) Egan Cloth One (1) Pen Tray Size: 1219mm (48") W x 1524mm (60") H	Egan Visual Inc.	Frame : Clear anodized aluminum	1	Yes	No

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	LISTED PRODUCT					
				PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
75	WKBN-01	Tech/Lab bench	<ul style="list-style-type: none"> - Free-standing unit (steel support frame) - Load capacity minimum 363 Kg (800lbs) , evenly distributed - 737-787mm (29-31") W x 1803-1854mm (71-73") L - High-density laminate (HDL) worksurface complete with full radius front edge - Welded, fixed upright shelf - 483-762mm (19"-30") height above work surface, Shelf depth 381-457mm (15-18") D - Front and rear support beams, mechanically attached to side "H" frames - Lower rear support beam - One (1) box drawer, minimum 152mm (6") x 381mm (15") and one (1) file drawer, minimum 305mm (12") x 382mm (15"); all steel, suspended from work surface - Multi-outlet power/data strip - Under-shelf light - One (1) connecting bracket - 914mm (36") high legs - Frame: Black (Powder Coat) - Worksurface colour: Grey - Sample(s) to be approved by technical authority after contract award 	<p>JHA 4L Series Tech Benches "G"</p> <p>High density laminate w/ full radius front edge (standard)</p> <p>Welded, fixed upright shelf</p> <p>Rear support beam</p> <p>Box 152mm x 381mm (6" x 15") & file 305mm x 382mm (12" x 15") drawers</p> <p>Special multi-outlet power/data strip</p> <p>Under-shelf Light</p> <p>One (1) connecting bracket</p> <p>914mm (36") high legs</p>	JHA Techspace	Frame Colour: Black Counter Colour: Grey	3	Yes	Yes
76	STOL-01	Stool - Bar Height, Upholstered Seat	<ul style="list-style-type: none"> - Stool to be compatible with a counter height of 1067mm (42") and with a counter edge thickness of 89mm (3.5") - Pedestal base complete with felt glides - Upholstered seat - Commercial grade - Contemporary in style - 360° swivel seat - Continuous foot rest - Low back - Minimum 140 kg (330lb) weight capacity - Overall size: 432-457mm (17-18") W x 432-457mm (17-18") D x 838-864mm (33-34") H - Seat height: 737-762mm (29-30") - Foot rest height: 279-305mm (11-12") above finished floor Finish: - Base Finish: Chrome - Seat Frame Finish: Black - Seat Fabric: Leather - Seat Fabric Colour: Black - Sample(s) to be approved by technical authority after contract award 	<p>Series: Zia</p> <p>3000-PTOA-BLACK-CH-UPHS</p>	Davis Furniture	Base Metal Finish: Chrome (CH) Seat Frame Paint Finish: PTOA - Black Seat Fabric Series: WEBB Leather Seat Fabric Colour: HE-5000 Black	8	YES	NO
77	STOL-02	Stool - Bar Height, Upholstered Seat	<ul style="list-style-type: none"> - Stool to be compatible with a counter height of 1067mm (42") and with a counter edge thickness of 89mm (3.5") - Pedestal base complete with felt glides - Upholstered seat - Commercial grade - Contemporary in style - 360° swivel seat - Continuous foot rest - Low back - Minimum 140 kg (330lb) weight capacity - Overall size: 432-457mm (17-18") W x 432-457mm (17-18") D x 838-864mm (33-34") H - Seat height: 737-762mm (29-30") - Foot rest height: 279-305mm (11-12") above finished floor Finish: - Base Finish: Chrome - Seat Frame Finish: White - Seat Fabric: Leather - Seat Fabric Colour: White - Sample(s) to be approved by technical authority after contract award 	<p>Series: Zia</p> <p>3000-PTOA-WHITE-CH-UPHS</p>	Davis Furniture	Base Metal Finish: Chrome (CH) Seat Frame Paint Finish: PTOA- White Seat Fabric: Leather Seat Fabric Colour: White Sample(s) to be approved by technical authority after contract award	12	YES	NO
78	TABL-01	Rectangular Table - Bar Height	<ul style="list-style-type: none"> - Size: 1473-1524mm (58-60") L x 508-610mm (20-24") W x 1067-1079mm (42"-42.5") H - 63.5-89mm (2.5"-3.5") gables and top - Metal construction to support custom stone top - Mitered corners Finish: - Overall: Metal with durable finish - Gables: White - Edge: White - Top: Ceasarstone - Collection Classico – Colour 4141 Misty Carrera - Sample(s) to be approved by technical authority after contract award 	<p>Brooklyn Base Community Table - One piece stone top</p> <p>340B-C</p> <p>mm 60"W x mm 24"D x mm 42"H</p>	Prismatique Design Ltd.	Top: Ceasarstone - Collection Classico – Colour 4141 Misty Carrera Finish Colora (metal) Colour: C-023 Salt	6	YES	NO

Group E: VISUAL AIDS & SEATING

Attachment 1e to Annex A

MANDATORY REQUIREMENT									
				LISTED PRODUCT					
ITEM NO.	COMPONENT CODE	COMPONENT NAME/DESCRIPTION	SPECIFICATIONS FOR EQUIVALENT PRODUCTS	PRODUCT NUMBER/DESCRIPTION	MANUFACTURER	COLOUR/FINISH	QUANTITY	DELIVERY REQUIRED (Yes/No)	INSTALL REQUIRED (Yes/No)
79	DELETED								