

RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

**Bid Receiving Public Works & Government
Services Canada/Réception des soumissions
Travaux publics et Services gouvernementaux
Canada**

**1713 Bedford Row
Halifax, N.S./Halifax,(N.E.)
B3J 1T3
Halifax
Bid Fax: (902) 496-5016**

Request For a Standing Offer Demande d'offre à commandes

Regional Individual Standing Offer (RISO)

Offre à commandes individuelle régionale (OCIR)

Canada, as represented by the Minister of Public Works and Government Services Canada, hereby requests a Standing Offer on behalf of the Identified Users herein.

Le Canada, représenté par le ministre des Travaux Publics et Services Gouvernementaux Canada, autorise par la présente, une offre à commandes au nom des utilisateurs identifiés énumérés ci-après.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Atlantic Region Acquisitions/Région de l'Atlantique
Acquisitions
1713 Bedford Row
Halifax, N.S./Halifax, (N.E.)
B3J 3C9
Halifax
Nova Scot

Title - Sujet Overhead Doors - Maint. & Install.	
Solicitation No. - N° de l'invitation W6837-155523/A	Date 2015-11-16
Client Reference No. - N° de référence du client W6837-15-5523	GETS Ref. No. - N° de réf. de SEAG PW-\$PWA-121-5313
File No. - N° de dossier PWA-5-74087 (121)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2016-01-07	Time Zone Fuseau horaire Atlantic Standard Time AST
Delivery Required - Livraison exigée See Herein	
Address Enquiries to: - Adresser toutes questions à: Russell (PWA), Alex	Buyer Id - Id de l'acheteur pwa121
Telephone No. - N° de téléphone (902)496-5168 ()	FAX No. - N° de FAX (902)496-5016
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: DEPARTMENT OF NATIONAL DEFENCE REAL PROPERTY OPERATIONS UNIT (ATL) BLDG 7, WILLOW PARK STN FORCES HALIFAX NOVA SCOTIA B3K5X5 Canada	
Security - Sécurité This request for a Standing Offer includes provisions for security. Cette Demande d'offre à commandes comprend des dispositions en matière de sécurité.	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address	
Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone	
Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print)	
Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION.....	3
1.1 INTRODUCTION	3
1.2 SUMMARY	3
1.3 SECURITY REQUIREMENTS	3
1.4 DEBRIEFINGS.....	4
PART 2 - OFFEROR INSTRUCTIONS	4
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS.....	4
2.2 SUBMISSION OF OFFERS.....	4
2.3. FORMER PUBLIC SERVANT	4
2.4. ENQUIRIES - REQUEST FOR STANDING OFFERS.....	6
2.5. APPLICABLE LAWS.....	6
PART 3 - OFFER PREPARATION INSTRUCTIONS	6
3.1. OFFER PREPARATION INSTRUCTIONS	6
PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION.....	7
4.1 EVALUATION PROCEDURES	7
4.2 BASIS OF SELECTION	8
PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION.....	8
5.1 CERTIFICATIONS REQUIRED WITH THE OFFER	8
5.2 CERTIFICATIONS PRECEDENT TO THE ISSUANCE OF A STANDING OFFER AND ADDITIONAL INFORMATION.....	8
PART 6 - SECURITY REQUIREMENTS	9
6.1 SECURITY REQUIREMENTS	9
PART 7 - STANDING OFFER AND RESULTING CONTRACT CLAUSES.....	9
A. STANDING OFFER.....	9
7.1 OFFER	9
7.2 SECURITY REQUIREMENTS	9
7.3 STANDARD CLAUSES AND CONDITIONS	10
7.4 TERM OF STANDING OFFER	10
7.5. AUTHORITIES.....	10
7.6 PROACTIVE DISCLOSURE OF CONTRACTS WITH FORMER PUBLIC SERVANTS	11
7.7 IDENTIFIED USERS	11
7.8 CALL-UP INSTRUMENT	11
7.9 LIMITATION OF CALL-UPS	11
7.10 FINANCIAL LIMITATION	11
7.11 PRIORITY OF DOCUMENTS	12
7.12 CERTIFICATIONS	12
7.13 APPLICABLE LAWS.....	12
B. RESULTING CONTRACT CLAUSES	12
7.1 STATEMENT OF WORK.....	12
7.2 STANDARD CLAUSES AND CONDITIONS	12
7.3 TERM OF CONTRACT.....	13
7.4 PROACTIVE DISCLOSURE OF CONTRACTS WITH FORMER PUBLIC SERVANTS	13

7.5	PAYMENT.....	13
7.6	INVOICING INSTRUCTIONS.....	13
7.7	INSURANCE.....	13
ANNEX A	14
	STATEMENT OF WORK.....	14
ANNEX B	15
	BASIS OF PAYMENT.....	15
ANNEX C	16
	SECURITY REQUIREMENTS CHECK LIST.....	16

PART 1 - GENERAL INFORMATION

1.1 Introduction

The Request for Standing Offers (RFSO) is divided into seven parts plus attachments and annexes, as follows:

- | | |
|--------|---|
| Part 1 | General Information: provides a general description of the requirement; |
| Part 2 | Offeror Instructions: provides the instructions applicable to the clauses and conditions of the RFSO; |
| Part 3 | Offer Preparation Instructions: provides Offerors with instructions on how to prepare their offer to address the evaluation criteria specified; |
| Part 4 | Evaluation Procedures and Basis of Selection: indicates how the evaluation will be conducted, the evaluation criteria which must be addressed in the offer, and the basis of selection; |
| Part 5 | Certifications: includes the certifications to be provided; |
| Part 6 | Security, Financial and Insurance Requirements: includes specific requirements that must be addressed by Offerors; and |
| Part 7 | 7A, Standing Offer, and 7B, Resulting Contract Clauses:

7A, includes the Standing Offer containing the offer from the Offeror and the applicable clauses and conditions;

7B, includes the clauses and conditions which will apply to any contract resulting from a call-up made pursuant to the Standing Offer. |

The Annexes include the Statement of Work, the Basis of Payment, the Federal Contractors Program for Employment Equity - Certification and any other annexes

1.2 Summary

Work under this Standing Offer comprises the furnishings of all labour, materials, tools, equipment and transportation required to perform maintenance, repairs, modifications, replacement of parts or systems with new install for overhead doors and associated equipment, loading bay equipment, rolling gates and automatic doors located throughout CFB Halifax as specified.

The period of this Standing Offer is for one year with two additional one-year options.

The requirement is subject to the provisions of the World Trade Organization Agreement on Government Procurement (WTO-AGP), the North American Free Trade Agreement (NAFTA), and the Agreement on Internal Trade (AIT).

1.3 Security Requirements

There are security requirements associated with the requirement of the Standing Offer. For additional information, see Part 6 - Security, Financial and Insurance Requirements, and Part 7 - Standing Offer and Resulting Contract Clauses. For more information on personnel and organization security screening or

security clauses, Offerors should refer to the Industrial Security Program (ISP) of Public Works and Government Services Canada (<http://ssi-iss.tpsgc-pwgsc.gc.ca/index-eng.html>) website.

1.4 Debriefings

Offerors may request a debriefing on the results of the request for standing offers process. Offerors should make the request to the Standing Offer Authority within 15 working days of receipt of the results of the request for standing offers process. The debriefing may be in writing, by telephone or in person.

PART 2 - OFFEROR INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the Request for Standing Offers (RFSO) by number, date and title are set out in the Standard Acquisition Clauses and Conditions Manual (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Offerors who submit an offer agree to be bound by the instructions, clauses and conditions of the RFSO and accept the clauses and conditions of the Standing Offer and resulting contract(s).

The 2006 (2015-07-03) Standard Instructions - Request for Standing Offers - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the RFSO.

Subsection 5.4 of 2006, Standard Instructions - Request for Standing Offers - Goods or Services - Competitive Requirements, is amended as follows:

Delete: 60 days
Insert: 90 days

2.2 Submission of Offers

Offers must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the Request for Standing Offers.

2.3. Former Public Servant

Contracts awarded to former public servants (FPS) in receipt of a pension or of a lump sum payment must bear the closest public scrutiny, and reflect fairness in the spending of public funds. In order to comply with Treasury Board policies and directives on contracts awarded to FPSs, bidders must provide the information required below before contract award. If the answer to the questions and, as applicable the information required have not been received by the time the evaluation of bids is completed, Canada will inform the Bidder of a time frame within which to provide the information. Failure to comply with Canada's request and meet the requirement within the prescribed time frame will render the bid non-responsive.

Definitions

For the purposes of this clause, "former public servant" is any former member of a department as defined in the Financial Administration Act, R.S., 1985, c. F-11, a former member of the Canadian Armed Forces or a former member of the Royal Canadian Mounted Police. A former public servant may be:

-
- a. an individual;
 - b. an individual who has incorporated;
 - c. a partnership made of former public servants; or
 - d. a sole proprietorship or entity where the affected individual has a controlling or major interest in the entity.

"lump sum payment period" means the period measured in weeks of salary, for which payment has been made to facilitate the transition to retirement or to other employment as a result of the implementation of various programs to reduce the size of the Public Service. The lump sum payment period does not include the period of severance pay, which is measured in a like manner.

"pension" means a pension or annual allowance paid under the Public Service Superannuation Act (PSSA), R.S., 1985, c. P-36, and any increases paid pursuant to the Supplementary Retirement Benefits Act, R.S., 1985, c. S-24 as it affects the PSSA. It does not include pensions payable pursuant to the Canadian Forces Superannuation Act, R.S., 1985, c. C-17, the Defence Services Pension Continuation Act, 1970, c. D-3, the Royal Canadian Mounted Police Pension Continuation Act, 1970, c. R-10, and the Royal Canadian Mounted Police Superannuation Act, R.S., 1985, c. R-11, the Members of Parliament Retiring Allowances Act, R.S. 1985, c. M-5, and that portion of pension payable to the Canada Pension Plan Act, R.S., 1985, c. C-8.

Former Public Servant in Receipt of a Pension

As per the above definitions, is the Bidder a FPS in receipt of a pension? **Yes () No ()**

If so, the Bidder must provide the following information, for all FPSs in receipt of a pension, as applicable:

- a. name of former public servant;
- b. date of termination of employment or retirement from the Public Service.

By providing this information, Bidders agree that the successful Bidder's status, with respect to being a former public servant in receipt of a pension, will be reported on departmental websites as part of the published proactive disclosure reports in accordance with Contracting Policy Notice: 2012-2 and the Guidelines on the Proactive Disclosure of Contracts.

Work Force Adjustment Directive

Is the Bidder a FPS who received a lump sum payment pursuant to the terms of the Work Force Adjustment Directive? **Yes () No ()**

If so, the Bidder must provide the following information:

- a. name of former public servant;
- b. conditions of the lump sum payment incentive;
- c. date of termination of employment;
- d. amount of lump sum payment;

-
- e. rate of pay on which lump sum payment is based;
 - f. period of lump sum payment including start date, end date and number of weeks;
 - g. number and amount (professional fees) of other contracts subject to the restrictions of a work force adjustment program.

For all contracts awarded during the lump sum payment period, the total amount of fees that may be paid to a FPS who received a lump sum payment is \$5,000, including Applicable Taxes.

2.4. Enquiries - Request for Standing Offers

All enquiries must be submitted in writing to the Standing Offer Authority no later than 5 calendar days before the Request for Standing Offers (RFSO) closing date. Enquiries received after that time may not be answered.

Offerors should reference as accurately as possible the numbered item of the RFSO to which the enquiry relates. Care should be taken by Offerors to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that Offerors do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Offerors. Enquiries not submitted in a form that can be distributed to all Offerors may not be answered by Canada.

2.5. Applicable Laws

The Standing Offer and any contract resulting from the Standing Offer must be interpreted and governed, and the relations between the parties determined, by the laws in force in Nova Scotia.

Offerors may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their offer, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Offerors.

PART 3 - OFFER PREPARATION INSTRUCTIONS

3.1. Offer Preparation Instructions

Canada requests that offerors provide their offer in separately bound sections as follows:

Section I: Technical Offer (2 hard copies)

Section II: Financial Offer (1 hard copy)

Section III: Certifications (1 hard copy)

Prices must appear in the financial offer only. No prices must be indicated in any other section of the offer.

Canada requests that Offerors follow the format instructions described below in the preparation of their offer.

-
- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
 - (b) use a numbering system that corresponds to that of the Request for Standing Offers.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process Policy on Green Procurement (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, Offerors should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Offer

In their technical offer, Offerors should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Offer

Offerors must submit their financial offer in accordance with the Annex B, Basis of Payment. The total amount of Applicable Taxes must be shown separately.

3.1.1 Payment by Credit Card

Canada requests that Offerors complete one of the following:

- (a) ☐ Government of Canada Acquisition Cards (credit cards) will be accepted for payment of call-ups against the standing offer.

The following credit card(s) are accepted:

VISA _____

Master Card _____

- (b) ☐ Government of Canada Acquisition Cards (credit cards) will not be accepted for payment of call-ups against the standing offer.

The Offeror is not obligated to accept payment by credit card.

Acceptance of credit cards for payment of call-ups will not be considered as an evaluation criterion.

Section III: Certifications

Offerors must submit the certifications required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

Offers will be assessed in accordance with the entire requirement of the Request for Standing Offers including the technical and financial evaluation criteria.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Criteria

It is mandatory that bidders submit firm prices/rates for ALL items in the cost form, including no cost items.

Bidders must adhere to the Basis of Payment, Annex B, provided to be considered responsive. Any changes not authorized in writing by the Contracting Authority will render the bid as non-responsive.

4.1.2 Financial Evaluation

The price of the offer will be evaluated in Canadian dollars, Applicable Taxes excluded, FOB destination, Canadian customs duties and excise taxes included.

4.2 Basis of Selection

An offer must comply with the requirements of the Request for Standing Offers and meet all mandatory technical evaluation criteria to be declared responsive. The responsive offer with the lowest evaluated price will be recommended for issuance of a standing offer.

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Offerors must provide the required certifications and additional information to be issued a standing offer.

The certifications provided by Offerors to Canada are subject to verification by Canada at all times. Canada will declare an offer non-responsive, will have the right to set-aside a standing offer, or will declare a contractor in default if any certification made by the Offeror is found to be untrue whether made knowingly or unknowingly during the offer evaluation period, during the Standing Offer period, or during the contract period.

The Standing Offer Authority will have the right to ask for additional information to verify the Offeror's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Standing Offer Authority will render the offer non-responsive, result in the setting aside of the Standing Offer or constitute a default under the Contract.

5.1 Certifications Required with the Offer

Offerors must submit the following duly completed certifications as part of their offer.

5.1.1 Declaration of Convicted Offences

As applicable, pursuant to subsection Declaration of Convicted Offences of section 01 of the Standard Instructions, the Offeror must provide with its offer, a completed Declaration Form (<http://www.tpsgc-pwgsc.gc.ca/ci-if/formulaire-form-eng.html>), to be given further consideration in the procurement process.

5.2 Certifications Precedent to the Issuance of a Standing Offer and Additional Information

The certifications and additional information listed below should be submitted with the offer, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Standing Offer Authority will inform the Offeror of a time frame within which to

provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the offer non-responsive.

5.2.1 Integrity Provisions – List of Names

Offerors who are incorporated, including those submitting offers as a joint venture, must provide a complete list of names of all individuals who are currently directors of the Offeror.

Offerors submitting offers as sole proprietorship, as well as those submitting offers as a joint venture, must provide the name of the owner(s).

Offerors submitting offers as societies, firms or partnerships do not need to provide lists of names.

PART 6 - SECURITY REQUIREMENTS

6.1 Security Requirements

1. At the Request for Standing Offers closing date, the following conditions must be met:
 - (a) the Offeror must hold a valid organization security clearance as indicated in Part 7A - Standing Offer;
 - (b) the Offeror's proposed individuals requiring access to classified or protected information, assets or sensitive work site(s) must meet the security requirements as indicate in Part 7A - Standing Offer;
 - (c) the Offeror must provide the name of all individuals who will require access to classified or protected information, assets or sensitive work sites;
2. For additional information on security requirements, Offerors should refer to the Industrial Security Program (ISP) of Public Works and Government Services Canada (<http://ssi-iss.tpsgc-pwgsc.gc.ca/index-eng.html>) website.

PART 7 - STANDING OFFER AND RESULTING CONTRACT CLAUSES

A. STANDING OFFER

7.1 Offer

The Offeror offers to fulfill the requirement in accordance with the Statement of Work at Annex A.

7.2 Security Requirements

- 7.2.1** The following security requirements (SRCL and related clauses provided by ISP) apply and form part of the Standing Offer.

1. The Contractor/Offeror must, at all times during the performance of the Contract/Standing Offer, hold a valid **Designated Organization Screening (DOS)**, issued by the Canadian Industrial Security Directorate (CISD), Public Works and Government Services Canada (PWGSC).
2. The Contractor/Offeror personnel requiring access to sensitive work site(s) must EACH hold a valid **RELIABILITY STATUS**, granted or approved by CISD/PWGSC.

3. Subcontracts which contain security requirements are NOT to be awarded without the prior written permission of CISD/PWGSC.

4. The Contractor/Offeror must comply with the provisions of the:

- (a) Security Requirements Check List, attached at Annex C;
- (b) Industrial Security Manual (Latest Edition).

7.3 Standard Clauses and Conditions

All clauses and conditions identified in the Standing Offer and resulting contract(s) by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

7.3.1 General Conditions

2005 (2015-09-03) General Conditions - Standing Offers - Goods or Services, apply to and form part of the Standing Offer.

7.4 Term of Standing Offer

7.4.1 Period of the Standing Offer

The period for making call-ups against the Standing Offer is from Feb 1, 2016 to Jan 31, 2017.

7.4.2 Extension of Standing Offer

If the Standing Offer is authorized for use beyond the initial period, the Offeror offers to extend its offer for an additional two (2) one-year periods, under the same conditions and at the rates or prices specified in the Standing Offer, or at the rates or prices calculated in accordance with the formula specified in the Standing Offer.

The Offeror will be advised of the decision to authorize the use of the Standing Offer for an extended period by the Standing Offer Authority before the expiry date of the Standing Offer. A revision to the Standing Offer will be issued by the Standing Offer Authority.

7.5. Authorities

7.5.1 Standing Offer Authority

The Standing Offer Authority is:

Name: Alex Russell
Title: Supply Specialist
Public Works and Government Services Canada
Acquisitions Branch
Address: 1713 Bedford Row, Halifax, NS B3J 3C9

Telephone: (902) 496-5168
Facsimile: (902) 496-5016
E-mail address: alex.russell@pwgsc.gc.ca

The Standing Offer Authority is responsible for the establishment of the Standing Offer, its administration and its revision, if applicable. Upon the making of a call-up, as Contracting Authority, he is responsible for any contractual issues relating to individual call-ups made against the Standing Offer by any Identified User.

7.5.2 Project Authority

The Project Authority for the Standing Offer is identified in the call-up against the Standing Offer.

The Project Authority is the representative of the department or agency for whom the Work will be carried out pursuant to a call-up against the Standing Offer and is responsible for all the technical content of the Work under the resulting Contract.

7.5.3 Offeror's Representative

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone: ____ - ____ - ____
Facsimile: ____ - ____ - ____
E-mail address: _____

7.6 Proactive Disclosure of Contracts with Former Public Servants

By providing information on its status, with respect to being a former public servant in receipt of a Public Service Superannuation Act (PSSA) pension, the Contractor has agreed that this information will be reported on departmental websites as part of the published proactive disclosure reports, in accordance with Contracting Policy Notice: 2012-2 of the Treasury Board Secretariat of Canada.

7.7 Identified Users

The Identified User authorized to make call-ups against the Standing Offer is: Base Construction Engineering, CFB Halifax, DND.

7.8 Call-up Instrument

The Work will be authorized or confirmed by the Identified User(s) using form PWGSC-TPSGC 942, Call-up Against a Standing Offer.

7.9 Limitation of Call-ups

Individual call-ups against the Standing Offer must not exceed \$60,000 (Applicable Taxes included).

7.10 Financial Limitation

The total cost to Canada resulting from call ups against the Standing Offer must not exceed the sum of \$460,000.00 (Applicable Taxes excluded) unless otherwise authorized in writing by the Standing Offer Authority. The Offeror must not perform any work or services or supply any articles in response to call ups which would cause the total cost to Canada to exceed the said sum, unless an increase is so authorized.

The Offeror must notify the Standing Offer Authority as to the adequacy of this sum when 75 percent of this amount has been committed, or before the expiry date of the Standing Offer, whichever comes first.

However, if at any time, the Offeror considers that the said sum may be exceeded, the Offeror must promptly notify the Standing Offer Authority.

7.11 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- a) the call up against the Standing Offer, including any annexes;
- b) the articles of the Standing Offer;
- c) the general conditions 2005 (2015-09-03), General Conditions - Standing Offers - Goods or Services
- d) the general conditions 2010C (2015-09-03); General Conditions – Services (Medium Complexity)
- f) Annex A, Statement of Work;
- g) Annex B, Basis of Payment;
- h) Annex C, Security Requirements Check List;
- j) the Offeror's offer dated _____.

7.12 Certifications

7.12.1 Compliance

The continuous compliance with the certifications provided by the Offeror with its offer and the ongoing cooperation in providing additional information are conditions of issuance of the Standing Offer (SO). Certifications are subject to verification by Canada during the entire period of the SO and of any resulting contract that would continue beyond the period of the SO. If the Offeror does not comply with any certification, fails to provide the additional information, or if it is determined that any certification made by the Offeror in its offer is untrue, whether made knowingly or unknowingly, Canada has the right to terminate any resulting contract for default and set aside the Standing Offer.

7.13 Applicable Laws

The Standing Offer and any contract resulting from the Standing Offer must be interpreted and governed, and the relations between the parties determined, by the laws in force in Nova Scotia.

B. RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from a call-up against the Standing Offer.

7.1 Statement of Work

The Contractor must perform the Work described in the call-up against the Standing Offer.

7.2 Standard Clauses and Conditions

7.2.1 General Conditions

2010C (2015-09-03), General Conditions - Services (Medium Complexity) apply to and form part of the Contract.

7.3 Term of Contract

7.3.1 Period of the Contract

The Work must be completed in accordance with the call-up against the Standing Offer.

7.4 Proactive Disclosure of Contracts with Former Public Servants

By providing information on its status, with respect to being a former public servant in receipt of a Public Service Superannuation Act (PSSA) pension, the Contractor has agreed that this information will be reported on departmental websites as part of the published proactive disclosure reports, in accordance with Contracting Policy Notice: 2012-2 of the Treasury Board Secretariat of Canada.

7.5 Payment

7.5.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm unit prices, as specified in Annex B. *Customs duties are excluded and Applicable Taxes are extra.*

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

7.5.5 Payment by Credit Card

The following credit cards are accepted: _____ and _____.

7.6 Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

Each invoice must be supported by:

- a. a copy of time sheets to support the time claimed;
- b. a copy of the release document and any other documents as specified in the Contract;

2. Invoices must be distributed as follows:

The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

7.7 Insurance

The Contractor is responsible for deciding if insurance coverage is necessary to fulfill its obligation under the Contract and to ensure compliance with any applicable law. Any insurance acquired or maintained by the Contractor is at its own expense and for its own benefit and protection. It does not release the Contractor from or reduce its liability under the Contract.

Solicitation No. - N° de l'invitation
W6837-155523/A
Client Ref. No. - N° de réf. du client

Amd. No. - N° de la modif.
File No. - N° du dossier

Buyer ID - Id de l'acheteur
pwa121
CCC No./N° CCC - FMS No./N° VME

ANNEX A

STATEMENT OF WORK

Attached.

ANNEX B

BASIS OF PAYMENT

Table 1 - Pricing for First Year of Standing Offer				
Class of Labour	Unit of Measure	Estimated Quantity	Unit Rate	Bid Price
1. Technician	Per Hour	3,600	\$	\$
2. Technician's Helper	Per Hour	3,600	\$	\$
3. Electrician	Per Hour	600	\$	\$
4. Welder	Per Hour	600	\$	\$
5. Technician (After Hours)	Per Hour	1,000	\$	\$
6. Equipment Rental and Disposal	Allowance			\$6,000.00
Total for Table 1				\$

Table 2 - Pricing for First Option Year of Standing Offer				
Class of Labour	Unit of Measure	Estimated Quantity	Unit Rate	Bid Price
1. Technician	Per Hour	3,600	\$_____	\$_____
2. Technician's Helper	Per Hour	3,600	\$_____	\$_____
3. Electrician	Per Hour	600	\$_____	\$_____
4. Welder	Per Hour	600	\$_____	\$_____
5. Technician (After Hours)	Per Hour	1,000	\$_____	\$_____
6. Equipment Rental and Disposal	Allowance			\$6,000.00
Total for Table 2				\$_____

Table 3 - Pricing for Second Option Year of Standing Offer				
Class of Labour	Unit of Measure	Estimated Quantity	Unit Rate	Bid Price
1. Technician	Per Hour	3,600	\$	\$
2. Technician's Helper	Per Hour	3,600	\$	\$
3. Electrician	Per Hour	600	\$	\$
4. Welder	Per Hour	600	\$	\$
5. Technician (After Hours)	Per Hour	1,000	\$	\$
6. Equipment Rental and Disposal	Allowance			\$6,000.00
Total for Table 3				\$

Total Bid Price for Evaluation (Sum of Tables 1, 2, 3)

Table 1 Total \$

Table 2 Total \$

Table 3 Total \$

Total Bid Price \$

Solicitation No. - N° de l'invitation
W6837-155523/A
Client Ref. No. - N° de réf. du client

Amd. No. - N° de la modif.
File No. - N° du dossier

Buyer ID - Id de l'acheteur
pwa121
CCC No./N° CCC - FMS No./N° VME

ANNEX C

SECURITY REQUIREMENTS CHECK LIST

Attached.

Department of National Defence



Specification

Standing Offer Agreement

Maintenance, Repairs and Installation of Overhead Doors

CFB Halifax, NS

<u>Section</u>	<u>Title</u>	<u>Pages</u>
<u>Division 01 - General Requirements</u>		
01 11 00	General Instructions	8
01 35 30	Health and Safety Requirements	7
01 35 35	DND Fire Safety Requirements	4
01 35 36	Security, Safety and Fire Regulations CFAD Bedford, NS	6
01 35 37	Access to DRDC Atlantic Complex	0
01 35 43	Environmental Procedures	1
01 61 00	Common Product Requirements	0
01 74 11	Cleaning	0
<u>Division 08 - Openings</u>		
08 33 23.01	Overhead Doors	4

PART 1 - GENERAL

- 1.1 RELATED SECTIONS .1 Section 08 33 23.01 Overhead Doors.
- 1.2 DESCRIPTION OF WORK .1 Work under this Standing Offer Agreement comprises the furnishing of all labour, materials, tools, equipment, transportation and supervision required for performing maintenance, repairs, replacement of parts or systems with new install for overhead doors and associated equipment, rolling gates and automatic doors located at various areas of CFB Halifax as specified herein.
- 1.3 ENGINEER .1 All reference to the Engineer in this specification refers to the Contract Inspector which is representing the Real Property Operations Unit (Atlantic) (RP Ops U (A)).
- .2 The Engineer will provide the Contractor with a list of his / her authorized representatives at the pre-job meeting.
- 1.4 WORK INCLUDED .1 Work included in this Standing Offer Agreement includes but not limited to the following:
- .1 on "as required basis", provide service maintenance, repairs, modifications, parts replacement and new installation to the following:
- .1 overhead doors and associated equipment;
- .2 rolling gates; and
- .3 automatic doors.
- .2 provide services for minor electronic repairs to control equipment and control devices as are required through the available technical expertise of the manufacturer's representative and include other miscellaneous and positioning materials to constitute the completed work request;
- .3 provide an emergency repair service available on a 24 hour, 7 day per week basis;
- .4 provide Engineer with maintenance report; and
- .5 clean up.
- 1.5 LOCATIONS OF JOB SITES .1 Areas covered under this specification include but not limited to the following locations:

1.5 LOCATIONS OF JOB .1
SITES
(Cont'd)

- (Cont'd)
- .1 Stadacona - Halifax, NS;
 - .2 Windsor Park - Halifax, NS;
 - .3 Willow Park - Halifax, NS;
 - .4 HMC Dockyard - Halifax, NS;
 - .5 Halifax Armoury - Halifax, NS;
 - .6 Royal Artillery (RA) Park - Halifax, NS;
 - .7 Damage Control Division - Herring Cove, NS;
 - .8 Dockyard Annex (NAD) - Dartmouth, NS;
 - .9 DRDC Atlantic - Dartmouth, NS;
 - .10 Wright's Cove Degaussing Range - Dartmouth, NS;
 - .11 12 Wing Shearwater - Eastern Passage, NS;
 - .12 Osbourne Head Gunnery Range - Cow Bay, NS;
 - .13 CFAD Bedford - Bedford, NS;
 - .14 Bedford Rifle Range - Bedford, NS;
 - .15 Ferguson's Cove - Ferguson's Cove, NS;
 - .16 NRS Mill Cove - Mill Cove, NS;
 - .17 NRS Newport Corner - Newport Corner, NS;
 - .18 Windsor Armoury - Windsor, NS;
 - .19 Truro Armoury - Truro, NS;
 - .20 Debert and outlying areas - Debert, NS;
 - .21 Springhill Armoury - Springhill, NS;
 - .22 New Glasgow Armoury - New Glasgow, NS;
 - .23 Pictou Armoury - Pictou, NS;
 - .24 Glace Bay Armoury - Glace Bay, NS; and
 - .25 Victoria Park - Sydney, NS.

-
- | | | |
|--------------------------------------|----|---|
| <u>1.6 SITE ACCESS</u> | .1 | Access to the site is under the direction of the Department of National Defence. All visitors entering areas issuing a daily pass will be aware of the requirement for search as a condition of issue. |
| | .2 | While within the confines of CFB Halifax all employees and representatives of the Contractor must comply with all of the Standing Orders as promulgated by Base Authorities. |
|
 | | |
| <u>1.7 PRE-JOB MEETING</u> | .1 | Immediately upon receipt of award of Standing Offer Agreement, the successful Contractor will contact the Engineer to arrange a pre-job meeting prior to commencement of any work. |
|
 | | |
| <u>1.8 CONTRACTOR QUALIFICATIONS</u> | .1 | The Contractor must satisfy the Engineer that he / she has adequate and qualified staff to perform the service expected. This includes all service calls within an acceptable time period and having adequate parts on hand to meet the requirements of the job, both during silent and normal working hours. |
| | .2 | Whenever the Contractor uses sub-contractors, they too must perform to and comply with all requirements of this Standing Offer. |
|
 | | |
| <u>1.9 WORKMANSHIP</u> | .1 | Workmanship must be the best quality executed by workers experienced and skilled in the respective duties for which they are employed. |
| | .2 | Do not employ any unfit person or anyone unskilled in their required duties. The Engineer reserves the right to require the dismissal from the site, workers deemed incompetent, careless, insubordinate or otherwise objectionable. |
| | .3 | Decisions as to the quality or fitness of workmanship in cases of dispute rest solely with the Engineer whose decision is final. |
| | .4 | The Contractor will employ a competent and experienced supervisor with the authority to speak on his behalf on day-to-day routine matters. |
|
 | | |
| <u>1.10 CONTRACTOR USE OF SITE</u> | .1 | Contractor will be briefed on use of site by the Engineer. |
| | .2 | Do not unreasonably encumber site with materials or equipment. |
| | .3 | Move stored products or equipment which interferes with operations of Engineer or other Contractors. |
-

<u>1.10 CONTRACTOR USE OF SITE (Cont'd)</u>	.4	The Engineer will brief the Contractor on access to restricted areas.
<u>1.11 PARKING</u>	.1	In limited areas, a parking space will be made available on site for Contractor vehicles to drop off equipment and supplies. The Contractor will maintain and administer this space as directed.
	.2	The Contractor will have to pay for parking at the following locations: <ul style="list-style-type: none">.1 Stadacona - Halifax, NS;.2 Windsor Park - Halifax, NS;.3 Willow Park - Halifax, NS;.4 RA Park - Halifax, NS;.5 HMC Dockyard - Halifax, NS; and.6 Dockyard Annex (NAD) - Dartmouth, NS.
<u>1.12 NORMAL WORKING HOURS</u>	.1	Normal working hours will be 0730 to 1600 hours, Monday to Friday. Any work carried out other than normal working hours must be authorized by the Engineer.
<u>1.13 CODES AND STANDARDS</u>	.1	Perform work in accordance with the latest edition of the National Building Code of Canada (NBC), Canadian Electrical Code, Part 1, Canada Labour Code Part II, National Fire Code of Canada, CSA and ULC Standards, and any other provincial and local code applicable. In any case of conflict or discrepancy, the more stringent requirements will apply.
	.2	Meet or exceed requirements of Standing Offer Agreement documents, specified standards, codes and referenced documents.
<u>1.14 ALTERATIONS, ADDITIONS OR REPAIR TO EXISTING BUILDING</u>	.1	Execute work with least possible interference or disturbance to occupants, public and normal use of premises. Arrange with Engineer to facilitate execution of work.
	.2	Where security has been reduced by work of Contract, provide temporary means to maintain security.
	.3	Provide temporary dust screens, barriers, warning signs in locations where renovation and alteration work is adjacent to areas used by public or government staff.

1.15 EXISTING
SERVICES

- .1 Where work involves breaking into or connecting to existing services, carry out work at times directed by governing authorities with minimum of disturbance to pedestrian and vehicular traffic.
- .2 Establish location and extent of service lines in area of work before starting Work. Notify Engineer of findings.
- .3 Provide alternative routes for personnel, pedestrian and vehicular traffic.
- .4 Submit schedule to and obtain approval from Engineer for any shutdown or closure of active service or facility. Adhere to approved schedule and provide notice to affected parties.
- .5 Where unknown services are encountered, immediately advise Engineer and confirm findings in writing.

1.16 PROTECTION OF
EXISTING FACILITIES

- .1 The Contractor must take all necessary precautions to ensure against damage to existing facilities. Any damage to such facilities as a result of the Contractor's operations must be repaired or replaced by the Contractor at his / her own expense, as soon is reasonably possible.
- .2 Special coverings and protection must be provided to protect plants, walls, projections and adjacent work where materials are being removed, installed or hoisted.
- .3 The Contractor must protect all occupant owned furnishings and equipment, and the building from damage during execution of this Standing Offer Agreement.
- .4 Where the Engineer considers it necessary, provide and erect warning signs and barriers.

1.17 POWER AND
WATER SUPPLY

- .1 DND may provide, free of charge, temporary electric power and water for construction purposes. If power and water cannot be provided by DND, it will be the Contractor's responsibility to provide his / her own power and water to perform the Work under this Standing Offer.
- .2 Engineer will determine delivery points and quantitative limits. Engineer's written permission is required before any connection is made. Connect to existing power supply in accordance with Canadian Electrical Code.
- .3 Provide, at no cost to DND, all equipment and temporary lines to bring these services to project site.

1.17 POWER AND
WATER SUPPLY
(Cont'd)

- .4 Supply of temporary services by DND is subject to DND requirements and may be discontinued by DND site representative at any time without notice, without acceptance of any liability for damage or delay caused by such withdrawal of temporary services.
- .5 After the temporary service lines are no longer required, the Contractor must remove all lines and equipment, restore the connection points to their original condition and return the land to its original contour.

1.18 HEATING AND
VENTILATING

- .1 Provide temporary heat and ventilation as required to:
 - .1 facilitate progress of work;
 - .2 protect work and products against dampness and cold;
 - .3 prevent moisture condensation on surface;
 - .4 provide ambient temperatures and humidity levels for storage, installation and curing of materials;
 - .5 provide adequate ventilation to meet health regulations for safe working environment.
- .2 Maintain strict supervision of operation of temporary heating and ventilating equipment to:
 - .1 conform with applicable codes and standards;
 - .2 enforce safe practices;
 - .3 prevent abuse of services;
 - .4 prevent damages to finishes;
 - .5 vent direct-fired combustion units to outside.

1.19 CUTTING, FITTING
AND PATCHING

- .1 Execute cutting, fitting and patching required to make work fit properly.
- .2 Where new work connects with existing and where existing work is altered, or cut; patch and make good to match existing work.
- .3 Obtain Engineer's approval before cutting, boring or sleeving load-bearing members.
- .4 Make cuts with clean, true, smooth edges. Make patches inconspicuous in final assembly.

1.20 EMERGENCY AND
SERVICE CALL-UPS

- .1 The Contractor must maintain and provide the Engineer with contact numbers to be able to provide response to request for service from the Engineer or representative on a 24 hour, 7 days per week basis. If the request for the service from the after hours Departmental Representative, the Contractor must, immediately upon completion of the service, report back to the Engineer describing the action taken to correct the problem. The following Work priorities and response time will apply:
- .1 Emergency: A priority of "Emergency" is defined as a deficiency or breakdown that requires immediate attention to reduce the potential for danger to occupants, the general public, the environment, or the facility. Maintenance and repairs identified with this priority must be responded to immediately and must be reported without delay to designated manager.
- .1 Standard response times: ASAP - maximum 2 hours
- .2 Routine: A priority of "Routine" is defined as essential maintenance and repairs which should be rectified at the earliest possible opportunity. It is considered as deficiencies or breakdowns that do not impair current operations or pose any danger to the occupants, the general public, the environment, or the facility.
- .1 Standard response times: 4 hours.
- .2 The Contractor will be advised of the personnel authorized to request emergency service. Services undertaken at the request of unauthorized persons will be done at the Contractor's risk, with regards to payment.
- .3 Report service calls executed outside normal working hours to the Engineer, immediately on the next working day.

1.21 TEMPORARY
STRUCTURES

- .1 The Contractor must furnish and maintain all equipment as may be required for the proper execution of the Work. Such equipment must be removed from the site by the Contractor on completion of the Work.

1.22 INSPECTION

- .1 All work and materials covered by this specification will be subject to inspection at any time by the Engineer or his / her representative.

1.23 REPORTING
IRREGULARITIES

- .1 The Contractor must notify the Engineer of irregularities in the work area, such as structural defects, mechanical and / or electrical problems and / or any beyond the scope of work.

PART 2 - PRODUCTS

2.1 NOT USED .1 Not used.

PART 3 - EXECUTION

3.1 NOT USED .1 Not used.

PART 1 - GENERAL

1.1 WORK SAFETY
MEASURES

- .1 Observe and enforce construction safety measures by complying with the requirements of the following statutes and authorities:
 - .1 Canada Labour Code Part II and the Canada Occupational Health and Safety Regulations;
 - .2 Nova Scotia Occupational Health and Safety Act and supporting Occupational General Safety Regulations
 - .3 most recent amendments to the National Building Code of Canada, Part 8 and National Fire Canada.
- .2 Refer to Section 01 35 35 DND Fire Safety Requirements.
- .3 Engineer will provide a copy of any relevant special written instructions to be followed.
- .4 Before Work Begins:
 - .1 Bidder / Tender to provide documentation if requested by the Crown, indicating all safety training attained for each person who will be involved with the Standing Offer.
- .5 The following disciplinary measures will be taken for any violations of safety under this Standing Offer Agreement:
 - .1 First Violation:
 - .1 Verbal warning issued to Contractor for the first violation of a safety regulation (Violation will be documented on Standing Offer file, copy to Contractor, Defence Construction Canada (DCC) or PWGSC).
 - .2 Second Violation:
 - .1 Written warning to Contractor for second violation of a safety regulation (Violation will be documented on Standing Offer file, copy to Contractor, DCC or PWGSC).
 - .3 Third Violation:

1.1 WORK SAFETY
MEASURES
(Cont'd)

- .5 (Cont'd)
 - .3 (Cont'd)
 - .1 A third violation of a safety regulation may result in the termination of the Standing Offer with a recommendation to the Contracting Authority that the Contractor be denied access to Real Property Operations Unit (A) contracts (Documented to Standing Offer file, copies to Contractor, DCC or PWGSC).
 - .4 Serious Violation:
 - .1 For a serious violation of a safety regulation as deemed by a regulator, project manager or safety officer a recommendation will be made to the Contracting Authority to immediately terminate the Contract / Standing Offer (Violation documented on Standing Offer file, copies to Contractor, DCC or PWGSC).
 - .5 Charges Laid or Guilty Determination by Courts:
 - .1 Infractions of safety regulations that result in charges being laid by a regulator against the Contractor or the Contractor being found guilty by the courts may result in that Contractor being denied access to Real Property Operations Unit (A) contracts.

1.2 HAZARD
ASSESSMENTS

- .1 Contractor must implement and carry out a health and safety hazard assessment program as part of the Work. Program to include:
 - .1 Initial Hazard Assessment:
 - .1 Carried out upon notification of Contract award and / or prior to commencement of Work.
 - .2 On-going Hazard Assessments: Performed during the progress of Work identifying new or potential health risks and safety hazards not previously known. As a minimum, hazards assessments must be carried out when:
 - .1 new sub-trade work, new sub-contractor (s) or new workers arrive at the site to commence another portion of the Work;
 - .2 the scope of Work has been changed;
 - .3 Work conducted in confined spaces; and / or

1.2 HAZARD
ASSESSMENTS
(Cont'd)

- .1 (Cont'd)
- .2 (Cont'd)
- .4 potential hazard or weakness in current health and safety practices are identified by the Engineer.
- .2 Hazard assessments will be project and site specific, based on review of Standing Offer documents and site.
- .3 Each hazard assessment to be made in writing. Keep copies of all assessments on site for duration of Work. Upon request, make available to Engineer.
- .4 The Contractor must notify the Engineer of suspected hazardous material during work and not apparent from drawings, specifications, or report pertaining to work (e.g. lead, asbestos etc.). Do not disturb such material pending instructions from the Engineer. The Engineer will make the necessary arrangements for testing the material as required.

1.3 ASBESTOS
PRODUCT AND
ASBESTOS ACTIVITY

- .1 Within the confines of the Base, the provision of new products containing fibrous asbestos materials is prohibited.
- .2 Demolition or disturbance of spray or trowel-applied asbestos can be hazardous to health. Should material resembling spray or trowel-applied asbestos be encountered in course of work, stop work and notify Engineer immediately. Do not proceed until written instructions have been received from Engineer.

1.4 HAZARDOUS
MATERIAL SPILL

- .1 The Contractor or sub-contractors must report to the DND fire hall and the Engineer for any incident or spill involving hazardous materials (HAZMAT).
- .2 In the event of a hazardous material spill , the following procedures for initial actions must be followed:
 - .1 ensure safety of all personnel;
 - .2 assess spill hazards and risks;
 - .3 ventilate area if release is indoors and remove all sources of ignition;
 - .4 stop the spill if safely possible (e.g. shut off pump, replace cap, tip drum upward, patch leaking hole etc.).
 - .5 no matter the volume is, contact the DND fire hall and provide the following information:
 - .1 time of the spill;

1.4 HAZARDOUS
MATERIAL SPILL
(Cont'd)

- .2 (Cont'd)
- .5 (Cont'd)
 - .2 location;
 - .3 special considerations:
 - .1 personal safety;
 - .2 environmental.
 - .4 type and amount of spill;
 - .5 person reporting the spill:
 - .1 name;
 - .2 company; and
 - .3 telephone number.
 - .6 contain the spill;
 - .7 isolate the area as required;
 - .8 contact the Engineer; and
 - .9 clean up minor spills using appropriate protective equipment and supplies.

1.5 FASTENING
DEVICES EXPLOSIVE
ACTUATED

- .1 Explosive actuated devices must not be used.

1.6 HOT WORK

- .1 All hot work activity is to take place with Engineer's approval and written permission from the Base Fire Chief (hot work permit). Hot work permits and fire watch requirements will be provided by the Dockyard fire hall at 427-3500.
- .2 The ventilation system in the area of any hot work is to be isolated to prevent migration of fumes / smoke and to reduce any possible spread of fire to other areas of the facility.
- .3 Contractor is to employ an employee trained in the use of fire extinguishers as fire watch during any hot work for a minimum of 30 minutes after activity has ceased.

1.7 CONFINED SPACES

- .1 All work in confined spaces will be carried out in compliance with the Canada Occupational Safety and Health Regulations, Part XI.

1.7 CONFINED SPACES
(Cont'd)

- .2 The Contractor to provide and maintain all equipment as required by any person to enter and / or perform work in a safe manner, in compliance with the Canada Occupational Safety and Health Regulations, Part XI.
- .3 The Contractor to provide and maintain training, as required by the Canada Occupational Safety and Health Regulations, Part XI.
 - .1 The Contractor and / or his employees must provide proof of training and qualifications when requested by the Engineer.
- .4 The Contractor to provide the Engineer with a copy of an "entry permit" for each and every entry into the confined space to ensure compliance with the Canada Occupational Safety and Health Regulations, Part XI.
- .5 The Contractor to have a hazard assessment of the confined space performed.
 - .1 The Contractor to provide the Engineer with a copy of the hazard assessment.

1.8 FALL PROTECTION

- .1 All work carried out above the mandatory height restrictions, from unguarded structure and / or scaffolding, will be done in compliance with the Canada Occupational Safety and Health Regulations, Part XII, Section 12.10.
- .2 The components of a fall protection system must meet the standards as outlined in the Canada Occupational Safety and Health Regulations, Part XII, Section 12.10 (2).
- .3 The Contractor is to ensure fall protection equipment is maintained, inspected and tested by a qualified technician as required by the Canada Occupational Safety and Health Regulations, Part XII, Section 12.3.

1.9 ARC FLASH

- .1 The Contractor is to ensure all electrical equipment such as switchboards, panel boards, motor control centres and meter socket enclosures be marked to warn persons of potential electric shock and arc flash hazards. This labeling is required for all new and modified installations.
- .2 The warning label must also include information regarding "arc flash hazard category (0 to 4)" and the "Flash Protection Boundary" as defined in NFPA 70E. All projects specifications must include short circuit study and flash hazard analysis.

1.9 ARC FLASH
(Cont'd)

- .3 In accordance with the CSA Standards Z462 Workplace Electrical Safety, electrical Contractors are required to perform a shock and flash hazard analysis to select the appropriate PPE to wear. Electrical Contractors are required arc-rated personal protective equipment while troubleshooting and diagnostic testing that cannot be performed unless the electrical conductor or circuit part is energized. All Contractor work practices must protect each employee from arc flash and from contact with live parts directly with any part of the body or indirectly through some other conductive object.

1.10 SAFETY

- .1 It is the Contractor's responsibility to be familiar with all applicable safety acts, regulations, codes and Standing Offer requirements. These must be identified and addressed in the safety plan, by identifying Standard Operating Procedures (SOP) and safe work practices (SWP) which incorporate clear and specific control measures, applicable rules, procedures and practices, all of which will become mandatory.
- .2 The Contractor must ensure all workers and authorized persons entering the work site are notified of and abide by the posted safety plan, safety rules, procedures, safe work practices and applicable safety acts, regulations, and codes. Any person not complying with these will not be permitted on the site.
- .3 Contractor must ensure that all applicable personal protective equipment (PPE) is used.
- .1 All personnel are required to wear hard hats, in accordance with CSA Z94.1, Industrial Protective Headwear.
- .2 All personnel are required to wear safety footwear, in accordance with CSA Z195, Protective Footwear.
- .3 All personnel are required to wear eye and face protection, in accordance with CSA Z94.3.1, Selection Use, and Care of Protective Eyewear.
- .4 When and where noise level is above 85 decibels; all personnel are required to wear hearing protection, in accordance with CAN/CSA Z94.2, Hearing Protection Devices - Performance, Selection, Care and Use.
- .5 Where toxic or noxious gas fumes, or oxygen deficiency or excessive dust may occur, so as to create a hazard to life, safety or health; all personnel are required to wear respiratory protection, in accordance with CSA Z94.4, Selection, Use, and Care of Respirators.

<u>1.10 SAFETY (Cont'd)</u>	.4	The Engineer will coordinate arrangements for the Contractor to be briefed on site safety within fourteen (14) days of award of Standing Offer Agreement.
---------------------------------	----	---

<u>1.11 SITE SIGNS AND NOTICES</u>	.1	Safety and instruction signs and notices: .1 Signs and notices for safety and instruction must be in both official languages. Graphic symbols must conform to latest version of "Signs and Symbols for the Workplace".
--	----	---

PART 2 - PRODUCTS

<u>2.1 NOT USED</u>	.1	Not used.
---------------------	----	-----------

PART 3 - EXECUTION

<u>3.1 NOT USED</u>	.1	Not used.
---------------------	----	-----------

PART 1 - GENERAL

1.1 EMERGENCY
REPORTING

- .1 Telephone numbers:
 - .1 Base phone: dial 9-1-1;
 - .2 cell phone: 902-427-3333.

1.2 FIRE SAFETY
ENFORCEMENT

- .1 Within the confines of the Base, the prescription and enforcement of mandatory fire safety measures will be exercised under the authority of the Base Fire Chief.
- .2 Comply with and enforce compliance by all Contractor personnel with all requirements of this specification section, and with the most recent edition of the National Building Code of Canada (NBC) and the National Fire Code of Canada (NFCC), including all subsequent revisions issued by the National Research Council of Canada.
- .3 The Engineer reserves the right to require the dismissal from site of persons deemed careless or otherwise in violation of the fire safety requirements.

1.3 FIRE SAFETY
BRIEFING

- .1 Prior to commencement of work under this Standing Offer, the Engineer will arrange a meeting of all parties concerned to review and clarify requirements for fire safety measures. This may involve a briefing by the Base Fire Chief.
- .2 The Engineer will provide direction for reporting of fire including the emergency telephone number for fire reporting and location of fire alarms within or adjacent to work area.

1.4 FIRE WATCH

- .1 For hot work activity, the Contractor will provide the service of fire watch persons on a scale and schedule as prescribed by the Dockyard Fire Hall at the time of issuance of the hot work permit.

1.5 FIRE
EXTINGUISHERS

- .1 Supply fire extinguishers, as prescribed by the Base Fire Chief, necessary to protect work in progress and Contractor's physical plant on site.

1.6 SMOKING
PRECAUTIONS

- .1 Smoking not permitted on DND property except in designated smoking areas. This includes smoking in passenger motor vehicles.

1.6 SMOKING
PRECAUTIONS
(Cont'd)

- .2 In accordance with these fire safety requirements particular to the work area and site, the Engineer and Base Fire Chief will designate hazardous areas as well as non-restricted areas where smoking may be permitted.
- .3 Smoking is prohibited in all buildings.
- .4 In all other areas, exercise care and comply with written and oral directives of the Engineer for the use of smoking materials.

1.7 REPORTING FIRES

- .1 Report immediately all fire incidents as follows:
 - .1 activate nearest fire alarm; or
 - .2 dial 9-1-1 or designated number given at the time of briefing; and
 - .3 telephone the Engineer.
- .2 Persons activating fire alarm box will remain at box to direct Fire Department to the scene of fire.
- .3 When reporting fire by telephone, give location of fire, name or number of building and be prepared to direct Fire Department to the scene of fire.

1.8 INTERIOR AND
EXTERIOR FIRE
PROTECTION AND
ALARM SYSTEMS

- .1 Notify Base Fire Chief at least 48 hours prior to scheduling any work that may require fire alarm and / or protection systems to be:
 - .1 obstructed in any way;
 - .2 shut-off; and / or
 - .3 left inactive at end of working day or shift without authorization from Base Fire Chief.
- .2 Do not commence any such work until Engineer confirms approval and direction by the Base Fire Chief.
- .3 Fire hydrants, standpipes and hose systems will not be used for other than firefighting purposes unless authorized by the Engineer and the Base Fire Chief.

1.9 BLOCKAGE OF
ACCESS FOR FIRE
APPARATUS

- .1 Advise Fire Chief of work that would impede fire apparatus response. This includes violation of minimum overhead clearance, as prescribed by Fire Chief, erecting of barricades and digging of trenches.

1.10 RUBBISH AND
WASTE MATERIALS

- .1 Storage:
 - .1 Where it is necessary to store oily waste in work areas exercise extreme care to ensure maximum cleanliness and safety.
 - .2 Deposit greasy or oily rags and materials subject to spontaneous combustion in approved receptacles approved by the Base Fire Chief and remove as directed by the Engineer.
- .2 Burning of rubbish is prohibited.
- .3 Removal:
 - .1 Remove rubbish from work site at end of work day or shift or as directed by the Engineer.

1.11 FLAMMABLE AND
COMBUSTIBLE LIQUIDS

- .1 Handling, storage and use of flammable and combustible liquids governed by current National Fire Code of Canada and guided by the requirements established by the Base Fire Chief.
- .2 Keep flammable and combustible liquids such as gasoline, kerosene and naphtha for ready use in quantities not exceeding 30 litres provided they are stored in approved safety cans bearing Underwriters' Laboratory of Canada or Factory Mutual seal of approval. Storage of quantities of flammable and combustible liquids exceeding 30 litres for work purposes requires permission of Base Fire Chief.
- .3 The Engineer reserves the right to require removal from the site any storage containers not acceptable to the Base Fire Chief.
- .4 Transfer of flammable and combustible liquids is prohibited within buildings or jetties.
- .5 Transfer of flammable and combustible liquids will not be carried out in vicinity of open flames or any type of heat-producing devices.
- .6 Do not use flammable liquids having flash point below 38 degrees C such as naphtha or gasoline as solvents or cleaning agents.
- .7 Store flammable and combustible waste liquids, for disposal, in approved containers located in safe ventilated area. Keep quantities minimum and Fire Department is to be notified when disposal is required.

1.12 HAZARDOUS
SUBSTANCES

- .1 Work entailing use of toxic or hazardous materials, chemicals and / or explosives, or otherwise creating hazard to life, safety or health, in accordance with National Fire Code of Canada.
- .2 Obtain from Base Fire Chief a "hot work" permit for work involving welding, burning or use of blowtorches and salamanders, in buildings or facilities.
- .3 When Work is carried out in dangerous or hazardous areas involving use of heat, provide fire watchers equipped with sufficient fire extinguishers. Determination of dangerous or hazardous areas along with level of protection necessary for fire watch is at discretion of Base Fire Chief. Contractors are responsible for providing fire watch service for work on scale established and in conjunction with Base Fire Chief at pre-work conference.
- .4 Provide ventilation where flammable liquids, such as lacquers or urethanes are used, eliminate sources of ignition. Inform Base Fire Chief prior to and at cessation of such work.

1.13 FIRE INSPECTION

- .1 Co-ordinate site inspections by Base Fire Chief through Engineer.
- .2 Allow Base Fire Chief unrestricted access to work site.
- .3 Co-operate with Base Fire Chief during routine fire safety inspection of work site.
- .4 Immediately remedy unsafe fire situations observed by Base Fire Chief.

PART 2 - PRODUCTS

2.1 NOT USED

- .1 Not used.

PART 3 - EXECUTION

3.1 NOT USED

- .1 Not used.

PART 1 - GENERAL

1.1 GENERAL

- .1 **The Contractor must ensure that all their personnel are familiar with these regulations and requirements.**
- .2 The following is a summary the security, safety and fire regulations Canadian Forces Ammunition Depot (CFAD) Bedford, as promulgated by the Base Commander , CFB Halifax and administered by the Superintendent CFAD Bedford, NS.
- .3 Contractor's personnel will be subject to all of the regulations while working within confines of CFAD Bedford.

1.2 PRE JOB SECURITY AND SAFETY MEETING

- .1 Prior to commencement of Work, the Contractor must meet with the site security, safety and fire regulations officers. In accordance with direction of Engineer and these site officers, ensure that all employees of the Contractor are given thorough instructions on security, safety and fire precautions peculiar to an ammunition depot and that the regulations are fully complied with, at all times, by all Contractor personnel.

1.3 SECURITY PASSES

- .1 Contractors must report to the NCO I / C Commissionaires at building 153; submit names of all their personnel and description of all their vehicles to arrange the issue of the required temporary passes prior to proceeding to work within the confines of the Depot.

1.4 CONDITIONS FOR ACCESS

- .1 All visitors will be issued a daily and will be required to sign acknowledgement that they are aware of and consent to the following conditions for access.
- .2 The person to whom this pass is issued agrees to return the pass to the security guard at the gate when the Contract or employment at CFAD Bedford expires.
- .3 All vehicles entering and leaving CFAD Bedford may be searched to ensure that no prohibited articles are taken into nor contraband articles are taken out of the ammunition depot.

1.5 FIRE SERVICE CFAD BEDFORD

- .1 Fire service at CFAD Bedford is provided by DND Fire Service from 0730 until 1600 hours, Monday to Friday. All Contract work will be ended by 1530 hours daily. Fire response at all other times is provided by HRM. Before any work is carried out during silent hours, the Dockyard Platoon Chief must be contacted at 427-0550, local 3500.

1.6 SEARCHES

- .1 The Canadian Corps of Commissionaires may conduct a personal search of individuals at any time within the Ammunition Depot. Vehicles entering or leaving the Depot may be searched to ensure that contraband articles are not taken into the explosives area and that property is not taken out without authorization.

1.7 ALARMS

- .1 Depot Alarms:
 - .1 A siren is sounded only in the event of an emergency such as a fire, explosion, thunderstorm or evacuation. A siren is also sounded to signify "All Clear".
- .2 Fire Emergency:
 - .1 A series of "Hi-Lo" sounds on the Depot alarm system signifies an emergency in the explosive area. Contractors must cease operations and proceed in their own vehicles to the nearest exit gate out of the explosive area. If no vehicle available proceed to the nearest "Fire Assembly Point" at buildings 169 or 143.
- .3 Thunder and Lightning:
 - .1 A series of "Beeps" on the Depot alarm system signifies a thunder / lightning storm warning. Contractors must cease operations and proceed in their own vehicles to the nearest exit gate out of the explosive area. If no vehicle available proceed to the nearest "Fire Assembly Point" at buildings 169 or 143.
- .4 Evacuation:
 - .1 A series of "Slow Whoops" on the Depot alarm system signifies that evacuation in the explosive area has been ordered by the Superintendent. The evacuation could be extended to include the non-explosive area as well as so ordered by the Superintendent.
- .5 All Clear:
 - .1 A continuous blast on the Depot alarm system signifies that the emergency situation is "All Clear".

1.8 REPORTING OF FIRES

- .1 All fires, regardless of whether they have been extinguished or not, must be reported immediately to the Base Fire Department.
- .2 All Contractors and employees must familiarize themselves with the locations of the nearest fire alarm box or telephone.

1.8 REPORTING OF
FIRES
(Cont'd)

- .3 Fires may be reported by ringing the nearest street alarm box or by telephoning 9-1-1. Persons reporting the fire must remain at the alarm box or telephone until the Fire Department arrives and be prepared to direct fire fighters to the scene of the fire.

1.9 PROHIBITED
ARTICLES

- .1 The following articles are prohibited and / or controlled from being taken inside the explosive area. Permission by the Superintendent may be granted for certain articles:
- .1 matches or other flame producing equipment (including vehicle lighters);
 - .2 pipes, smoking appliances, tobacco products, or smoking materials in any form;
 - .3 explosives or chemicals;
 - .4 lights, lamps or electrical devices / tools which are not explosion proof;
 - .5 cameras;
 - .6 food and drink; and
 - .7 radio transmitting devices (e.g. mobile radios, cellular phone phones, remote car starters, and garage door openers, etc).
- .2 No persons will introduce, possess or consume alcoholic beverages, narcotics or any intoxicant within the confines of the Ammunition Depot.
- .3 The site security officers will seize and hold at the gate, any such materials found by search.

1.10 SAFETY AND FIRE
REGULATIONS

- .1 Smoking:
- .1 Is strictly prohibited in explosive areas.
- .2 Buildings:
- .1 Smoking is prohibited in all buildings.
- .3 Safety Precautions Electrical / Electronic Equipment:
- .1 All personnel operating or maintaining electrical / electronic equipment involving the use of voltage higher than 50 V must brief the site safety and fire safety officers concerning all safety rules in the operating and instructional manuals covering the equipment.

1.10 SAFETY AND FIRE
REGULATIONS
(Cont'd)

- .4 Flammables, Explosives or Chemicals:
 - .1 As required, may be allowed into the explosive area provided that the Depot Safety Officer and the Depot Fire Department are made aware of this and that approval by the Superintendent is given. These items after approval may be transported by the Contractors provided the transportation route is known by the Depot Fire Department and adequate fire extinguishers are available.
- .5 Open Flame or Welding:
 - .1 Prior approval must be obtained before commencing any work involving cutting, welding or use of open flame appliances in or around buildings containing explosives. The Fire Safety Officer will check out the work area and ensure that adequate fire extinguishers and first aid appliances are available and that fire watchers have been posted.
- .6 Fuel Dispensing Containers:
 - .1 Contractors must ensure that all of their fuel dispensing containers meet or exceed the following standards:
 - .1 type II safety container, leakproof, Terne plate construction, UL listed and FM approved;
 - .2 container must have spring-operated spout cap which opens to allow vapours to escape and self closes on release of internal pressures;
 - .3 container must have flexible or rigid built-in metal dispensing nozzle to prevent static sparks;
 - .4 standard of Acceptance: Protectoseal, model nos. 247, 249, 8410 and 8420;
 - .5 other acceptable products: Safe-T-Way; and
 - .6 any other model must be approved by the BFC.
 - .2 Violation of any of the above regulations will result in immediate cancellation of the offender's security pass and expulsion from the site.

1.11 TRAFFIC
REGULATIONS

- .1 Vehicles:
 - .1 All operators must adhere strictly to the following rules while proceeding through the Ammunition Depot:

1.11 TRAFFIC
REGULATIONS
(Cont'd)

- .1 (Cont'd)
 - .1 (Cont'd)
 - .1 drivers must not leave the motors of their vehicles running or leave the vehicles unattended when parked between buildings or traverses;
 - .2 drivers must not drive vehicles in the direction opposite to that indicated by the "One-way" signs;
 - .3 no one will operate a vehicle within the Depot area at a speed greater than 25 kilometres per hour at any time;
 - .4 no one will operate a vehicle within the Depot area at a speed greater than 8 kilometres per hour at any time, while passing between blast walls and buildings;
 - .5 no one will leave a vehicle unattended within 10 metres of a fire hydrant or within 30 metres of a building containing explosives; and
 - .6 all vehicles must be equipped with a fire extinguisher of a suitable size and type so that it may be used to extinguish any fire originating in that vehicle.
 - .2 Violation of any of the above regulations will result in immediate cancellation of the offender's vehicle pass and expulsion from the site.
- .2 Roadways:
 - .1 In the event of a fire or emergency all roads and buildings within CFAD Bedford must be accessible at all times. Contractors required to disrupt roadways during the course of their work, must ensure that at least one lane of each roadway is passable, at all times. Vehicles not required to transport personnel to the nearest exit gate must be parked on the side of the road and away from the nearest building.
- .3 Fueling:

1.11 TRAFFIC
REGULATIONS
(Cont'd)

- .3 (Cont'd)
- .1 Fueling of vehicles within the explosive areas is prohibited. Small equipment (lawn mowers, chainsaws, etc.) may be re-fueled, but only at sites designated by the Safety Officer and Fire Safety Officer. Comply with all safety practices pertaining to re-fueling hot equipment. Provide adequate fire extinguishers of types prescribed by the Fire Safety Officer. Only approved safety dispensing containers, as specified at sub-paragraph 1.10.6, will be permitted within the confines of the Ammunition Depot.
- .4 Violation of any of the above regulations will result in immediate cancellation of the vehicle pass and expulsion of the offender from the site.

PART 2 - PRODUCTS

- 2.1 NOT USED .1 Not used.

PART 3 - EXECUTION

- 3.1 NOT USED .1 Not used.

PART 1 - GENERAL

- 1.1 SITE ACCESS .1 Contractor's personnel are required to report to the main desk each morning, sign the register and obtain an identification badge which must be displayed on their person at all times. Upon leaving the Complex at the end of the day, or at lunch time, the Contractor's personnel must report to the main desk, return the badge and be signed off the register.
- 1.2 PARKING .1 Contractor's vehicles will be allowed into the inner compound only under the following conditions; namely, for short periods of time, to load or unload equipment and supplies and then remove to the upper parking lot adjacent to Windmill Road or to the street. The site supervisor of the contracting firm will be allowed to park his / her vehicle, for short periods of time, in one of the visitor's parking slots or, if filled, he / she will be permitted to park in the inner compound while making periodic progress visits. It is emphasized that contractors' vehicles entering the inner compound can be subject to search by the Commissionaire on duty upon their departure. DRDC reserves the right to limit the above-mentioned parking privileges if they are being abused.

PART 2 - PRODUCTS

- 2.1 NOT USED .1 Not used.

PART 3 - EXECUTION

- 3.1 NOT USED .1 Not used.

PART 1 - GENERAL

- 1.1 DEFINITIONS .1 Environmental Pollution and Damage:
- .1 Presence of chemical, physical, biological elements or agents which adversely affect human health and welfare; unfavourably alter ecological balances of importance to human life; affect other species of importance to humankind; or degrade environment aesthetically, culturally and / or historically.
- .2 Environmental Protection:
- .1 Prevention / control of pollution and habitat or environment disruption during construction. Control of environmental pollution and damage requires consideration of land, water, and air; biological and cultural resources; and includes management of visual aesthetics; noise; solid, chemical, gaseous, and liquid waste; radiant energy and radioactive material as well as other pollutants.
- 1.2 FIRES .1 Fires and burning of rubbish on site not permitted.
- 1.3 DISPOSAL OF WASTE .1 Ensure public waterways, storm and sanitary sewers remain free of waste and volatile materials disposal.
- 1.4 DRAINAGE .1 Control disposal or runoff of water containing suspended materials or other harmful substances in accordance with local authority requirements.
- 1.5 POLLUTION CONTROL .1 Maintain temporary erosion and pollution control features installed under this Contract.
- .2 Control emissions from equipment and plant to local authorities' emission requirements.

PART 2 - PRODUCTS

- 2.1 NOT USED .1 Not used.

PART 3 - EXECUTION

- 3.1 NOT USED .1 Not used.

PART 1 - GENERAL

1.1 REFERENCES

- .1 Within text of each specifications section, reference may be made to reference standards.
- .2 Conform to these reference standards, in whole or in part as specifically requested in specifications.
- .3 If there is question as to whether products or systems are in conformance with applicable standards, Engineer reserves right to have such products or systems tested to prove or disprove conformance.
- .4 Cost for such testing will be born by Engineer in event of conformance with Contract Documents or by Contractor in event of non-conformance.

1.2 QUALITY

- .1 Products, materials, equipment and articles incorporated in Work must be new, not damaged or defective, and of best quality for purpose intended. If requested, furnish evidence as to type, source and quality of products provided.
- .2 Defective products, whenever identified prior to completion of Work, will be rejected, regardless of previous inspections. Inspection does not relieve responsibility, but is precaution against oversight or error. Remove and replace defective products at own expense and be responsible for delays and expenses caused by rejection.
- .3 Should disputes arise as to quality or fitness of products, decision rests strictly with Engineer based upon requirements of Contract Documents.
- .4 Unless otherwise indicated in specifications, maintain uniformity of manufacture for any particular or like item throughout building.
- .5 Permanent labels, trademarks and nameplates on products are not acceptable in prominent locations, except where required for operating instructions, or when located in mechanical or electrical rooms.

1.3 AVAILABILITY

- .1 Immediately upon signing Contract, review product delivery requirements and anticipate foreseeable supply delays for items. If delays in supply of products are foreseeable, notify Engineer of such, in order that substitutions or other remedial action may be authorized in ample time to prevent delay in performance of Work.

<u>1.3 AVAILABILITY (Cont'd)</u>	.2	In event of failure to notify Engineer at commencement of Work and should it subsequently appear that Work may be delayed for such reason, Engineer reserves right to substitute more readily available products of similar character, at no increase in Contract Price or Contract Time.
<u>1.4 STORAGE, HANDLING AND PROTECTION</u>	.1	Handle and store products in manner to prevent damage, adulteration, deterioration and soiling and in accordance with manufacturer's instructions when applicable.
	.2	Store packaged or bundled products in original and undamaged condition with manufacturer's seal and labels intact. Do not remove from packaging or bundling until required in Work.
	.3	Store products subject to damage from weather in weatherproof enclosures.
	.4	Store and mix paints in heated and ventilated room. Remove oily rags and other combustible debris from site daily. Take every precaution necessary to prevent spontaneous combustion.
	.5	Remove and replace damaged products at own expense and to satisfaction of Engineer.
	.6	Touch-up damaged factory finished surfaces to Engineer's satisfaction. Use touch-up materials to match original. Do not paint over name plates.
<u>1.5 TRANSPORTATION</u>	.1	Pay costs of transportation of products required in performance of Work.
	.2	Transportation cost of products supplied by Owner will be paid for by Engineer. Unload, handle and store such products.
<u>1.6 MANUFACTURER'S INSTRUCTIONS</u>	.1	Unless otherwise indicated in specifications, install or erect products in accordance with manufacturer's instructions. Do not rely on labels or enclosures provided with products. Obtain written instructions directly from manufacturers.
	.2	Notify Engineer in writing, of conflicts between specifications and manufacturer's instructions, so that Engineer will establish course of action.
	.3	Improper installation or erection of products, due to failure in complying with these requirements, authorizes Engineer to require removal and re-installation at no increase in Contract Price or Contract Time.

1.7 REMEDIAL WORK

- .1 Perform remedial work required to repair or replace parts or portions of Work identified as defective or unacceptable. Co-ordinate adjacent affected Work as required.
- .2 Perform remedial work by specialists familiar with materials affected. Perform in a manner to neither damage nor put at risk any portion of Work.

1.8 FASTENINGS

- .1 Provide metal fastenings and accessories in same texture, colour and finish as adjacent materials, unless indicated otherwise.
- .2 Prevent electrolytic action between dissimilar metals and materials.
- .3 Use non-corrosive hot dip galvanized steel fasteners and anchors for securing exterior work, unless stainless steel or other material is specifically requested in affected specification Section.
- .4 Space anchors within individual load limit or shear capacity and ensure they provide positive permanent anchorage. Wood, or any other organic material plugs are not acceptable.
- .5 Keep exposed fastenings to a minimum, space evenly and install neatly.
- .6 Fastenings which cause spalling or cracking of material to which anchorage is made are not acceptable.

1.9 FASTENINGS -
EQUIPMENT

- .1 Use fastenings of standard commercial sizes and patterns with material and finish suitable for service.
- .2 Use heavy hexagon heads, semi-finished unless otherwise specified. Use No. 304 stainless steel for exterior areas.
- .3 Bolts may not project more than one diameter beyond nuts.
- .4 Use plain type washers on equipment, sheet metal and soft gasket lock type washers where vibrations occur. Use resilient washers with stainless steel.

1.10 PROTECTION OF
WORK IN PROGRESS

- .1 Prevent overloading of parts of building. Do not cut, drill or sleeve load bearing structural member, unless specifically indicated without written approval of Engineer.

PART 2 - PRODUCTS

2.1 NOT USED .1 Not Used.

PART 3 - EXECUTION

3.1 NOT USED .1 Not Used.

PART 1 - GENERAL

1.1 PROJECT
CLEANLINESS

- .1 Maintain Work in tidy condition, free from accumulation of waste products and debris, other than that caused by Owner or other Contractors.
- .2 Remove waste materials from site at daily regularly scheduled times or dispose of as directed by Engineer. Do not burn waste materials on site.
- .3 Make arrangements with and obtain permits from authorities having jurisdiction for disposal of waste and debris.
- .4 Dispose of waste materials and debris off site.
- .5 Clean interior areas prior to start of finishing work, and maintain areas free of dust and other contaminants during finishing operations.
- .6 Store volatile waste in covered metal containers, and remove from premises at end of each working day.
- .7 Provide adequate ventilation during use of volatile or noxious substances. Use of building ventilation systems is not permitted for this purpose.
- .8 Use only cleaning materials recommended by manufacturer of surface to be cleaned, and as recommended by cleaning material manufacturer.
- .9 Schedule cleaning operations so that resulting dust, debris and other contaminants will not fall on wet, newly painted surfaces nor contaminate building systems.

1.2 FINAL CLEANING

- .1 When Work is Substantially Performed remove surplus products, tools, construction machinery and equipment not required for performance of remaining Work.
- .2 Remove waste products and debris other than that caused by others, and leave Work clean and suitable for occupancy.
- .3 Prior to final review remove surplus products, tools, construction machinery and equipment.
- .4 Remove stains, spots, marks and dirt from decorative work, electrical and mechanical fixtures, furniture fitments, walls, and floors.
- .5 Inspect finishes, fitments and equipment and ensure specified workmanship and operation.

- | | | |
|--|----|---|
| <u>1.2 FINAL CLEANING</u>
<u>(Cont'd)</u> | .6 | Broom clean and wash exterior walks, steps and surfaces;
rake clean other surfaces of grounds. |
| | .7 | Remove dirt and other disfiguration from exterior surfaces. |
| | .8 | Sweep and wash clean paved areas. |

PART 2 - PRODUCTS

- | | | |
|---------------------|----|-----------|
| <u>2.1 NOT USED</u> | .1 | Not used. |
|---------------------|----|-----------|

PART 3 - EXECUTION

- | | | |
|---------------------|----|-----------|
| <u>3.1 NOT USED</u> | .1 | Not used. |
|---------------------|----|-----------|

PART 1 - GENERAL

1.1 RELATED SECTIONS .1 Section 01 11 00 General Instructions.

1.2 REFERENCES .1 CSA International

- .1 CSA C22.2 NO. 68, Motor-Operated Appliances (Household and Commercial).
- .2 CAN/CSA C22.2 NO. 247, Operators and Systems of Doors, Gates, Draperies and Louvres.

.2 Underwriters Laboratories of Canada (ULC)

- .1 CAN/ULC-S104, Standard Method for Fire Tests of Door Assemblies.
- .2 CAN/ULC-S105, Standard Specification for Fire Door Frames.

.3 American National Standards Institute (ANSI) / National Fire Protection Agency (NFPA)

- .1 NFPA (Fire) 80, Standard for Fire Doors and Other Opening Protectives.

1.3 QUALITY ASSURANCE .1 Regulatory Requirements:

- .1 Overhead coiling doors: labelled and listed by an organization accredited by Standards Council of Canada to CAN/ULC-S104 and CAN/ULC-S105 for ratings specified or indicated.
- .2 Fabricate and install overhead coiling doors to ANSI/NFPA 80 to suit fire protection rating required.

.2 Certifications: Product certificates signed by manufacturer certifying materials comply with specified performance characteristics and criteria and physical requirements.

1.4 MAINTENANCE REPORT .1 When requested by Engineer, Contractor must provide a written service maintenance report. The maintenance report to include the following:

- .1 date and location of work performed;
- .2 detailed description of work performed;
- .3 number of hours and personnel; and

1.4 MAINTENANCE
REPORT
(Cont'd)

- .1 (Cont'd)
.4 details of defects or safety issues and
recommendations for repair or replacement of
equipment.

PART 2 - PRODUCTS

2.1 ALTERATIONS AND
SUBSTITUTIONS OF
MATERIALS

- .1 Contractor will not make any changes in the design and
installation of overhead doors, automatic doors and gates and
related equipment without prior written authority by the
Engineer.

2.2 MATERIALS

- .1 Use only new materials recommended and specified by the
manufacturer of the equipment and approved by Engineer for
replacement.
- .2 If in an emergency, the Contractor installs parts other than
those specified, he must replace them with specified parts
before claiming payment, but no claim for other than the
specified parts will be made by the Contractor.
- .3 All replaced parts and material must be disposed of by the
Contractor, after the Engineer has approved the replacement.

PART 3 - EXECUTION

3.1 INSTALLATION

- .1 Manufacturer's Instructions: Comply with manufacturer's
written recommendations, including product technical
bulletins, product catalogue installation instructions, product
carton installation instructions, and data sheets.
- .2 Install overhead doors, automatic doors and gates in
accordance with manufacturer's printed instructions.
- .3 Install electrical motors, controller units, pushbutton stations,
relays and other electrical equipment required for door, and
gate operation.
- .4 Install electric wiring from power supply located near door and
gates.
- .5 Adjust door operating components to ensure smooth opening
and closing of doors and gates.

3.2 SERVICE
MAINTENANCE

- .1 Routine service maintenance call-up will include , where
applicable but not limited to the following:
- .1 Overhead Doors:

3.2 SERVICE
MAINTENANCE
(Cont'd)

- .1 (Cont'd)
- .1 (Cont'd)
- .1 check all motor stop / start, controls, auxiliary components, safety and limit switches;
- .2 check electrical connections and power sources for frayed wiring;
- .3 check support hangers and equipment attachments;
- .4 check rollers, bearings, axles, pulleys, sheaves, brakes and bracket hinges;
- .5 check weatherstripping, seals and door latches;
- .6 check counter balance and torsion springs;
- .7 check gearbox operators, electrical disconnects and safety switches;
- .8 check chains/cables, solenoid brakes, belts, sprockets and bearings;
- .9 check all safety mechanisms bottom stops, and safety edges; and
- .10 complete service maintenance check on all equipment hardware as specified and as requested.
- .2 Where replacement parts are necessary, this must be done only after approval is received from the Engineer. Only minor parts are considered a part of this agreement. Should it be necessary to replace a major component, an estimate of cost will be required and may be dealt with as a separate item of the agreement or completely outside of this agreement.
- .3 Contractor must provide services for minor electronic repairs to control equipment and control devices as are required through the available technical expertise of the manufacturer's representative, and include other miscellaneous and positioning materials to constitute the completed work request.
- .4 Contractor must ensure no work is done on any specified equipment that is part of and is still under manufacturer's warranty. Any equipment still under manufacturer's warranty is not part of this Standing Offer Agreement. Contractor to obtain clarification from Engineer in case of any uncertainty.

3.3 FIELD QUALITY
CONTROL

- .1 Test overhead door or rolling gate in presence of Engineer.

3.4 PROTECTION

- .1 Protect installed products and components from damage during construction.
- .2 Repair damage to adjacent materials caused by overhead door or rolling gate installation.

Received
AUG 13 2015



Gouvernement
of Canada
Gouvernement
du Canada

Contract Number / Numéro du contrat

W6837-15-5523

Security Classification / Classification de sécurité

UNCLASSIFIED

SECURITY REQUIREMENTS CHECK LIST (SRCL)

LISTE DE VÉRIFICATION DES EXIGENCES RELATIVES À LA SÉCURITÉ (LVERS)

PART A - CONTRACT INFORMATION / PARTIE A - INFORMATION CONTRACTUELLE

1. Originating Government Department or Organization / Ministère ou organisme gouvernemental d'origine		2. Branch or Directorate / Direction générale ou Direction MARLANT/FCE	
3. a) Subcontract Number / Numéro du contrat de sous-traitance		3. b) Name and Address of Subcontractor / Nom et adresse du sous-traitant	
4. Brief Description of Work / Brève description du travail The furnishing of all labour, materials, tools, equipment, transportation and supervision required for performing maintenance, repairs, replacement of parts or systems with new install for overhead doors and associated equipment, rolling gates and automatic doors located at various areas of CFB Halifax.			
5. a) Will the supplier require access to Controlled Goods? Le fournisseur aura-t-il accès à des marchandises contrôlées?		<input checked="" type="checkbox"/> No Non <input type="checkbox"/> Yes Oui	
5. b) Will the supplier require access to unclassified military technical data subject to the provisions of the Technical Data Control Regulations? Le fournisseur aura-t-il accès à des données techniques militaires non classifiées qui sont assujetties aux dispositions du Règlement sur le contrôle des données techniques?		<input checked="" type="checkbox"/> No Non <input type="checkbox"/> Yes Oui	
6. Indicate the type of access required / Indiquer le type d'accès requis			
6. a) Will the supplier and its employees require access to PROTECTED and/or CLASSIFIED information or assets? Le fournisseur ainsi que les employés auront-ils accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS? (Specify the level of access using the chart in Question 7. c) (Préciser le niveau d'accès en utilisant le tableau qui se trouve à la question 7. c)		<input checked="" type="checkbox"/> No Non <input type="checkbox"/> Yes Oui	
6. b) Will the supplier and its employees (e.g. cleaners, maintenance personnel) require access to restricted access areas? No access to PROTECTED and/or CLASSIFIED information or assets is permitted. Le fournisseur et ses employés (p. ex. nettoyeurs, personnel d'entretien) auront-ils accès à des zones d'accès restreintes? L'accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS n'est pas autorisé.		<input type="checkbox"/> No Non <input checked="" type="checkbox"/> Yes Oui	
6. c) Is this a commercial courier or delivery requirement with no overnight storage? S'agit-il d'un contrat de messagerie ou de livraison commerciale sans entreposage de nuit?		<input checked="" type="checkbox"/> No Non <input type="checkbox"/> Yes Oui	
7. a) Indicate the type of information that the supplier will be required to access / Indiquer le type d'information auquel le fournisseur devra avoir accès			
Canada <input type="checkbox"/>	NATO / OTAN <input type="checkbox"/>	Foreign / Étranger <input type="checkbox"/>	
7. b) Release restrictions / Restrictions relatives à la diffusion			
No release restrictions Aucune restriction relative à la diffusion <input type="checkbox"/>	All NATO countries Tous les pays de l'OTAN <input type="checkbox"/>	No release restrictions Aucune restriction relative à la diffusion <input type="checkbox"/>	
Not releasable À ne pas diffuser <input type="checkbox"/>			
Restricted to: / Limité à : Specify country(ies): / Préciser le(s) pays : <input type="checkbox"/>	Restricted to: / Limité à : Specify country(ies): / Préciser le(s) pays : <input type="checkbox"/>	Restricted to: / Limité à : Specify country(ies): / Préciser le(s) pays : <input type="checkbox"/>	
7. c) Level of information / Niveau d'information			
PROTECTED A PROTÉGÉ A <input type="checkbox"/>	NATO UNCLASSIFIED <input type="checkbox"/>	PROTECTED A PROTÉGÉ A <input type="checkbox"/>	
PROTECTED B PROTÉGÉ B <input type="checkbox"/>	NATO NON CLASSIFIÉ <input type="checkbox"/>	PROTECTED B PROTÉGÉ B <input type="checkbox"/>	
PROTECTED C PROTÉGÉ C <input type="checkbox"/>	NATO RESTRICTED <input type="checkbox"/>	PROTECTED C PROTÉGÉ C <input type="checkbox"/>	
CONFIDENTIAL CONFIDENTIEL <input type="checkbox"/>	NATO DIFFUSION RESTREINTE <input type="checkbox"/>	CONFIDENTIAL CONFIDENTIEL <input type="checkbox"/>	
SECRET <input type="checkbox"/>	NATO CONFIDENTIAL <input type="checkbox"/>	SECRET <input type="checkbox"/>	
SECRET <input type="checkbox"/>	NATO CONFIDENTIEL <input type="checkbox"/>	SECRET <input type="checkbox"/>	
TOP SECRET <input type="checkbox"/>	NATO SECRET <input type="checkbox"/>	TOP SECRET <input type="checkbox"/>	
TOP SECRET <input type="checkbox"/>	NATO SECRET <input type="checkbox"/>	TOP SECRET <input type="checkbox"/>	
TOP SECRET (SIGINT) <input type="checkbox"/>	COSMIC TOP SECRET <input type="checkbox"/>	TOP SECRET (SIGINT) <input type="checkbox"/>	
TOP SECRET (SIGINT) <input type="checkbox"/>	COSMIC TRÈS SECRET <input type="checkbox"/>	TOP SECRET (SIGINT) <input type="checkbox"/>	



Government of Canada
Gouvernement du Canada

Contract Number / Numéro du contrat

W6837-15-5523

Security Classification / Classification de sécurité

UNCLASSIFIED

PART A (continued) / PARTIE A (suite)

8. Will the supplier require access to PROTECTED and/or CLASSIFIED COMSEC information or assets?

Le fournisseur aura-t-il accès à des renseignements ou à des biens COMSEC désignés PROTÉGÉS et/ou CLASSIFIÉS?

☒ No ☐ Yes
Non Oui

If Yes, indicate the level of sensitivity:

Dans l'affirmative, indiquer le niveau de sensibilité :

9. Will the supplier require access to extremely sensitive INFOSEC information or assets?

Le fournisseur aura-t-il accès à des renseignements ou à des biens INFOSEC de nature extrêmement délicate?

☒ No ☐ Yes
Non Oui

Short Title(s) of material / Titre(s) abrégé(s) du matériel :

Document Number / Numéro du document :

PART B - PERSONNEL (SUPPLIER) / PARTIE B - PERSONNEL (FOURNISSEUR)

10. a) Personnel security screening level required / Niveau de contrôle de la sécurité du personnel requis

- | | | | |
|---|---|---|--|
| <input checked="" type="checkbox"/> RELIABILITY STATUS
COTE DE FIABILITÉ | <input type="checkbox"/> CONFIDENTIAL
CONFIDENTIEL | <input type="checkbox"/> SECRET
SECRET | <input type="checkbox"/> TOP SECRET
TRÈS SECRET |
| <input type="checkbox"/> TOP SECRET- SIGINT
TRÈS SECRET - SIGINT | <input type="checkbox"/> NATO CONFIDENTIAL
NATO CONFIDENTIEL | <input type="checkbox"/> NATO SECRET
NATO SECRET | <input type="checkbox"/> COSMIC TOP SECRET
COSMIC TRÈS SECRET |
| <input type="checkbox"/> SITE ACCESS
ACCÈS AUX EMPLACEMENTS | | | |

Special comments:

Commentaires spéciaux : ESCORT WILL BE PROVIDED AS NECESSARY WITHIN CFAD & 12Wg AOZ

NOTE: If multiple levels of screening are identified, a Security Classification Guide must be provided.

REMARQUE : Si plusieurs niveaux de contrôle de sécurité sont requis, un guide de classification de la sécurité doit être fourni.

10. b) May unscreened personnel be used for portions of the work?

Du personnel sans autorisation sécuritaire peut-il se voir confier des parties du travail?

☒ No ☐ Yes
Non Oui

If Yes, will unscreened personnel be escorted?

Dans l'affirmative, le personnel en question sera-t-il escorté?

☐ No ☐ Yes
Non Oui

PART C - SAFEGUARDS (SUPPLIER) / PARTIE C - MESURES DE PROTECTION (FOURNISSEUR)

INFORMATION / ASSETS / RENSEIGNEMENTS / BIENS

11. a) Will the supplier be required to receive and store PROTECTED and/or CLASSIFIED information or assets on its site or premises?

Le fournisseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou CLASSIFIÉS?

☒ No ☐ Yes
Non Oui

11. b) Will the supplier be required to safeguard COMSEC information or assets?

Le fournisseur sera-t-il tenu de protéger des renseignements ou des biens COMSEC?

☒ No ☐ Yes
Non Oui

PRODUCTION

11. c) Will the production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment occur at the supplier's site or premises?

Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ?

☒ No ☐ Yes
Non Oui

INFORMATION TECHNOLOGY (IT) MEDIA / SUPPORT RELATIF À LA TECHNOLOGIE DE L'INFORMATION (TI)

11. d) Will the supplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED information or data?

Le fournisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des renseignements ou des données PROTÉGÉS et/ou CLASSIFIÉS?

☒ No ☐ Yes
Non Oui

11. e) Will there be an electronic link between the supplier's IT systems and the government department or agency?

Disposera-t-on d'un lien électronique entre le système informatique du fournisseur et celui du ministère ou de l'agence gouvernementale?

☒ No ☐ Yes
Non Oui



PART C - (continued) / PARTIE C - (suite)

For users completing the form manually use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.

Les utilisateurs qui remplissent le formulaire manuellement doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form online (via the Internet), the summary chart is automatically populated by your responses to previous questions.

Dans le cas des utilisateurs qui remplissent le formulaire en ligne (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

SUMMARY CHART / TABLEAU RÉCAPITULATIF

Category Catégorie	PROTECTED PROTÉGÉ			CLASSIFIED CLASSIFIÉ			NATO				COMSEC					
	A	B	C	CONFIDENTIAL CONFIDENTIEL	SECRET	TOP SECRET TRÈS SECRET	NATO RESTRICTED NATO DIFFUSION RESTREINTE	NATO CONFIDENTIAL NATO CONFIDENTIEL	NATO SECRET	COSMIC TOP SECRET COSMIC TRÈS SECRET	PROTECTED PROTÉGÉ			CONFIDENTIAL CONFIDENTIEL	SECRET	TOP SECRET TRÈS SECRET
											A	B	C			
Information / Assets	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Renseignements / Biens	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Production	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
IT Media /	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Support TI	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
IT Link /	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lien électronique	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED?

La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE?

☒ No
Non

☐ Yes
Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification".

Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire.

12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED?

La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE?

☒ No
Non

☐ Yes
Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments).

Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire et indiquer qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).



Government of Canada
Gouvernement du Canada

Contract Number / Numéro du contrat

W6837-15-5523

Security Classification / Classification de sécurité

UNCLASSIFIED

PART D - AUTHORIZATION / PARTIE D - AUTORISATION

13. Organization Project Authority / Chargé de projet de l'organisme

Name (print) - Nom (en lettres moulées)

Lt. C Parker

Title - Titre

CONTRACTS OFFICER

Signature

Telephone No. - N° de téléphone

902-722-1811

Facsimile No. - N° de télécopieur

902-722-1847

E-mail address - Adresse courriel

colin.parker@forces.gc.ca

Date

30 June 15

14. Organization Security Authority / Responsable de la sécurité de l'organisme

Name (print) - Nom (en lettres moulées)

Dawn Murray - DDSO - Industrial Security
SRCL Team Lead

Title - Titre

Signature

Telephone No. - N° de téléphone

Tel: 613-296-0274

Facsimile No. - N° de télécopieur

E-mail: dawn.murray@forces.gc.ca

E-mail address - Adresse courriel

Date

13 August 2015

15. Are there additional instructions (e.g. Security Guide, Security Classification Guide) attached?

Des instructions supplémentaires (p. ex. Guide de sécurité, Guide de classification de la sécurité) sont-elles jointes?



No
Non



Yes
Oui

16. Procurement Officer / Agent d'approvisionnement

Name (print) - Nom (en lettres moulées)

Title - Titre

Signature

Telephone No. - N° de téléphone

Facsimile No. - N° de télécopieur

E-mail address - Adresse courriel

Date

17. Contracting Security Authority / Autorité contractante en matière de sécurité

Name (print) - Nom (en lettres moulées)

NATHAN HOWELL

Title - Titre

CONTRACT SECURITY OFFICER

Signature

Telephone No. - N° de téléphone

613-952-1541

Facsimile No. - N° de télécopieur

613-948-1714

E-mail address - Adresse courriel

NATHAN.HOWELL@RCMP-PLC/GC.CA

Date

AUG 20 2015