



REQUEST FOR PROPOSAL (RFP)

**On-Site Calibration & Repair services
on the laboratory equipment's
of the Canadian Space Agency (CSA).**

**Bid Submission Deadline:
December 14, 2015 at 2:00 PM (EST)**

Submit Bids to:

Canadian Space Agency
TENDERS RECEPTION OFFICE
Monday to Friday
Receiving/Shipping (8:00 to 16:30)
Closed between 12:00 and 13:00
6767 route de l'Aéroport
Saint-Hubert (Quebec) J3Y 8Y9, Canada

Or by E-Mail: asc.soumissionscontrats-contractssubmissions.csa@canada.ca

Reference: CSA File No. **9F064-14-0256**

Note: Please read this Request for Proposal carefully for further details on the requirements and bid submission instructions.



November 25, 2015



TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION

1. Security Requirement
2. Statement of Work
3. Communications Notification
4. Debriefings
5. Office of the Procurement Ombudsman (OPO)

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions
2. Submission of Bids
3. Enquiries - Bid Solicitation

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures
2. Evaluation - Mandatory Criteria
3. Basis of Selection

PART 5 - CERTIFICATIONS

1. Certifications Required with the Bid

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement
2. Statement of Work
3. Standard Clauses and Conditions
4. Performance Evaluation
5. Term of Contract
6. Contracting Authority
7. Project Authority
8. Basis of Payment
9. Methods of Payment
10. Invoicing Instructions
11. Applicable Laws
12. Priority of Documents
13. Office of the procurement Ombudsman

List of Annexes:

- Appendix "A" - Statement of Work (SOW)
- Appendix "B" - Pricing – Basis of payment
- Appendix "C" - Security requirements check list (SRCL)
- Appendix "D" - Performance Evaluation



PART 1 - GENERAL INFORMATION

1. Security Requirement

The work to be performed under this RFP do requires a reliability status. However, the employees will have to meet the requirements indicated at Appendix C – Security Requirements Check List (SRCL) to have access to the building.

A security check will be done for all regular staff who will be working at the CSA. Staff will have to obtain the request security requirement or they will have to be escorted if the security clearance is not obtained.

2. Statement of Work

The purpose of this RFP is to perform at the Canadian Space Agency (CSA), Saint Hubert, Quebec, an on-site calibration services on a variety of laboratory equipment, as detailed at appendix B.

Each piece of equipment listed in table 1 of appendix B is in laboratories located at the same site. All calibration services are to be performed in a common lab area provided by CSA.

CSA will be responsible for moving the instrument to the common lab area provided to perform the calibration services, and return the instrument back to its designated lab.

Interested bidders are required to submit their proposals in accordance with the instructions provided in this RFP. A description of the work to be completed under this requirement is provided in the Statement of Work attached hereto as appendix A.

One contract will be issued in response to this request for proposals. The contract will be offer to the contractor who will meet the obligatory technical criteria and obtain the lowest bid price.

- **Period of the Contract**
From December 2015 to March 31, 2017
- **Work location**
Canadian Space Agency, 6767, Route de l'Aéroport, Saint-Hubert, Québec

3. Communications Notification

As a courtesy, the Government of Canada requests that successful bidders notify the Contracting Authority in advance of their intention to make public an announcement related to the award of a contract.

4. Debriefings

After contract award, bidders may request a debriefing on the results of the bid solicitation. Bidders should make the request to the Contracting Authority within 15 working days of receipt of notification that their bid was unsuccessful. The debriefing may be provided in writing, by telephone or in person.

5. Office of the Procurement Ombudsman (OPO)

The Office of the Procurement Ombudsman (OPO) was established by the Government of Canada to provide an independent avenue for suppliers to raise complaints regarding the award of contracts under \$25,000 for goods and under \$100,000 for services. You have the option of raising issues or concerns regarding the solicitation, or the award resulting from it, with the OPO by contacting them by telephone at 1-866-734-5169 or by e-mail at boa.opo@boa.opo.gc.ca. You can also obtain more information on the OPO services available to you at their website at www.opo-boa.gc.ca.



PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the Request for proposal (RFP) by number, date and title are set out in the Standard Acquisition Clauses and Conditions (SACC) Manual <https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual/0> issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of this bid solicitation and accept the clauses and conditions of the resulting contract.

1.1. SACC Manual Clauses

The document 2003 (2015-07-03) - Standard Instructions - Request for Proposal - Goods or Services - Competitive Requirements are incorporated by reference into and form part of the bid solicitation.

Modify Subsection 05.4 (2014-09-25), Submission of Bids, is amended as follows:

Delete: sixty (60) days
Insert: hundred twenty (120) days

2. Submission of Bids

Bids must be submitted only to:

- ❖ the CSA's Tenders Reception Office
or
- ❖ E-Mail: asc.soumissionscontrats-contractssubmissions.csa@canada.ca

at the date, time and place indicated on the front page of this bid solicitation.

Due to the nature of the bid solicitation, bids transmitted by facsimile will not be accepted.

3. Enquiries - Bid Solicitation

All enquiries must be submitted **BY E-MAIL ONLY** to the Contracting Authority isabelle.doray@canada.ca **no later than three (3) calendar days** before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the questions or may request that the Bidder do so, so that the proprietary nature of the question is eliminated, and the enquiry can be answered with copies to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.



PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

Canada requests that offerors provide their offer in separately sections as follows:

Section I: Technical Offer

Section II: Financial Offer

Section III: Certifications

Prices must appear in the financial offer only.
No prices must be indicated in any other section of the offer.

Canada requests that offerors follow the format instructions described below in the preparation of their offer.

- a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- b) use a numbering system that corresponds to that of the Request for proposal

❖ **If Submitted to Canadian Space Agency Tenders Reception Office**

1 hardcopy in 3 sections and 1 electronic support including the 3 separate files

❖ **If Submitted to Canadian Space Agency E-Mail:** asc.soumissionscontrats-contractssubmissions.csa@canada.ca:

3 separate files

Section I: Technical and Management Bid

In their technical bid, bidders should demonstrate their understanding of the requirements contained in the bid solicitation and explain how they will meet these requirements.

Bidders should demonstrate their capability and describe their approach in a thorough, concise and clear manner for carrying out the work.

The technical bid should address clearly and in sufficient depth the points that are subject to the evaluation criteria against which the bid will be evaluated. Simply repeating the statement contained in the bid solicitation is not sufficient. In order to facilitate the evaluation of the bid, Canada requests that bidders address and present topics in the order of the evaluation criteria under the same headings. To avoid duplication, bidders may refer to different sections of their bids by identifying the specific paragraph and page number where the subject topic has already been addressed.



Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment and the **Appendix B** - Pricing. The total amount of Goods and Services Tax (GST) or Harmonized Sales Tax (HST) must be shown separately, if applicable.

Unless otherwise specified in the bid solicitation, bids must be in Canadian currency.

The requirement does not provide for exchange rate fluctuation protection. Any request for exchange rate fluctuation protection will not be considered and will render the bid non-responsive.

Section III: Certifications

Bidders must submit the certifications required under Part 5.



PART 4 – EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical mandatory criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

2. Evaluation - Mandatory Criteria

At Bid closing time, the Bidder must comply with the following Mandatory Requirements and provide the necessary documentation to support compliance.

Any Bid which fails to meet all the following Mandatory Requirements will be declared non-responsive. Each requirement is requested to be addressed separately.

- MC 1.** Bidders **MUST** submit the certifications required under **Part 5**.
- MC 2.** Bidders **MUST** be certified ISO/IEC 17025
- MC 3.** Bidders **MUST** be able to perform on-site calibration of at least 80% of all the equipment at the Canadian Space Agency, St-Hubert CSA will be responsible for moving the instrument to the common lab area provided to perform the calibration services, and return the instrument back to its designated lab
- MC 4.** Using the Table 1 in appendix "B", Bidders **MUST** indicate which instrument is going to be calibrated on site and which is going to be calibrated outside in order to estimate the onsite percentage.

3. Basis of Selection – Mandatory criteria and lowest evaluated price

To be declared responsive, a bid must:

- (a) comply with all the requirements of the bid solicitation; and
- (b) meet all mandatory criteria; and

The responsive bid with the lowest evaluated price will be recommended for award of a contract. (total of all the rates)



PART 5 - CERTIFICATIONS

1. Certifications Required with the Offer

Bidders must provide the required certifications to be awarded a contract. Canada will declare a bid non-responsive if the required certifications are not completed and submitted as requested.

Compliance with the certifications bidders provide to Canada is subject to verification by Canada during the bid evaluation period (before award of a contract) and after award of a contract.

The Contracting Authority will have the right to ask for additional information to verify bidders' compliance with the certifications before award of a contract. The bid will be declared non-responsive if any certification made by the Bidder is untrue, whether made knowingly or unknowingly. Failure to comply with the certifications or to comply with the request of the Contracting Authority for additional information will also render the bid non-responsive.

1.1 Procurement Business Number

Suppliers are required to have a Procurement Business Number (PBN) before contract award. Suppliers may register for a PBN online at Supplier Registration Information <https://srisupplier.contractsCanada.gc.ca/>.

For non-Internet registration, suppliers may contact the InfoLine at 1-800-811-1148 to obtain the telephone number of the nearest Supplier Registration Agent.

Procurement Business Number (PBN): _____

1.2 Federal Contractors Program for Employment Equity

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "[FCP Limited Eligibility to Bid](http://www.labour.gc.ca/eng/standards_equality/eq/emp/fcp/list/inelig.shtml)" list (http://www.labour.gc.ca/eng/standards_equality/eq/emp/fcp/list/inelig.shtml) available from [Employment and Social Development Canada \(ESDC\) - Labour's website](#).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "[FCP Limited Eligibility to Bid](#)" list at the time of contract award.

1.3 Former Public Servant

Contracts awarded to former public servants (FPS) in receipt of a pension or of a lump sum payment must bear the closest public scrutiny, and reflect fairness in the spending of public funds. In order to comply with Treasury Board policies and directives on contracts with FPS, bidders must provide the information required below before contract award.

1.3.1 Definitions

For the purposes of this clause, "former public servant" is any former member of a department as defined in the *Financial Administration Act*, R.S., 1985, c. F-11, a former member of the Canadian Armed Forces or a former member of the Royal Canadian Mounted Police. A former public servant may be:



- a. an individual;
- b. an individual who has incorporated;
- c. a partnership made of former public servants; or
- d. a sole proprietorship or entity where the affected individual has a controlling or major interest in the entity.

"lump sum payment period" means the period measured in weeks of salary, for which payment has been made to facilitate the transition to retirement or to other employment as a result of the implementation of various programs to reduce the size of the Public Service. The lump sum payment period does not include the period of severance pay, which is measured in a like manner.

"pension" means a pension or annual allowance paid under the Public Service Superannuation Act (PSSA), R.S., 1985, c.P-36, and any increases paid pursuant to the Supplementary Retirement Benefits Act, R.S., 1985, c.S-24 as it affects the PSSA. It does not include pensions payable pursuant to the Canadian Forces Superannuation Act, R.S., 1985, c.C-17, the Defence Services Pension Continuation Act, 1970, c.D-3, the Royal Canadian Mounted Police Pension Continuation Act, 1970, c.R-10, and the Royal Canadian Mounted Police Superannuation Act, R.S., 1985, c.R-11, the Members of Parliament Retiring Allowances Act, R.S., 1985, c.M-5, and that portion of pension payable to the Canada Pension Plan Act, R.S., 1985, c.C-8.

1.3.2 Former Public Servant in Receipt of a Pension

As per the above definitions, is the Bidder a FPS in receipt of a pension?

Yes () No ()

If so, the Bidder must provide the following information, for all FPS in receipt of a pension, as applicable:

- a. name of former public servant;
- b. date of termination of employment or retirement from the Public Service.

By providing this information, Bidders agree that the successful Bidder's status, with respect to being a former public servant in receipt of a pension, will be reported on departmental websites as part of the published proactive disclosure reports in accordance with Contracting Policy Notice: 2012-2 and the Guidelines on the Proactive Disclosure of Contracts.

1.3.3 Work Force Adjustment Directive

Is the Bidder a FPS who received a lump sum payment pursuant to the terms of the Work Force Adjustment Directive?

Yes () No ()

If so, the Bidder must provide the following information:

- a. name of former public servant;
- b. conditions of the lump sum payment incentive;
- c. date of termination of employment;
- d. amount of lump sum payment;
- e. rate of pay on which lump sum payment is based;
- f. period of lump sum payment including start date, end date and number of weeks;
- g. number and amount (professional fees) of other contracts subject to the restrictions of a work force adjustment program.



For all contracts awarded during the lump sum payment period, the total amount of fees that may be paid to a FPS who received a lump sum payment is \$5,000, including Applicable Taxes.

1.3.4 Proactive Disclosure of Contracts with Former Public Servants

By providing information on its status, with respect to being a former public servant in receipt of a *Public Service Superannuation Act* (PSSA) pension, the Contractor has agreed that this information will be reported on departmental websites as part of the published proactive disclosure reports, in accordance with Contracting Policy Notice: 2012-2 of the Treasury Board Secretariat of Canada.

1.4 Status and Availability of Resources

The Bidder certifies that, should it be awarded a contract as a result of the bid solicitation, every individual proposed in its bid will be available to perform the Work as required by Canada's representatives and at the time specified in the bid solicitation or agreed to with Canada's representatives. If for reasons beyond its control, the Bidder is unable to provide the services of an individual named in its bid, the Bidder may propose a substitute with similar qualifications and experience. The Bidder must advise the Contracting Authority of the reason for the substitution and provide the name, qualifications and experience of the proposed replacement. For the purposes of this clause, only the following reasons will be considered as beyond the control of the Bidder: death, sickness, maternity and parental leave, retirement, resignation, dismissal for cause or termination of an agreement for default.

If the Bidder has proposed any individual who is not an employee of the Bidder, the Bidder certifies that it has the permission from that individual to propose his/her services in relation to the Work to be performed and to submit his/her résumé to Canada. The Bidder must, upon request from the Contracting Authority, provide a written confirmation, signed by the individual, of the permission given to the Bidder and of his/her availability.

1.5 Education and Experience

The Bidder certifies that all the information provided in the résumés and supporting material submitted with its bid, particularly the information pertaining to education, achievements, experience and work history, has been verified by the Bidder to be true and accurate. Furthermore, the Bidder warrants that every individual proposed by the Bidder for the requirement is capable of performing the Work described in the resulting contract.

1.6 Rates certification

The Contractor certifies that the rates quoted is not excess of the lowest rate charged anyone else, including its most favoured customer, for like quality and quantity of the services.

1.7 Laboratories - ISO/IEC 17025:2005

In the performance of the Work described in the Contract the Contractor must conform to the requirements of:

ISO/IEC 17025:2005 General requirements for the competence of testing and calibration laboratories.



It is not the intent of this clause to require that the Contractor be registered to the applicable standard; however, the Contractor's quality management system must address each requirement contained in the standard.

1.8 Certification and Verification

The Contractor certifies that it is aware, and its Affiliates are aware, that Canada may verify at any time during the contract period, the information provided by the Contractor, including the information relating to the acts or convictions and any conditional or absolute discharges specified in these Integrity Provisions. Canada may request additional information, validations from a qualified third party, consent forms and other evidentiary elements proving identity and eligibility to contract with Canada.

CERTIFICATION SIGNATURE

We hereby certify compliance with the above noted certification requirements for:

- 1.1. Procurement Business Number
- 1.2. Federal Contractors Program for Employment Equity
- 1.3. Former Public Servant Certification
- 1.4. Status and Availability of Resources
- 1.5. Education and Experience
- 1.6. Rates certification
- 1.7. Laboratories - ISO/IEC 17025:2005
- 1.8. Certification and Verification

We also certify that the signature below is that of a person authorized to sign on behalf of the firm.

Signature

Date

Name (print or type)

Title of person authorized to sign on behalf of the Organization

Name of Organization



PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirements

1. The Contractor/Offeror must, at all times during the performance of the Contract/Standing Offer/Supply Arrangement, hold a valid Designated Organization Screening(DOS), issued by the Canadian Industrial Security Directorate (CISD), Public Works and Government Services Canada (PWGSC).
2. The Contractor/Offeror personnel requiring access to sensitive work site(s) must EACH hold a valid **RELIABILITY STATUS**, granted or approved by CISD/PWGSC.
3. Subcontracts which contain security requirements are NOT to be awarded without the prior written permission of CISD/PWGSC.
4. The Contractor/Offeror must comply with the provisions of the:
 - a. Security Requirements Check List and security guide (if applicable), attached at Appendix C;
 - b. *Industrial Security Manual* (Latest Edition).

2. Statement of Work

The Contractor must perform the Work in accordance with the Statement of Work at **Appendix A** and the technical and management portions of the Contractor's bid entitled _____, dated _____.

3. Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the Standard Acquisition Clauses and Conditions Manual issued by Public Works and Government Services Canada. <https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>

3.1. General conditions

2010C (2015-09-03), Medium Complexity – Services
<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual/3/2010C/15>

3.2. Delivery, Inspection and Acceptance

D5544C (2010-01-11), Laboratories - ISO/IEC 17025:2005
<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual/5/D/D5544C/2>

4. Performance Evaluation

Contractor shall take note that the performance of the Contractor during and upon completion of the work shall be evaluated by the Government of Canada. Should the Contractor's performance be considered unsatisfactory more than once, the Contractor's bidding privileges on future work may be suspended for a period of 18 months or 36 months.

Contractor Performance Evaluation Report Form is used to record the performance.
See Appendix D.



5. Term of Contract

The period will be from December 2015 date to March 31, 2017

5.1. Option to Extend the Contract

The Contractor grants to Canada the irrevocable option to extend the term of the Contract by an additional three (3) years period under the same terms and conditions. The Contractor agrees that, during the extended period of the Contract, it will be paid in accordance with the applicable provisions as set out in appendix B Pricing - Basis of Payment.

Canada may exercise this option at any time by sending a written notice to the Contractor at least thirty (30) calendar days before the Contract expiry date.

The option may only be exercised by the Contracting Authority, and will be evidenced for administrative purposes only, through a contract amendment.

6. Contracting Authority

The Contracting Authority for the Contract is:

Isabelle Doray

Procurement and Contract Administration

Canadian Space Agency

6767 route de l'Aéroport

Saint-Hubert, QC

Canada J3Y 8Y9

Telephone: (450) 926-4873

E-Mail: isabelle.doray@canada.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

7. Project Authority

To be inserted at contract award.

Name: TBD

Manager, Spacecraft Payload Laboratory

Canadian Space Agency

Address: 6767, Route de l'Aéroport

St-Hubert, Québec, J3Y 8Y9

Telephone: (450) 926-XXX

E-Mail: XXX@canada.ca

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.



8. Basis of Payment - Limitation of expenditure

For the Work described the Statement of Work in Appendix **A**, the Contractor will be reimbursed for the costs reasonably and properly incurred in the performance of the Work, as determined in accordance with the Basis of Payment in Appendix **B** to a limitation of expenditure of **\$XXXXXX**. (*insert the amount at contract award*) Customs duty is included and Goods and Services Tax or Harmonized Sales Tax is extra, if applicable.

No increase in the total liability of Canada or in the price of the Work resulting from any design changes, modifications or interpretations of the Work, will be authorized or paid to the Contractor unless these design changes, modifications or interpretations have been approved, in writing, by the Contracting Authority before their incorporation into the Work. The Contractor must not perform any work or provide any service that would result in Canada's total liability being exceeded before obtaining the written approval of the Contracting Authority. The Contractor must notify the Contracting Authority in writing as to the adequacy of this sum:

- (a) when it is 75 percent committed, or
- (b) four (4) months before the Contract expiry date, or
- (c) As soon as the Contractor considers that the contract funds provided are inadequate for the completion of the Work,

whichever comes first.

If the notification is for inadequate contract funds, the Contractor must provide to the Contracting Authority a written estimate for the additional funds required. Provision of such information by the Contractor does not increase Canada's liability.

9. Methods of Payment

Canada will pay the Contractor on a monthly basis for work performed during the month covered by the invoice in accordance with the payment provisions of the Contract if:

- (a) an accurate and complete invoice and any other documents required by the Contract have been submitted in accordance with the invoicing instructions provided in the Contract;
- (b) all such documents have been verified by Canada;
- (c) the Work performed has been accepted by Canada.

10. Invoicing Instructions

The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions along with the maintenance report described in the Statement of Work of the Contract.

Invoices cannot be submitted until all work identified in the invoice has been completed and that all maintenance service call reports related to the Work identified in the invoice have been received by the Project Authority. Invoices must be distributed as follows:



(a) One (1) copy must be forwarded to the following address for certification and payment

CANADIAN SPACE AGENCY
9F064 – FINANCIAL SERVICES
Engineering Development
6767 Route de l'Aéroport
Saint-Hubert (Québec) J3Y 8Y9
CANADA

OR BY E-MAIL : facturationASC.CSAinvoicing@asc-csa.gc.ca

(b) One (1) copy must be forwarded to the Project Authority identified under paragraph 7

11. Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in _____. (*Insert the name of the province or territory.*)

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

12. Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- a) the Articles of Agreement;
- b) General conditions
 - **2010C (2015-09-03)**, Medium Complexity – Services
- c) Delivery, Inspection and Acceptance
 - **D5544C (2010-01-11)**, Laboratories - ISO/IEC 17025:2005
- d) Appendix A, Statement of Work;
- e) Appendix B, Pricing – Basis of payment
- f) Appendix C, Security requirements check list (SRCL)
- g) Appendix D, Performance Evaluation
- h) the Contractor's bid dated _____.

13. Office of the procurement Ombudsman

13.1. Dispute Resolution Services

The parties understand that the Procurement Ombudsman appointed pursuant to Subsection 22.1(1) of the Department of Public Works and Government Services Act will, on request or consent of the parties to participate in an alternative dispute resolution process to resolve any dispute between the parties respecting the interpretation or application of a term and condition of this contract and their consent to bear the cost of such process, provide to the parties a proposal for an alternative dispute resolution process to resolve their dispute. The Office of the Procurement Ombudsman may be contacted by telephone at 1-866-734-5169 or by e-mail at boa.opo@boa-opo.gc.ca.



13.2. Contract Administration

The parties understand that the Procurement Ombudsman appointed pursuant to Subsection 22.1(1) of the Department of Public Works and Government Services Act will review a complaint filed by [the supplier or the contractor or the name of the entity awarded this contract] respecting administration of this contract if the requirements of Subsection 22.2(1) of the Department of Public Works and Government Services Act and Sections 15 and 16 of the Procurement Ombudsman Regulations have been met, and the interpretation and application of the terms and conditions and the scope of the work of this contract are not in dispute. The Office of the Procurement Ombudsman may be contacted by telephone at 1-866-734-5169 or by e-mail at boa.opo@boa-opo.gc.ca.



APPENDIX A

STATEMENT OF WORK (SOW)



1. Introduction

The Canadian Space Agency (CSA), Saint Hubert, Quebec, requires on-site calibration services on a variety of laboratory equipment, as detailed at Table 1 in appendix “B”. Each piece of equipment listed below is in laboratories located at the same site. All calibration services are to be performed in a common lab area provided by CSA. CSA will be responsible for moving the instrument to the common lab area provided to perform the calibration services, and return the instrument back to its designated lab.

2. Calibration

- 2.1. Calibration Standards: Calibration must perform in accordance with the Original Equipment Manufacturers specifications.
- 2.2. Calibration Stickers: Calibration stickers must be placed on the instrument upon completion of the calibration.
- 2.3. Scheduling: The Contractor must provide CSA with a Calibration schedule for each of the instruments listed at Table 1 below. Calibration must be performed between eleven (11) and thirteen (13) months after the last calibration date stated on Table 1. If no last calibration date is indicated for a particular instrument, or thirteen months has already occurred at time of contract award, calibration will be performed at a mutually agreed time between the Contractor and the Technical Authority stated in any resultant contract.
- 2.4. Authorization: Any calibration or repair services to be provided must be pre-approved by the Technical Authority stated herein.
- 2.5. Adding/deleting Instruments: CSA reserves the right to delete some or none of the instruments listed at Table 1, at any time. Any addition instrument to be added to Table 1 must be negotiated between the Contracting Authority stated herein, and approved by the Contracting Authority through a formal contract amendment.
- 2.6. Instruments repair: In the event of a failure from an instrument, the repair cost approximation must be submitted to the Technical Authority. No repair shall be performed without Technical Authority approbation. CSA reserves the right to choose between the repairs at CSA facilities, send the instrument to the original manufacturer or ask the contractor to repair and calibrate by making a contract amendment

3. These procedures must be followed for any additional work.

1. When Canada requests additional work:
 - a. The Technical Authority will provide the Contracting Authority with a description of the additional work in sufficient detail to allow the Contractor to provide the following information:
 - i. any impact of additional work on the requirement of the Contract;
 - ii. a price breakdown of the cost (increase or decrease) associated with the implementation of the performance of the additional work using either the form: [PWGSC-TPSGC 1686](http://www.tpsgc-pwgsc.gc.ca/app-acq/forms/1686-eng.html), Quotation for Additional Work, <http://www.tpsgc-pwgsc.gc.ca/app-acq/forms/1686-eng.html>or the form [PWGSC-TPSGC 1379](http://publisservice-app.pwgsc.gc.ca/forms/pdf/1379.pdf) New Work. <http://publisservice-app.pwgsc.gc.ca/forms/pdf/1379.pdf>
- a schedule to implement the perform the additional work and the impact on the contract delivery schedule.



-
- b. The Contracting Authority will then forward this information to the Contractor.
 - c. The Contractor will return the completed form to the Contracting Authority for evaluation and negotiation. Once agreement has been reached, the form must be signed by all parties in the appropriate signature blocks. This constitutes the written authorization for the Contractor to proceed with the work, and the Contract will be amended accordingly.
 2. When the Contractor requests additional work:
 - a. The Contractor must provide the Contracting Authority with a request for additional work in sufficient detail for review by Canada.
 - b. The Contracting Authority will forward the request to the Technical Authority for review.
 - c. If Canada agrees that additional work is required, then the procedures detailed in paragraph 1 are to be followed.
 - d. The Contracting Authority will inform the Contractor in writing if Canada determines that the additional work is not required.
 3. Approval
The Contractor must not proceed with any additional work without the written authorization of the Contracting Authority. Any work performed without the Contracting Authority's written authorization will be considered outside the scope of the Contract and no payment will be made for such work.



APPENDIX “B”

PRICING BASIS OF PAYMENT



BASIS OF PAYMENT

Pricing Schedule for Contract Period (From contract award date to March 31, 2017)

During the period of the Contract, the Contractor will be paid as specified below, for Work performed in accordance with the Contract.

The Bidder should complete this pricing schedule and include it in its financial bid.

As a minimum, the Bidder must respond to this pricing schedule by inserting in its financial bid for each of the periods specified below its quoted firm all inclusive rates (in Cdn \$) for each of the item proposed.

The rates specified below, when quoted by the Bidder, include any expenses that may need to be incurred to satisfy the terms of any contract that may result from its bid:

TABLE 1 – PRICE LISTED EQUIPEMENT

Manufacturier	# Modèle	Description	S/N #	# CSA Asset	Calibration On-Site Yes/No	Last Calibration	Due Calibration	To March 31 2017	To March 31 2018	To March 31 2019	To March 31 2020
ACCESSOTRONIK	6210IN	HV Insulation Tester		2017253							
AGILENT/HP	33120A	15 MHz function/arbitrary waveform generator	US34001511	2004737							
AGILENT/HP	33220A	Function Generator	MY44048606	2034099							
AGILENT/HP	33220A	Function Generator	MY44048387	2034100							
AGILENT/HP	33220A	Waveform Generator	MY44048668	2034371							
AGILENT/HP	33220A	Waveform Generator	MY44049512	2034372							
AGILENT/HP	33250A	80MHZ Function/Arbitrary Waveform Generator	MY40006722	2020898							
AGILENT/HP	33250A	Function / Arbitrary Waveform Generator	MY40018254	2027305							
AGILENT/HP	34401A	Digital multimeter, 6.5 digit	MY47015323	2030688							
AGILENT/HP	34401A	Digital multimeter, 6.5 digit	MY47015719	2030689							
AGILENT/HP	34401A	Digital multimeter, 6.5 digit	MY47013858	2030859							
AGILENT/HP	34401A	Digital multimeter, 6.5 digit	MY47014850	2030860							
AGILENT/HP	34401A	Digital multimeter, 6.5 digit	MY47015712	2030898							
AGILENT/HP	34401A	Digital multimeter, 6.5 digit	MY47021157	2032129							
AGILENT/HP	34401A	Multimeter	MY47025601	2033255							
AGILENT/HP	34401A	Multimeter	MY47027831	2033256							
AGILENT/HP	34401A	Multimeter	MY47027876	2033257							
AGILENT/HP	34401A	Multimeter	MY47027835	2033258							
AGILENT/HP	34401A	Multimeter	MY50480089	2034101							
AGILENT/HP	34401A	Multimeter	MY50490021	2034102							
AGILENT/HP	34401A	Multimeter	MY47039706	2034725							
AGILENT/HP	34401A	Digital multimeter, 6.5 digit	3146A29550	2005374							
AGILENT/HP	34401A	Digital multimeter, 6.5 digit	MY45014682	2025472							
AGILENT/HP	34401A	Digital multimeter, 6.5 digit	MY45014611	2025473							
AGILENT/HP	34401A	Digital multimeter, 6.5 digit	3146A29482	2005368							
AGILENT/HP	34401A	Digital multimeter, 6.5 digit	3146A29494	2005371							
AGILENT/HP	34401A	Digital multimeter, 6.5 digit	3146A41496	2007288							



Manufacturier	# Modèle	Description	S/N #	# CSA Asset	Calibration On-Site Yes/No	Last Calibration	Due Calibration	To March 31 2017	To March 31 2018	To March 31 2019	To March 31 2020
AGILENT/HP	34401A	Digital multimeter, 6.5 digit	MY47026973	2032601							
AGILENT/HP	34401A	Digital multimeter, 6.5 digit	3146A29553	2005365							
AGILENT/HP	34401A	Digital multimeter, 6.5 digit	MY44008905	2024151							
AGILENT/HP	34420A	7 1/2 DIGIT NANO VOLT/MICRO OHM METER	MY42001306	2024149							
AGILENT/HP	3458A	Digital multimeter, 8.5 digit	2823A10722	2005094							
AGILENT/HP	3458A	Digital multimeter, 8.5 digit	MY45044538	2000331							
AGILENT/HP	3458A	Digital multimeter, 8.5 digit	MY45044510	2000434							
AGILENT/HP	3458A	Digital multimeter, 8.5 digit	MY45044544	2000435							
AGILENT/HP	3458A	Digital multimeter, 8.5 digit	MY45044554	2000436							
AGILENT/HP	346B	NOISE SOURCE	3318A12503	2020815							
AGILENT/HP	346C	NOISE SOURCE	MY44420872	2029923							
AGILENT/HP	34901A	20-Channel Multiplexer (2/4 wire) Module	MY41107037	2033378							
AGILENT/HP	34901A	20-Channel Multiplexer (2/4 wire) Module	MY41107289	2033379							
AGILENT/HP	34901A	20-Channel Multiplexer (2/4 wire) Module	MY41038019	NONE							
AGILENT/HP	34901A	20-Channel Multiplexer (2/4 wire) Module	MY41038020	NONE							
AGILENT/HP	34901A	20-Channel Multiplexer (2/4 wire) Module	US37019537	NONE							
AGILENT/HP	34901A	20-Channel Multiplexer (2/4 wire) Module	US37237436	NONE							
AGILENT/HP	34901A	20-Channel Multiplexer (2/4 wire) Module	US37259648	NONE							
AGILENT/HP	34901A	20-Channel Multiplexer (2/4 wire) Module	US37259649	NONE							
AGILENT/HP	34901A	20-Channel Multiplexer (2/4 wire) Module	MY41092064								
AGILENT/HP	34901A	20-Channel Multiplexer (2/4 wire) Module	MY41092029								
AGILENT/HP	34902A	16-Channel Multiplexer (2/4 wire) Module	US37008953	NONE							
AGILENT/HP	34907A	Multifunction Module for the 34970A	US37009486	2020816							
AGILENT/HP	34907A	Multifunction Module for the 34970A	US37012984	2020817							
AGILENT/HP	34907A	Multifunction Module for the 34970A	US37007405	2020818							
AGILENT/HP	34908A	40 channel multiplexeur for the 34970A	MY41011492	2033380							
AGILENT/HP	34908A	40 channel multiplexeur for the 34970A	MY41010097								
AGILENT/HP	34970A	Data Acquisition (Swich Unit)	MY44040544	2030116							



Manufacturier	# Modèle	Description	S/N #	# CSA Asset	Calibration On-Site Yes/No	Last Calibration	Due Calibration	To March 31 2017	To March 31 2018	To March 31 2019	To March 31 2020
AGILENT/HP	34970A	Data Acquisition (Swich Unit)	MY44048004	2032039							
AGILENT/HP	34970A	Data Acquisition/Switch Unit	US37033056	2017409							
AGILENT/HP	34970A	Data Acquisition/Switch Unit	US37044566	2018036							
AGILENT/HP	34970A	Data Acquisition/Switch Unit	MY44003066	2024147							
AGILENT/HP	34970A	Data Acquisition/Switch Unit	MY44003061	2024148							
AGILENT/HP	4194A	Impedance/gain phase analyzer	2830J04569	2011458							
AGILENT/HP	4263B	LCR Meter	MY40100412	2018160							
AGILENT/HP	437B	Digital average power meter	3125U10209	2002900							
AGILENT/HP	437B	Digital average power meter	3125U10208	2002899							
AGILENT/HP	53131A	225 MHz Universal Counter - 10 digit/s,	MY40013460	2024150							
AGILENT/HP	53131A	225 MHz Universal Counter - 10 digit/s,	MY40010740	2022737							
AGILENT/HP	53148A	26.5 GHz Microwave Counter/Power Meter/D	US40480334	2022722							
AGILENT/HP	6030A	Power Supply	3332A03517	2005631							
AGILENT/HP	6032A	DC power supply, 0-60Vdc, 0-50A, 1200 W.	US35420428	2020820							
AGILENT/HP	6038A	DC power supply, 0-60Vdc, 0-10A, 240 W.	US38311131	2017870							
AGILENT/HP	60501B	150 watt load module	US37242449	2018033							
AGILENT/HP	60501B	150 watt load module	US37242451	2018032							
AGILENT/HP	60501B	150 watt load module	US37242312	2018034							
AGILENT/HP	60501B	150 watt load module	US37242324	2018035							
AGILENT/HP	6050A	Electronic Load Mainframe	US37142993	2018037							
AGILENT/HP	6060B	Electronic load, 3-60 V. 0-60 A, 300 W dc	US37351237	2017080							
AGILENT/HP	6543A	Dc power Supply	3218A-00179	2032341							
AGILENT/HP	6612C	DC power supply, 0-20 V, 0-2 A, 40 W. GP	US37463044	2016748							
AGILENT/HP	6612C	DC power supply, 0-20 V, 0-2 A, 40 W. GP	US37463052	2016738							
AGILENT/HP	6612C	DC power supply, 0-20 V, 0-2 A, 40 W. GP	US37463055	2016749							
AGILENT/HP	6627A	DC power supply, quad-output. 0-20 Vdc a	US37351052	2018031							
AGILENT/HP	6643A	DC power supply, 0-35 V, 0-6.0 A, 210 W.	3346A00472	2005632							
AGILENT/HP	6643A	DC power supply, 0-35 V, 0-6.0 A, 210 W.	3346A-00471	2005633							



Manufacturier	# Modèle	Description	S/N #	# CSA Asset	Calibration On-Site Yes/No	Last Calibration	Due Calibration	To March 31 2017	To March 31 2018	To March 31 2019	To March 31 2020
AGILENT/HP	6643A	DC power supply, 0-35 V, 0-6.0 A, 210 W.	3501A-01000	2010811							
AGILENT/HP	6654A	DC power supply, 0-60 V, 0-9 A, 540 W. G	US36391720	2017871							
AGILENT/HP	8110A	150 MHz Pulse Generator	3501G01789	2011697							
AGILENT/HP	8481A	Power Sensor, 10 MHz to 18 GHz, -30 to	3318A85344	2002876							
AGILENT/HP	8481D	Power Sensor, 10 MHz to 18 GHz, -70 to -	3318A12729	2020821							
AGILENT/HP	8485D	Power Sensor, 50 MHz to 26.5 GHz, -70 to	3318A02986	2020822							
AGILENT/HP	8970B	10 MHz noise figure meter	3446U04144	2011698							
AGILENT/HP	DSO5012A	2 CH 100Mhz Oscilloscopes	MY48510584	2031666							
AGILENT/HP	E3610A	DC power supply, DUAL RANGE, 0-8V,0-3A/0-15V,0-2A	KR30706413	2003828							
AGILENT/HP	E3610A	DC power supply, DUAL RANGE, 0-8V,0-3A/0-15V,0-2A	KR30706416	2003855							
AGILENT/HP	E3610A	DC power supply, DUAL RANGE, 0-8V,0-3A/0-15V,0-2A	KR71115395	2013861							
AGILENT/HP	E3610A	DC power supply, DUAL RANGE, 0-8V,0-3A/0-15V,0-2A	MY40007125	2022758							
AGILENT/HP	E3614A	DC power supply, low-cost. 0-8 V, 0-6 A,	KR31500616	2007582							
AGILENT/HP	E3614A	DC power supply, low-cost. 0-8 V, 0-6 A,	KR30900066	2007583							
AGILENT/HP	E3616A	DC power supply, low-cost. 0-35 V, 0-1.7	KR34700278	2007581							
AGILENT/HP	E3620A	Laboratory dc power supply, dual-output:	KR71805395	2014014							
AGILENT/HP	E3620A	Laboratory dc power supply, dual-output:	KR75308782	2020823							
AGILENT/HP	E3620A	Laboratory dc power supply, dual-output:	MY40004257	2022756							
AGILENT/HP	E3630A	Laboratory dc power supply, triple-output	KR34701700	2007284							
AGILENT/HP	E3630A	Laboratory dc power supply, triple-output	KR51305193	2010648							
AGILENT/HP	E3630A	Laboratory dc power supply, triple-output	KR85018023	2020824							
AGILENT/HP	E3630A	Laboratory dc power supply, triple-output	KR85018093	2020825							
AGILENT/HP	E3630A	Laboratory dc power supply, triple-output	KR85018048	2020826							
AGILENT/HP	E3630A	Laboratory dc power supply, triple-output	MY40007214	2022759							
AGILENT/HP	E3631A	DC power supply. Triple output: 0- , 0-	KR94625056	2016687							
AGILENT/HP	E3631A	DC power supply. Triple output: 0- , 0-	KR94624602	2016688							
AGILENT/HP	E3631A	DC power supply. Triple output: 0- , 0-	KR94625551	2016954							
AGILENT/HP	E3631A	DC power supply. Triple output: 0- , 0-	MY40004973	2017797							



Manufacturier	# Modèle	Description	S/N #	# CSA Asset	Calibration On-Site Yes/No	Last Calibration	Due Calibration	To March 31 2017	To March 31 2018	To March 31 2019	To March 31 2020
AGILENT/HP	E3631A	Triple Output DC Power Supply	MY40052883	2030709							
AGILENT/HP	E3631A	DC power supply. Triple output: 0- , 0-	MY40052839	2030899							
AGILENT/HP	E3631A	DC power supply. Triple output: 0- , 0-	MY40052143	2030900							
AGILENT/HP	E3631A	Power Supply	MY50050081	2033189							
AGILENT/HP	E3631A	Power Supply	MY50050015	2033190							
AGILENT/HP	E3631A	Power Supply	MY50050079	2033191							
AGILENT/HP	E3631A	Triple Output DC Power Supply	MY51080027	2034459							
AGILENT/HP	E3633A	DC power supply. Single output, dual ran	MY40000695	2017798							
AGILENT/HP	E3633A	Power Supply	MY50370010	2034078							
AGILENT/HP	E3633A	Power Supply	MY50370037	2034096							
AGILENT/HP	E3634A	Power Supply	MY50120038	2034097							
AGILENT/HP	E3634A	Power Supply	MY50120011	2034098							
AGILENT/HP	E3634A	DC Power Supply	MY51080010	2034460							
AGILENT/HP	E3640A	POWER SUPPLY	MY40007184	2025542							
AGILENT/HP	E3640A	POWER SUPPLY	MY40007129	2025543							
AGILENT/HP	E3649A	Dual Output DC Power Supply	SG0000927	2020827							
AGILENT/HP	E3649A	Dual Output DC Power Supply	MY40006441	2030702							
AGILENT/HP	E4350B	Solar Array Simulator, 0-60 Vdc, 0-8 A,	MY42000299	2022825							
AGILENT/HP	E4350B	Solar Array Simulator, 0-60 Vdc, 0-8 A,	MY42000296	2022826							
AGILENT/HP	E5263A	2 channel high speed SMU	JP49320106	20000611							
AGILENT/HP	E8361C	PNA Network Analyzer 10Mhz - 67Ghz	US49010177	20000260							
AGILENT/HP	E8363C	10MHZ-40GHZ PNA SERIES NETWORK ANALYSER	MY43030426	2024388							
AGILENT/HP	E8363B	PNA Network Analyzer 10Mhz - 40Ghz	MY43030727	20000133							
AGILENT/HP	N1922A	50MHZ-40GHZ WIDEBAND POWER SENSOR	US00000110	2024161							
AGILENT/HP	N1922A	50MHZ-40GHZ WIDEBAND POWER SENSOR	US00000104	2024162							
AGILENT/HP	N1922A	50MHZ-40GHZ WIDEBAND POWER SENSOR	US00000109	2024163							
AGILENT/HP	N1922A	50MHZ-40GHZ WIDEBAND POWER SENSOR	US00000108	2024164							
AGILENT/HP	N3300A	Electronic load main frame - 1.8 KW max	MY41001382	2022736							



Manufacturier	# Modèle	Description	S/N #	# CSA Asset	Calibration On-Site Yes/No	Last Calibration	Due Calibration	To March 31 2017	To March 31 2018	To March 31 2019	To March 31 2020
AGILENT/HP	N3300A	System DC Electronic Load Mainframe	MY41006016	2034365							
AGILENT/HP	N3302A	Electronic load module	MY41001124	2022836							
AGILENT/HP	N3302A	Electronic load module	MY41001126	2022837							
AGILENT/HP	N3302A	Electronic load module	MY41001130	2022838							
AGILENT/HP	N3302A	Electronic load module	MY41001129	2022839							
AGILENT/HP	N3303A	Electronic load module	MY41000597	NONE							
AGILENT/HP	N3303A	Electronic load module	MY41000598	NONE							
AGILENT/HP	N3306A	Electronic Load Module	MY41005022	2034364							
AGILENT/HP	N5751A	System DC Power Supply	US27L3298J								
AGILENT/HP	N5751A	System DC Power Supply	US27L3299J								
AGILENT/HP	N5770A	System DC Power Supply	US10L4225J	2034461							
AGILENT/HP	N6700B	Modular Power Supply Mainframe	MY43000608	2024335							
AGILENT/HP	N6700B	Modular Power System MainFrame	MY43006059								
AGILENT/HP	N6734B	N6700B Modules 20V 15A 300W	MY43001491								
AGILENT/HP	N6734B	N6700B Modules 20V 15A 300W	MY43001493								
AGILENT/HP	N6744B	MODULAR POWER SUPPLY MODULE 100W/35V/3A	MY43000181	NONE							
AGILENT/HP	N6744B	MODULAR POWER SUPPLY MODULE 100W/35V/3A	MY43000182	NONE							
AGILENT/HP	N6745B	MODULAR POWER SUPPLY MODULE 100W/60V/1.6A	MY43000128	NONE							
AGILENT/HP	N6745B	MODULAR POWER SUPPLY MODULE 100W/60V/1.6A	MY43000129	NONE							
AGILENT/HP	N9030A	PXA Signal Analyzer 3Hz-50FHz	MY49432277	20000687							
AMPROBE	AMB-4D	Megohmmeter	1110793	2020864							
AMPROBE	AMB-5KVD	INSULATION RESISTANCE METER	04061564	2035689							
ANRITSU/WILTRON	MG3691B	SIGNAL GENERATOR 10GHZ	053603	2024747							
ANRITSU/WILTRON	MP1763C	PULSE PATTERN GENERATOR 0.05-12.5GHZ	6100202875	2022298							
ANRITSU/WILTRON	MP1764C	ERROR DETECTOR 0.05-12.5GHZ	6200143407	2022297							
ANRITSU/WILTRON	MS9710C	OPTICAL SPECTRUM ANALYSER 0.6-1.75 MICRO M	6200209258	2022299							
Armstrong	64-458	torque rench	110017257	n/a							
Armstrong	64-458	torque rench	100105990	n/a							



Manufacturier	# Modèle	Description	S/N #	# CSA Asset	Calibration On-Site Yes/No	Last Calibration	Due Calibration	To March 31 2017	To March 31 2018	To March 31 2019	To March 31 2020
AURIGA	AU4202-003	Measurement System	AU30423								
AURIGA	AU4202-004	Measurement System	AU30424								
AURIGA	AU4550	Pulse I/V System	AU30400	20000205							
AURIGA	AU4550-0004	I/V Pulser	AU30421								
AURIGA	AU4550-0007		AU30422								
DESCO	19780	SURFACE RESISTANCE METER	197810401007	2022853							
EXTECH INSTRUMENTS	380946	30A AC/DC CLAMP ADAPTER	9906164	2035696							
Fluke	36	CLAMP METER	69854770	2020832							
Fluke	85	MULTIMETER (Robotique)	62350179	2009384							
Fluke	175	Multimeter	93520062	2027866							
Fluke	175	Multimeter	93520061	2027867							
Fluke	175	Multimeter	93520063	2027868							
Fluke	175	Multimeter	93630720	2027869							
Fluke	175	TRUE RMS MULTIMETER	95140591	2028565							
Fluke	175	MULTIMETER (Sn)	Sn 86850312	NONE							
Fluke	179	TRUE RMS MULTIMETER	78090218	2022495							
Fluke	179	TRUE RMS MULTIMETER	84710070	2022850							
Fluke	179	TRUE RMS MULTIMETER	84710071	2022851							
Fluke	179	TRUE RMS MULTIMETER	84710072	2022852							
Fluke	179	Multimeter	97710550	2030947							
Fluke	179	Handheld Multimeter	99620132	2034716							
Fluke	179	TRUE RMS MULTIMETER	81500006	NONE							
Fluke	179	TRUE RMS MULTIMETER	81500007	NONE							
Fluke	179	TRUE RMS MULTIMETER	86600031	NONE							
Fluke	179	TRUE RMS MULTIMETER	95750135								
Fluke	179	Multimeter	92830394								



Manufacturier	# Modèle	Description	S/N #	# CSA Asset	Calibration On-Site Yes/No	Last Calibration	Due Calibration	To March 31 2017	To March 31 2018	To March 31 2019	To March 31 2020
Fluke	365	Clamp Meter	15300225	2034721							
Fluke	381	Clamp Meter	15520103	2034720							
Fluke	568	IR Thermometer	15660054	2034723							
Fluke	1520	MEGOHMMETER	84640056	2022849							
Fluke	1550B	MEGOHMMETER/HIGH VOLTAGE INSULATION TESTER	8788 030	2035707							
Fluke	28 II	Rugged Digital Multimeter Handheld	15970016	2034719							
Fluke	28 II	Rugged Digital Multimeter Handheld	15970015	2034718							
Fluke	79 III	MULTIMETER	73720560	2020834							
Fluke	79 III	MULTIMETER	74320800	2020835							
Fluke	8062A	MULTIMETER	6005196	2004918							
Fluke	80i-1000S	AC-Current Probe for oscilloscopes	932681	2007521							
Fluke	80i-1010	1A TO 700A CLAMP-ON CURRENT PROBE	5930017	2003248							
Fluke	80i-1010	1A TO 700A CLAMP-ON CURRENT PROBE	5930009	2003249							
Fluke	80i-410	CLAMP-ON AMP PROBE	NONE	2003247							
Fluke	85 III	MULTIMETER: HAND HELD	72110321	2020841							
Fluke	85 III	MULTIMETER: HAND HELD	84980270	NONE							
Fluke	85 III	MULTIMETER: HAND HELD	83120261	NONE							
Fluke	87V	TRUE RMS MULTIMETER 87-5	98380312	2031602							
Fluke	87V	TRUE RMS MULTIMETER 87-5	98380309	2031603							
Fluke	87V	TRUE RMS MULTIMETER 87-5	19380382	2036665							
Fluke	8842A	Multimeter	6255258	2008279							
Fluke	HYDRA	Data Acquisition Unit	6588502	2012159							
Fluke	PM3070	100MHz	944403070773	2008170							
Fluke	Y8100	CURRENT PROBE	5995021	2020843							
GIGA-TRONICS	8542	POWER METER	1823154	2002366							
GIGA-TRONICS	80301A	POWER SENSOR	1822368	2002443							
GIGA-TRONICS	80350A	PEAK POWER HEAD	1822753	2002444							
GIGA-TRONICS	80350A	PEAK POWER HEAD	1822754	2002445							



Manufacturier	# Modèle	Description	S/N #	# CSA Asset	Calibration On-Site Yes/No	Last Calibration	Due Calibration	To March 31 2017	To March 31 2018	To March 31 2019	To March 31 2020
GOODWILL	GPC-3060D	DC POWER SUPPLY	5020373	2010745							
GOODWILL	GPC-3060D	DC POWER SUPPLY	5720642	2011797							
GOODWILL	GPC-3060D	DC POWER SUPPLY	5720644	2011798							
GOODWILL	GPC-3060D	DC POWER SUPPLY	5713075	2020844							
GW INSTEK	GFG-8216A	FUNCTION GENERATOR	S/N CG850811								
GwInstek	GDM-8255A	Benchtop Digital Multimeter	E1171009	2034714							
GwInstek	GDM-8255A	Benchtop Digital Multimeter	E1171016	2034715							
ILX LIGHTWAVE	LDC-3724B	LASER DIODE CONTROLLER	37243811	2025169							
ILX LIGHTWAVE	LDC-3744B	LASER DIODE CONTROLLER	37442427	2018397							
ILX LIGHTWAVE	LDC-3744B	LASER DIODE CONTROLLER	37443486	2018947							
KEITHLEY	2001	DIGITAL MULTIMETER	0589811	2008076							
KEPCO, INC.	BOP 50-8D	Bipolar operational power supply/amplifier	E152780	2022694							
KEPCO, INC.	BOP 50-8D	Bipolar operational power supply/amplifier	E152788	2023345							
KEPCO, INC.	BOP1000M	Bipolar operational power supply/amplifier 0-1000V	E135427	001239							
KEPCO, INC.	BOP1000M	Bipolar operational power supply/amplifier 0-1000V	E140541	2007104							
KEPCO, INC.	BOP100-4D	BIPOLAIR POWER SUPPLY	E153921	2025692							
KIKUSUI	PLZ303W	ELECTRONIC LOAD	GG000403	2020500							
MILMEGA	ASO825-18	Linear Power Amplifier		2021546							
MITUTOYO	HH-332	SHORE A DUROMETER	891643	NONE							
NEWPORT	1835-C	Multi-Function Optical Meter	1057	2004791							
NEWPORT	1835-C	MULTIFUNCTION OPTICAL METER	1083	2006859							
NEWPORT	2835-C	MULTIFUNCTION OPTICAL METER	1119	2010813							
NEWPORT	818IR	DETECTOR	1384	NONE							
NEWPORT	818IR	DETECTOR	1691	NONE							
NEWPORT	818IR	DETECTOR	6288	NONE							
NEWPORT	818IR	DETECTOR	6293	NONE							
NEWPORT	818-UV	DETECTOR	0629	NONE							
OPHIR	1Z01500	OPTICAL METER	158352	2023291							



Manufacturier	# Modèle	Description	S/N #	# CSA Asset	Calibration On-Site Yes/No	Last Calibration	Due Calibration	To March 31 2017	To March 31 2018	To March 31 2019	To March 31 2020
OPHIR	1Z02621	DETECTOR	167342	2023292							
POWERTEC	PA2200A	Power analyser	2099-1004	2023403							
RAYTEK	RAYST20X XUS	NON CONTACT THERMOMETER	2300130201-0039	NONE							
SRS INC.	DG535	Digital Delay / Pulse Generator	06712	2010893							
SRS INC.	DS345	FUNCTION GENERATOR	28518	2020845							
SRS INC.	PS325	2500V-25W HIGH VOLTAGE POWER SUPPLY	03900	2010894							
SRS INC.	PS325	2500V-25W HIGH VOLTAGE POWER SUPPLY	03901	2010895							
SRS INC.	SR650	DUAL CHANNEL FILTER	3469	2020846							
SYPRIS/F.W. BELL	7010	GAUSS/TESLAMETER	0222030	2020798							
SYPRIS/F.W. BELL	MOX71-2506-15	MAGNAPROBE	0280067	2020799							
Tektronix	A6302	CURRENT PROBE	B074935	2020848							
Tektronix	AFG3102	ARBITRARY/FUNCTION GENERATOR	C010161	2025945							
Tektronix	AM503B	Current Probe Amplifier	B030130	2020849							
Tektronix	AWG520	WAVEFORM GENERATOR	J320297	2018144							
Tektronix	DPO 3012	Digital Phosphor Oscilloscope	C010561	2030764							
Tektronix	DPO 7054	Digital PHosphor Oscilloscope (500Mhz)	BO68526	20000437							
Tektronix	DPO 7054	Digital PHosphor Oscilloscope	BO79391	20000504							
Tektronix	MSO 3012	OSCILLOSCOPE & module dpo3comp &dpo3embd	MSO3012-C010038	2032383							
Tektronix	MSO 4054	Oscilloscope 500Mhz 4+16Ch	C020374	20000496							
Tektronix	MSO 4054	Mixed Signal Oscilloscope	MSO4054 C020374	20000610							
Tektronix	MSO4054B	Oscilloscope	C010242	2034648							
Tektronix	P5205	100 MHZ, HIGH VOLTAGE DIFFERENTIAL PROBE	B021057	2035697							
Tektronix	P5205	100 MHZ, HIGH VOLTAGE DIFFERENTIAL PROBE	B021074	2035698							
Tektronix	TAP 1500	CURRENT PROBE 1.5 Ghz	B026319	2035705							
Tektronix	TAP 1500	CURRENT PROBE 1.5 Ghz	B026322	2035703							
Tektronix	TAP 1500	CURRENT PROBE 1.5 Ghz	B026317	2035702							



Manufacturier	# Modèle	Description	S/N #	# CSA Asset	Calibration On-Site Yes/No	Last Calibration	Due Calibration	To March 31 2017	To March 31 2018	To March 31 2019	To March 31 2020
Tektronix	TAP1500	CURRENT PROBE 1.5 Ghz	B026321	2035704							
Tektronix	TCP0030	Current Probe TCP0030 30A AC/DC	B021165								
Tektronix	TCP0150	Current Probe	C012181	2034647							
Tektronix	TCP202	CURRENT PROBE	B043025	NONE							
Tektronix	TCP202	CURRENT PROBE	B030703	2036386							
Tektronix	TDS 5104	Digital phosphor oscilloscope	B040464	2022980							
Tektronix	TDS2024	OSCILLOSCOPE	C033379	202541							
Tektronix	TDS2024	OSCILLOSCOPE	C037690	2024310							
Tektronix	TDS3014	OSCILLOSCOPE	B010578	2015870							
Tektronix	TDS3014	OSCILLOSCOPE	B013711	2016930							
Tektronix	TDS-3014	Digital Phosphore Oscilloscope	TDS3014C C013683	2034421							
Tektronix	TDS3054B	OSCILLOSCOPE	B030264	2023029							
Tektronix	THS730A	OSCILLOSCOPE	B030172	2015114							
Tektronix	TLA 5201	Logic analyser	B010310	2022981							
Tektronix	TM502A	POWER MODULE	B039671	2020857							
TEMNA	AC/DC	CLAMP METER	72-6185	NONE							
TENNEY	BTC	ENVIRONMENTAL CHAMBER	25491-01	2011705							
TENNEY	T10C	ENVIRONMENTAL CHAMBER	31128	2023258							
VOLTECH	PM3000A	UNIVERSAL POWER ANALYSER	AU6216081	2017868							
Wagner	FDIX10	Force Gage Meter	212613	2034426							
Wagner	FDIX100	Force Gage Meter	212795	none							
Wagner	FDIX5	Force Gage Meter	212617	none							
Wagner	FDIX50	Force Gage Meter	212877	2034427							
WAYNE/KERR	3260B	PRECISION MAGNETIC ANALYSER (1J3260BNDTG)	0560220	2024421							
WAYNE/KERR	3265B	25A DC BIAS INIT (1J3265BQ)	0565224	2024450							
Xantrex	HPD-30-10S	DC Power Supply	25470	2013566							
Xantrex	LXQ30-2	DC-Power Supply 0.30V 0.2A	6769	2004188							



Manufacturier	# Modèle	Description	S/N #	# CSA Asset	Calibration On-Site Yes/No	Last Calibration	Due Calibration	To March 31 2017	To March 31 2018	To March 31 2019	To March 31 2020
Xantrex	LXQ30-2	DC POWER SUPPLY	6770	2004189							
Xantrex	XDL35-5TP	(Sorensen) Power Supply (Triple output 215W)	J00315331	2032148							
Xantrex	XEL30-3DPG	(Sorensen) Power Supply (90W Dual Output)	J00315389	2032146							
Xantrex	XFR 35-35	Power Supply (0-35V 0-35A)	72276	2019113							
Xantrex	XFR 35-35	Power Supply (0-35V 0-35A)	72279	2019114							
Xantrex	XKW-4075	DC Power Supply	9855	1007372							
Xantrex	YKW 33-33	Power Supply 0-33Volts 0-33 Amps	10325	20099714							



APPENDIX “C”

SECURITY REQUIREMENTS CHECK LIST (SRCL)



Government of Canada / Gouvernement du Canada

Contract Number / Numéro du contrat 20140256
Security Classification / Classification de sécurité

**SECURITY REQUIREMENTS CHECK LIST (SRCL)
LISTE DE VÉRIFICATION DES EXIGENCES RELATIVES À LA SÉCURITÉ (LVERS)**

PART A - CONTRACT INFORMATION / PARTIE A - INFORMATION CONTRACTUELLE		
1. Originating Government Department or Organization / Ministère ou organisme gouvernemental d'origine	ASC	2. Branch or Directorate / Direction générale ou Direction Sciences et Technologies spatiales / Développement de l'ingénierie
3. a) Subcontract Number / Numéro du contrat de sous-traitance	3. b) Name and Address of Subcontractor / Nom et adresse du sous-traitant TBD	
4. Brief Description of Work / Brève description du travail Une firme de calibration d'appareils viendra sur place pour la calibration des appareils des laboratoires. Les appareils sont calibrés pour la plupart à raison d'une fois par année. Quelques techniciens de la firme se rendent donc dans les laboratoires de l'ASC une fois par année avec leurs équipements pour effectuer la calibration de nos appareils. Ils n'utilisent pas les ordinateurs de l'ASC et ne se connectent pas sur le réseau informatique. Ils sont confinés dans un laboratoire (3A-102) et les techniciens de l'ASC leur apportent les appareils à calibrer, ces appareils sont retournés à leur labo initial par les techniciens de l'ASC une fois calibrés.		
5. a) Will the supplier require access to Controlled Goods? / Le fournisseur aura-t-il accès à des marchandises contrôlées?		<input checked="" type="checkbox"/> No / Non <input type="checkbox"/> Yes / Oui
5. b) Will the supplier require access to unclassified military technical data subject to the provisions of the Technical Data Control Regulations? / Le fournisseur aura-t-il accès à des données techniques militaires non classifiées qui sont assujetties aux dispositions du Règlement sur le contrôle des données techniques?		<input checked="" type="checkbox"/> No / Non <input type="checkbox"/> Yes / Oui
6. Indicate the type of access required / Indiquer le type d'accès requis		
6. a) Will the supplier and its employees require access to PROTECTED and/or CLASSIFIED information or assets? / Le fournisseur ainsi que les employés auront-ils accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS? (Specify the level of access using the chart in Question 7. c) / (Préciser le niveau d'accès en utilisant le tableau qui se trouve à la question 7. c)		<input checked="" type="checkbox"/> No / Non <input type="checkbox"/> Yes / Oui
6. b) Will the supplier and its employees (e.g. cleaners, maintenance personnel) require access to restricted access areas? No access to PROTECTED and/or CLASSIFIED information or assets is permitted. / Le fournisseur et ses employés (p. ex. nettoyeurs, personnel d'entretien) auront-ils accès à des zones d'accès restreintes? L'accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS n'est pas autorisé.		<input type="checkbox"/> No / Non <input checked="" type="checkbox"/> Yes / Oui
6. c) Is this a commercial courier or delivery requirement with no overnight storage? / S'agit-il d'un contrat de messagerie ou de livraison commerciale sans entreposage de nuit?		<input checked="" type="checkbox"/> No / Non <input type="checkbox"/> Yes / Oui
7. a) Indicate the type of information that the supplier will be required to access / Indiquer le type d'information auquel le fournisseur devra avoir accès		
Canada <input checked="" type="checkbox"/>	NATO / OTAN <input type="checkbox"/>	Foreign / Étranger <input type="checkbox"/>
7. b) Release restrictions / Restrictions relatives à la diffusion		
No release restrictions / Aucune restriction relative à la diffusion <input checked="" type="checkbox"/>	All NATO countries / Tous les pays de l'OTAN <input type="checkbox"/>	No release restrictions / Aucune restriction relative à la diffusion <input type="checkbox"/>
Not releasable / À ne pas diffuser <input type="checkbox"/>		
Restricted to: / Limité à: Specify country(ies) / Préciser le(s) pays: <input type="checkbox"/>	Restricted to: / Limité à: Specify country(ies) / Préciser le(s) pays: <input type="checkbox"/>	Restricted to: / Limité à: Specify country(ies) / Préciser le(s) pays: <input type="checkbox"/>
7. c) Level of information / Niveau d'information		
PROTECTED A / PROTÉGÉ A <input type="checkbox"/>	NATO UNCLASSIFIED / NATO NON CLASSIFIÉ <input type="checkbox"/>	PROTECTED A / PROTÉGÉ A <input type="checkbox"/>
PROTECTED B / PROTÉGÉ B <input type="checkbox"/>	NATO RESTRICTED / NATO DIFFUSION RESTREINTE <input type="checkbox"/>	PROTECTED B / PROTÉGÉ B <input type="checkbox"/>
PROTECTED C / PROTÉGÉ C <input type="checkbox"/>	NATO CONFIDENTIAL / NATO CONFIDENTIEL <input type="checkbox"/>	PROTECTED C / PROTÉGÉ C <input type="checkbox"/>
CONFIDENTIAL / CONFIDENTIEL <input type="checkbox"/>	NATO SECRET / NATO SECRET <input type="checkbox"/>	CONFIDENTIAL / CONFIDENTIEL <input type="checkbox"/>
SECRET / SECRET <input type="checkbox"/>	COSMIC TOP SECRET / COSMIC TRÈS SECRET <input type="checkbox"/>	SECRET / SECRET <input type="checkbox"/>
TOP SECRET / TRÈS SECRET <input type="checkbox"/>		TOP SECRET / TRÈS SECRET <input type="checkbox"/>
TOP SECRET (SIGINT) / TRÈS SECRET (SIGINT) <input type="checkbox"/>		TOP SECRET (SIGINT) / TRÈS SECRET (SIGINT) <input type="checkbox"/>



TBS/SCT 350-103(2004/12)

Security Classification / Classification de sécurité

Canada

Government
of CanadaGouvernement
du Canada

Contract Number / Numéro du contrat

20140256

Security Classification / Classification de sécurité

PART A (continued) / PARTIE A (suite)

8. Will the supplier require access to PROTECTED and/or CLASSIFIED COMSEC information or assets?
Le fournisseur aura-t-il accès à des renseignements ou à des biens COMSEC désignés PROTÉGÉS et/ou CLASSIFIÉS? No / Non Yes / Oui
If Yes, indicate the level of sensitivity:
Dans l'affirmative, indiquer le niveau de sensibilité :

9. Will the supplier require access to extremely sensitive INFOSEC information or assets?
Le fournisseur aura-t-il accès à des renseignements ou à des biens INFOSEC de nature extrêmement délicate? No / Non Yes / Oui

Short Title(s) of material / Titre(s) abrégé(s) du matériel :

Document Number / Numéro du document :

PART B - PERSONNEL (SUPPLIER) / PARTIE B - PERSONNEL (FOURNISSEUR)

10. a) Personnel security screening level required / Niveau de contrôle de la sécurité du personnel requis

- | | | | |
|---|---|---|--|
| <input checked="" type="checkbox"/> RELIABILITY STATUS
COTE DE FIABILITÉ | <input type="checkbox"/> CONFIDENTIAL
CONFIDENTIEL | <input type="checkbox"/> SECRET
SECRET | <input type="checkbox"/> TOP SECRET
TRÈS SECRET |
| <input type="checkbox"/> TOP SECRET - SIGINT
TRÈS SECRET - SIGINT | <input type="checkbox"/> NATO CONFIDENTIAL
NATO CONFIDENTIEL | <input type="checkbox"/> NATO SECRET
NATO SECRET | <input type="checkbox"/> COSMIC TOP SECRET
COSMIC TRÈS SECRET |
| <input type="checkbox"/> SITE ACCESS
ACCÈS AUX EMPLACEMENTS | | | |

Special comments:

Commentaires spéciaux : _____

NOTE: If multiple levels of screening are identified, a Security Classification Guide must be provided.

REMARQUE : Si plusieurs niveaux de contrôle de sécurité sont requis, un guide de classification de la sécurité doit être fourni.

10. b) May unscreened personnel be used for portions of the work?
Du personnel sans autorisation sécuritaire peut-il se voir confier des parties du travail? No / Non Yes / Oui
If Yes, will unscreened personnel be escorted?
Dans l'affirmative, le personnel en question sera-t-il escorté? No / Non Yes / Oui

PART C - SAFEGUARDS (SUPPLIER) / PARTIE C - MESURES DE PROTECTION (FOURNISSEUR)**INFORMATION / ASSETS / RENSEIGNEMENTS / BIENS**

11. a) Will the supplier be required to receive and store PROTECTED and/or CLASSIFIED information or assets on its site or premises?
Le fournisseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou CLASSIFIÉS? No / Non Yes / Oui
11. b) Will the supplier be required to safeguard COMSEC information or assets?
Le fournisseur sera-t-il tenu de protéger des renseignements ou des biens COMSEC? No / Non Yes / Oui

PRODUCTION

11. c) Will the production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment occur at the supplier's site or premises?
Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ? No / Non Yes / Oui

INFORMATION TECHNOLOGY (IT) MEDIA / SUPPORT RELATIF À LA TECHNOLOGIE DE L'INFORMATION (TI)

11. d) Will the supplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED information or data?
Le fournisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des renseignements ou des données PROTÉGÉS et/ou CLASSIFIÉS? No / Non Yes / Oui
11. e) Will there be an electronic link between the supplier's IT systems and the government department or agency?
Disposera-t-on d'un lien électronique entre le système informatique du fournisseur et celui du ministère ou de l'agence gouvernementale? No / Non Yes / Oui



Contract Number / Numéro du contrat 20140256
Security Classification / Classification de sécurité

PART C - (continued) / PARTIE C - (suite)

For users completing the form manually use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.
Les utilisateurs qui remplissent le formulaire manuellement doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form online (via the Internet), the summary chart is automatically populated by your responses to previous questions.
Dans le cas des utilisateurs qui remplissent le formulaire en ligne (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

SUMMARY CHART / TABLEAU RÉCAPITULATIF

Category / Catégorie	PROTECTED / PROTÉGÉ			CLASSIFIED / CLASSIFIÉ			NATO				COMSEC					
	A	B	C	CONFIDENTIAL / CONFIDENTIEL	SECRET	TOP SECRET / TRÈS SECRET	NATO RESTRICTED	NATO CONFIDENTIAL	NATO SECRET	COSMIC TOP SECRET / COSMIC TRÈS SECRET	PROTECTED / PROTÉGÉ			CONFIDENTIAL	SECRET	TOP SECRET / TRÈS SECRET
											A	B	C			
Information / Assets / Renseignements / Biens	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Production	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
IT Media / Support TI	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
IT Link / Lien électronique	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED? No / Non Yes / Oui
La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE?
- If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification".
Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire.
12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED? No / Non Yes / Oui
La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE?
- If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments).
Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire et indiquez qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).



Government of Canada / Gouvernement du Canada

Contract Number / Numéro du contrat 20140256
Security Classification / Classification de sécurité

PART D - AUTHORIZATION / PARTIE D - AUTORISATION

13. Organization Project Authority / Chargé de projet de l'organisme			
Name (print) - Nom (en lettres moulées) Rémy Grenier	Title - Titre Gestionnaire des laboratoires	Signature 	
Telephone No. - N° de téléphone 450-926-5080	Facsimile No. - N° de télécopieur 450-926-6684	E-mail address - Adresse courriel remy.grenier@asc-csa.gc.ca	Date 17 novembre 2015
14. Organization Security Authority / Responsable de la sécurité de l'organisme			
Name (print) - Nom (en lettres moulées) Isabelle Bouctou	Title - Titre Agent coordonnateur PCA	Signature 	
Telephone No. - N° de téléphone 450-926-7705	Facsimile No. - N° de télécopieur 450-926-4885	E-mail address - Adresse courriel Isabelle.Bouctou@Canada.ca	Date 2015/11/16
15. Are there additional instructions (e.g. Security Guide, Security Classification Guide) attached? Des instructions supplémentaires (p. ex. Guide de sécurité, Guide de classification de la sécurité) sont-elles jointes?			<input checked="" type="checkbox"/> No / Non <input type="checkbox"/> Yes / Oui
16. Procurement Officer / Agent d'approvisionnement			
Name (print) - Nom (en lettres moulées) Isabelle Doray	Title - Titre Agent des Contrats	Signature 	
Telephone No. - N° de téléphone 450-926-4873	Facsimile No. - N° de télécopieur	E-mail address - Adresse courriel	Date 20-NOV-2015
17. Contracting Security Authority / Autorité contractante en matière de sécurité			
Name (print) - Nom (en lettres moulées)	Title - Titre	Signature	
Telephone No. - N° de téléphone	Facsimile No. - N° de télécopieur	E-mail address - Adresse courriel	Date

TBS/SCT 350-103(2004/12)

Security Classification / Classification de sécurité
--

Canada



APPENDIX "D" - PERFORMANCE EVALUATION REPORT										
Upon fulfillment of a contract, this questionnaire must be completed by the responsible project authority										
Name of contractor:	Contract completion date:									
Name of project authority	Branch:									
Contract no.:	Project name:									
Supplier										
Rating scale:	10 à 9 = Excellent			6 à 5 = Satisfactory			2 à 1 = Unsatisfactory			
	8 à 7 = Very Good			4 à 3 = Poor						
1) Did the supplier provide consultants with the education, accreditation and experience indicated in the contract?	10	9	8	7	6	5	4	3	2	1
	Comments:									
2) Please rate the overall quality of the services provided by this supplier.	10	9	8	7	6	5	4	3	2	1
	Comments:									
3) Please rate the responsiveness of the supplier with regard to information requests or problems that may have arisen in the course of the contract, and the supplier's ability to meet deadlines.	10	9	8	7	6	5	4	3	2	1
	Comments:									
4) Was the work performed in accordance with the requirements specified in the statement of work?	10	9	8	7	6	5	4	3	2	1
	Comments:									
5) Please rate the quality of communication between the department and the supplier.	10	9	8	7	6	5	4	3	2	1
	Comments:									
6) Were all administrative documents received in accordance with the requirements of the contract? Administrative documents can include but are not limited to: <ul style="list-style-type: none"> • Invoices • Progress reports • Reports on use or business volume • Meeting agendas and minutes • Documentation and quality of work 	10	9	8	7	6	5	4	3	2	1
	Comments:									
Total /60	Excellent: 54 et 60			Poor: 18 à 29						
	Very Good: 42 à 53			Unsatisfactory: 18 or less						
	Satisfactory: 30 à 41									
Signatures Bloc - Evaluation Excellent, Very good or Satisfactory										

 Project Authority

 Contract Agent:

Signatures Bloc - Evaluation Poor or Unsatisfactory

 Technical Expert

 Supply Manager: