




MARGINAL WHARF AT FINGER WHARF CONCRETE DECK DETAIL
SCALE: 1:25




CONSTRUCTION JOINT AND PILECAP DETAIL
SCALE: 1:10




TYPICAL MARGINAL WHARF CONCRETE DECK DETAIL
SCALE: 1:25



MARGINAL WHARF BEAM SECTION
SCALE: 1:25



TYPICAL FINGER WHARF CONCRETE DECK DETAIL
SCALE: 1:25



FINGER WHARF PILE CAP SECTION
SCALE: 1:25

REINFORCED CONCRETE NOTES

1. MINIMUM COMPRESSIVE STRENGTH OF CONCRETE AT 28 DAYS: 35MPa.
2. CONCRETE PROTECTIVE COVER FOR REINFORCING STEEL: 75mm.
3. REINFORCING STEEL MINIMUM YIELD STRENGTH: 400MPa.

0	ISSUED FOR TENDER	JUN 2015
revisions		date
project		project

**HARBOUR IMPROVEMENTS
BLANDFORD
HALIFAX COUNTY
NOVA SCOTIA**

**REINFORCED CONCRETE
DETAILS**

designed	K. MCCARTHY/J. MACGILLIVRAY	comp
date	MAY 2015	
drawn	S. GRACE	designed
date	MAY 2015	
approved	<i>[Signature]</i>	approved
date	15/06/15	
Tender		Submission
2015		
Project Manager	Administrateur de projet TPSGC	
project number	R.075316.001	no. du projet
drawing no.	Sht.5	no. du dessin