


CAP WATER BARRIER  
ROOF MEMBRANE 100  
MIN. OVER CAP SHEET -  
CONT SEAL ALL LAPS  
AND TERMINATIONS




CONT CLEAT - SET IN  
CONT BEAD OF SEALANT

EXTEND CAP SHEET 50  
MIN. AND BASE SHEET  
600 MIN. UP SLOPE  
FROM EDGE OF METAL  
ROOFING

**ROOF TYPE R4 - MODIFIED BITUMINOUS ROOFING**

- 2 PLY MODIFIED BITUMINOUS ROOFING
- TAPERED ROOF INSULATION CRICKETS  
(WHERE SHOWN)
- 19 PLYWOOD ROOF SHEATHING
- 65 RIGID ROOF INSULATION
- TAPERED ROOF INSULATION
- SHEET VAPOUR RETARDER
- 12 GYPSUM SHEATHING
- 38 METAL ROOF DECK (SEE STRUCTURAL)

J



**ROOF TYPE R2 - PREFINISHED SHEET METAL ROOFING:**

- STANDING SEAM PREFINISHED METAL ROOF  
SYSTEM
- HIGH TEMPERATURE ROOFING MEMBRANE
- 19 PLYWOOD ROOF SHEATHING
- 125 RIGID ROOF INSULATION (5.283 RSI / R=30)
- VAPOUR RETARDER MEMBRANE
- 12 GYPSUM SHEATHING
- 38 METAL ROOF DECK (SEE STRUCTURAL)

0		
revisions		date
project		projet

**HALIFAX / DARTMOUTH  
COMMUNITY  
CORRECTIONS CENTRE**

**DARTMOUTH, N.S.**

drawing

dessin

**VALLEY AT  
GULL WIND ROOF**

designed	DFS	conçu
date	NOV. 24/15	
drawn	BG	dessiné
date	NOV. 24/15	
approved	RG	approuvé
date	NOV. 24/15	

Tender

Soumission

PWGSC Project Manager

Administrateur de projets TPSGC

project number

no. du projet

**R.035143.001**

drawing no.

no. du dessin

**A805**