




- SYMBOL LEGEND:**
- (E1) EXTERIOR WALL ASSEMBLY - REFER TO DWG. A-
  - (F1) FLOOR ASSEMBLY - REFER TO DWG. A-
  - (D1) DECK ASSEMBLY - REFER TO DWG. A-
  - (C1) CEILING TYPE - REFER TO DWG. A-
  - (S1) SOFFIT NOTES - REFER TO DWG. A-
  - (P1) INTERIOR WALL ASSEMBLY - REFER TO DWG. A-
  - (R1) ROOF ASSEMBLY - REFER TO DWG. A-
  - (W1) WINDOW / GLAZING ASSEMBLY - REFER TO DWG. A-
  - (D0000A) DOOR NUMBER - REFER TO DWG. A-
  - ROOM ROOM NAME & NUMBER
  - 101
- SMOKE SEPARATION  
- 1 HOUR FIRE RATING
- NOTE:**  
ENSURE ALL MECH. AND ELEC. PENETRATIONS THRU FIRE SEPARATIONS ARE SEALED WITH FIRESTOP MATERIAL. ALL MECH. DUCTS TO BE C/W FIRE DAMPERS.

- DIMENSION NOTES:**
- ALL DIMENSIONS MUST BE VERIFIED AND SITE CONFIRMED. REPORT ALL DIMENSIONAL DISCREPANCIES TO THE ARCHITECT FOR CLARIFICATION.
  - FLOOR PLANS - UNLESS NOTED OTHERWISE, ALL EXTERIOR WALL DIMENSIONS ARE TO EXTERIOR FACE OF SHEATHING; ALL INTERIOR WALL DIMENSIONS ARE TO FACE OF STUDY CAST-IN-PLACE CONCRETE.
  - EXTERIOR DOOR & WINDOW DIMENSIONS ARE TO CENTRELINE OF DOORS OR WINDOWS UNLESS NOTED OTHERWISE.
  - CLEAR DIMENSIONS ARE FROM FINISH SURFACE TO FINISH SURFACE.
  - INTERIOR DOOR ROUGH OPENINGS ARE EITHER TO BE CENTERED IN WALL BETWEEN ADJOINING WALLS OR 150mm FROM AN ADJOINING WALL AS SHOWN ON FLOOR PLANS UNLESS NOTED OTHERWISE.




SECTION 1: TRANSVERSE 1:50


SECTION 2: LONGITUDINAL 1:50




3 DETAIL A3 TYPICAL WINDOW INSTALLATION DETAILS N.T.S.




4 DETAIL A3 TYPICAL WINDOW EXTERIOR TRIM ELEVATION N.T.S.




5 DETAIL A3 WINDOW IN METAL-CLAD/WOOD FRAME W. WOOD SIDING 1:10




6 PLAN A1 A3 LG. SCALE WASHROOM PLAN 1:25



SECTION 3: TRANSVERSE 1:50



6 DETAIL A3 BARRIER FREE WASHROOM



ELEVATION 1 and ELEVATION 2

- BARRIER FREE WASHROOM:**
- NOTE:**
1. WASHROOM PLAN AND ELEVATIONS SHOW GENERAL INTENTION FOR LAYOUT AND ACCESSORY LOCATIONS.
  2. FINAL LAYOUT SHALL COMPLY WITH ALL REQUIREMENTS FOR BARRIER FREE WASHROOMS AS PER 2014 ABC.
  3. ALL RELATED MILLWORK SHALL COMPLY WITH A.W.M.A.C. STANDARDS.
  4. REFER TO DRAWING 'A0' FOR FITMENTS LEGEND: (##)

No.	Date/Date	Description/Description	Drawn by/Dessiné par	Approved/ Approuvé
0	2015/11/04	ISSUED FOR TENDER AND CONSTRUCTION	D.J.M.	C.S.
D	2015/08/28	ISSUED FOR TENDER AND CONSTRUCTION	D.J.M.	C.S.
C	2015/03/27	ISSUED FOR 75% REVIEW	D.J.M.	C.S.
B	2015/03/24	ISSUED FOR COORDINATION	D.J.M.	C.S.
A	2015/03/17	ISSUED FOR REVIEW MEETING	D.J.M.	C.S.

Revision / Revision

A detail number  
B source drawing no.  
C detail on drawing no.

Consultant's Name  
Nom de l'expert-conseil

Eng. Stamp  
Scieu de l'ingénieur

**Associated Engineering**  
APEGA Permit to Practice P 3979

**MTA**

301, 215-10 Avenue SW, Calgary, AB T2B 0A4  
1-403-264-8700  
1-403-264-8079

Client/Client: Parks Canada Agency, L'Agence Parcs Canada

Western and Northern Region, Ouest et Nord du Canada

Project Title/Titre du projet: **BAR-U RANCH WORKSHOP REPLACEMENT**

WATERTON LAKES NATIONAL PARK

Drawing Title/Titre du dessin: **BUILDING SECTIONS / WINDOW DETAILS**

Surveyed by/Arpenté par	Drawn by/Dessiné par	Date/Date
	DARRELL MOSS	MAR 19, 2015
Designed by/Conçopt par	Reviewed by/Revisé par	Scale/Echelle
		AS SHOWN
PWGSC Project Manager/Administrateur de Projets TP50C		
Client Acceptance/Acceptation du client Approved by/ Approuvé par		
Park Responsible Officer/Responsable		
PWGSC Project Manager/Administrateur de Projets TP50C		
Project No./No. du projet	Assn No./No. de l'as-n	Sheet No./No. de la feuille
20153561		X
Drawing Reference No./No. de référence du dessin		of XX
		A3