



1 ELEVATION 1:50
A2 EAST




2 ELEVATION 1:50
A2 NORTH

- MATERIAL LEGEND:**
- 1 STANDING SEAM METAL ROOF, 38mm HIGH FIELD, LOK. COLOUR: MATCH TO VIKWEST WEATHER-XL COLOUR #56590 "GREY BERRY"
 - 2 PREFINISHED METAL EAVESTROUGH, COLOUR: WHITE
 - 3 PREFIN. METAL-CLAD FASCIA, COLOUR: WHITE
 - 4 HARDIE PLANK LAP SIDING W. NOM. 6" EXPOSURE, COLOUR: TO MATCH "BAR U RED"
 - 5 HARDIE TRIM, NOM. 5/4" THICKNESS, AT WINDOWS & DOORS, COLOUR: WHITE
 - 6 METAL-CLAD WOOD WINDOW UNITS, DOUBLE-GLAZED, CWV SURFACE-APPLIED MUNTINS (SIMULATED DIVIDED LITES), COLOUR: WHITE
 - 7 INSULATED METAL MAIN DOOR (EXIT), PAINTED FINISH, COLOUR: WHITE
 - 8 SECTIONAL OVERHEAD DOOR #1, INSULATED METAL, PREFINISHED, COLOUR: WHITE, CWV DOUBLE-PANE GLAZING PANELS
 - 9 SECTIONAL OVERHEAD DOOR #2, INSULATED METAL, PREFINISHED, COLOUR: WHITE, CWV DOUBLE-PANE GLAZING PANELS
 - 10 HARDIE TRIM CORNER BATTEN TRIMS, NOM. 5/4" THICKNESS, COLOUR: WHITE
 - 11 STEEL PIPE BOLLARD, CONCRETE-FILLED, PAINTED FINISH, COLOUR: "HIGH VISIBILITY" YELLOW
 - 12 PARKING FINISH OVER EXPOSED (INSULATED) CONCRETE FOUNDATION WALL CWV PREFIN. METAL CAP FLASHING AT BASE OF WALL
 - 13 CONCRETE APPROACH APRON FOR VEHICLE & EQUIPMENT ACCESS
 - 14 CONCRETE PARKING APRON FOR VEHICLE & EQUIPMENT WASHING
 - 15 CONCRETE ENTRY STEP AT EXIT DOOR
 - 16 PREFINISHED, VENTILATED METAL SOFFIT, COLOUR: WHITE
 - 17 ENTRY LIGHT, CUT OFF FIXTURE
 - 18 CONTINUOUS ROOF TO WALL UPPER VENT AT LOWER ROOF LEVEL, PREFIN. METAL FLASHING, COLOUR MATCH TO STANDING SEAM METAL ROOF
 - 19 CONTINUOUS RIDGE VENT AT UPPER ROOF LEVEL, COLOUR MATCH TO STANDING SEAM METAL ROOF
 - 20 MECHANICAL LOUVRE, METAL W. PAINTED FINISH, COLOUR TO MATCH ADJACENT SIDING. REFER TO MECH. DRWGS.
 - 21 ROOF-TOP GOOSENECK AIR INTAKE, REFER TO MECH. DRWGS.



3 ELEVATION 1:50
A2 SOUTH



4 ELEVATION 1:50
A2 WEST

| No. | Date/Date | Description/Description | Drawn by | Approved |
|-----|------------|------------------------------------|----------|----------|
| D | 2015/11/04 | ISSUED FOR TENDER AND CONSTRUCTION | D.J.M. | C.S. |
| E | 2015/08/28 | ISSUED FOR TENDER AND CONSTRUCTION | D.J.M. | C.S. |
| D | 2016/03/27 | ISSUED FOR 75% REVIEW | D.J.M. | C.S. |
| C | 2015/03/24 | ISSUED FOR COORDINATION | D.J.M. | |
| B | 2015/03/20 | ISSUED FOR CLIENT REVIEW | D.J.M. | |
| A | 2015/03/17 | ISSUED FOR REVIEW MEETING | D.J.M. | |

| Revision / Revision | |
|---------------------|---|
| A | detail number / numéro de détail |
| B | source drawing no. / de dessin no. |
| C | detail on drawing no. / détail sur dessin no. |

Consultant's Name
Nom de l'expert-consultant

Eng. Stamp
Scieu de l'ingénieur

Associated Engineering
APEGA Permit to Practice P 3979

MA
301, 215-10 Avenue SW, Calgary, AB T2B 0M4
403.264.8700
403.264.8029
www.mta.ca

Client/Client
Parks Canada Agency / L'Agence Parcs Canada
Western and Northern Region / Ouest et Nord du Canada

Project title/Titre du projet
BAR-U RANCH WORKSHOP REPLACEMENT
WATERTON LAKES NATIONAL PARK

Drawing title/Titre du dessin
EXTERIOR ELEVATIONS

| | | |
|-------------------------|------------------------|---------------|
| Surveyed by/Arpenté par | Drawn by/Dessiné par | Date/Date |
| | DARRELL MOSS | MAR 19, 2015 |
| Designed by/Conçep par | Reviewed by/Revisé par | Scale/Echelle |
| | | AS SHOWN |

PWOSC Project Manager/Administrateur de Projets TPSC

| | | |
|--|--------------------------|-----------------------------|
| Client Acceptance/Acceptation du client | Approved by/Approuvé par | |
| | | |
| Project No./No. du projet | Asset No./No. du bien | Sheet No./No. de la feuille |
| 20153361 | | X |
| Drawing Reference No./No. de référence du dessin | A2 | |
| | OF XX | |