



RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving Public Works and Government
Services Canada/Réception des soumissions
Travaux publics et Services gouvernementaux
Canada
Pacific Region
401 - 1230 Government Street
Victoria, B.C.
V8W 3X4
Bid Fax: (250) 363-3344

SOLICITATION AMENDMENT

MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Public Works and Government Services Canada -
Pacific Region
401 - 1230 Government Street
Victoria, B. C.
V8W 3X4

Title - Sujet CCGS Gordon Reid - Refit & Docking	
Solicitation No. - N° de l'invitation F1782-15C728/A	Amendment No. - N° modif. 003
Client Reference No. - N° de référence du client F1782-15C728	Date 2015-12-08
GETS Reference No. - N° de référence de SEAG PW-\$XLV-242-6822	
File No. - N° de dossier XLV-5-38126 (242)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2015-12-09	Time Zone Fuseau horaire Pacific Standard Time PST
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Szczesniak, Michal	Buyer Id - Id de l'acheteur xlv242
Telephone No. - N° de téléphone (250) 363-8312 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

AMENDMENT 003 to Solicitation F1782-15C728/A

This Amendment is raised to:

- 1) Make the following revisions; and
- 2) Answer the following questions raised by potential bidders.

Revision 001:

Statement of Work document has had page numbers introduced.

Revision 002:

Remove:

“APPENDIX 1 TO ANNEX H - PRICING DATA SHEET

The Pricing Data Sheet [PDS] is provided in a separate electronic document entitled:

“F1782-15C728 Gordon Reid Pricing Data Sheet Version002.xls”.

To obtain the PDS the Bidder must make a request in writing to the Contracting Authority identified in Article 7-5.1.”

Insert:

“APPENDIX 1 TO ANNEX H - PRICING DATA SHEET

The Pricing Data Sheet [PDS] is provided in a separate electronic document entitled:

“F1782-15C728 Gordon Reid Pricing Data Sheet to bidders”.

To obtain the PDS the Bidder must make a request in writing to the Contracting Authority identified in Article 7-5.1.”

BIDDING PERIOD QUESTIONS & ANSWERS

Item	Ref	Spec	Question	Answer	Amendment
42	Annex A A-3	Format	Can the SOW have page numbers inserted.	A numbered revision of the SOW will be provided	003
43	Annex A A-3	11.3 C.5	Are the markings on the vessel now identical to the specification: Coast Guard Fleet Identity Program (Appendix B), identified as <i>Off Shore Patrol Vessel 75m</i> . The Gordon Reid is only 49.9 metres long.	The contractor must follow the CCG Fleet – Federal Identity Program Guide, CCG/6016, 1st Edition – August 2014 for paint scheme and identity insignia locations. If there is any discrepancy between the CCG Fleet – Federal Identity Program Guide, CCG/6016, 1st Edition – August 2014 and how the vessel is currently painted, the contractor must not proceed with painting of the above water hull area before consulting the TI/TA for guidance.	003
44	Annex A A-3	15.2	Fire Main Pipe Replacement: Please provide arrangement drawings for the pipe runs, showing sizes, quantities, direction changes, penetrations and interferences.	The contractor must follow the provided drawing G11-23-0-710-01 Rev 2 for the fire main replacement. This drawing provides the contractor with pipe size, length and number of fittings. 3.A. The contractor must provide a unit price per linear meter of pipe replacement for both 75mm and 50mm diameter pipe that is ASTM-A53-ERW-SCH80 hot dip galvanized. For the Fire main pipe replacement items bid on 30 meters of 75 mm pipe, and 10 meters of 50mm pipe 3.B. The contractor must remove all deckhead panels inside the accommodation space on the main deck to facilitate the fire main pipe replacement. These spaces include all cabins, crew lounge, galley, mess, hospital and wet room, and main deck washroom.	003

45	16.1	<p>Black Water Pipe Replacement: Please provide arrangement drawings for the pipe runs, showing sizes, direction changes, penetrations, quantities and interferences.</p>	<p>The contractor must use the provided drawings G11-23-0-721-01 Rev. 3, 440-06-02, and 440-06-03 for guidance in quoting Spec item 16.1 Black Water Pipe Replacement.</p> <p>4.A. 3.A. The contractor must provide a unit price per linear meter of pipe replacement for both 50mm and 40mm diameter pipe that is ASTM-A53-ERW-SCH40 hot dip galvanized.</p> <p>Bid on;</p> <ul style="list-style-type: none"> -60 meters of 40mm pipe or equivalent, -75 meters of 50mm pipe or equivalent, -5 stainless steel isolation ball valves 50mm, and -11 check valves stainless steel 50mm. <p>4.B. The contractor must remove all deckhead panels inside the accommodation space on the main deck to facilitate the black water pipe replacement. These spaces include all cabins, alleyways, crew lounge, galley, mess, hospital and wet room, and main deck washroom.</p> <p>4.C. The contractor must remove all deckhead panels inside the accommodation space on the focsle deck to facilitate the black water pipe replacement. These spaces include all cabins, alleyways, officer's lounge, and focsle deck washroom.</p>	003
46	15.1/16.1	<p>Does all of newly fabricated pipe have to be pressure tested before being hot dip galvanized?</p>	<p>Yes all newly fabricated piping that is to be installed on board the Gordon Reid must be pressure tested to a minimum of 100 psi and that pressure must be held for 30 minutes without losing more than 5 psi during the test.</p>	003

47	16.1	Can the contractor use stainless steel ProPress pipe and fittings in place of the galvanized steel pipe for spec item Black Water Pipe Replacement?	Yes the contractor may use stainless steel ProPress pipe and fittings in place of the galvanized pipe for spec 16.1. The pipe and fittings must be made of 316 stainless steel.	003
----	------	---	---	-----

All the other instructions, terms and conditions remain the same.