



**RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:**

**Bid Receiving
PWGSC
33 City Centre Drive
Suite 480C
Mississauga
Ontario
L5B 2N5
Bid Fax: (905) 615-2095**

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Title - Sujet Portable Exterior Live Fire Trainer	
Solicitation No. - N° de l'invitation W0113-15CS36/A	Date 2015-12-18
Client Reference No. - N° de référence du client W0113-15CS36	
GETS Reference No. - N° de référence de SEAG PW-\$TOR-006-7006	
File No. - N° de dossier TOR-5-38154 (006)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2016-02-04	
Time Zone Fuseau horaire Eastern Standard Time EST	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Kim, Raquel	Buyer Id - Id de l'acheteur tor006
Telephone No. - N° de téléphone (905) 615-2073 ()	FAX No. - N° de FAX (905) 615-2023
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: DEPARTMENT OF NATIONAL DEFENCE CFB Borden 94 Craftsman Road, Bldg A-176 Borden Ontario L0M1C0 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Public Works and Government Services Canada
Ontario Region
33 City Centre Drive
Suite 480
Mississauga
Ontario
L5B 2N5

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION	2
1.1 REQUIREMENT	2
1.2 DEBRIEFINGS	2
1.3 TRADE AGREEMENTS	2
PART 2 - BIDDER INSTRUCTIONS	2
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS	2
2.2 SUBMISSION OF BIDS	2
2.3 APPLICABLE LAWS	2
PART 3 - BID PREPARATION INSTRUCTIONS	3
3.1 BID PREPARATION INSTRUCTIONS	3
PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION	4
4.1 EVALUATION PROCEDURES	4
4.2 BASIS OF SELECTION	8
PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION	8
5.1 CERTIFICATIONS REQUIRED WITH THE BID	8
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION	8
PART 6 - RESULTING CONTRACT CLAUSES	9
6.1 SECURITY REQUIREMENTS	9
6.2 REQUIREMENT	9
6.3 STANDARD CLAUSES AND CONDITIONS	9
6.4 TERM OF CONTRACT	9
6.5 AUTHORITIES	10
6.6 PAYMENT	11
6.7 INVOICING INSTRUCTIONS	11
6.8 CERTIFICATIONS	11
6.9 APPLICABLE LAWS	11
6.10 PRIORITY OF DOCUMENTS	12
6.11 SACC MANUAL CLAUSES	12
6.12 INSURANCE	12
ANNEX A	13
REQUIREMENT	13
ANNEX B	16
BASIS OF PAYMENT	16

PART 1 - GENERAL INFORMATION

1.1 Requirement

The requirement is detailed under **Article 6.2** of the resulting contract clauses

1.2 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.3 Trade Agreements

The requirement is subject to the provisions of the North American Free Trade Agreement (NAFTA), and the Agreement on Internal Trade (AIT).

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2015-07-03) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

2.2 Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

All enquiries must be submitted in writing to the Contracting Authority no later than 7 (calendar days) before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

2.3 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

Canada requests that Bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid (4 hard copies)

Section II: Financial Bid (4 hard copies)

Section III: Certifications (2 hard copies)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that Bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, Bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment. The total amount of Applicable Taxes must be shown separately.

3.1.1 Exchange Rate Fluctuation

C3011T (2013-11-06), Exchange Rate Fluctuation

Section III: Certifications

Bidders must submit the certifications required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Criteria

1. Bidders must demonstrate how they meet the mandatory criteria by providing highly detailed technical specifications, literature, brochures or other similar supporting documentations, which clearly demonstrates that the Bidder's proposed equipment meets each of the criteria to support compliance.
2. If any of the equipment specification is not identified in the Bidder's existing technical documents, the Bidder must address separately, in their proposal, how it meets that particular equipment specification.
3. Bids which fail to meet any mandatory technical criteria will be declared non-responsive.

M1. Control Panel

Item	Mandatory Criteria	Identify where supporting documentation is located in the bid i.e. title of the document, page and paragraph numbers
M1.1	All electrical panels must be rated to a minimum of NEMA 4 standard or have a CSA or CAN-ULC certification.	
M1.2	The control panel must include the following controls at a minimum: <ul style="list-style-type: none">a. ON/OFF switch with removable key;b. An emergency stop switch with indicator;c. Pilot control switch;d. Pilot status indicator;e. Main burner control switch must have Off, Low and High settings;f. Auxiliary control switch; andg. System status indicator lights.	

Item	Mandatory Criteria	Identify where supporting documentation is located in the bid i.e. title of the document, page and paragraph numbers
M1.3	Deadman switch for fail-safe extinguishment of main fires.	
M1.4	The control panel must be mounted on a portable stand constructed from stainless steel. Note: Handheld units are not acceptable.	
M1.5	The control panel stand must only house electrical components. Gas components must not be mounted on the same stand.	
M1.6	Control panel must include a minimum of 50-ft. weather-proof cables for connection to the power supply and Equipment Box.	
M1.7	All gas and electrical equipment included in the Control Panel must meet CSA standard(s).	

M2: Equipment Box

Item	Mandatory Criteria	Identify where supporting documentation is located in the bid i.e. title of the document, page and paragraph numbers
M2.1	The equipment box must be constructed from stainless steel.	
M2.2	The equipment box must include stainless steel guard for hoses and electrical cable.	
M2.3	The equipment box must include pilot system with automated continuously monitored pilot flame.	
M2.4	Liquid Propane Gas (LPG) control valves must be CSA certified and control flow to the main burner at low and high levels.	
M2.5	The equipment box must include a strainer must be included to protect valve equipment from debris in LPG supply.	

Item	Mandatory Criteria	Identify where supporting documentation is located in the bid i.e. title of the document, page and paragraph numbers
M2.6	Equipment box must include a minimum 50-ft. weather-proof cables and headers for connection to LPG vapour supply and LPG liquid supply.	
M2.7	All gas and electrical equipment included in the Equipment Box must meet CSA standard(s).	

M3: Burn Pan

Item	Mandatory Criteria	Identify where supporting documentation is located in the bid i.e. title of the document, page and paragraph numbers
M3.1	The main fires of the simulator must be emitted from water bath burners in a minimum of 4-ft. by 6-ft. and a maximum of 6-ft by 8-ft burn pan with a depth of a minimum 5-in.	
M3.2	The burn pan must be constructed of seal-welded stainless steel.	
M3.3	The top of the water bath areas must be protected by galvanized bar grating.	
M3.4	The burn pan must provide a minimum two zones of fire that can be controlled independently of one another.	
M3.5	Minimum two heat resistant wheels and a minimum two lifting handles must be included for the purpose of manual relocation. If the wheels and/or handles are permanently affixed to the burn pan, they must be heat resistant.	

M4: Compact Car Prop

Item	Mandatory Criteria	Identify where supporting documentation is located in the bid i.e. title of the document, page and paragraph numbers
M4.1	<p>The Compact Car Prop must have the following fire zones:</p> <ul style="list-style-type: none"> a. Engine bay fire; b. Tire fire; c. Passenger compartment fire; and d. Trunk fire. 	
M4.2	<p>The car must be constructed of stainless steel.</p> <p>Note: Painted steel panels will not be accepted.</p>	
M4.3	<p>The car must include heat-resistant steel wheels for portability.</p>	
M4.4	<p>The car must have a minimum length of 8-ft and a maximum length of 11-ft.</p>	
M4.5	<p>The compact car prop must be constructed in such a way that ensures that damaged components can easily be replaced.</p>	
M4.6	<p>The car must have a stainless steel water-cooling system installed.</p>	
M4.7	<p>That car must have a water-jacketed roof for heat protection.</p>	
M4.8	<p>The car must include the following features:</p> <ul style="list-style-type: none"> a. Hinged hood; b. Hood latch and prop rod; c. Two functioning side doors with latches; d. Two seats with back and bases for nozzle practice; and e. Hinged trunk opening. 	

4.1.2 Financial Evaluation

SACC Manual Clause [A0220T](#) (2014-06-26), Evaluation of Price

4.2 Basis of Selection

4.2.1 Basis of Selection – Mandatory Technical Criteria

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Declaration of Convicted Offences

As applicable, pursuant to subsection Declaration of Convicted Offences of section 01 of the Standard Instructions, the Bidder must provide with its bid, a completed [Declaration Form](http://www.tpsgc-pwgsc.gc.ca/ci-if/formulaire-form-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/formulaire-form-eng.html>), to be given further consideration in the procurement process.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – List of Names

Bidders who are incorporated, including those bidding as a joint venture, must provide a complete list of names of all individuals who are currently directors of the Bidder.

Bidders bidding as sole proprietorship, as well as those bidding as a joint venture, must provide the name of the owner(s).

Bidders bidding as societies, firms or partnerships do not need to provide lists of names.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "[FCP Limited Eligibility to Bid](http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml)" list (http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml) available from [Employment and Social Development Canada \(ESDC\) - Labour's](#) website.

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "[FCP Limited Eligibility to Bid](#)" list at the time of contract award.

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

There is no security requirement applicable to this Contract.

6.2 Requirement

The Contractor must provide the items detailed under the "Requirement" at Annex A.

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

[2010A](#) (2015-09-03), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

6.3.2 Supplemental General Conditions

4001 (2015-04-01) Hardware, Purchase, Lease and Maintenance

6.4 Term of Contract

6.4.1 Delivery Date

All the deliverables must be received on or before March 31, 2016.

6.5 Authorities

6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Raquel Kim
Title: Supply Officer
Public Works and Government Services Canada
Acquisitions Branch
Directorate: Acquisitions and Compensation
Address: 33 City Centre Drive, Suite 480-C
Mississauga, Ontario L5B 2N5
Telephone: 905-615-2073
Facsimile: 905-615-2023
E-mail address: raquel.kim@pwgsc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Technical Authority *(to be inserted at contract award)*

The Technical Authority for the Contract is:

Name: _____
Title: _____
Organization: _____
Address: _____
Telephone: _____-_____-_____
Facsimile: _____-_____-_____
E-mail: _____

The Technical Authority named above is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Technical Authority, however the Technical Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.5.3 Contractor's Representative *(to be inserted at contract award)*

Name: _____
Title: _____
Organization: _____
Address: _____
Telephone: _____-_____-_____
Facsimile: _____-_____-_____
E-mail: _____

6.6 Payment

6.6.1 Basis of Payment - Firm Lot Price

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm lot price, as specified in Annex B for a cost of \$ _____ (*insert the amount at contract award*). Customs duties are included, and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.6.2 Limitation of Price

SACC Manual clause C6000C (2011-05-16), Limitation of Price

6.6.3 Single Payment

SACC Manual clause H1000C (2008-05-12), Single Payment

6.7 Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
 - a. The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.
 - b. One (1) copy must be forwarded to the Contracting Authority identified under the section entitled "Authorities" of the Contract.

6.8 Certifications

6.8.1 Compliance

The continuous compliance with the certifications provided by the Contractor in its bid and the ongoing cooperation in providing additional information are conditions of the Contract. Certifications are subject to verification by Canada during the entire period of the Contract. If the Contractor does not comply with any certification, fails to provide the additional information, or if it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

6.9 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario

6.10 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the supplemental general conditions 4001 (2015-04-01) Hardware, Purchase, Lease and Maintenance ;
- (c) the general conditions 2010A (2015-09-03), General Conditions - Goods (Medium Complexity),
- (d) Annex A, Requirement;
- (e) Annex B, Basis of Payment; and
- (f) the Contractor's bid dated _____ (*insert date of bid*)

6.11 SACC Manual Clauses

SACC Manual clause B1501C (2006-06-16), Electrical Equipment

6.12 Insurance

SACC Manual clause G1005C (2008-05-12), Insurance

ANNEX A

REQUIREMENT

Portable Exterior Live Fire Trainer with Car Prop

General Overview

The requested portable exterior live fire training simulator must provide large, visible main fires for use in outdoor firefighter training. The simulator's fires must withstand high pressure and high volume of water applied from two or more attack lines. The fires must resist extinguishment and the props must be designed to resist damage, or movement under all hose stream patterns – Fog, straight, or solid streams. The simulator must include the necessary approved control systems and valves for supplying Liquefied Petroleum Gas (LPG) in the vapor phase to a pilot burner, and LPG in the liquid phase to the main burner at two or more levels in a minimum of two selectable zones on the simulator.

TECHNICAL SPECIFICATIONS:

The portable fire training simulator must include the following components:

1. Control Panel
2. Equipment Box
3. Burn Pan
4. Compact Car Prop

1. Control Panel

- 1.1 All electrical panels must be rated to a minimum of NEMA 4 standard or have a CSA or CAN-ULC certification.
- 1.2 The control panel must include the following controls at a minimum:
 - a. ON/OFF switch with removable key;
 - b. An emergency stop switch with indicator;
 - c. Pilot control switch;
 - d. Pilot status indicator;
 - e. Main burner control switch must have Off, Low and High settings;
 - f. Auxiliary control switch; and
 - g. System status indicator lights.
- 1.3 Deadman switch for fail-safe extinguishment of main fires.
- 1.4 The control panel must be mounted on a portable stand constructed from stainless steel. Handheld units are not acceptable.
- 1.5 The control panel stand must only house electrical components. Gas components must not be mounted on the same stand.
- 1.6 Control panel must include a minimum of 50-ft. weather-proof cables for connection to the power supply and Equipment Box.
- 1.7 All gas and electrical equipment must meet CSA standard(s)

2. Equipment Box

- 2.1 The equipment box must be constructed from stainless steel.
- 2.2 The equipment box must include stainless steel guard for hoses/electrical cable.
- 2.3 The equipment box must include pilot system with automated continuously monitored pilot flame.

- 2.4 Liquid Propane Gas (LPG) control valves must be CSA rated and control flow to the main burner at low and high levels.
- 2.5 The equipment box must include a strainer must be included to protect valve equipment from debris in LPG supply.
- 2.6 Equipment box must include a minimum 50-ft. weather-proof cables and headers for connection to LPG vapour supply and LPG liquid supply.
- 2.7 All gas and electrical equipment must meet CSA standard(s).

3. Burn Pan

- 3.1 The main fires of the simulator must be emitted from water bath burners in a minimum of 4-ft. by 6-ft. and a maximum of 6-ft by 8-ft burn pan with a depth of a minimum 5-in.
- 3.2 The burn pan must be constructed of seal-welded stainless steel.
- 3.3 The top of the water bath areas must be protected by galvanized bar grating.
- 3.4 The burn pan must provide a minimum two zones of fire that can be controlled independently of one another.
- 3.5 Minimum two heat resistant wheels and a minimum two lifting handles must be included for the purpose of manual relocation. If the wheels and/or handles are permanently affixed to the burn pan, they must be heat resistant.

4. Compact Car Prop

- 4.1 The Compact Car Prop must have the following fire zones:
 - a. Engine bay fire;
 - b. Tire fire;
 - c. Passenger compartment fire; and
 - d. Trunk fire.
- 4.2 The car must be constructed of stainless steel. Painted steel panels will not be accepted.
- 4.3 The car must include heat-resistant steel wheels for portability.
- 4.4 The car must have a minimum length of 8-ft and a maximum length of 11-ft.
- 4.5 The compact car prop must be constructed in such a way that ensures that damaged components can easily be replaced.
- 4.6 The car must have a stainless steel water-cooling system installed.
- 4.7 That car must have a water-jacketed roof for heat protection.
- 4.8 The car must include the following features:
 - a. Hinged hood;
 - b. Hood latch and prop rod;
 - c. Two functioning side doors with latches;
 - d. Two seats with back and bases for nozzle practice; and
 - e. Hinged trunk opening.

DELIVERABLES:

1. Delivery

- a. The equipment must be delivered on or before March 31, 2016.
- b. The Contractor must arrive on site and commission the piece of equipment to ensure its proper functionality.

Solicitation No. - N° de l'invitation
W0113-15CS36/A
Client Ref. No. - N° de réf. du client
W0113-15CS36

Amd. No. - N° de la modif.
File No. - N° du dossier
TOR-5-38154

Buyer ID - Id de l'acheteur
TOR006
CCC No./N° CCC - FMS No./N° VME

2. Training, Support and Manual

- a. The Contractor must provide a minimum of eight (8) hours of training on-site after the delivery of the equipment for twenty (20) participants at a date approved by the Technical Authority.
- b. The Contractor must provide a one hard copy manual describing the operation, maintenance and trouble-shooting of the portable live fire training simulator.
- c. The Contractor must provide the Toll-Free technical phone support to the Technical Authority.

ANNEX B

BASIS OF PAYMENT

The firm lot price for the supply, delivery, support and on-site training of Portable Exterior Live Fire Trainer with Car Prop, in Canadian Funds, including Canadian Customs duties, applicable taxes extra, FOB destination.

Table 1. Basis of Payment

Item	Description	Quantity	Firm Lot Price
1	Supply, delivery, support and on-site training of Portable Exterior Live Fire Trainer with Car Prop, in accordance with Annex A, on or before March 31, 2016.	1	\$ _____ CAD