



RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving Public Works and Government
Services Canada/Réception des soumissions
Travaux publics et Services gouvernementaux
Canada
800 Burrard Street, Room 219
800, rue Burrard, pièce 219
Vancouver, BC V6Z 0B9

REQUEST FOR PROPOSAL DEMANDE DE PROPOSITION

Proposal To: Public Works and Government
Services Canada

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

Proposition aux: Travaux Publics et Services
Gouvernementaux Canada

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Public Works and Government Services Canada - Pacific
Region
219 - 800 Burrard Street
800, rue Burrard, pièce 219
Vancouver, BC V6Z 0B9

Title - Sujet Medical Bed	
Solicitation No. - N° de l'invitation 21120-168195/A	Date 2015-12-22
Client Reference No. - N° de référence du client 21120-168195	
GETS Reference No. - N° de référence de SEAG PW-\$VAN-531-7699	
File No. - N° de dossier VAN-5-38338 (531)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2016-02-01	Time Zone Fuseau horaire Pacific Standard Time PST
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Mak, Goretti M.	Buyer Id - Id de l'acheteur van531
Telephone No. - N° de téléphone (604) 775-7649 ()	FAX No. - N° de FAX (604) 775-7526
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: CORRECTIONAL SERVICE OF CANADA Pacific Institution 33344 Kings Road Abbotsford BC V2S 4P4 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION

1. Security Requirement
2. Requirement
3. Debriefings

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions
2. Submission of Bids
3. Enquiries - Bid Solicitation
4. Applicable Laws

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures
2. Basis of Selection

PART 5 - CERTIFICATIONS

1. Certifications Required Precedent to Contract Award

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement
2. Requirement
3. Standard Clauses and Conditions
4. Term of Contract
5. Authorities
6. Payment
7. Invoicing Instructions
8. Certifications
9. Applicable Laws
10. Priority of Documents
11. SACC Manual Clauses
12. Warranty

List of Annexes:

- Annex A Technical Specification
Annex B Basis of Payment
Annex C Complete List of Names of all Individuals Who are Currently Directors of the Bidder

- Form 1** Bidder Submission Form
Form 2 Substantiation of Technical Compliance Form

TITLE: ELECTRICAL HOSPITAL BEDS

PART 1 - GENERAL INFORMATION

1.1 Security Requirements

There is no security requirement applicable to this Contract.

1.2 Requirement

The requirement is detailed under Article 6.2 of the resulting contract clauses.

1.3 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2015-09-03) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Subsection 3 of Section 01 Integrity Provisions - Bid of the Standard Instructions 2003 incorporated by reference above is deleted in its entirety and replaced with the following:

3. List of Names

- a. Bidders who are incorporated or who are a sole proprietorship, including those bidding as a joint venture, have already provided a list of names of all individuals who are directors of the Bidder, or the name of the owner(s), at the time of submitting an arrangement under the Request for Supply Arrangement (RFSA).
- b. These Bidders must immediately inform Canada in writing of any changes affecting the list of directors during this procurement process.

Subsection 5.4 of 2003, Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: 60 days
Insert: 120 days

2.2 Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

Due to the nature of the bid solicitation, bids transmitted by facsimile to PWGSC will not be accepted.

2.2.1 Improvement of Requirement During Solicitation Period

Should bidders consider that the specifications or Statement of Work contained in the bid solicitation could be improved technically or technologically, bidders are invited to make suggestions, in writing, to the Contracting Authority named in the bid solicitation. Bidders must clearly outline the suggested improvement as well as the reason for the suggestion. Suggestions that do not restrict the level of competition nor favour a particular bidder will be given consideration provided they are submitted to the Contracting Authority at least 10 days before the bid closing date. Canada will have the right to accept or reject any or all suggestions.

2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than 14 calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in British Columbia.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

Canada requests that bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid (2 hard copies)

Section II: Financial Bid (1 hard copy)

Section III: Certifications (1 hard copy)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process Policy on Green Procurement (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

The technical bid consists of the following:

- i. **Bid Submission Form:** Bidders are requested to include the Bid Submission Form with their bids. It provides a common form in which bidders can provide information required for evaluation and contract award, such as a contact name, the Bidder's Procurement Business Number, the Bidder's status under the Federal Contractors Program for Employment Equity, etc. Using the form to provide this information is not mandatory, but it is recommended. If Canada determines that the information required by the Bid Submission Form is incomplete or requires correction, Canada will provide the Bidder with an opportunity to do so.
- ii. **Substantiation of Technical Compliance:** The technical bid must substantiate the compliance of the Bidder and its proposed solution with the specific articles of Annex A (Requirement) identified in the Substantiation of Technical Compliance Form, which is the requested format for providing the substantiation. The Substantiation of Technical Compliance Form is not required to address any parts of this bid solicitation not referenced in the form. The substantiation must not simply be a repetition of the requirement(s), but must explain and demonstrate how the Bidder will meet the requirements and carry out the required Work. Simply stating that the Bidder or its proposed solution or product complies is not sufficient.

Bidders:

- a Must designate the brand name, model and/or part number of the proposed product; and
- b Must provide complete specifications and descriptive literature to substantiate that the proposed product's meets the mandatory requirements that are specified in the bid solicitation (Form B)

- c** A mattress sample may be required for bid evaluation and or prior to contract award.

Where Canada determines that the substantiation is not complete, the Bidder will be declared non-responsive and disqualified. The substantiation may refer to additional documentation submitted with the bid - this information can be referenced in the "Reference" column of the Substantiation of Technical Compliance Form, where bidders are requested to indicate where in the bid the reference material can be found, including the title of the document, and the page and paragraph numbers; where the reference is not sufficiently precise, Canada may request that the Bidder direct Canada to the appropriate location in the documentation.

In conducting its evaluation of the bids, Canada may, but will have no obligation to, request bidders to demonstrate, at the sole cost of bidders, that the proposed product meets all mandatory criteria that are specified in the bid solicitation.

iii. Best Delivery Date - Bid

While the delivery is requested by March 31, 2016, the best delivery that could be offered is _____.

Section II: Financial Bid

- i. Bidders must submit their financial bid in accordance with the Basis of Payment. The total amount of Applicable Taxes must be shown separately.

Initial Order:

Bidders must quote a firm unit pricing. Unit pricing must include all customs duties and sales taxes extra.

Optional Goods:

- a) Bidders must quote firm unit prices for the optional goods, FOB destination inclusive of all delivery and unloading charges, detailed in Annex B.
- ii. **Blank Prices:** Bidders are requested to insert "\$0.00" for any item for which it does not intend to charge or for items that are already included in other prices set out in the tables. If the Bidder leaves any price blank, Canada will treat the price as "\$0.00" for evaluation purposes and may request that the Bidder confirm that the price is, in fact, \$0.00. No bidder will be permitted to add or change a price as part of this confirmation. Any bidder who does not confirm that the price for a blank item is \$0.00 will be declared non-responsive.

3.1.1 Exchange Rate Fluctuation

3.1.1.1 C3011T (2013-11-06), Exchange Rate Fluctuation

Section III: Certifications

Bidders must submit the certifications required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

All bids must be completed in full and provide all of the information requested in the bid solicitation to enable full and complete evaluation.

4.1.1.1 Mandatory Technical Criteria

Each bid will be reviewed to determine whether it meets the mandatory requirements of the bid solicitation. Any element of the bid solicitation identified with the words “must” or “mandatory” is a mandatory requirement. Bids that do not comply with each and every mandatory requirement will be declared non-responsive and be disqualified.

The mandatory technical requirements are described in Annex A.

4.1.2 Financial Evaluation **Evaluation of Price – Bid**

The price of the bid will be evaluated in Canadian dollars, Applicable Taxes excluded, FOB destination, Canadian customs duties and excise taxes included.

For evaluation purposes, the Total Bid Price using the pricing tables completed by the bidders will be calculated as follows:

The unit price quoted for item 1.1 in Annex B times 1 unit;
plus the unit price quoted for item 1.2 in Annex B times 1 unit; and
plus the unit price quoted for item 1.3 in Annex B times 1 unit;

equals the Total Bid Price.

4.2 Basis of Selection

4.2.1 Basis of Selection – Mandatory Technical Criteria

SACC Manual Clause A0031 (2010-08-16), Basis of Selection – Mandatory Technical Criteria

PART 5 - CERTIFICATIONS

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Declaration of Convicted Offences

As applicable, pursuant to subsection Declaration of Convicted Offences of section 01 of the Standard Instructions, the Bidder must provide with its bid, a completed Declaration Form, (<http://www.tpsgc-pwgsc.gc.ca/ci-if/formulaire-form-eng.html>) to be given further consideration in the procurement process.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – List of Names

Bidders who are incorporated, including those bidding as a joint venture, must provide a complete list of names of all individuals who are currently directors of the Bidder.

Bidders bidding as sole proprietorship, as well as those bidding as a joint venture, must provide the name of the owner(s).

Bidders bidding as societies, firms or partnerships do not need to provide lists of names.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list (http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml) available from Employment and Social Development Canada (ESDC) - Labour's website.

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

Title: Electrical Medical Hospital Beds

1. Security Requirements

There is no security requirement applicable to this Contract.

2. Requirement

The Contractor must provide the supply, delivery and unloading of 64 Electrical Medical Hospital Beds, Make and Model _____ in accordance with the Requirement at Annex "A".

2.1 Optional Goods and/or Services

The Contractor grants to Canada the irrevocable option to acquire the goods, services or both described at Annex "C" of the Contract under the same conditions and at the prices and/or rates stated in the Contract. The option may only be exercised by the Contracting Authority and will be evidenced, for administrative purposes only, through a contract amendment.

The Contracting Authority may exercise the option within 12 months after contract award by sending a written notice to the Contractor.

3. Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

3.1 General Conditions

2010A (2015-07-03), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

4. Term of Contract

4.1 Period of Contract

The period of the Contract is from date of Contract to end of the warranty period.

4.2 Delivery Date

All the deliverables must be received on or before March 31, 2016.

4.3 Shipping Instructions

4.3.1 Initial Goods

Shipping Instructions - Free on Board Destination

FOB Destination, including all delivery charges and customs duties and Applicable Taxes.

4.3.2 Complete Delivery (Optional Goods)

The Contractor must make the complete delivery within _____ calendar days from the date of

order.

4.3.3 Delivery and Unloading

1. Delivery trucks must be equipped with an unloading device which will permit unloading at sites with no hydraulic, stationary or other type of unloading facility.
2. When making deliveries, sufficient personnel must be provided to permit unloading of any type of vehicle without the assistance of federal government personnel.
3. At some sites, the delivery truck must be unloaded while parked at the curb. When material is placed on the sidewalk, it must be placed in proximity to the designated entrance so as to be readily accessible to transport by mechanical handling equipment utilized by site personnel.

4.4 Inspection and Acceptance

The Project Authority is the Inspection Authority. All reports, deliverable items, documents, goods and all services rendered under the Contract are subject to inspection by the Inspection Authority or representative. Should any report, document, good or service not be in accordance with the requirements of the Statement of Work and to the satisfaction of the Inspection Authority, as submitted, the Inspection Authority will have the right to reject it or require its correction at the sole expense of the Contractor before recommending payment.

5 Authorities

5.1 Contracting Authority

The Contracting Authority for the Contract is:

Goretti Mak, Supply Specialist
Public Works and Government Services Canada
Acquisitions Branch Vancouver
Room 219 - 800 Burrard Street, Vancouver, BC V6Z 0B9

Telephone: (604) 775-7649
Facsimile: (604) 775-7526
E-mail address: Goretti.Mak@pwgsc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

5.2 Technical Authority (to be completed at Contract award)

The Technical Authority for the Contract is:

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone : _____
Facsimile: _____

E-mail address: _____

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

5.3 Contractor's Representative

Name and telephone number of the person responsible for:

5.3.1 General enquiries

Name: _____

Title: _____

Tel: _____

Fax: _____

E-mail: _____

5.3.2 Warranty Repairs

The contact person for warranty repairs to be performed on site as it may be necessary is as follows:

Name: _____

Title: _____

Tel: _____

E-mail: _____

5.3.3 Emergency Service

The Contractor shall be required to provide on-site emergency service. The contact person is as follows:

Name: _____

Title: _____

Tel: _____

Toll free: _____

Fax: _____

E-mail: _____

6 Payment

6.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm lot price, as specified in Annex B for a cost of \$_____ (insert the amount at contract award). Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.2 Limitation of Price

SACC Manual clause C6000C (2011-05-16) Limitation of Price

6.3 Single Payment

SACC Manual clause H1000C (2008-5-12) Single Payment

7 Invoicing Instructions

7.1 The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

7.2 Invoices must be distributed as follows:

7.2.1 The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

8 Certifications

8.1 Compliance

The continuous compliance with the certifications provided by the Contractor in its bid and the ongoing cooperation in providing associated information are conditions of the Contract. Certifications are subject to verification by Canada during the entire period of the Contract. If the Contractor does not comply with any certification, fails to provide the associated information, or if it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

8.2 Federal Contractors Program for Employment Equity - Default by the Contractor

The Contractor understands and agrees that, when an Agreement to Implement Employment Equity (AIEE) exists between the Contractor and Employment and Social Development Canada (ESDC)-Labour, the AIEE must remain valid during the entire period of the Contract. If the AIEE becomes invalid, the name of the Contractor will be added to the "FCP Limited Eligibility to Bid" list. The imposition of such a sanction by ESDC will constitute the Contractor in default as per the terms of the Contract.

9 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in British Columbia.

10 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- 10.1 the Articles of Agreement;
- 10.2 the general conditions 2010A (2015-09-03);
- 10.3 Annex A, Requirement;
- 10.4 Annex B, Basic of Payment;
- 10.5 the Contractor's bid dated _____ (insert date of bid) (If the bid was clarified or amended, insert at the time of contract award: "as clarified on _____" **or** "as amended on _____" and insert date(s) of clarification(s) or amendment(s))

11 Electrical Equipment

All electrical equipment supplied under the Contract must be certified or approved for use in accordance with the Canadian Electrical Code, Part 1, before delivery, by a certification organization accredited by the Standards Council of Canada.

12 Warranty – Contractor responsible for all costs

Section 09 entitled Warranty of general conditions 2010A is amended by deleting subsection 2 in its entirety and replacing it with the following:

The Contractor must pay the transportation cost associated with returning the Work or any part of the Work to the Contractor's plant for replacement, repair or making good. The Contractor must also pay the transportation cost associated with forwarding the replacement or returning the Work or part of the Work when rectified to the delivery point specified in the Contract or to another location as directed by Canada. If, in the opinion of Canada, it is not expedient to remove the Work from its location, the Contractor must carry out any necessary repair or making good of the Work at that location. In such cases, the Contractor will be responsible for all Costs (including travel and living expenses) incurred in so doing, Canada will not reimburse these Costs.

All other provisions of the warranty section remain in effect.

ANNEX A

TECHNICAL SPECIFICATIONS

ITEMS	MIN – MAX REQUIREMENT
BACK ELEVATION	From 0 Degree to 70 Degree
KNEE ELEVATION	From 0 Degree to 30 Degree
BED LENGTH	Minimum length 80" Maximum length 84.5" attachments when moved in any direction
BED WIDTH - SLEEP SURFACE	Minimum width 40" Maximum width 44
MATTRESS SUPPORT DECK	Must be all steel construction tube & slats.
MATTRESS STOPS	Must have steel corner & slide stops.
ELECTRICAL & MECHANICAL CERTIFICATION	ANSI/AAMI ES60601-1:2005, MEDICAL ELECTRICAL EQUIPMENT CAN/CSA-C22.2 NO. 60601-1-08 – MEDICAL ELECTRICAL EQUIPMENT CAN/CSA-C22.2 NO. 60601-2-52.11 MEDICAL BEDS CAN/CSA-C22.2 NO. 60601-1-08-EMC
VAC/Hertz/Phase	120/60/1
Maximum Input Current Rating	305 amp (120Volt)
Cord Length	2.5 meters minimum 3 prong hospital grade plug
Electric motors	Minimum four (4) DC self lubricating linear actuators
Operation	10% maximum duty cycle (2minutes on and 18 minutes off)
Emergency power back up battery pack	24 DC Internal or External Battery with charger
Audible Acoustic Energy	70dBa maximum
Maximum patient weight	450 lbs
Swivel casters (wheels)	Minimum 3" heavy duty casters
Pendant Function controls (hi/low, back deck, knee deck, auto contour, under bed light)	Up and down buttons for all except under bed light which would be on or off
Foot end (staff controller) hi/low, back deck, knee deck, auto contour and under bed light.	Up and down buttons for all except light which is on and off as well as trendelenberg and reverse trendelenberg or CPR active.
3 position assist rail	For every bed attached to the frame, split length and retractable under the bed in chrome or painted finish.
Mattress	<ul style="list-style-type: none"> • Proper sized mattress with special firm borders to prevent patient being trapped between the mattress and rail. Appropriate to the span of the mattress support deck. All components must be easy to clean non porous material resistant to bed sores. • Springs are not permitted in maximum security. • The mattress is to be a medical mattress. Foam is the only thing permitted we could accept as springs are not allowed in the max units - as previously noted with firm sides to prevent entrapment. • The cover of the mattress must be Fluid-proof, non-allergenic, antibacterial, antimicrobial, non-stretch cover. • Generally a medical mattress has multilayer's to reduce the risk of pressure sore development, prevent heat build up and permit multiple

	<p>users.</p> <ul style="list-style-type: none"> • Minimum mattress height 6" at centre. • Maximum weight capacity for the mattress to match the bed which was 450 lbs. • Mattress to comply with Treasury Board OSH manual chapter 3-6 fire protection standard for Correctional Institutions sub-sections 4.3 (California Bureau of Home Furnishings Technical Bulletin 121-Flamable Test Procedure for mattresses in high risk occupancies, commonly abbreviated to CAL TB 121. There must be an approved label indicating manufacture, the materials used for the mattress core and the mattress cover ticking and that it passes CAL TB 121 with the edition date of the test standard included on the label.
Floor Lock	Mobility at any height with head and foot-end floor locks
Warranty	Minimum 5 years on all parts and accessories. Full replacement at no cost of all parts, labor and accessories which fail in a 5 year period.
Set Up	Full set up of all beds included in cost. They are to be assembled and in working order prior to the bidder leaving the site.
Delivery	Deliveries are to be to the individual cells of the offenders.
Maintenance	Annual maintenance is to be included in the price and is to occur every year on the anniversary of the delivery date at the site for a period of the warranty.
Fire Resistant	<p>Mattresses shall comply with Treasury Board OSH Manual Chapter 3-6 – Fire Protection Standard for Correctional Institutions, Sub-section 4.3 They shall conform to California Bureau of Home Furnishings Technical Bulletin 121-Flamable Test Procedure for Mattresses for use in high risk occupancies, commonly abbreviated to Cal TB 121.</p> <p>All mattresses for use in CSC facilities falling under the scope of TB OSH Manual Chapter 3-6, shall be identified with an approved label indicating manufacture, the materials used for the mattress core and the mattress cover ticking and that it passes Cal TB 121 with the edition date of the test standard included on the label.</p>
Patient exit height of bed	Low Bed Height 12 inches promotes proper patient positioning for safe entry and exit.
	In bed scale system
	Monitor Tray

Solicitation No. - N° de l'invitation
21120-168195/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur
VAN 531

Client Ref. No. - N° de réf. du client
21120-168195

File No. - N° du dossier
VAN-5-38338

CCC No./N° CCC - FMS No./N° VME

ANNEX B

BASIS OF PAYMENT

All prices are firm in Canadian dollars include delivery charges to Correctional Services Canada, Pacific Institution, 33344 Kings Road, Abbotsford, B.C. V2S 4P4, GST and/or HST, FOB destination, Canadian customs duties and excise taxes included.

C.1 Firm Price

Item #	Description	Qty	U of I	Firm Unit Price	Ext. Total
Initial Goods					
1	Medical Hospital Bed	64	each	\$	\$
2	Freight	1	lot	\$	\$
Total Initial Contract Value					\$

C.2 Optional Purchase

Item #	Description	Qty	U of I	Firm Unit Price
1	Medical Hospital Bed	20	each	\$

ANNEX C

**COMPLETE LIST OF NAMES OF ALL INDIVIDUALS WHO ARE
CURRENTLY DIRECTORS OF THE BIDDER**

NAME	TITLE

FORM A – Bid Submission Form

BID SUBMISSION FORM			
Bidder's full legal name			
Authorized Representative of Bidder for evaluation purposes (e.g., clarifications)		Name	
		Title	
		Address	
		Telephone #	
		Fax #	
		Email	
Bidder's Procurement Business Number (PBN) <i>[see the Standard Instructions 2003]</i>			
Jurisdiction of Contract: Province in Canada the bidder wishes to be the legal jurisdiction applicable to any resulting contract (if other than as specified in solicitation)			
Bidders who are incorporated, including those bidding as a joint venture, must provide a complete list of names of all individuals who are currently directors of the Bidder . Bidders bidding as sole proprietorship, as well as those bidding as a joint venture, must provide the name of the owner(s). Bidders bidding as societies, firms, or partnerships do not need to provide lists of names.			
<p>On behalf of the Bidder, by signing below, I confirm that I have read the entire bid solicitation including the documents incorporated by reference into the bid solicitation and I certify that:</p> <ol style="list-style-type: none">1. The Bidder considers itself and its products able to meet all the mandatory requirements described in the bid solicitation;2. This bid is valid for the period requested in the bid solicitation;3. All the information provided in the bid is complete, true and accurate; and4. If the Bidder is awarded a contract, it will accept all the terms and conditions set out in the resulting contract clauses included in the bid solicitation.			
Signature of Authorized Representative of Bidder			

FORM B: SUBSTANTIATION OF TECHNICAL COMPLIANCE FORM

1. Bidders must identify compliance to all the mandatory specifications identified in the Form below.
2. Bidders must provide information and technical documentation as identified in the right column of the form below.
3. Bidders responses noted as "approximately" will be interpreted as "ACTUAL".

Items	MIN – MAX Requirement	Comply		Information required in your technical proposal
		Yes	No	
BACK ELEVATION	From 0 Degree to 70 Degree			
KNEE ELEVATION	From 0 Degree to 30 Degree			
BED LENGTH	Minimum length 80" Maximum length 84.5" attachments when moved in any direction			
BED WIDTH - SLEEP SURFACE	Minimum width 40" Maximum width 44			
MATTRESS SUPPORT DECK	Must be all steel construction tube & slats.			
MATTRESS STOPS	Must have steel corner & slide stops.			
ELECTRICAL & MECHANICAL CERTIFICATION	ANSI/AAMI ES60601-1:2005, MEDICAL ELECTRICAL EQUIPMENT CAN/CSA-C22.2 NO. 60601-1-08 – MEDICAL ELECTRICAL EQUIPMENT CAN/CSA-C22.2 NO. 60601-2-52.11 MEDICAL BEDS CAN/CSA-C22.2 NO. 60601-1-08-EMC			
VAC/Hertz/Phase	120/60/1			
Maximum Input Current Rating	305 amp (120Volt)			
Cord Length	2.5 meters minimum 3 prong hospital grade plug			
Electric motors	Minimum four (4) DC self lubricating linear actuators			

Operation	10% maximum duty cycle (2minutes on and 18 minutes off)				
Emergency power back up battery pack	24 DC Internal or External Battery with charger				
Audible Acoustic Energy	70dBa maximum				
Maximum patient weight	450 lbs				
Swivel casters (wheels)	Minimum 3"heavy duty casters				
Pendant Function controls (hi/low, back deck, knee deck, auto contour, under bed light)	Up and down buttons for all except under bed light which would be on or off				
Foot end (staff controller) hi/low, back deck, knee deck, auto contour and under bed light.	Up and down buttons for all except light which is on and off as well as trendelenberg and reverse trendelenberg or CPR active.				
3 position assist rail	For every bed attached to the frame, split length and retractable under the bed in chrome or painted finish.				
Mattress	<ul style="list-style-type: none"> Proper sized mattress with special firm borders to prevent patient being trapped between the mattress and rail. Appropriate to the span of the mattress support deck. All components must be easy to clean non porous material resistant to bed spores. Springs are not permitted in maximum security. The mattress is to be a medical mattress. Foam is the only thing permitted we could accept as springs are not allowed in the max units - as previously noted with firm sides to prevent entrapment. The cover of the mattress must be Fluid-proof, non-allergenic, antibacterial, antimicrobial, non- 				

	<ul style="list-style-type: none"> stretch cover. Generally a medical mattress has multilayer's to reduce the risk of pressure sore development, prevent heat build up and permit multiple users. Minimum mattress height 6" at centre. Maximum weight capacity for the mattress to match the bed which was 450 lbs. Mattress to comply with Treasury Board OSH manual chapter 3-6 fire protection standard for Correctional Institutions sub-sections 4.3 (California Bureau of Home Furnishings Technical Bulletin 121-Flamable Test Procedure for mattresses in high risk occupancies, commonly abbreviated to CAL TB 121. There must be an approved label indicating manufacture, the materials used for the mattress core and the mattress cover ticking and that is passes CAL TB 121 with the edition date of the test standard included on the label. 			
Floor Lock	Mobility at any height with head and foot-end floor locks			
Warranty	Minimum 5 years on all parts and accessories. Full replacement at no cost of all parts, labor and accessories which fail in a 5 year period.			
Set Up	Full set up of all beds included in cost. They are to be assembled and in working order prior to the bidder leaving the site.			

Delivery	Deliveries are to be to the individual cells of the offenders.				
Maintenance	Annual maintenance is to be included in the price and is to occur every year on the anniversary of the delivery date at the site for a period of the warranty.				
Fire Resistant	<p>Mattresses shall comply with Treasury Board OSH Manual Chapter 3-6 – Fire Protection Standard for Correctional Institutions, Sub-section 4.3 They shall conform to California Bureau of Home Furnishings Technical Bulletin 121-Flamable Test Procedure for Mattresses for use in high risk occupancies, commonly abbreviated to Cal TB 121.</p> <p>All mattresses for use in CSC facilities falling under the scope of TB OSH Manual Chapter 3-6, shall be identified with an approved label indicating manufacture, the materials used for the mattress core and the mattress cover ticking and that it passes Cal TB 121 with the edition date of the test standard included on the label.</p>				
Patient exit height of bed	Low Bed Height 12 inches promotes proper patient positioning for safe entry and exit/				
	In bed scale system				
	Monitor Tray				

NOTE TO BIDDERS: Please use ONE of the two mailing labels below and affix it securely to the outside of the envelope or package containing your bid submitted by mail or courier. Always ensure your company name, return address; open bidding solicitation number and closing date appear legibly on the outside of your bid submission.

AVIS AUX FOURNISSEURS: Pour le retour par la poste ou par messenger, veuillez utiliser UNE des étiquettes d'envoi ci-dessous et apposez-la à l'extérieur de votre enveloppe ou du colis contenant votre offre. Assurez-vous que le nom de votre compagnie, l'adresse de retour, le numéro de l'invitation ouverte à soumissionner et la date de clôture soient lisibles à l'extérieur de votre offre.

Bid Receiving
Public Works & Government Services Canada
2nd FLOOR - 800 BARRARD STREET
VANCOUVER BC V6Z 0B9
Attention: Goretti Mak

Solicitation No. 21120-168195/A

Solicitation Closes at : 2:00 PM PST

on : February 1, 2016

Réception des soumissions
Travaux publics et services gouvernementaux Canada
800 rue Burrard, pièce 219
Colombie-Britannique (C.-B) V6Z 0B9
Attention: Goretti Mak

N° de l'invitation : 21120-168195/A

La réception des soumissions prend fin le : 1 Février, 2016
à: 14:00 PST
