



RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving Public Works and Government
Services Canada/Réception des soumissions
Travaux publics et Services gouvernementaux
Canada
1713 Bedford Row
Halifax, N.S./Halifax, (N.É.)
B3J 1T3
Bid Fax: (902) 496-5016

REQUEST FOR PROPOSAL DEMANDE DE PROPOSITION

Proposal To: Public Works and Government
Services Canada

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

Proposition aux: Travaux Publics et Services
Gouvernementaux Canada

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Atlantic Region Acquisitions/Région de l'Atlantique
Acquisitions
1713 Bedford Row
Halifax, N.S./Halifax, (N.É.)
B3J 3C9
Nova Scot

Title - Sujet Strength Training Equipment	
Solicitation No. - N° de l'invitation W0100-16C089/A	Date 2016-01-06
Client Reference No. - N° de référence du client W0100-16-C089	
GETS Reference No. - N° de référence de SEAG PW-\$HAL-219-9736	
File No. - N° de dossier HAL-5-75179 (219)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2016-02-16	Time Zone Fuseau horaire Atlantic Standard Time AST
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Richard, Linda K.	Buyer Id - Id de l'acheteur hal219
Telephone No. - N° de téléphone (902) 496-5261 ()	FAX No. - N° de FAX (902) 496-5016
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: DEPARTMENT OF NATIONAL DEFENCE SEE HEREIN Canada	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION	2
1.1 REQUIREMENT	2
1.2 DEBRIEFINGS	2
1.3 TRADE AGREEMENTS	2
PART 2 - BIDDER INSTRUCTIONS.....	2
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS	2
2.2 SUBMISSION OF BIDS	2
2.3 ENQUIRIES - BID SOLICITATION	2
2.4 APPLICABLE LAWS.....	3
PART 3 - BID PREPARATION INSTRUCTIONS.....	3
3.1 BID PREPARATION INSTRUCTIONS	3
PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION	4
4.1 EVALUATION PROCEDURES.....	4
4.2 BASIS OF SELECTION – HIGHEST COMBINED RATING OF TECHNICAL MERIT AND PRICE	4
PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION.....	5
5.1 CERTIFICATIONS REQUIRED WITH THE BID	5
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION	5
PART 6 - RESULTING CONTRACT CLAUSES.....	6
6.1 SECURITY REQUIREMENTS.....	6
6.2 REQUIREMENT	6
6.3 STANDARD CLAUSES AND CONDITIONS.....	6
6.4 TERM OF CONTRACT.....	7
6.5 AUTHORITIES.....	7
6.6 PAYMENT	8
6.7 INVOICING INSTRUCTIONS	8
6.8 CERTIFICATIONS	8
6.9 APPLICABLE LAWS.....	9
6.10 PRIORITY OF DOCUMENTS.....	9
6.11 SACC MANUAL CLAUSES	9
ANNEX "A"	10
REQUIREMENT.....	14
ANNEX "B"	20
BASIS OF PAYMENT	20
ANNEX "C"	23
POINT VALUE FOR BID EVALUATION.....	23
ANNEX "D"	27
BID EVALUATION CRITERIA	27
ANNEX E	28
LIST OF DIRECTORS	28

PART 1 - GENERAL INFORMATION

1.1 Requirement

The requirement is detailed under Annex "A" – Requirement.

1.2 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.3 Trade Agreements

The requirement is subject to the provisions of the North American Free Trade Agreement (NAFTA), and the Agreement on Internal Trade (AIT).

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2015-07-03) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

2.2 Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than five (5) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is

eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Nova Scotia.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

Canada requests that Bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid (2 hard copies)

Section II: Financial Bid (1 hard copy) (

Section III: Certifications (1 hard copy)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that Bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, Bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment. The total amount of Applicable Taxes must be shown separately.

3.1.1 Exchange Rate Fluctuation

C3011T (2013-11-06), Exchange Rate Fluctuation

Section III: Certifications

Bidders must submit the certifications required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Criteria

See Annex "A" Requirement.

4.1.1.2 Point-Rated Technical Criteria

See Annex "C" – Point Values for Bid Evaluation

4.1.2 Financial Evaluation

SACC Manual Clause A0220T (2014-06-26), Evaluation of Price

4.2 Basis of Selection – Highest Combined Rating of Technical Merit and Price

1. To be declared responsive, a bid must:
 - a. comply with all the requirements of the bid solicitation; and
 - b. meet all mandatory criteria
2. Bids not meeting (a) or (b) will be declared non-responsive.

3. The selection will be based on the highest responsive combined rating of technical merit and price. The ratio will be 70 % for the technical merit and 30 % for the price.
4. To establish the technical merit score, the overall technical score for each responsive bid will be determined as follows: total number of points obtained / maximum number of points available multiplied by the ratio of 70%
5. To establish the pricing score, each responsive bid will be prorated against the lowest evaluated price and the ratio of 30%
6. For each responsive bid, the technical merit score and the pricing score will be added to determine its combined rating.
7. Neither the responsive bid obtaining the highest technical score nor the one with the lowest evaluated price will necessarily be accepted. The responsive bid with the highest combined rating of technical merit and price will be recommended for award of a contract.

See Annex "D" – Bid Evaluation Criteria

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Declaration of Convicted Offences

As applicable, pursuant to subsection Declaration of Convicted Offences of section 01 of the Standard Instructions, the Bidder must provide with its bid, a completed Declaration Form (<http://www.tpsgc-pwgsc.gc.ca/ci-if/formulaire-form-eng.html>), to be given further consideration in the procurement process.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to

provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – List of Names

Bidders who are incorporated, including those bidding as a joint venture, must provide a complete list of names of all individuals who are currently directors of the Bidder.

Bidders bidding as sole proprietorship, as well as those bidding as a joint venture, must provide the name of the owner(s).

Bidders bidding as societies, firms or partnerships do not need to provide lists of names.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "[FCP Limited Eligibility to Bid](http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml)" list (http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml) available from [Employment and Social Development Canada \(ESDC\) - Labour's website](http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "[FCP Limited Eligibility to Bid](http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml)" list at the time of contract award.

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

6.1.1 There is no security requirement applicable to this Contract.

6.2 Requirement

The Contractor must provide the items detailed under the "Requirement" at Annex "A".

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

2010A (2015-09-03) General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

6.4 Term of Contract

6.4.1 Delivery Date

All the deliverables must be received on or before March 31, 2016.

6.5 Authorities

6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Linda Richard
Title: Supply Officer
Public Works and Government Services Canada
Acquisitions Branch
Address: 1713 Bedford Row
Halifax, NS B3J 3C9

Telephone: (902) 496-5261
Facsimile: (902) 496-5016
E-mail address: linda.k.richard@pwgsc-tpsgc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Project Authority

The Project Authority for the Contract is: (To be named upon award of contract)

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone : ____ ____ _____
Facsimile: ____ ____ _____
E-mail address: _____

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.5.3 Contractor's Representative (please complete)

Name: _____
 Title: _____
 Organization: _____
 Procurement Business Number: _____
 Address: _____

 Telephone : _____
 Facsimile: _____
 E-mail address: _____

6.6 Payment**6.6.1 Basis of Payment**

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm unit prices as specified in Annex B for a cost of \$ _____ insert the amount at contract award). Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.6.2 Limitation of Price

SACC Manual clause C6000C (2011-05-16) Limitation of Price

6.6.3 Single Payment

SACC Manual clause H1000C (2008-05-12) Single Payment

6.7 Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
 - a. The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

6.8 Certifications**6.8.1 Compliance**

The continuous compliance with the certifications provided by the Contractor in its bid and the ongoing cooperation in providing additional information are conditions of the Contract. Certifications are subject to verification by Canada during the entire period of the Contract. If the Contractor does not comply with any

certification, fails to provide the additional information, or if it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

6.9 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Nova Scotia.

6.10 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) 2010A (2015-09-03) General Conditions - Goods (Medium Complexity);
- (c) Annex A, Requirement;
- (d) Annex B, Basis of Payment
- (e) the Contractor's bid dated _____ (*insert date of bid*)

6.11 SACC Manual Clauses

D5328C	(2014-06-26)	Inspection and Acceptance
A9068C	(2010-01-11)	Government Site Regulations
G1005C	(2008-05-12)	Insurance

ANNEX "A"

REQUIREMENT

Strength Equipment Requirements

Installation Requirements: Equipment must be received and installed prior to 31 Mar 2016 in the facilities listed below:

1. Stadplex Fitness and Sports Center (Stad)

Delivery Address:

Stadplex Fitness & Sports Centre
BldgS-24, CFB Halifax
5470 Gangway Street
Halifax NS B3K 5X5

2. Fleet Fitness and Sports Center (Dkyd)

Delivery Address:

Fleet Fitness & Sports Centre
Bldg D-216, HMC Dockyard
2588 Provo Wallis St.
Halifax NS B3K 5X5

3. Shearwater Fitness and Sports Center (Swtr)

Delivery Address:

Shearwater Fitness & Sports Centre
Bldg SH-57, 12 Wing Shearwater
30 Boundary Road
Shearwater NS BOJ 3AO

General Requirements

1. Bidders must be able to successfully supply a minimum of 80% (29/36 pieces in the quantities required) of requested strength equipment to be considered compliant.
2. If a bidder does not have a product that matches a requested piece of equipment they may offer an alternate piece that targets the same muscle groups for consideration, as long as it meets all the required general specifications.
3. All bidders must provide manufacturer documentation to prove that they are an authorized dealer for the items offered and have been for at least a period of one year.
4. Bidders must provide all required specifications in writing from the manufacturer. If the manufacturer's specifications are not in the unit(s) of measurement requested, the bidder must provide conversions to the requested unit(s) of measurement for all specifications.
5. All bidders must provide manufacturer warranty documentation for the strength equipment and must be, at a minimum, warrantied on-site as follows: 10 years structural frame; 2 years bearing and pulleys; 1 year all other parts including end caps, cables, selector pins, shrouds, weight stack

plates/components, seat adjustment mechanisms; 90 days grips, upholstery, and accessory bars/handles.

6. All selectorized and plate loaded strength equipment must be commercial grade and meet all ASTM safety standards for fitness equipment.
7. Structural Frames: Must be a minimum 11 gauge cold rolled 2x2inch steel tubing with a welded solid one-piece construction (minimum number of bolted joints). Steel round components such as handlebars, pull pins and other high stress areas must also be made of cold rolled steel.
8. Plate Storage: Olympic plate storage and loading pins must be a minimum of 1 1/2 inch round and made of 11-gauge steel with a rubber bumper at the base of each pin.
9. Finish: Powder coated in an industry standard color (i.e white, black or grey) with a hard and chip resistant surface.
10. Hardware: Minimum Grade 5 SAE bolts; higher where necessary as per load requirements.
11. Weight Stack Guide Rods: Minimum 1 inch thick solid steel, free-floating design so they will self-align during weight stack travel.
12. Weight Selector Pins: Solid steel pins, magnetized, permanently attached to stack via heavy duty lanyard or another mechanism.
13. Weight Stack Suspension: Heavy-duty rubber bumpers to reduce noise and vibration.
14. Weight Stack: Accessible from the exercise position with clearly visible labels indicating weight increments in pounds.
15. Bushings: Flanged bushings that extend past the top of each weight plate to prevent metal to metal contact between weight plates.
16. Bearings: Sealed bearings with a minimum load rating of 2000 pounds.
17. Weight Transport: Aircraft grade cables or Kevlar belts with minimum 2000 pound breaking strength; fiberglass reinforced nylon pulleys with double sealed bearing and crowned domes or custom-fit grooves to ensure proper tracking:-
18. Upholstery: Covers must be double stitched with non-folded corners.
19. Anchoring: Must have anchoring holes to secure unit to floor when necessary.

Individual Requirements

SelectORIZED Strength Equipment

1.0 Selectorized Seated Leg Press

Mandatory Requirements

1.1 Adjustable seat back

1.2 Stability handles

1.3 Minimum 300 lbs weight stack

Additional Specifications - Point Rated

1.4 Handle to assist entry/exit

1.5 350 lbs or more weight stack option

2.0 Selectorized Standing Calf

Mandatory Requirements.

2.1 Angled shoulder pads

2.2 Handgrips

2.3 Minimum 300 lbs weight stack

Additional Specifications - Point Rated

2.4 Angled footpad

2.5 350 lbs or more weight stack option

3.0 Selectorized Seated Leg Extension

Mandatory Requirements

3.1 Adjustable seat back

3.2 Self-aligning roller pad

3.3 Minimum 200 lbs weight stack

Additional Specifications - Point Rated

3.4 Spring loaded seat adjustment mechanism

3.5 250 lbs or more weight stack option

4.0 Selectorized Lying Leg Curl

Mandatory Requirements

4.1 Handgrips

4.2 Roller pad.

4.3 Hip pad

4.4 Chest or forearm pads

4.5 Minimum 200 lbs weight stack

Additional Specifications - Point Rated

4.6 Self-aligning roller pad

4.7 250 lbs or more weight stack option

5.0 Selectorized Seated Leg Curl

Mandatory Requirements

5.1 Adjustable seat back and thigh pad

5.2 Handgrips

5.3 Minimum 160 lbs weight stack

Additional Specifications - Point Rated

5.4 Self-aligning roller pad

5.5 200 lbs or more weight stack option

6.0 Seated Leg Extension/Leg Curl Combo

Mandatory Requirements

- 6.1 Dual function leg extension/leg curl
- 6.2 Adjustable seat back
- 6.3 Handgrips
- 6.4 Minimum 160 lbs weight stack

Additional Specifications - Point Rated

- 6.5 Self-aligning roller pad
- 6.6 200 lbs or more weight stack option

7.0 Combined Hip Abduction/Adduction

Mandatory Requirements

- 7.1 Dual function hip abduction/hip abduction
- 7.2 Adjustable seat back
- 7.3 Handgrips
- 7.4 Minimum 200 lbs weight stack

Additional Specifications - Point Rated

- 7.5 Exercise arms can be adjusted from the user position
- 7.6 250 lbs or more weight stack option

8.0 Selectorized Glute

Mandatory Requirements

- 8.1 Adjustable abdominal pad
- 8.2 Angled handgrips
- 8.3 Forearm pads
- 8.4 Minimum 160 lbs weight stack

Additional Specifications - Point Rated

- 8.5 Counterbalanced lever arm to provide low starting resistance
- 8.6 200 lbs or more weight stack option

9.0 Selectorized Seated Ab Crunch

Mandatory Requirements .

- 9.1 Minimum 200 lbs weight stack

10.0 Selectorized Seated Chest Press

Mandatory Requirements

- 10.1 Adjustable seat
- 10.2 Converging arm motion
- 10.3 Minimum 200 lbs weight stack

Additional Specifications - Point Rated

- 10.4 Counterbalanced independent lever arms to provide low starting resistance
- 10.5 Pre-stretch pedal/press arm
- 10.6 250lbs or more weight stack option

11.0 Selectorized Incline Chest Press

Mandatory Requirements

- 11.1 Adjustable seat

11.2 Converging arm motion

11.3 Minimum 200 lbs weight stack

Additional Specifications - Point Rated

11.4 Counterbalanced independent lever arms to provide low starting resistance

11.5 Pre-stretch pedal/press arm

11.6 250 lbs or more weight stack option

12.0 Selectorized Pec Fly/Rear Delt Combo

Mandatory Requirements

12.1. Dual function pec fly/rear delt

12.2 Adjustable seat

12.3 Independent exercise arms

12.4 Minimum 200 lbs weight stack

Additional Specifications - Point Rated

12.5 Multiple handgrip options

12.6 Multiple starting position adjustments on overhead cams

12.7 250 lbs or more weight stack option

13.0 Selectorized Shoulder Press

Mandatory Requirements

13.1 Adjustable seat

13.2 Converging arm motion

13.3 Minimum 200 lbs weight stack

Additional Specifications - Point Rated

13.4 Counterbalanced independent lever arms to provide low starting resistance

13.5 Pre-stretch pedal/press arm

13.6 250 lbs or more weight stack option

14.0 Selectorized row

Mandatory Requirements

14.1 Handles that allow pronated, supinated and neutral grip positions

14.2 Adjustable seat

14.3 Diverging arm motion

14.4 Minimum 200lbs weight stack

Additional Specifications - Point Rated

14.5 Rotating handles

14.6 Independent lever arms

14.7 250 lbs or more weight stack option

15.0 Selectorized Assisted Chin/Dip

Mandatory Requirements

15.1 Adjustable footplate that allows for assisted and unassisted chin-ups and dips

15.2 Multiple handgrips

15.3 Minimum 200 lbs weight stack

Additional Specifications - Point Rated

15.4 Multiple handgrip options

15.5 250 lbs or more weight stack option

16.0 Selectorized Tricep Extension

Mandatory Requirements

- 16.1 Adjustable seat and back pad
- 16.2 Minimum 160 lbs weight stack

Additional Specifications

- 16.3 Cambered bar or multiple handles to provide different grip
- 16.4 200 lbs or more weight stack option

17.0 Selectorized Seated Biceps Curl

Mandatory Requirements

- 17.1 .Adjustable seat and sternum pad
- 17.2 Self-aligning lever arms.
- 17.3 Variable resistance cam
- 17.4 Minimum 160 lbs weight stack

Additional Specifications - Point Rated

- 17.5 Counterbalanced independent lever arms to provide low starting resistance
- 17.6 200 lbs or more weight stack

18.0 Selectorized 8-stack multi-station

Mandatory Requirements

- 18.1 Minimum 3 adjustable pulleys (full height of tower)
- 18.2 1 tricep extension pulley
- 18.3 2 lat pull down
- 18.4 2 hi/low row
- 18.5 Chin-up bar
- 18.6 Maximum distance of 165 inches between the two towers
- 18.7 Minimum 8 weight stacks; 1 x minimum 150 lbs; 3 x minimum 200 lbs; 4 x minimum 300 lbs

Additional Specifications - Point Rated

- 18.8 Customizable design .
- 18.9 Additional attachments/accessories included

19.0 Functional Trainer

Mandatory Requirements

- 19.1 Integrated chin-up bar with multiple grip options
- 19.2 Integrated storage for attachments/accessories
- 19.3 Minimum 4:1 pulley/lifting ratio
- 19.4 Minimum 11 foot cable travel
- 19.5 Minimum 50 inches between pulleys
- 19.6 Minimum 2 x 350 lbs weight stacks

Additional Specifications - Point Rated

- 19.7 Accessories included
- 19.8 Over 12 feet
- 19.9 375 lbs or more weight stack option

Plate Loaded Strength Equipment

20.0 Plate Loaded Leg Press

Mandatory Requirements

- 20.1 Adjustable seat back
- 20.2 Racking safety mechanism that disengages automatically when user starts exercise
- 20.3 Minimum 2 plate storage horns.

Additional Specifications - Point Rated

- 20.4 Grab bars on foot plate for easy entry/exit
- 20.5 More than 2 plate storage horns

21.0 Smith Machine

Mandatory Requirements

- 21.1 Minimum 1 inch solid steel guide rods
- 21.2 Minimum 6 plate storage horns

Additional Specifications - Point Rated.

- 21.3 Min 1500 lbs test Olympic Bar
- 21.4 More than 6 plate storage horns

22.0 Plate Loaded Seated Calf Raise

Mandatory Requirement

- 22.1 Adjustable thigh pad

Additional Specifications - Point Rated

- 22.2 Grab bar(s) on thigh pad for easy entry/exit
- 22.3 Plate storage horn(s)

23.0 Plate Loaded Incline Chest Press

Mandatory Requirements

- 23.1 Adjustable seat
- 23.2 Independent lever arms with converging arm motion

Additional Specifications - Point Rated

- 23.3 Multiple handgrips
- 23.4 Plate storage horns

24.0 Plate Loaded Shoulder Press

Mandatory Requirements

- 24.1 Adjustable seat
- 24.2 Independent lever arms with converging arm motion

Additional Specifications - Point Rated

- 24.3 Multiple handgrips
- 24.4 Plate storage horns

25.0 Incline T-Bar Row

Mandatory Requirements

- 25.1 Multiple handgrips

Additional Specifications - Point Rated

- 25.2 Chest pad
- 25.3 Adjustable seat
- 25.4 Plate storage horn(s)

Racks, Benches and Other Pieces**26.0 Power Rack*****Mandatory Requirements***

- 26.1 Minimum 12 racking positions
- 26.2 Maximum 4 inch spacing between racking positions
- 26.3 Minimum 2 safety bar catches
- 26.4 Minimum 2 bar hooks
- 26.5 Minimum 1 integrated chin-up bar
- 26.6 Length maximum 80 inches
- 26.7 Width minimum 64 inches
- 26.8 Height minimum 90 inches
- 26.9 Minimum 8 plate storage horns.

Additional Specifications - Point Rated

- 26.10 20 or more available adjustment points
- 26.11 Additional chin-up bar, lateral bar or other holds
- 26.12 Front racking option via pins/J-cups/V-ups/hooks
- 26.13 2 lateral bars (in addition to safety bar catches)
- 26.14 Olympic bar holder(s)
- 26.15 Resistance band and/or chain attachments
- 26.16 Spotter platforms
- 26.17 More than 8 plate storage horns

27.0 Half Rack***Mandatory Requirements***

- 27.1 Minimum 12 racking positions
- 27.2 Maximum 4 inch spacing between racking positions
- 27.3 Minimum 2 safety bar catches
- 27.4 Minimum 2 bar hooks
- 27.5 Length maximum 72 inches
- 27.6 Width minimum 64 inches
- 27.7 Height minimum 90 inches
- 27.8 Minimum 8 plate storage horns

Additional Specifications - Point Rated

- 27.9 Integrated chin-up bar
- 27.10 Olympic bar holder(s)
- 27.11 Resistance band and/or chain attachments
- 27.12 More than 8 plate storage horns

28.0 Standing Leg Raise***Mandatory Requirements***

- 28.1 Angled forearm pads
- 28.2 Extra handgrips for dips

29.0 Incline Hyper Extension***Mandatory Requirements***

29.1 Adjustable thigh pad assembly to accommodate various user heights

29.2 Minimum 2 handgrips

Additional Specifications - Point Rated

29.3 Adjustable incline

29.4 Angled thigh pad

30.0 Olympic Bench Press

Mandatory Requirements

30.1 Minimum 2 racking positions

30.2 Minimum 4 plate storage horns

Additional Specifications - Point Rated

30.3 Pivoting spotter starting mechanism

30.4 More than 4 plate storage horns

31.0 3-way Olympic bench

Mandatory Requirements

31.1 Minimum 2 racking positions

31.2 Adjustable back rest from min -10 degree decline to min 30 degrees incline

31.3 Adjustable seat

31.4 Weight minimum 6 plate storage horns .

Additional Specifications - Point Rated

31.5 Dual position foot rests

31.6 More than 6 plate storage horns

32.0 Seated Preacher Curl

Mandatory Requirements

32.1 Adjustable seat

32.2 Angled and vertical curling surfaces

32.3 Bar supports

Additional Specifications - Point Rated

32.4 Angled seat

32.5 Plate storage horn(s)

33.0 Adjustable Bench - Flat/Incline/Upright

Mandatory Requirements

33.1 Adjustable from flat (0 degrees) to minimum 80 degrees upright

Additional Specifications - Point Rated

33.2 Wheels for easy transport

34.0 Adjustable Bench - Decline/Flat/Incline

Mandatory Requirements

34.1 Adjustable from minimum -10 degree decline to minimum 75 degree incline

Additional Specifications - Point Rated

34.2 Wheels for easy transport

35.0 Adjustable Sit-up Bench

Mandatory Requirements

35.1 Adjustable to minimum -30 degrees

35.2 Handle bar to facilitate entry and exit

Solicitation No. - N° de l'invitation

W0100-16C089

Client Ref. No. - N° de réf. du client

W0100-16-C089

Amd. No. - N° de la modif.

File No. - N° du dossier
HAL-5-75179

Buyer ID - Id de l'acheteur

HAL219

CCC No./N° CCC - FMS No./N° VME

Additional Specifications - Point Rated

35.3 Adjustable to more than -30 degrees

36.0 Dumbbell Rack

Mandatory Requirements

36.1 3 tier

36.2 Minimum 15 pair

36.3 Angled for easy loading

36.4 Saddle design

Solicitation No. - N° de l'invitation

W0100-16C089

Client Ref. No. - N° de réf. du client

W0100-16-C089

Amd. No. - N° de la modif.

File No. - N° du dossier
HAL-5-75179

Buyer ID - Id de l'acheteur

HAL219

CCC No./N° CCC - FMS No./N° VME

ANNEX 'B'

BASIS OF PAYMENT

Prices must be quoted in Canadian dollars, FOB Destination. Customs duties are included and Applicable Taxes are extra

Item #	Description	Delivery Locations Quantity			Total	Price Per Unit	Extended Price
		STAD	DKYD	SWTR			
1.	Selectorized Seated Leg Press	1		1	2		
2.	Selectorized Standing Calf			1	1		
3.	Selectorized Seated Leg Extension	1		1	2		
4.	Selectorized Lying Leg Curl	1		1	2		
5.	Selectorized Seated Leg Curl	1		1	2		
6.	Seated Leg Extension/Leg Curl Combo		1		1		
7.	Combined Hip Abduction/Adduction	1	1	1	3		
8.	Selectorized Glute	1		1	2		
9.	Selectorized Seated Ab Crunch	1			1		
10.	Selectorized Seated Chest Press	1	1	1	3		
11.	Selectorized Incline Chest Press		1		1		
12.	Selectorized Pec Fly/Rear Delt Combo	1		1	2		
13.	Selectorized Shoulder Press	1	1	1	3		
14.	Selectorized Row		1		1		
15.	Selectorized Assisted Chin/Dip	1	1	1	3		
16.	Selectorized Tricep Extension	1	1	1	3		
17.	Selectorized Seated Biceps Curl	1	1	1	3		
18.	Selectorized 8-Stack Multi-			1	1		

	Station						
19.	Functional Trainer	1			1		
20.	Plate Loaded Leg Press	1			1		
21.	Smith Machine	1	1		2		
22.	Plate Loaded Seated Calf Raise	1	1	1	3		
23.	Plate Loaded Incline Chest Press	1			1		
24.	Plate Loaded Shoulder Press	1			1		
25.	Incline T-bar Row	1			1		
26.	Power Rack	1	1		2		
27.	Half Rack	1		1	2		
28.	Standing Leg Raise	1	1		2		
29.	Incline Hyper Extension	1		1	2		
30.	Olympic Bench Press	2			2		
31.	3-Way Olympic Bench			2	2		
32.	Seated Preacher Curl	1			1		
33.	Adjustable Bench – Flat/Incline/Upright	2	2	4	8		
34.	Adjustable Bench – Decline/Flat/Incline	2		1	3		
35.	Adjustable Sit-up	2		1	3		
36.	Dumbbell Rack			4	4		
TOTAL		33	15	29	77		\$

ANNEX C

POINT VALUES FOR BID EVALUATION

ADDITIONAL SPECIFICATIONS			Points	Totals
1	Selectorized Seated Leg Press			
	Specific	Handle to assist entry/exit	0.5	1.5
	Weight	350 lbs or more weight stack option	1	
2	Selectorized Weighted Calf			
	Specific	Angled foot pad	0.5	1.5
	Weight	350 lbs or more weight stack option	1	
3	Selectorized Seated Leg Extension			
	Specific	Spring loaded seat adjustment mechanism	0.5	1.5
	Weight	250 lbs or more weight stack option	1	
4	Selectorized Lying Leg Curl			
	Specific	Self-aligning roller pad	0.5	1.5
	Weight	250 lbs or more weight stack options	1	
5	Selectorized Seated Leg Curl			
	Specific	Self-aligning roller pad	0.5	1.5
	Weight	200 lbs or more weight stack option	1	
6	Seated Leg Extension/Leg Curl Combo			
	Specific	Self-aligning roller pad	0.5	1.5
	Weight	200 lbs or more weight stack option	1	
7	Combined Hip Abduction/Adduction			
	Specific	Exercise arms can be adjusted from the user position	0.5	1.5
	Weight	250 lbs or more weight stack option	1	
8	Selectorized Glute			
	Specific	Counterbalanced lever arm to provide low starting resistance	0.5	1.5
	Weight	200 lbs. or more weight stack option	1	
9	Selectorized Seated Ab Crunch			
	Specific	N/A	0	0
	Weight	N/A	0	
10	Selectorized Seated Chest Press			
	Specific	Counterbalanced independent lever arms to provide low starting resistance	1	2.5
		Pre-stretch pedal/press arm	0.5	
	Weight	250 lbs. or more weight stack option	1	
11	Selectorized Incline Chest Press			
	Specific	Counterbalanced independent lever arms to provide low starting resistance	1	2.5

		Pre-stretch pedal/press arm	0.5	2
	Weight	250 lbs or more weight stack option	1	
12	Selectorized Pec Fly/Rear Delt Combo			
	Specific	Multiple handgrip options	0.5	2
		Multiple starting position adjustments on overhead cams	0.5	
	Weight	250 lbs or more weight stack option	1	
13	Selectorized Shoulder Press			
	Specific	Counterbalanced independent lever arms to provide low starting resistance	1	2.5
		Pre-stretch pedal/press arm	0.5	
	Weight	250 lbs or more weight stack option	1	
14	Selectorized Row			
	Specific	Rotating handles	0.5	2
		Independent lever arms	0.5	
	Weight	250 lbs or more weight stack option	1	
15	Selectorized Assisted Chin/Dip			
	Specific	Multiple handgrip options	0.5	1.5
	Weight	250 lbs or more weight stack option		
16	Selectorized Tricep Extension			
	Specific	Cambered bar or multiple handles to provide different grip	0.5	1.5
	Weight	200 lbs or more weight stack option	1	
17	Selectorized Seated Biceps Curl			
	Specific	Counterbalanced independent lever arms to provide low starting resistance	1	1.5
	Weight	200 lbs or more weight stack	0.5	
18	Selectorized 8-Stack Multi-station			
	Specific	Customizable design	1	1.5
	Weight	Additional attachments/accessories included	0.5	
19	Functional Trainer			
	Specifics	Accessories included	1	3
	Cables	Over 12 Feet	1	
	Weight	375 lbs or more weight stack option	1	
Plate Loaded Strength Equipment				
20	Plate Loaded Leg Press			
	Specific	Grab bar(s) on foot plate for easy entry/exit	0.5	1.5
	Weight	More than 2 plate storage horns	1	
21	Smith Machine			
	Specific	Min 1500 lbs test Olympic bar	0.5	1.5
	Weight	More than 6 plate storage horns	1	
22	Plate Loaded Seated Calf Raise			
	Specific	Grab bar(s) on thigh pad for easy entry/exit	0.5	1

	Weight	Plate storage horn(s)	0.5	
23	Plate Loaded Incline Chest Press			
	Specific	Multiple handgrips	0.5	1.5
	Weight	Plate storage horns	1	
24	Plate Loaded Shoulder Press			
	Specific	Multiple handgrips	0.5	1.5
	Weight	Plate storage horns	1	
25	Incline T-Bar Row			
	Specific	Chest pad	0.5	2
		Adjustable Seat	0.5	
	Weight	Plate storage horn(s)	1	
26	Power Rack			
	Specific	20 or more available adjustment points	1	5
		Additional chin-up bar, lateral bar or other holds	0.5	
		Front racking option via pins/J-cups/V-cups/hooks	0.5	
		2 lateral bars (in addition to safety bar catches)	0.5	
		Olympic bar holder(s)	0.5	
		Resistance band and/or chain attachments	0.5	
	Weight	More than 8 plate storage horns	1	
27	Half Rack			
	Specific	Integrated chin-up bar	0.5	2.5
		Olympic bar holder(s)	0.5	
		Resistance band and/or chain attachments	0.5	
	Weight	More than 8 plate storage horns	1	
28	Standing Leg Raise			
	Specific	N/A	0	0
29	Incline Hyper Extension			
	Specific	Adjustable incline	0.5	1
		Angled thigh pad	0.5	
30	Olympic Bench Press			
	Specific	Pivoting spotter starting mechanism	0.5	1
	Weight	More than 4 plate storage horns	0.5	
31	3-Way Olympic Bench			
	Specific	Dual position foot rests	0.5	1
	Weight	More than 6 plate storage horns	0.5	
32	Seated Preacher Curl			
	Specific	Angled Seat	0.5	1
	Weight	Plate storage horn(s)	0.5	

Solicitation No. - N° de l'invitation

W0100-16C089

Client Ref. No. - N° de réf. du client

W0100-16-C089

Amd. No. - N° de la modif.

File No. - N° du dossier

HAL-5-75179

Buyer ID - Id de l'acheteur

HAL219

CCC No./N° CCC - FMS No./N° VME

33	Adjustable Bench – Flat/Incline/Upright			
	Specific	Wheels for easy transport	1	1
34	Adjustable Bench – Decline/Flat/Incline			
	Specific	Wheels for easy transport	1	1
35	Adjustable Sit-up Bench			
	Specific	Adjustable to more than -30 degrees	1	1
36	Dumbbell Rack			
	Specific	N/A		
TOTALS			56	56

ANNEX D

BID EVALUATION CRITERIA

Technical Evaluation Scoring – 70%					Max
Requirement	10%	Amount:	Can provide 100% (36/36 pieces) of requested equipment in the quantities required.	7	7
			Can provide 90% (32/36 pieces) of requested equipment in the quantities required.	4	
Service	10%	Warranty, Parts and Service:	Service technician available to action repairs within 10 business days of request for service	5	7
			Technical support via phone, email or online chat within 48 hours of request	2	
Quality	80%	Quality:	Contains additional features, benefits and specifications as listed in Annex C.		56
Maximum Total Possible Points – Technical					70

Financial Evaluation Scoring – 30%					Max
Cost		Amount:	Lowest total price on all items requested	30	30
			2 nd lowest price on all items requested	20	
			3 rd lowest price on all items requested	10	
Maximum Total Possible Points – Financial					30
Maximum Total Possible Points – Overall					100

ANNEX E

LIST OF DIRECTORS

Bidders who are incorporated, including those bidding as a joint venture, must provide a complete list of names of all individuals who are currently directors of the Bidder.

Bidders bidding as sole proprietorship, as well as those bidding as a joint venture, must provide the name of the owner(s).

Bidders bidding as societies, firms or partnerships do not need to provide lists of names

Corporate Name: _____

Procurement Business Number (PBN) _____

Directors: (Please print clearly)

NAME	NAME