



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

**Bid Receiving - PWGSC / Réception des soumissions
- TPSGC**
11 Laurier St. / 11, rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Electrical & Electronics Products Division
11 Laurier St./11, rue Laurier
7B3, Place du Portage, Phase III
Gatineau, Québec K1A 0S5

Title - Sujet CABLE ASSEMBLY, RADIO FREQUENCY	
Solicitation No. - N° de l'invitation W8486-151995/A	Amendment No. - N° modif. 009
Client Reference No. - N° de référence du client W8486-151995	Date 2016-01-07
GETS Reference No. - N° de référence de SEAG PW-\$\$HN-313-68237	
File No. - N° de dossier hn313.W8486-151995	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2016-01-21	Time Zone Fuseau horaire Eastern Standard Time EST
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Kelly, Ruth	Buyer Id - Id de l'acheteur hn313
Telephone No. - N° de téléphone (819) 420-0343 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation
W8486-151995/A
Client Ref. No. - N° de réf. du client
W8486-151995

Amd. No. - N° de la modif.
009
File No. - N° du dossier
HN313.W8486-151995

Buyer ID - Id de l'acheteur
HN313
CCC No./N° CCC - FMS No./N° VME

Amendment No. 009 is raised to provide answers to the following questions:

Q1:

Drawing 0976367-1: 602-5063-10 DUST CAP AMPHENOL - Amphenol advise us that this is not a good part number – can you provide a part number for this item that would be recognized by Amphenol.

A1:

602-5063-10 is not used on 0976367-1

Q2:

Drawing 9376052-4: 9383343-1 COAX CONNECTOR – Other bidders have asked for info on this Part number (RFP amendments 4, 5, and 6). The answer provided was a drawing but it is of no help because the manufacturer is still not specified on the drawings bill of materials?

A2:

9383343-1 is to be manufactured using the drawing supplied.

Q3:

The THV-150 heatshrink called out on most of the drawings associated with this RFP is no longer procurable. It became obsolete in 2002.

We are seeking DND permission to quote heatshrink using M23053/18 Class 3 in the applicable sizes and colours.

A3:

The replacement is acceptable.

Solicitation No. - N° de l'invitation
W8486-151995/A
Client Ref. No. - N° de réf. du client
W8486-151995

Amd. No. - N° de la modif.
009
File No. - N° du dossier
HN313.W8486-151995

Buyer ID - Id de l'acheteur
HN313
CCC No./N° CCC - FMS No./N° VME

Q4: The following 6 component p/n are inactive and the supplier CANTWELL CULLEN decided not to quote. Please review and advise alternative part numbers and manufacturer names.

Assy P/N	Item	Comp P/N	Descriptions	Code	Manufacturer
9375965-41	8	3CTI-254700-10.0	Adapter LAN cable T-fitting	3AH16	CANTWELL CULLEN /Zodiac
9375965-41	8	3CTI-254700-10.0	Adapter LAN cable T-fitting	3AH16	CANTWELL CULLEN /Zodiac
9383397-2	4	3CTI-BWB-01-08	Adaptor backshell	3AH16	CANTWELL CULLEN /Zodiac
9383397-2	4	3CTI-BWB-01-08	Adaptor backshell	3AH16	CANTWELL CULLEN /Zodiac
9376056-19	4	3CTI-BWC-01-08	Adapter backshell 08	3AH16	CANTWELL CULLEN /Zodiac
9376070-3	12	3CTI-CJB-33C	Dust cap size 10	3AH16	CANTWELL CULLEN /Zodiac
9376070-3	12	3CTI-CJB-33C	Dust cap size 10	3AH16	CANTWELL CULLEN /Zodiac
9375915-19	8	3CTI-CWB-01-06	Adaptor backshell	3AH16	CANTWELL CULLEN /Zodiac
9375915-19	8	3CTI-CWB-01-06	Adaptor backshell	3AH16	CANTWELL CULLEN /Zodiac
9375915-24	8	3CTI-CWB-01-06	Adaptor backshell	3AH16	CANTWELL CULLEN /Zodiac
9375915-24	8	3CTI-CWB-01-06	Adaptor backshell	3AH16	CANTWELL CULLEN /Zodiac
9375915-30	8	3CTI-CWB-01-06	Adaptor backshell	3AH16	CANTWELL CULLEN /Zodiac
9375915-30	8	3CTI-CWB-01-06	Adaptor backshell	3AH16	CANTWELL CULLEN /Zodiac
9376070-3	4	3CTI-CWB-01-06	Adaptor backshell	3AH16	CANTWELL CULLEN /Zodiac
9376070-3	4	3CTI-CWB-01-06	Adaptor backshell	3AH16	CANTWELL CULLEN /Zodiac
9375914-17	10	3CTI-CWB-01-06	Adaptor backshell	3AH16	CANTWELL CULLEN /Zodiac
9375914-17	10	3CTI-CWB-01-06	Adaptor backshell	3AH16	CANTWELL CULLEN /Zodiac
9375915-58	8	3CTI-CWB-01-06	Adaptor backshell	3AH16	CANTWELL CULLEN /Zodiac
9375915-44	8	3CTI-CWB-01-06	Adaptor backshell	3AH16	CANTWELL CULLEN /Zodiac
9375914-9	10	3CTI-CWB-01-06	Adaptor backshell	3AH16	CANTWELL CULLEN /Zodiac
9375912-11	13	3CTI-CWD-01-06	Adaptor backshell	3AH16	CANTWELL CULLEN /Zodiac

Solicitation No. - N° de l'invitation
W8486-151995/A
Client Ref. No. - N° de réf. du client
W8486-151995

Amd. No. - N° de la modif.
009
File No. - N° du dossier
HN313.W8486-151995

Buyer ID - Id de l'acheteur
HN313
CCC No./N° CCC - FMS No./N° VME

A4:

Alternate part numbers have been added to the list.

Assy P/N	Item	Comp P/N	Descriptions	Cod e	Manufacturer	Alternate Part number	Manufactu rer
937596 5-41	8	3CTI- 254700-10.0	Adapter LAN cable T-fitting	3AH 16	CANTWELL CULLEN /Zodiac	902-077R1000	Electro Adapter
937596 5-41	8	3CTI- 254700-10.0	Adapter LAN cable T-fitting	3AH 16	CANTWELL CULLEN /Zodiac	902-077R1000	Electro Adapter
938339 7-2	4	3CTI-BWB- 01-08	Adaptor backshell	3AH 16	CANTWELL CULLEN /Zodiac	901- 57740S1008	Electro Adapter
938339 7-2	4	3CTI-BWB- 01-08	Adaptor backshell	3AH 16	CANTWELL CULLEN /Zodiac	901- 57740S1008	Electro Adapter
937605 6-19	4	3CTI-BWC- 01-08	Adapter backshell 08	3AH 16	CANTWELL CULLEN /Zodiac	901- 57740S1008	Electro Adapter
937607 0-3	12	3CTI-CJB- 33C	Dust cap size 10	3AH 16	CANTWELL CULLEN /Zodiac	MS3181- 10RAL-5.0	GlenAir
937607 0-3	12	3CTI-CJB- 33C	Dust cap size 10	3AH 16	CANTWELL CULLEN /Zodiac	MS3181- 10RAL-5.0	GlenAir
937591 5-19	8	3CTI-CWB- 01-06	Adaptor backshell	3AH 16	CANTWELL CULLEN /Zodiac	901- 578S1006155	Electro Adapter
937591 5-19	8	3CTI-CWB- 01-06	Adaptor backshell	3AH 16	CANTWELL CULLEN /Zodiac	901- 578S1006155	Electro Adapter
937591 5-24	8	3CTI-CWB- 01-06	Adaptor backshell	3AH 16	CANTWELL CULLEN /Zodiac	901- 578S1006155	Electro Adapter
937591 5-24	8	3CTI-CWB- 01-06	Adaptor backshell	3AH 16	CANTWELL CULLEN /Zodiac	901- 578S1006155	Electro Adapter
937591 5-30	8	3CTI-CWB- 01-06	Adaptor backshell	3AH 16	CANTWELL CULLEN /Zodiac	901- 578S1006155	Electro Adapter
937591 5-30	8	3CTI-CWB- 01-06	Adaptor backshell	3AH 16	CANTWELL CULLEN /Zodiac	901- 578S1006155	Electro Adapter
937607 0-3	4	3CTI-CWB- 01-06	Adaptor backshell	3AH 16	CANTWELL CULLEN /Zodiac	901- 578S1006155	Electro Adapter
937607 0-3	4	3CTI-CWB- 01-06	Adaptor backshell	3AH 16	CANTWELL CULLEN /Zodiac	901- 578S1006155	Electro Adapter
937591 4-17	10	3CTI-CWB- 01-06	Adaptor backshell	3AH 16	CANTWELL CULLEN /Zodiac	901- 578S1006155	Electro Adapter
937591 4-17	10	3CTI-CWB- 01-06	Adaptor backshell	3AH 16	CANTWELL CULLEN /Zodiac	901- 578S1006155	Electro Adapter
937591 5-58	8	3CTI-CWB- 01-06	Adaptor backshell	3AH 16	CANTWELL CULLEN /Zodiac	901- 578S1006155	Electro Adapter
937591 5-44	8	3CTI-CWB- 01-06	Adaptor backshell	3AH 16	CANTWELL CULLEN /Zodiac	901- 578S1006155	Electro Adapter
937591 4-9	10	3CTI-CWB- 01-06	Adaptor backshell	3AH 16	CANTWELL CULLEN /Zodiac	901- 578S1006155	Electro Adapter
937591 2-11	13	3CTI-CWD- 01-06	Adaptor backshell	3AH 16	CANTWELL CULLEN /Zodiac	901- 578S1006155	Electro Adapter

Q5:

The **contact information** for the supplier "DIRECTOR GENERAL LAND EQUIPMENT PROGRAM MANAGEMENT"?

Assy P/N	Item	Comp P/N	Descriptions	Code	Manufacturer
9376052-4	6	9383343-1	Adapter Coax Connector	35907	DIRECTOR GENERAL LAND EQUIPMENT PROGRAM MANAGEMENT

A5:

9383343-1 Drawing has been supplied to PWGSC and the part must be made in accordance to this drawing by the cable manufacturer.

This part is not supplied by the government.

Q6:

The spec of 3M part THV-150 (multiple sizes 12.7, 19.1, 25.4 and 9.5 in clear color)? or the alternative part numbers and manufacturer name? They are not available on website and seems like it is inactive.

A6:

Alternate part numbers are supplied

	THV-150,9.5,CLR	Insulation	U6293	3M C/O CALGARY FASTENERS	M23053/4-202-C	MILITARY SPECIFICATIONS
	THV-150,12.7,CLR	Insulation	U6293	3M C/O CALGARY FASTENERS	M23053/4-203-C	MILITARY SPECIFICATIONS
	THV-150,19.1,CLR	Insulation	U6293	3M C/O CALGARY FASTENERS	M23053/4-204-C	MILITARY SPECIFICATIONS
	THV-150,25.4,CLR	Insulation	U6293	3M C/O CALGARY FASTENERS	M23053/4-205-C	MILITARY SPECIFICATIONS

Q7:

Seems like the p/n MS3471W10-7SF is an invalid number, which doesn't exist with "F". Could you ask the customer to confirm? (note: quote for MS3471W10-7S were received)

Please see attached spec in page 110: <http://www.conesys.com/catalogs/aero-electric/MIL-DTL-26482%20Series%202.pdf>

A7:

MS3471W10-7S should work in this case.

ALL OTHER TERMS AND CONDITIONS OF THE ORIGINAL RFP REMAIN UNCHANGED.