



- KEYED NOTES & LEGENDS:
- 1- 505X581mm OPENING IN CONCRETE FLOOR FOR 480X556mm GALVANIZED AIR SUPPLY DUCT FROM EVAPORATIVE COOLER LOCATED IN BASEMENT - COORDINATE WITH MECHANICAL (TYP.)
  - 2- 508X508mm OPENING IN CONCRETE FLOOR FOR FLOOR HATCH, TO BE FITTED WITH 25X50mm HSS HDG FRAME WITH HDG EXPANDED METAL 3/4 DIAMOND 10-13 AND 650X650mm HDG HINGED STEEL COVER PLATE (TYP.)
  - 3- (2) 60mm DIA HOLES IN CONCRETE SLAB FOR SUPPLY AND RETURN PIPES FOR THE UNIT HEATERS IN BASEMENT LEVEL
  - 4- 25X50mm HSS HDG FRAME SECURED TO CONCRETE FLOOR BY 8 TAPCONS
  - 5- 650X650mm HDG STEEL HINGED COVER
  - 6- HDG. EXPANDED METAL 3/4 DIAMOND 10-13, WELDED TO 20X50mm HDG HSS FRAME
  - 7- CONCRETE FLOOR, REFER TO STRUCTURAL DRAWINGS
  - 8- GALVANIZED AIR SUPPLY DUCT ELBOW 556mm WIDE, CONNECTED TO VERTICAL DUCT FROM EVAPORATIVE COOLER, LOCATED IN BASEMENT
  - 9- 38X38X3.2mm ALUM. ANGLE, FASTEN TO DUCT & TO CONCRETE FLOOR ALL AROUND AND CAULK
  - 10- 25X25X3.2mm ALUM. ANGLE, FASTEN TO DUCT & TO CONCRETE KNEE WALL ON BOTH SIDES AND CAULK
  - 11- CONCRETE KNEE WALL
  - 12- 581X 536mm OPENING IN CONCRETE KNEE WALL FOR DUCT PENETRATION
  - 13- ALUM. FLASHING & CAULKING
  - 14- ALUM. LOUVER 511X556mm
  - 15- BUG SCREEN 511X556X300mm DEEP c/w ALUM. FRAME, BOLT TO ALUM. LOUVER


LOCATION & SIZES OF MECH. OPENINGS  
SCALE: 1:50  
1 CH-15



FLOOR HATCH DETAIL  
2 CH-15



EVAPORATIVE COOLER DUCT TRANSITION  
3 CH-15



2	ISSUED FOR TENDER	9-10-15
1	ISSUED FOR 66% SUBMISSION	15-9-15
revisions		date
project	AAFC GREENHOUSE EXPANSION HARRINGTON RESEARCH FARM HARRINGTON, PEI	

GREENHOUSE LOCATIONS & SIZES OF MECHANICAL OPENINGS AND DETAILS

designed	AT	conçu
drawn	AE	dessiné
date	JULY 21, 2015	
approved	<i>[Signature]</i>	approuvé
date		
Tender	<i>[Signature]</i>	Submission
PWOSC Project Manager	<i>[Signature]</i>	Administrateur de projets TPSCC
project number	R.072545.001	no. du projet
drawing no.	GH-15	no. du dessin