



**NOTES:**

1. PROVIDE ALL MATERIAL AND LABOUR REQUIRED FOR THE COMPLETION OF THE WORK.
2. COORDINATE ALL WORK SHOWN ON THE STRUCTURAL SKETCH WITH ARCHITECTURAL, MECHANICAL, ELECTRICAL, ALL OTHER DISCIPLINES AND EXISTING CONDITIONS.
3. COMPLY WITH THE REQUIREMENTS OF THE 2012 ONTARIO BUILDING CODE IN FORCE AND THE OCCUPATIONAL HEALTH AND SAFETY ACT AND REGULATIONS FOR CONSTRUCTION PROJECTS.
4. STRUCTURAL STEEL MATERIALS
  - 4.1. ANGLES: CAN/CSA G40.21, GRADE 300W
  - 4.2. WELDING: CSA W59
5. APPLY PRIMER PAINT TO ALL STEELWORK, TOUCH UP PAINT AFTER ERECTION.

ISSUE	DESCRIPTION	DATE
01	ISSUED FOR ADDENDUM 1	2016-01-20



**ROOF REPLACEMENT - ANIMAL PATHOLOGY LAB**  
**110 STONE ROAD WEST, GUELPH, ON**

**REINFORCEMENT FOR NEW ROOF DECK OPENING**

2300-2300 YONGE ST., P.O. BOX 2385, TORONTO, ON CANADA M4P 1E4  
 PHONE: 416.487.5256 [www.wspgroup.ca](http://www.wspgroup.ca) FAX: 416.487.9766

Date:  
2015-12-10

Drawn by:  
DXC

Project No.

Drawing No.

Scale:  
NTS

Checked by:  
JXS

**151-61894-01**

**S-SK-1**