

1 REFLECTED CEILING PLAN – LEVEL FOUR

**REFLECTED CEILING LEGEND**

INDICATES EXISTING TBAR SYSTEM  
 CLEAN ALL TBAR AND REPAIR ALL VISIBLE DAMAGE, INCLUDING DAMAGE FROM DEMOLITION OF PARTITIONS. REPLACE ALL DAMAGED OR PUNCTURED OR MISSING TBAR SPINES TO MATCH EXISTING.  
 REMOVE ALL EXISTING CEILING TILE AND REPLACE WITH NEW AS SPECIFIED IN SPECIFICATIONS  
 \*CONTRACTOR IS RESPONSIBLE TO REVIEW TILE AND CONFIRM TILE IS COMPATIBLE WITH EXISTING GRID

INDICATES APPROXIMATE AREAS TO PROVIDE AND INSTALL NEW TBAR CEILING. HEIGHT TO MATCH EXISTING. REMOVE SUFFICIENT GRID TO TIE IN NEW GRID AT MAIN SUPPORTS. REPLACE IN FULL SECTIONS. PROVIDE ALL REQUIRED T-BAR GRID AND HANGERS. INSTALL NEW ACOUSTIC CEILING TILE TO MATCH NEW TILE NOTED ABOVE. PROVIDE ALL REQUIRED SUPPORT FOR NEW AND EXISTING CEILING AS REQUIRED.

- NOTES:**
1. REPAIR AND ADJUST EXISTING SUSPENDED T-BAR CEILING AS REQUIRED TO SUIT PARTITION LAYOUT.
  2. THE CONTRACTOR IS RESPONSIBLE TO CUT CEILING TILE TO FIT NEW SYSTEMS FURNITURE POLE POWERS / TOP FEEDS AFTER FURNITURE INSTALLATION AND ELECTRICAL CONNECTIONS ARE COMPLETE.
  3. THESE DRAWINGS TO BE READ IN CONJUNCTION WITH MECHANICAL AND ELECTRICAL DRAWINGS FOR ALL INFORMATION CONCERNING LIGHTING, ELECTRICAL, HVAC AND SPRINKLERS.


**FINISHES NOTES**

**FLOORING**  
 REMOVE ALL EXISTING FLOOR AND WALL BASE THROUGHOUT AREAS OF RENOVATIONS UNLESS NOTED OTHERWISE. REPAIR ALL DAMAGE TO FLOOR SLAB AND WALLS. SKIM FLOOR SMOOTH AND LEVEL AND PREP AS REQUIRED TO RECEIVE NEW PRODUCT AS PER SPECIFICATIONS. INSTALL NEW FLOORING AS PER PLAN.

W1 VINYL TILE – LUXURY VINYL TILE/PLANK AS PER SPECIFICATIONS  
 S1 SHEET LINOLEUM FLOORING AS PER SPECIFICATIONS

**WALLS & BULKHEADS**  
 SKIM ALL DRYWALL SURFACES TO A SMOOTH FINISH. APPLY NEW FINISHES AS SPECIFIED.

**DOORS & FRAMES**  
 ALL EXISTING AND NEW DOORS AND FRAMES THROUGHOUT AREA OF PROJECT ARE TO BE SANDED SMOOTH AND PREP FOR PAINT FINISH AS SPECIFIED



2 FINISH PLAN – LEVEL FOUR

**WINDOW COVERINGS**  
 EXISTING BLINDS TO BE REMOVED FROM ALL PERIMETER WINDOWS. WRAPPED AND STORED IN A SECURE AND CLEAN LOCATION DURING THE CONSTRUCTION. AT THE END OF THE PROJECT, BLINDS ARE TO BE PROFESSIONALLY CLEANING AND REINSTALLED. ENSURE ALL BLINDS ARE IN GOOD WORKING ORDER AND REPLACE / REPAIR ALL BLINDS AS REQUIRED.

SCALE : 1:100

0m 1m 2m 3m 4m 5m 6m 7m 8m 9m 10m

Public Works and Government Services Canada

Travaux Publics et Services gouvernementaux Canada

PARTIAL B.I.O. SITE MAP N.T.S.

MST – MAIN SERVICE TOWER  
 VESC – VULCAN EAST SERVICE CORRIDOR

consultant:

**trilogy**  
 interior design inc.

PO Box 321  
 Bedford Row  
 Halifax, Nova Scotia  
 Canada B3J 2N7

tel: 902 835-9333  
 fax: 902 835-9663

THESE DRAWINGS ARE TO BE USED SOLELY FOR THIS INTENDED PROJECT AND ARE NOT TO BE REPRODUCED OR USED FOR ANY OTHER PROJECT WITHOUT WRITTEN AUTHORIZATION DIRECTLY FROM TRILOGY INTERIOR DESIGN INC.  
 ©TRILOGY INTERIOR DESIGN 2015

revisions	date
00	UPDATED & ISSUED FOR TENDER 14JAN15
0	ISSUED FOR TENDER & CONSTRUCT 22DEC15
–	ISSUED FOR 99% REVIEW 04DEC15
–	ISSUED FOR 90% REVIEW 20NOV15

project

**POLARIS BUILDING RENOVATIONS**

BEDFORD INSTITUTE OCEANOGRAPHY  
 DARTMOUTH – NS

drawing

**LEVEL 4 REFLECTED CEILING PLAN AND FINISH PLAN**

designed	DH	conçu
date	NOV 2015	
drawn	TRI	dessiné
date	NOV 2015	
approved	JEFF HILCHEY	approuvé
date	JAN 04, 2016	
Tender	JEFF HILCHEY	Soumission
PWOSC Project Manager	Administrateur de projets TPSCG	JAN 04-16
project number		no. du projet

drawing no.

**A-8**

no. du dessin

E-DRM/GDD-E: #XXXXX