

LOCATION MAP N.T.S.

Coles Associates
 architecture, engineering, project management
 Charlottetown, P.E.I., Canada, C1A 7L3
 Phone (902) 368-2300 Fax (902) 566-3768
 www.colesassociates.com

LEGEND

- ⊕ POWER POLE
- ⊕ BH-01 BORE HOLE
- ⊕ SITE BM SITE BENCH MARK
- + 2.308 EXISTING ELEVATIONS
- + -1.175 SOUNDINGS



revisions	date
A	A detail no. no. du detail
C	B location drawing no. sur dessin no.
	C drawing no. dessin no.

project project

WHARF 410P CONSTRUCTION ANNANDALE HARBOUR KINGS COUNTY, PEI

drawing dessin

EXISTING SITE PLAN, BOREHOLE DATA AND SECTIONS

designed N.L. P.Eng. conceu

date 26 January 2016

drawn S.P.M. dessiné

date 26 January 2016

approved [Signature] approuvé

date [Signature] soumission

Tender [Signature] soumission

PWSC Project Manager / Administrateur de projets TPSGC

project number no. du projet

R.07727.001

drawing no. no. du dessin

M1 OF 6

BOREHOLE DATA



BH-01		BH-02	
CHART ELEV.	J.W.A. REPORT DEPTH	CHART ELEV.	J.W.A. REPORT DEPTH
-2.41m	0.00	-2.67m	0.00
-2.70m	0.29	-3.90m	1.23
-3.60m	1.19	-6.10m	3.43
-8.20m	5.79	-8.90m	6.23
-12.80m	10.39		

GROUND SURFACE

BH-01: 0 VELY LOOSE GREY SILTY SAND WITH ORGANICS; MARINE DEPOSIT; 7 LOOSE REDDISH BROWN SILTY SAND TO SAND WITH SILT; MARINE; 14; 21; 19; 19; 45; 31; 73; 905; 0% WEAK TO MEDIUM STRONG, VERY POOR TO POOR QUALITY, REDDISH BROWN, MEDIUM GRAINED, REDDISH BROWN, MEDIUM GRAINED, SLIGHTLY WEATHERED SANDSTONE; BEDROCK; EXTREMELY CLOSE TO CLOSE DISCONTINUITIES; 28%

BH-02: 2 LOOSE REDISH BROWN SILTY SAND TO SAND WITH SILT; MARINE DEPOSIT; 8; 15; 22; 12; 59; 55% WEAK TO STRONG, VERY POOR TO FAIR QUALITY, REDDISH BROWN, MEDIUM GRAINED, SLIGHTLY WEATHERED SANDSTONE; BEDROCK; EXTREMELY CLOSE TO CLOSE DISCONTINUITIES; 17%

BOREHOLES BH-01 TO BH-02 ARE PROVIDED BY STANTEC REPORT PROJECT NO. 3697 DATED AUGUST 6, 2015. REFER TO GEOTECHNICAL REPORT FOR ADDITIONAL INFORMATION.



PLAN - EXISTING SITE PLAN
 SCALE: 1:250
 M1/M1

