


# FACILITY BUILDING INTERIOR RENOVATIONS ROCKY MOUNTAIN HOUSE, ALBERTA TENDER

THIS DRAWING MUST NOT BE SCALED.  
THE GENERAL CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATUMS AND LEVELS PRIOR TO COMMENCEMENT OF WORK AND IS HELD RESPONSIBLE FOR REPORTING ANY DISCREPANCY OR OMISSION TO CANTEC SERVICES LTD. IMMEDIATELY.  
THIS DRAWING IS THE EXCLUSIVE PROPERTY OF CANTEC SERVICES LTD. AND CAN BE REPRODUCED ONLY WITH THE PERMISSION OF CANTEC SERVICES LTD. IN WHICH CASE THE REPRODUCTION MUST BEAR THEIR NAME AS THE ENGINEERING/DRAFTING FIRM.

1983 MAIN STREET, WINNIPEG, MANITOBA, THE (204) 943-7252 Fax: (204) 947-2717  
http://www.cantecservices.com



ISSUED FOR TENDER 10/22/15  
ISSUED FOR 90% REVIEW 10/27/15  
ISSUED FOR 50% REVIEW 14/03/16  
DATE (YYYYMMDD) | REV.#

SEALED BY:

DRAWING LIST	CONSULTANT LIST	DRAWING SYMBOLS	ABBREVIATION LIST																																																																																																																																																																																																																																																																																																																																																																								
<p><b>DRAWING LIST</b></p> <p><b>ARCHITECTURAL</b></p> <p>A0.0 TITLE PAGE A1.0 MAIN FLOOR PLAN - DEMOLITION A2.0 MAIN FLOOR PLAN - RENOVATION A5.0 INTERIOR ELEVATIONS A6.0 MAIN FLOOR PLAN - REFLECTED CEILING</p> <p><b>MECHANICAL</b></p> <p>M1.0 MAIN FLOOR PLAN PLUMBING M2.0 MAIN FLOOR PLAN HVAC</p> <p><b>ELECTRICAL</b></p> <p>E1.0 ELECTRICAL DEMOLITION PLAN E2.0 MAIN FLOOR PLAN - RENOVATION</p>	<p>PRIME CONSULTANT:</p> <p>ENGINEERING AND DRAFTING 1983 MAIN STREET, WINNIPEG, MANITOBA THE (204) 943-7252 Fax: (204) 947-2717</p> <p>MECHANICAL ENGINEERING:</p> <p>ENGINEERING AND DRAFTING 1983 MAIN STREET, WINNIPEG, MANITOBA THE (204) 943-7252 Fax: (204) 947-2717</p> <p>ELECTRICAL ENGINEERING:</p> <p><b>JOREY ELECTRIC</b> Engineering Consultants</p> <p>6-1375 Niakwa Road E Telephone: (204) 255-4842 Winnipeg, Manitoba Facsimile: (204) 255-7679 Canada, R2J 3T3 E-mail: info@joreyelectric.com</p>	<p><b>DRAWING SYMBOLS</b></p> <p>1 → NUMBERED NOTE ↓ WINDOW NUMBER W# R# WALL / ROOF IDENTIFIER D# DOOR NUMBER</p> <p>⊕ X A#.# DETAIL SECTION ⊕ X A#.# DETAIL NUMBER ⊕ X A#.# SHEET SECTION LOCATED ⊕ X A#.# ELEVATION IDENTIFIER ⊕ X A#.# DETAIL NUMBER ⊕ X A#.# SHEET ELEVATION LOCATED ⊕ A#.# DETAIL MARKER (SEE SPECIFICATION BOOK)</p> <p>⊕ GRID LINES</p> <p>⊕ DETAIL MARKER</p> <p>ELEVATION MARKER</p> <p>## ROOM NUMBER MARKER</p> <p>⊕ X A#.# A#.# DETAIL IDENTIFICATION ⊕ X A#.# A#.# DETAIL NUMBER ⊕ X A#.# A#.# CURRENT SHEET ⊕ X A#.# A#.# PAGE ORIENTATION</p>	<p><b>ABBREVIATION LIST</b></p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <tr><td>ACOUSTIC</td><td>ACST</td><td>DRYWALL</td><td>DW</td><td>LAVATORY</td><td>LAV</td><td>ROOM</td><td>RM</td></tr> <tr><td>ADHESIVE</td><td>ADH</td><td>EACH</td><td>EA</td><td>LAY-IN ACOUSTIC TILE</td><td>LAT</td><td>ROUGH OPENING</td><td>RO</td></tr> <tr><td>ADJUSTABLE</td><td>ADJ</td><td>EACH WAY</td><td>EW</td><td>LEFT HAND</td><td>LH</td><td>RUBBER</td><td>RB</td></tr> <tr><td>AGGREGATE</td><td>AGGR</td><td>EAST</td><td>E</td><td>LEFT HAND REVERSE</td><td>LHR</td><td>RVT</td><td>RESILIENT SHEET FLOORING</td></tr> <tr><td>AIR VAPOUR BARRIER</td><td>AVB</td><td>ELECTRICAL</td><td>ELEC</td><td>LENGTH</td><td>LG</td><td>SCHEDULE</td><td>SCHED</td></tr> <tr><td>ALTERNATE</td><td>ALT</td><td>ELEVATION</td><td>EL</td><td>LIGHT</td><td>LT</td><td>SCREW</td><td>SCR</td></tr> <tr><td>ALUMINIUM</td><td>ALUM</td><td>ELEVATOR</td><td>ELEV</td><td>LOUVRE</td><td>LVR</td><td>SECTION</td><td>SECT</td></tr> <tr><td>APARTMENT</td><td>APT</td><td>EPOXY</td><td>EP</td><td>MANUFACTURE</td><td>MFG</td><td>SELF ADHESIVE</td><td>SA</td></tr> <tr><td>APPROXIMATE</td><td>APPROX</td><td>EQUAL</td><td>EQ</td><td>MARK</td><td>MK</td><td>SHEATHING</td><td>SHTG</td></tr> <tr><td>ARCHITECTURE</td><td>ARCH</td><td>EQUALLY SPACED</td><td>EQ SP</td><td>MASONRY OPENING</td><td>MO</td><td>SHEET</td><td>SHT</td></tr> <tr><td>BEAM</td><td>BM</td><td>EQUIPMENT</td><td>EQUIP</td><td>MATERIAL</td><td>MAT</td><td>SHEET VINYL</td><td>SV</td></tr> <tr><td>BENCH MARK</td><td>BM</td><td>EXISTING</td><td>EXIST</td><td>MECHANICAL</td><td>MECH</td><td>SIMILAR</td><td>SIM</td></tr> <tr><td>BETWEEN</td><td>BTWN</td><td>EXPANSION</td><td>EXP</td><td>MINIMUM</td><td>MIN</td><td>SOLID CORE</td><td>SC</td></tr> <tr><td>BLOCK</td><td>BLK</td><td>EXTERIOR</td><td>EXT</td><td>MISCELLANEOUS</td><td>MISC</td><td>SOUTH</td><td>S</td></tr> <tr><td>BOARD</td><td>BD</td><td>EXTRUDE</td><td>EXTR</td><td>NEAR FACE</td><td>NF</td><td>SPECIFICATION</td><td>SPEC</td></tr> <tr><td>BOTH SIDES</td><td>BS</td><td>FACE TO FACE</td><td>F/F</td><td>NEAR SIDE</td><td>NS</td><td>SPRUCE</td><td>SPR</td></tr> <tr><td>BOTH WAYS</td><td>BW</td><td>FAR SIDE</td><td>FS</td><td>NORTH</td><td>N</td><td>SPRUCE, PINE OR FIR</td><td>S/P/F</td></tr> <tr><td>BOTTOM</td><td>BOT</td><td>FIBREBOARD</td><td>FBRBD</td><td>NOT APPLICABLE</td><td>N/A</td><td>STAIN</td><td>ST</td></tr> <tr><td>BUILDING</td><td>BLDG</td><td>FINISH</td><td>FIN</td><td>NOT IN CONTRACT</td><td>NIC</td><td>STAINLESS STEEL</td><td>SS</td></tr> <tr><td>CARPET</td><td>CPT</td><td>FLOOR</td><td>FL</td><td>NOT TO SCALE</td><td>NTS</td><td>STANDARD</td><td>STD</td></tr> <tr><td>CAST IRON</td><td>CI</td><td>FLOOR DRAIN</td><td>FD</td><td>NUMBER</td><td>NO</td><td>STEEL</td><td>STL</td></tr> <tr><td>CEILING</td><td>CLG</td><td>FLOORING</td><td>FLG</td><td>ON CENTRE</td><td>O/C</td><td>STRUCTURAL</td><td>STRUCT</td></tr> <tr><td>CEMENT BOARD</td><td>CB</td><td>FLUORESCENT</td><td>FLR</td><td>OUT TO OUT</td><td>O/O</td><td>SQUARE FEET</td><td>SF</td></tr> <tr><td>CENTRE</td><td>CTR</td><td>FOOTING</td><td>FTG</td><td>OUTSIDE DIAMETER</td><td>OD</td><td>TEMPORARY</td><td>TEMP</td></tr> <tr><td>CENTRE TO CENTRE</td><td>C/C</td><td>FOUNDATION</td><td>FDN</td><td>OUTSIDE FACE</td><td>OF</td><td>THROUGH</td><td>THRU</td></tr> <tr><td>CERAMIC TILE</td><td>CT</td><td>FULL SIZE</td><td>FS</td><td>OVERHEAD</td><td>OH</td><td>TO MATCH EXISTING</td><td>TME</td></tr> <tr><td>CIRCLE</td><td>CIRC</td><td>GALVANIZED</td><td>GALV</td><td>PAINT</td><td>PT</td><td>TONGUE AND GROOVE</td><td>T&amp;G</td></tr> <tr><td>CLEAR</td><td>CLR</td><td>GALVANIZED IRON</td><td>GI</td><td>PAINTED</td><td>PTD</td><td>TOP AND BOTTOM</td><td>T&amp;B</td></tr> <tr><td>COLUMN</td><td>COL</td><td>GAUGE</td><td>GA</td><td>PARTITION</td><td>PTN</td><td>TOP OF</td><td>T/O</td></tr> <tr><td>COMPLETE WITH</td><td>C/W</td><td>GLASS</td><td>GL</td><td>PLYWOOD</td><td>PLYWD</td><td>TYPICAL</td><td>TYP</td></tr> <tr><td>CONCRETE</td><td>CONC</td><td>HARDWARE</td><td>HDW</td><td>PRECAST</td><td>PC</td><td>UNDER SIDE</td><td>UIS</td></tr> <tr><td>CONCRETE BLOCK</td><td>CBLK</td><td>HEIGHT</td><td>HGT</td><td>PRECAST CONCRETE</td><td>PC CONC</td><td>UNDERCUT</td><td>UCUT</td></tr> <tr><td>CONSTRUCTION</td><td>CONST</td><td>HEXAGON</td><td>HEX</td><td>PREFABRICATION</td><td>PREFAB</td><td>URINAL</td><td>UR</td></tr> <tr><td>CONTINUOUS</td><td>CONT</td><td>HOLLOW CORE</td><td>HC</td><td>PREFINISHED</td><td>PREFIN</td><td>VAPOUR BARRIER</td><td>VB</td></tr> <tr><td>CONTROL JOINT</td><td>CJ</td><td>HOLLOW METAL</td><td>HM</td><td>PRESSED STEEL</td><td>PS</td><td>VERTICAL</td><td>VERT</td></tr> <tr><td>COUNTERSINK</td><td>CSK</td><td>HORIZONTAL</td><td>HORIZ</td><td>QUANTITY</td><td>QTY</td><td>VINYL ASBESTOS TILE</td><td>VAT</td></tr> <tr><td>COVED SHEET VINYL</td><td>CSV</td><td>INCLUSIVE</td><td>INCL</td><td>QUARRY TILE</td><td>QT</td><td>VINYL COVE BASE</td><td>VCB</td></tr> <tr><td>DETAIL</td><td>DTL</td><td>INSIDE DIAMETER</td><td>ID</td><td>RADIUS</td><td>R</td><td>VINYL TILE</td><td>VT</td></tr> <tr><td>DEMOLISH</td><td>DEMO</td><td>INSIDE FACE</td><td>IF</td><td>RAINWATER LEADER</td><td>RWL</td><td>VINYL WALL COVERING</td><td>VWC</td></tr> <tr><td>DIAGONAL</td><td>DIAG</td><td>INSULATE</td><td>INSUL</td><td>REFERENCE</td><td>REF</td><td>WATER CLOSET</td><td>WC</td></tr> <tr><td>DIAMETER</td><td>DIA</td><td>INTERIOR</td><td>INT</td><td>REINFORCE</td><td>REINF</td><td>WEATHERSTRIPPING</td><td>WS</td></tr> <tr><td>DIMENSION</td><td>DIM</td><td>JOINT</td><td>JT</td><td>RESILIENT</td><td>RESIL</td><td>WEIGHT</td><td>WT</td></tr> <tr><td>DOOR</td><td>DR</td><td>JOIST</td><td>JST</td><td>REVERSE</td><td>RVS</td><td>WITH</td><td>W/</td></tr> <tr><td>DOUBLE</td><td>DBL</td><td>KNOCK DOWN</td><td>KD</td><td>REVISION</td><td>REV</td><td>WITHOUT</td><td>W/O</td></tr> <tr><td>DOWN</td><td>DN</td><td>LAMINATE</td><td>LAM</td><td>RIGHT HAND</td><td>RH</td><td>WOOD</td><td>WD</td></tr> </table>	ACOUSTIC	ACST	DRYWALL	DW	LAVATORY	LAV	ROOM	RM	ADHESIVE	ADH	EACH	EA	LAY-IN ACOUSTIC TILE	LAT	ROUGH OPENING	RO	ADJUSTABLE	ADJ	EACH WAY	EW	LEFT HAND	LH	RUBBER	RB	AGGREGATE	AGGR	EAST	E	LEFT HAND REVERSE	LHR	RVT	RESILIENT SHEET FLOORING	AIR VAPOUR BARRIER	AVB	ELECTRICAL	ELEC	LENGTH	LG	SCHEDULE	SCHED	ALTERNATE	ALT	ELEVATION	EL	LIGHT	LT	SCREW	SCR	ALUMINIUM	ALUM	ELEVATOR	ELEV	LOUVRE	LVR	SECTION	SECT	APARTMENT	APT	EPOXY	EP	MANUFACTURE	MFG	SELF ADHESIVE	SA	APPROXIMATE	APPROX	EQUAL	EQ	MARK	MK	SHEATHING	SHTG	ARCHITECTURE	ARCH	EQUALLY SPACED	EQ SP	MASONRY OPENING	MO	SHEET	SHT	BEAM	BM	EQUIPMENT	EQUIP	MATERIAL	MAT	SHEET VINYL	SV	BENCH MARK	BM	EXISTING	EXIST	MECHANICAL	MECH	SIMILAR	SIM	BETWEEN	BTWN	EXPANSION	EXP	MINIMUM	MIN	SOLID CORE	SC	BLOCK	BLK	EXTERIOR	EXT	MISCELLANEOUS	MISC	SOUTH	S	BOARD	BD	EXTRUDE	EXTR	NEAR FACE	NF	SPECIFICATION	SPEC	BOTH SIDES	BS	FACE TO FACE	F/F	NEAR SIDE	NS	SPRUCE	SPR	BOTH WAYS	BW	FAR SIDE	FS	NORTH	N	SPRUCE, PINE OR FIR	S/P/F	BOTTOM	BOT	FIBREBOARD	FBRBD	NOT APPLICABLE	N/A	STAIN	ST	BUILDING	BLDG	FINISH	FIN	NOT IN CONTRACT	NIC	STAINLESS STEEL	SS	CARPET	CPT	FLOOR	FL	NOT TO SCALE	NTS	STANDARD	STD	CAST IRON	CI	FLOOR DRAIN	FD	NUMBER	NO	STEEL	STL	CEILING	CLG	FLOORING	FLG	ON CENTRE	O/C	STRUCTURAL	STRUCT	CEMENT BOARD	CB	FLUORESCENT	FLR	OUT TO OUT	O/O	SQUARE FEET	SF	CENTRE	CTR	FOOTING	FTG	OUTSIDE DIAMETER	OD	TEMPORARY	TEMP	CENTRE TO CENTRE	C/C	FOUNDATION	FDN	OUTSIDE FACE	OF	THROUGH	THRU	CERAMIC TILE	CT	FULL SIZE	FS	OVERHEAD	OH	TO MATCH EXISTING	TME	CIRCLE	CIRC	GALVANIZED	GALV	PAINT	PT	TONGUE AND GROOVE	T&G	CLEAR	CLR	GALVANIZED IRON	GI	PAINTED	PTD	TOP AND BOTTOM	T&B	COLUMN	COL	GAUGE	GA	PARTITION	PTN	TOP OF	T/O	COMPLETE WITH	C/W	GLASS	GL	PLYWOOD	PLYWD	TYPICAL	TYP	CONCRETE	CONC	HARDWARE	HDW	PRECAST	PC	UNDER SIDE	UIS	CONCRETE BLOCK	CBLK	HEIGHT	HGT	PRECAST CONCRETE	PC CONC	UNDERCUT	UCUT	CONSTRUCTION	CONST	HEXAGON	HEX	PREFABRICATION	PREFAB	URINAL	UR	CONTINUOUS	CONT	HOLLOW CORE	HC	PREFINISHED	PREFIN	VAPOUR BARRIER	VB	CONTROL JOINT	CJ	HOLLOW METAL	HM	PRESSED STEEL	PS	VERTICAL	VERT	COUNTERSINK	CSK	HORIZONTAL	HORIZ	QUANTITY	QTY	VINYL ASBESTOS TILE	VAT	COVED SHEET VINYL	CSV	INCLUSIVE	INCL	QUARRY TILE	QT	VINYL COVE BASE	VCB	DETAIL	DTL	INSIDE DIAMETER	ID	RADIUS	R	VINYL TILE	VT	DEMOLISH	DEMO	INSIDE FACE	IF	RAINWATER LEADER	RWL	VINYL WALL COVERING	VWC	DIAGONAL	DIAG	INSULATE	INSUL	REFERENCE	REF	WATER CLOSET	WC	DIAMETER	DIA	INTERIOR	INT	REINFORCE	REINF	WEATHERSTRIPPING	WS	DIMENSION	DIM	JOINT	JT	RESILIENT	RESIL	WEIGHT	WT	DOOR	DR	JOIST	JST	REVERSE	RVS	WITH	W/	DOUBLE	DBL	KNOCK DOWN	KD	REVISION	REV	WITHOUT	W/O	DOWN	DN	LAMINATE	LAM	RIGHT HAND	RH	WOOD	WD
ACOUSTIC	ACST	DRYWALL	DW	LAVATORY	LAV	ROOM	RM																																																																																																																																																																																																																																																																																																																																																																				
ADHESIVE	ADH	EACH	EA	LAY-IN ACOUSTIC TILE	LAT	ROUGH OPENING	RO																																																																																																																																																																																																																																																																																																																																																																				
ADJUSTABLE	ADJ	EACH WAY	EW	LEFT HAND	LH	RUBBER	RB																																																																																																																																																																																																																																																																																																																																																																				
AGGREGATE	AGGR	EAST	E	LEFT HAND REVERSE	LHR	RVT	RESILIENT SHEET FLOORING																																																																																																																																																																																																																																																																																																																																																																				
AIR VAPOUR BARRIER	AVB	ELECTRICAL	ELEC	LENGTH	LG	SCHEDULE	SCHED																																																																																																																																																																																																																																																																																																																																																																				
ALTERNATE	ALT	ELEVATION	EL	LIGHT	LT	SCREW	SCR																																																																																																																																																																																																																																																																																																																																																																				
ALUMINIUM	ALUM	ELEVATOR	ELEV	LOUVRE	LVR	SECTION	SECT																																																																																																																																																																																																																																																																																																																																																																				
APARTMENT	APT	EPOXY	EP	MANUFACTURE	MFG	SELF ADHESIVE	SA																																																																																																																																																																																																																																																																																																																																																																				
APPROXIMATE	APPROX	EQUAL	EQ	MARK	MK	SHEATHING	SHTG																																																																																																																																																																																																																																																																																																																																																																				
ARCHITECTURE	ARCH	EQUALLY SPACED	EQ SP	MASONRY OPENING	MO	SHEET	SHT																																																																																																																																																																																																																																																																																																																																																																				
BEAM	BM	EQUIPMENT	EQUIP	MATERIAL	MAT	SHEET VINYL	SV																																																																																																																																																																																																																																																																																																																																																																				
BENCH MARK	BM	EXISTING	EXIST	MECHANICAL	MECH	SIMILAR	SIM																																																																																																																																																																																																																																																																																																																																																																				
BETWEEN	BTWN	EXPANSION	EXP	MINIMUM	MIN	SOLID CORE	SC																																																																																																																																																																																																																																																																																																																																																																				
BLOCK	BLK	EXTERIOR	EXT	MISCELLANEOUS	MISC	SOUTH	S																																																																																																																																																																																																																																																																																																																																																																				
BOARD	BD	EXTRUDE	EXTR	NEAR FACE	NF	SPECIFICATION	SPEC																																																																																																																																																																																																																																																																																																																																																																				
BOTH SIDES	BS	FACE TO FACE	F/F	NEAR SIDE	NS	SPRUCE	SPR																																																																																																																																																																																																																																																																																																																																																																				
BOTH WAYS	BW	FAR SIDE	FS	NORTH	N	SPRUCE, PINE OR FIR	S/P/F																																																																																																																																																																																																																																																																																																																																																																				
BOTTOM	BOT	FIBREBOARD	FBRBD	NOT APPLICABLE	N/A	STAIN	ST																																																																																																																																																																																																																																																																																																																																																																				
BUILDING	BLDG	FINISH	FIN	NOT IN CONTRACT	NIC	STAINLESS STEEL	SS																																																																																																																																																																																																																																																																																																																																																																				
CARPET	CPT	FLOOR	FL	NOT TO SCALE	NTS	STANDARD	STD																																																																																																																																																																																																																																																																																																																																																																				
CAST IRON	CI	FLOOR DRAIN	FD	NUMBER	NO	STEEL	STL																																																																																																																																																																																																																																																																																																																																																																				
CEILING	CLG	FLOORING	FLG	ON CENTRE	O/C	STRUCTURAL	STRUCT																																																																																																																																																																																																																																																																																																																																																																				
CEMENT BOARD	CB	FLUORESCENT	FLR	OUT TO OUT	O/O	SQUARE FEET	SF																																																																																																																																																																																																																																																																																																																																																																				
CENTRE	CTR	FOOTING	FTG	OUTSIDE DIAMETER	OD	TEMPORARY	TEMP																																																																																																																																																																																																																																																																																																																																																																				
CENTRE TO CENTRE	C/C	FOUNDATION	FDN	OUTSIDE FACE	OF	THROUGH	THRU																																																																																																																																																																																																																																																																																																																																																																				
CERAMIC TILE	CT	FULL SIZE	FS	OVERHEAD	OH	TO MATCH EXISTING	TME																																																																																																																																																																																																																																																																																																																																																																				
CIRCLE	CIRC	GALVANIZED	GALV	PAINT	PT	TONGUE AND GROOVE	T&G																																																																																																																																																																																																																																																																																																																																																																				
CLEAR	CLR	GALVANIZED IRON	GI	PAINTED	PTD	TOP AND BOTTOM	T&B																																																																																																																																																																																																																																																																																																																																																																				
COLUMN	COL	GAUGE	GA	PARTITION	PTN	TOP OF	T/O																																																																																																																																																																																																																																																																																																																																																																				
COMPLETE WITH	C/W	GLASS	GL	PLYWOOD	PLYWD	TYPICAL	TYP																																																																																																																																																																																																																																																																																																																																																																				
CONCRETE	CONC	HARDWARE	HDW	PRECAST	PC	UNDER SIDE	UIS																																																																																																																																																																																																																																																																																																																																																																				
CONCRETE BLOCK	CBLK	HEIGHT	HGT	PRECAST CONCRETE	PC CONC	UNDERCUT	UCUT																																																																																																																																																																																																																																																																																																																																																																				
CONSTRUCTION	CONST	HEXAGON	HEX	PREFABRICATION	PREFAB	URINAL	UR																																																																																																																																																																																																																																																																																																																																																																				
CONTINUOUS	CONT	HOLLOW CORE	HC	PREFINISHED	PREFIN	VAPOUR BARRIER	VB																																																																																																																																																																																																																																																																																																																																																																				
CONTROL JOINT	CJ	HOLLOW METAL	HM	PRESSED STEEL	PS	VERTICAL	VERT																																																																																																																																																																																																																																																																																																																																																																				
COUNTERSINK	CSK	HORIZONTAL	HORIZ	QUANTITY	QTY	VINYL ASBESTOS TILE	VAT																																																																																																																																																																																																																																																																																																																																																																				
COVED SHEET VINYL	CSV	INCLUSIVE	INCL	QUARRY TILE	QT	VINYL COVE BASE	VCB																																																																																																																																																																																																																																																																																																																																																																				
DETAIL	DTL	INSIDE DIAMETER	ID	RADIUS	R	VINYL TILE	VT																																																																																																																																																																																																																																																																																																																																																																				
DEMOLISH	DEMO	INSIDE FACE	IF	RAINWATER LEADER	RWL	VINYL WALL COVERING	VWC																																																																																																																																																																																																																																																																																																																																																																				
DIAGONAL	DIAG	INSULATE	INSUL	REFERENCE	REF	WATER CLOSET	WC																																																																																																																																																																																																																																																																																																																																																																				
DIAMETER	DIA	INTERIOR	INT	REINFORCE	REINF	WEATHERSTRIPPING	WS																																																																																																																																																																																																																																																																																																																																																																				
DIMENSION	DIM	JOINT	JT	RESILIENT	RESIL	WEIGHT	WT																																																																																																																																																																																																																																																																																																																																																																				
DOOR	DR	JOIST	JST	REVERSE	RVS	WITH	W/																																																																																																																																																																																																																																																																																																																																																																				
DOUBLE	DBL	KNOCK DOWN	KD	REVISION	REV	WITHOUT	W/O																																																																																																																																																																																																																																																																																																																																																																				
DOWN	DN	LAMINATE	LAM	RIGHT HAND	RH	WOOD	WD																																																																																																																																																																																																																																																																																																																																																																				

PROJECT TITLE: FACILITY BUILDING - INTERIOR RENOVATIONS

SHEET TITLE: TITLE PAGE

DATE (YYYYMMDD) 15 03 01  
SCALE AS NOTED  
DRAWN BY RS  
CHECKED BY NC

ISSUED FOR TENDER



# A0.0

REVISION #: 00

14-116-01-30


JOB NO.

THIS DRAWING MUST NOT BE SCALED.  
 THE GENERAL CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATUMS AND LEVELS PRIOR TO COMMENCEMENT OF WORK AND IS HELD RESPONSIBLE FOR REPORTING ANY DISCREPANCY OR OMISSION TO CAN-TEC SERVICES LTD IMMEDIATELY.  
 THIS DRAWING IS THE EXCLUSIVE PROPERTY OF CAN-TEC SERVICES LTD. AND CAN BE REPRODUCED ONLY WITH THE PERMISSION OF CAN-TEC SERVICES LTD. IN WHICH CASE THE REPRODUCTION MUST BEAR THEIR NAME AS THE ENGINEERING/DRAFTING FIRM.  
<http://www.canteconventions.com>



1 MAIN FLOOR PLAN DEMOLITION  
 SCALE: 1/25

- DRAWING NOTES:
1. REMOVE EXISTING CELL TOILET (DO NOT REMOVE WALL CARRIER)
  2. REMOVE EXISTING CELL DOOR AND HARDWARE (DO NOT REMOVE CELL DOOR FRAME) DOOR FRAME TO BE SCRAPPED CLEAN FOR RE-PAINTING
  3. REMOVE DOOR AND FRAME
  4. REMOVE EXISTING SPEAKER DISK



REV. #	REVISION	DATE (Y/M/D)	BY	CHKD BY
00	ISSUED FOR TENDER	10/02/24	RS	RS
B	ISSUED FOR 90% REVIEW	10/27/24	RS	RS
A	ISSUED FOR REVIEW	11/11/24	RS	RS
REV. #	REVISION	DATE (Y/M/D)	BY	CHKD BY

SEALED BY:


PROJECT TITLE: FACILITY BUILDING - INTERIOR RENOVATION  
 SHEET TITLE: MAIN FLOOR PLAN - DEMOLITION  
 DATE (Y/M/D): 14 11 25  
 SCALE: AS NOTED  
 DRAWN BY: RS  
 CHECKED BY: RS  
 LOCATION: 4428 - 45 STREET, ROCKY MOUNTAIN HOUSE, ALBERTA

ISSUED FOR TENDER

**A1.0**


REVISION #: 00

JOB NO. 14-116-01-30



1 MAIN FLOOR PLAN  
A2.0 SCALE: 1/75

**LEGEND**



**GENERAL NOTES:**

- SEE PAGE A1.0 FOR PHASING REQUIREMENTS.
- CONTRACTOR IS TO MAKE GOOD ANY DAMAGE TO EXISTING QUARTZ FLOORING DONE BY THE INSTALLATION OF NEW DOORS AND FIXTURES ETC. COLOR TO MATCH EXISTING
- PAINTING OF ENTIRE ROOM INCLUDES DOORS AND FRAMES, ACCESS PANELS ETC.
- DETENTION STOOL: STANDARD OF ACCEPTANCE SWS DETENTION - 11 GAUGE TUBULAR STAINLESS STEEL C/W 1/2" FLOOR MOUNTING PLATE. STOOL TO BE STAINLESS STEEL
- NEW SPEAKER DISK: METAL FAB MODEL #820-SD
- EXISTING DOOR FRAMES IN ROOMS 118, 126, 127, 130, 131, 133, 134, 135 AND 139 TO BE SCRAPED CLEAN PRIMED AND PAINTED. FRAMES TO BE PAINTED AS PER COLOR SCHEDULE. ALL DOORS ARE TO HAVE A NEW NUMBER 200mm HIGH ON EACH DOOR
- ROOMS 118, 124, 126, 127, 130, 131, 133, 134, 135 AND 139 ARE TO HAVE NEW SECURITY CAULK ADDED ALL AROUND ALL NEW AND EXISTING FIXTURES AND FITTINGS

**DRAWING NOTES:**

- INSTALL NEW CELL TOILETS SEE MECHANICAL. ANY DAMAGE TO THE EXISTING EPOXY FLOOR FINISH TO BE REPAIRED WITH THE SAME MATERIAL, TEXTURE AND COLOR.
- INSTALL NEW CELL DOORS AND HARDWARE. EXISTING FRAME TO REMAIN
- INSTALL NEW DOOR AND FRAME IN EXISTING OPENING
- NOT USED
- ADD NEW CELL NUMBER TO WALL NUMBER TO BE LOCATED IN CENTER OF WALL IN LOCATION SHOWN
- NEW MILLWORK SEE SPECIFICATION FOR DETAIL
- INSTALL NEW BENCH SEE DETAIL A1.01 IN SPECIFICATION FOR MILLWORK DETAILS
- INSTALL NEW EPOXY FLOOR
- INSTALL NEW WALL AND CEILING COATINGS/PAINT
- NOT USED
- NOT USED
- INSTALL NEW DETENTION STOOL - SITE LOCATED
- INSTALL NEW SECURE TELEPHONE
- SECURE DOORS TO HOSE REEL CABINET
- NEW SPEAKER DISK
- INSTALL NEW PAPER TOWEL DISPENSER AND SOAP DISPENSER FINAL LOCATION TO BE SITE LOCATED
- INSTALL NEW STEEL ACCESS HATCH IN OPENING LEFT BY REMOVAL OF COMBI UNIT. ACCESS HATCH TO BE LOCKABLE MINIMUM 10 GA POWDER COATED TO MATCH THE WALL COLOR.

THIS DRAWING MUST NOT BE SCALED.

THE GENERAL CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATUMS AND LEVELS PRIOR TO COMMENCEMENT OF WORK AND BE HELD RESPONSIBLE FOR REPORTING ANY DISCREPANCY OR OMISSION TO CAN-TEC SERVICES LTD IMMEDIATELY.

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF CAN-TEC SERVICES LTD AND CAN BE REPRODUCED ONLY WITH THE PERMISSION OF CAN-TEC SERVICES LTD. IN WHICH CASE THE REPRODUCTION MUST BEAR THEIR NAME AS THE ENGINEERING/DRAFTING FIRM.


**can tec**

**ENGINEERING AND DRAFTING**


194 HANNA STREET, WINNIPEG, MANITOBA  
TEL: (204) 943-7222 Fax: (204) 943-5717  
http://www.can-tec.com

ISSUED FOR TENDER 10/02/24 RS  
ISSUED FOR 90% REVIEW 10/27/24 RS  
ISSUED FOR REVIEW 11/11/24 RS  
DATE BY MARKS REV BY

SEAL BY:



2 ENLARGED FLOOR PLAN ROOM 140  
A2.0 SCALE: 1/25




5 ENLARGED FLOOR PLAN  
A2.0 SCALE: 1/25

ROOM #	ROOM NAME	FLOOR		WALLS										CEILING		REMARKS
				NORTH		EAST		SOUTH		WEST		MATERIAL	FINISH			
				MATERIAL	BASE	MATERIAL	FINISH	MATERIAL	FINISH	MATERIAL	FINISH					
140		QF	COVE	PLYWOOD	HG1	CONC BLOCK	HG	PLYWOOD	HG1	CONC BLOCK	HG	CONCRETE	HG			

**LEGEND:**  
QF - HIGH GLAZE EPOXY QUARTZ FLOORING  
HG - HIGH GLAZE  
HG1 - HIGH GLAZE FOR WOOD SURFACES

MARK	SIZE	DOOR TYPE	DOOR ELEV.	DOOR CORE	DOOR FINISH	DOOR COLOR	DOOR GAUGE	FRAME MATERIAL	FRAME TYPE	FRAME FINISH	FRAME COLOR	FRAME GAUGE	HARDWARE	RATING	REMARKS
D118	910 X 2135	DETENTION	1	MANUF.	PAINTED			STEEL	EXISTING TO REMAIN	PAINTED		MANUF	SEE SPEC	N/A	SEE SPECIFICATIONS
D124	910 X 2135	SOUND RATED	2	MANUF.	PAINTED			STEEL	MANUFACTURES	PAINTED		MANUF	1	N/A	STC 50 RATED SOUND DOOR C/W VIEWING WINDOW AND VIEWING SLATS
D127	910 X 2135	DETENTION	1	MANUF.	PAINTED			STEEL	EXISTING TO REMAIN	PAINTED		MANUF	SEE SPEC	N/A	SEE SPECIFICATIONS
D128	910 X 2135	DETENTION	1	MANUF.	PAINTED			STEEL	EXISTING TO REMAIN	PAINTED		MANUF	SEE SPEC	N/A	SEE SPECIFICATIONS
D130	910 X 2135	DETENTION	1	MANUF.	PAINTED			STEEL	EXISTING TO REMAIN	PAINTED		MANUF	SEE SPEC	N/A	SEE SPECIFICATIONS
D133	910 X 2135	DETENTION	1	MANUF.	PAINTED			STEEL	EXISTING TO REMAIN	PAINTED		MANUF	SEE SPEC	N/A	SEE SPECIFICATIONS
D134	910 X 2135	DETENTION	1	MANUF.	PAINTED			STEEL	EXISTING TO REMAIN	PAINTED		MANUF	SEE SPEC	N/A	SEE SPECIFICATIONS
D135	910 X 2135	DETENTION	1	MANUF.	PAINTED			STEEL	EXISTING TO REMAIN	PAINTED		MANUF	SEE SPEC	N/A	SEE SPECIFICATIONS
D138	910 X 2135	DETENTION	1	MANUF.	PAINTED			STEEL	EXISTING TO REMAIN	PAINTED		MANUF	SEE SPEC	N/A	SEE SPECIFICATIONS
D139	910 X 2135	DETENTION	1	MANUF.	PAINTED			STEEL	EXISTING TO REMAIN	PAINTED		MANUF	SEE SPEC	N/A	SEE SPECIFICATIONS

**DOOR ELEVATIONS:**



PROJECT TITLE  
**FACILITY BUILDING - INTERIOR RENOVATION**

SHEET TITLE  
**MAIN FLOOR PLAN - RENOVATION**

DATE (BY MARKS)  
14 11 25

SCALE  
1/75

LOCATION  
4428 - 45 STREET, ROCKY MOUNTAIN HOUSE, ALBERTA

ISSUED FOR TENDER

**A2.0**

REVISION #: 00


JOB NO.  
14-116-01-30

CHECKED BY  
RS





DRAWN BY  
RS

SCALE  
1/75





LOCATION  
4428 - 45 STREET, ROCKY MOUNTAIN HOUSE, ALBERTA







1 ROOM 118 ELEVATIONS  
A5.0 SCALE: 1:50







2 ROOM 127 ELEVATIONS  
A5.0 SCALE: 1:50







3 ROOM 128 ELEVATIONS  
A5.0 SCALE: 1:50







4 ROOM 130 ELEVATIONS  
A5.0 SCALE: 1:50







5 ROOM 133 ELEVATIONS  
A5.0 SCALE: 1:50







6 ROOM 134 ELEVATIONS  
A5.0 SCALE: 1:50






7 ROOM 135 ELEVATIONS  
A5.0 SCALE: 1:50



8 ROOM 138 ELEVATIONS  
A5.0 SCALE: 1:50



9 ROOM 139 ELEVATIONS  
A5.0 SCALE: 1:50




**ELEVATION NOTES:**

- 1 NEW ROOM NUMBER TO WALL NUMBER TO BE LOCATED IN CENTER OF WALL IN LOCATION SHOWN (NUMBERS TO BE 200mm HIGH). OWNER TO ADVISE ON NUMBERING SYSTEM
- 2 NEW CELL TOILETS C/W SECURITY CAULK ALL AROUND. (SEE MECHANICAL)
- 3 NEW CELL DOORS AND HARDWARE EXISTING FRAME TO REMAIN.
- 4 NEW LIGHT C/W SECURITY CAULKING ALL AROUND.

THIS DRAWING MUST NOT BE SCALED.  
THE GENERAL CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATUMS AND LEVELS PRIOR TO COMMENCEMENT OF WORK AND BE HELD RESPONSIBLE FOR REPORTING ANY DISCREPANCY OR OMISSION TO CAN-TEC SERVICES LTD IMMEDIATELY.

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF CAN-TEC SERVICES LTD. AND CAN BE REPRODUCED ONLY WITH THE PERMISSION OF CAN-TEC SERVICES LTD. IN WHICH CASE THE REPRODUCTION MUST BEAR THEIR NAME AS THE ENGINEERING/DRAFTING FIRM.




REV. #	REVISION	DATE BY/WHO	REV. BY
00	ISSUED FOR TENDER	10/07/24	RS
01	ISSUED FOR 90% REVIEW	10/07/24	RS
02	ISSUED FOR REVIEW	14/11/27	RS


SEALED BY:

PROJECT TITLE: FACILITY BUILDING - INTERIOR RENOVATION  
SHEET TITLE: INTERIOR ELEVATIONS  
SCALE: 1:50  
DATE BY/WHO: 14/11/25  
LOCATION: 4428 - 45 STREET, ROCKY MOUNTAIN HOUSE, ALBERTA

ISSUED FOR TENDER  
**A5.0**  
REVISION #: 00  
JOB NO. 14-116-01-30



THIS DRAWING MUST NOT BE SCALED.  
 THE GENERAL CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATUMS AND LEVELS PRIOR TO COMMENCEMENT OF WORK AND BE RESPONSIBLE FOR REPORTING ANY DISCREPANCY OR OMISSION TO CAN-TEC SERVICES LTD IMMEDIATELY.  
 THIS DRAWING IS THE EXCLUSIVE PROPERTY OF CAN-TEC SERVICES LTD. AND CAN BE REPRODUCED ONLY WITH THE PERMISSION OF CAN-TEC SERVICES LTD. IN WHICH CASE THE REPRODUCTION MUST BEAR THEIR NAME AS THE ENGINEERING DRAFTING FIRM.  
<http://www.canteconventions.com>



REV.#	REVISION	DATE (Y/M/D)	DATE BY	REVIEWED BY
00	ISSUED FOR TENDER	10/01/21	RS	RS
B	ISSUED FOR 90% REVIEW	10/07/20	RS	RS
A	ISSUED FOR REVIEW	14/11/21	RS	RS

1 REFLECTED CEILING PLAN  
 A6.0 SCALE: 1:75

**LEGEND**

- NEW LIGHT
- NEW VENTILATION GRILL

**DRAWING NOTES: #**

1. NOT USED
2. NEW LIGHT
3. EXISTING VENTILATION DUCT WITH NEW GRILL SEE MECHANICAL FOR DETAILS
4. NOT USED

**GENERAL NOTES:**

1. SEE PAGE A1.0 FOR PHASING REQUIREMENTS.

SEALED BY:

**PROJECT TITLE**  
 FACILITY BUILDING - INTERIOR RENOVATION  
**SHEET TITLE**  
 MAIN FLOOR PLAN - REFLECTED CEILING  
**DATE (Y/M/D)**  
 14/11/25  
**SCALE**  
 1:75  
**LOCATION**  
 4428 - 45 STREET, ROCKY MOUNTAIN HOUSE, ALBERTA


ISSUED FOR TENDER

**A6.0**

REVISION #: 00

JOB NO. 14-116-01-30





1 PARTIAL FLOOR PLAN  
1/20 M2.0 SCALE: 1:50

GRILLE/DIFFUSER SCHEDULE			
SYMBOL	MANUFACTURER	MODEL	REMARKS
A	VIRTUCOM-INC	VIRTUCOM SCO Security	SUPPLY GRILLE. INSTALL AS PER MANUF. INSTRUCTION


HEATING AND COOLING LEGEND	
Ⓜ	THERMOSTAT
Ⓢ	ROOM SENSOR
Ⓜ/Ⓢ	EQUIPMENT TAG (SEE SCHEDULE)
VENTILATION LEGEND	
AD	ACCESS DOOR
TS	TRANSFER SLEEVE
VB	VOLUME BALANCING DAMPER
FD	FIRE DAMPER
FF	FIRE FLAP
BD	BACKDRAFT DAMPER
TYPE SIZE L/S	DIFFUSER AND GRILLE TAG (SEE SCHEDULE)
150.000x150.000	NEW DUCTWORK
150.000x150.000	EXISTING DUCTWORK
□	NEW DIFFUSER
□	EXISTING DIFFUSER

**DRAWING NOTES:** #

- REMOVE AND REPLACE EXISTING GRILLE - SECURITY CAULK ALL AROUND NEW FRAME.
- REMOVE EXISTING GRILLE LOCATED ON EXISTING MASONRY WALL. INSTALL NEW GRILLE ON MASONRY WALL.
- INSTALL NEW GRILLE ON FACE OF CONCRETE BUNK NEW GRILLE TO BE INSET INTO CONCRETE AS PER DETAIL 2 - M2.0. REPAIR EPOXY COATING COLOR TO MATCH EXISTING.
- EXHAUST FAN IN ATTIC SPACE. SEE GENERAL NOTES 4.5 AND 6.
- EXHAUST DUCT RUNNING TO SOFFIT. SEE GENERAL NOTE 5.
- EXISTING EXHAUST DUCT TO GOOSENECK ON ROOF.

**GENERAL NOTES:**

- THE DUCTWORK SHOWN IS APPROXIMATE ONLY. ALL INFORMATION SHOWN MUST BE VERIFIED ON SITE.
- ANY HOLES LEFT BY THE REMOVAL OF EXISTING SUPPLY, RETURN OR EXHAUST DIFFUSERS MUST BE INFILLED WITH CONCRETE AND SEALED.
- ROOF SLAB AND FLOOR SLAB TO BE X-RAYED PRIOR TO CUTTING NEW HOLES. ADJUST DUCTWORK AS REQUIRED TO MISS EXISTING ELECTRICAL CONDUITS.
- CONTRACTOR TO SUPPLY EXHAUST FAN BALANCING REPORT BY A CERTIFIED AIR BALANCER TO THE MECHANICAL ENGINEER AT START OF PROJECT TO IDENTIFY FANS TO BE REPLACED.
- CONTRACTOR TO PROVIDE A UNIT PRICE FOR THE REMOVAL AND REPLACEMENT OF A SINGLE FAN ALONG WITH 1.89M OF DUCT. DUCTWORK TO BE INSULATED WITH 50mm FOIL FACE INSULATION THE NUMBER OF FANS REPLACED WILL BE DETERMINED BY THE MECHANICAL ENGINEER ONCE THE BALANCING REPORT HAS BEEN REVIEWED.
- EXHAUST FAN NUMBERS MATCH NUMBERS SHOWN ON ORIGINAL DRAWINGS AND ON EXISTING FAN NAMEPLATES (IF ANY EXIST)




2 TYPICAL CELL BUNK AT SUPPLY GRILLE  
A4.1 SCALE: 1:5


**DRAWINGS NOTES:** #

- LINE OF FLOOR
- EXISTING CONCRETE BLOCK
- GRIND FACE OF BLOCK AND CONCRETE, FULL PERIMETER, TO ALLOW A TIGHT INSTALL OF THE GRILLE - SECURITY CAULK ALL AROUND

THIS DRAWING MUST NOT BE SCALED.  
THE GENERAL CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATUMS AND LEVELS PRIOR TO COMMENCEMENT OF WORK AND IS HELD RESPONSIBLE FOR REPORTING ANY DISCREPANCY OR OMISSION TO CAN-TEC SERVICES LTD. IMMEDIATELY.  
THIS DRAWING IS THE EXCLUSIVE PROPERTY OF CAN-TEC SERVICES LTD. AND CAN BE REPRODUCED ONLY WITH THE PERMISSION OF CAN-TEC SERVICES LTD. IN WHICH CASE THE REPRODUCTION MUST BEAR THEIR NAME AS THE ENGINEERING/DRAFTING FIRM.  
http://www.can-tec.ca




NO.	REVISION	DATE	BY
1	ISSUED FOR TENDER	1812	JLS
2	ISSUED FOR BIDDING	1812	RS
3	ISSUED FOR BIDDING	1812	RS
4	ISSUED FOR BIDDING	1812	RS
5	ISSUED FOR BIDDING	1812	RS
6	ISSUED FOR BIDDING	1812	RS
7	ISSUED FOR BIDDING	1812	RS
8	ISSUED FOR BIDDING	1812	RS
9	ISSUED FOR BIDDING	1812	RS
10	ISSUED FOR BIDDING	1812	RS
11	ISSUED FOR BIDDING	1812	RS
12	ISSUED FOR BIDDING	1812	RS
13	ISSUED FOR BIDDING	1812	RS
14	ISSUED FOR BIDDING	1812	RS
15	ISSUED FOR BIDDING	1812	RS
16	ISSUED FOR BIDDING	1812	RS
17	ISSUED FOR BIDDING	1812	RS
18	ISSUED FOR BIDDING	1812	RS
19	ISSUED FOR BIDDING	1812	RS
20	ISSUED FOR BIDDING	1812	RS



PROJECT TITLE: FACILITY BUILDING - INTERIOR RENOVATION  
SHEET TITLE: PARTIAL MAIN FLOOR PLAN - HVAC  
DATE (Y/M/D): 15/03/07  
SCALE: AS NOTED  
DRAWN BY: RS  
CHECKED BY: NC  
LOCATION: 4428 -45 STREET, ROCKY MOUNTAIN HOUSE, ALBERTA

ISSUED FOR TENDER  
**M2.0**  
REVISION #: 00  
JOB NO.: 14-114-01-30



1 MAIN FLOOR PLAN - DEMOLITION  
 E1 SCALE: 1:50

**DRAWING NOTES:**

- 1 RELOCATE TELEPHONE JACK AS SHOWN ON CONSTRUCTION PLAN. REMOVE EXISTING JACK AND COVER WITH 14-GAUGE STEEL PLATE. FASTEN WITH SECURITY SCREWS AND SECURITY CAULK AROUND ENTIRE PLATE.

**GENERAL NOTES:**

- A. DISCONNECT AND REMOVE ALL LIGHT FIXTURES SHOWN. REPLACE WHERE SHOWN ON E-2. REUSE WIRING WHERE POSSIBLE. REMOVE ALL UNUSED WIRING AND CONDUIT BACK TO THE PANEL.
- B. ENSURE THAT EXISTING WIRING EXPOSED OR AFFECTED DURING CONSTRUCTION IS REDONE OR REROUTED IN A PROPER MANNER. RE-USE CIRCUITS AND WIRING WHERE POSSIBLE. WHERE WIRING IS NOT RE-USED, STRIP BACK TO CLOSEST DISCONNECT OR PANEL. REMOVE ANY DEVICES, EQUIPMENT OR JUNCTION BOXES WHICH WILL BE RENDERED INACCESSIBLE BECAUSE OF NEW CONSTRUCTION OR FIXED-IN-PLACE CABINETRY.
- C. REMOVE AND RETAIN LIGHTS AND CAMERA IN ROOM 140. LIGHTS ARE TO BE REINSTALLED AND CONDUIT FOR CAMERA IS TO BE EXTENDED TO ACCOMMODATE NEW INTERIOR WALLS. CONDUIT FOR CAMERA IS TO BE INSTALLED AS PER CLOSED CIRCUIT CAMERA NOTES. OTHER DEVICES ARE TO BE REMOVED AND REPLACED AS PER CONSTRUCTION PLAN.

THIS DRAWING MUST NOT BE SCALED.  
 THE GENERAL CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATUMS AND LEVELS PRIOR TO COMMENCEMENT OF WORK AND IS HELD RESPONSIBLE FOR REPORTING ANY DISCREPANCY OR OMISSION TO JOREY ELECTRIC LTD. IMMEDIATELY.  
 THIS DRAWING IS THE EXCLUSIVE PROPERTY OF JOREY ELECTRIC LTD. AND CAN BE REPRODUCED ONLY WITH THE PERMISSION OF JOREY ELECTRIC LTD. IN WHICH CASE THE REPRODUCTION MUST BEAR THEIR NAME AS THE ENGINEERING/DRAFTING FIRM.

**JOREY ELECTRIC!**  
 Engineering Consultants  
 Telephone: (204) 255-4842  
 Facsimile: (204) 255-7679  
 E-mail: info@joreyelectric.com  
 6-1375 Nivajava Road E.  
 Winnipeg, Manitoba  
 Canada, R2J 3T3

REV #	REVISION	DATE	REV BY
0	ISSUED FOR TENDER	22 JAN 2016	JJD
B	ISSUED FOR 95% REVIEW	28 AUG 2015	JJD
A	ISSUED FOR 50% REVIEW	22 APR 2015	JJD

SEALED BY:



PROJECT TITLE  
**FACILITY BUILDING - INTERIOR RENOVATION**  
 SHEET TITLE  
**MAIN FLOOR PLAN - DEMOLITION**  
 DATE  
 22 APR 2015  
 SCALE  
 AS SHOWN  
 DRAWN BY  
 AZ  
 CHECKED BY  
 JJD  
 LOCATION  
 ROCKY MOUNTAIN HOUSE, ALBERTA


"ISSUED FOR TENDER"

**E1**  
 REVISION #: 0  
 JOB NO.  
**14-090**


THIS DRAWING MUST NOT BE SCALED.  
 THE GENERAL CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATUMS AND LEVELS PRIOR TO COMMENCEMENT OF WORK AND IS HELD RESPONSIBLE FOR REPORTING ANY DISCREPANCY OR OMISSION TO JOREY ELECTRIC LTD. IMMEDIATELY.  
 THIS DRAWING IS THE EXCLUSIVE PROPERTY OF JOREY ELECTRIC LTD. AND CAN BE REPRODUCED ONLY WITH THE PERMISSION OF JOREY ELECTRIC LTD. IN WHICH CASE THE REPRODUCTION MUST BEAR THEIR NAME AS THE ENGINEERING/DRAFTING FIRM.

**JOREY ELECTRIC!**  
 Engineering Consultants  
 Telephone: (204) 255-4842  
 Facsimile: (204) 255-7679  
 6-1375 Nivajava Road E.  
 Winnipeg, Manitoba  
 Canada, R2J 3T3  
 E-mail: info@joreyelectric.com


REV #	REVISION	DATE	REV BY
0	ISSUED FOR TENDER	22 JAN 2016	JJD
B	ISSUED FOR 95% REVIEW	28 AUG 2015	JJD
A	ISSUED FOR 50% REVIEW	22 APR 2015	JJD



1 MAIN FLOOR PLAN - RENOVATION  
 SCALE: 1:50



2 BASEMENT PLAN - RENOVATION  
 SCALE: 1:50



3 ROOM 140 LIGHTING AND POWER PLAN  
 SCALE: 1:50

TYPE	DESCRIPTION	LAMP	NOTES
A	COOPER LIGHTING FCC-X-232-120-80/86-EB82-FNL	2-F32T8/841	CORNER MOUNTED. ENSURE MANUFACTURER AND MODEL NUMBER STAMPED ON FIXTURE FACEPLATE. ARRANGE FOR HIGH YIELD GROUTING ALL AROUND WITH POLYMER FORTIFIED HIGH YIELD GROUT.

- DRAWING NOTES:**
- SUPPLY AND INSTALL ARMORED GUARDIAN TELECOM # CIT-40. INSTALL AT APPROX 3FT OR 150 MM ABOVE FLOOR ON PLYWOOD REINFORCEMENT BACKBOARD ON THE WALL. THE MOUNTING HEIGHT ABOVE MILLWORK IS TO BE SUFFICIENT TO ALLOW THE HANDSET CORD WHILE THE HANDSET IS HUNG-UP TO HANG FREELY ON WALL WITHOUT TOUCHING THE MILLWORK. THE CIT-40 PHONE IS TO BE ORDERED WITH THE 18 INCH ARMORED HANDSET CORD AND RINGER OPTION. PHONE SHOULD BE CENTERED BETWEEN THE WINDOW FRAME AND THE WALL CORNER.
  - PROVIDE DEDICATED CIRCUIT.
  - PROVIDE SPLIT RECEPTACLE WITH TWO 15A DEDICATED CIRCUITS.

- GENERAL NOTES:**
- UNLESS NOTED OTHERWISE, ALL LIGHTS AND DEVICES SHOWN ON THIS DRAWING ARE NEW. REUSE EXISTING WIRING WHERE POSSIBLE.
  - ALL NEW CONDUIT RUNS MUST BE CONCEALED.
  - NEW CIRCUITS TO BE TAKEN FROM PANEL E.
  - CONTRACTOR IS RESPONSIBLE FOR X-RAYING FLOOR AND CEILING SLAB TO ENSURE CONDUITS ARE NOT STRUCK WHEN CORING.

- CLOSED CIRCUIT CAMERA NOTES:**
- SECURITY CAMERAS TO BE PROVIDED, INSTALLED AND CONNECTED BY OTHERS.
  - FOR CORNER MOUNTED CAMERAS, CONDUIT MUST BE WITHIN 13 mm OF THE CORNER.
  - FOR DOME CAMERAS, CONDUIT MUST BE 127 mm FROM NEAREST WALL AND CUT FLUSH WITH CEILING.

SYMBOL SCHEDULE	
	DUPLEX RECEPTACLE "GF" DENOTES GFI RECEPTACLE "20" DENOTES 20A RECEPTACLE "CH" DENOTES COUNTER HEIGHT
	SWITCH
	DATA JACK
	TELEPHONE JACK
	FIRE ALARM SMOKE DETECTOR "D" DENOTES DUCT DETECTOR "C" DENOTES PROTECTIVE CAGE
	FIRE ALARM HEAT DETECTOR
	6" FIRE ALARM BELL
	CLOSED CIRCUIT CAMERA
	ELECTRICAL CONNECTION
	CEILING LUMINAIRE
	LINEAR LUMINAIRE
E	DENOTES EXISTING
EF	EXHAUST FAN

SEALED BY:



PERMIT NO. P1594

PROJECT TITLE  
**FACILITY BUILDING - INTERIOR RENOVATION**  
 SHEET TITLE  
**MAIN FLOOR PLAN - RENOVATION**  
**BASEMENT PLAN - RENOVATION**  
 DATE  
 22 APR 2015  
 SCALE  
 AS SHOWN  
 DRAWN BY  
 AZ  
 CHECKED BY  
 JJD  
 LOCATION  
 ROCKY MOUNTAIN HOUSE, ALBERTA

"ISSUED FOR TENDER"

**E2**  
 REVISION #: 0  
 JOB NO.  
**14-090**